

Coronary Heart Disease

Healthy People 2010 Target: 162 heart disease deaths per 100,000 population, age-adjusted\*

USA: 172 deaths per 100,000 population, age-adjusted (2003)\* †

California: 178 deaths per 100,000 population, age-adjusted (2003)\* †

Coronary Heart Disease† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	658	143.1	863	155.3	703	146.4	669	173.6	836	189.2	801	163.2	22	---	4,552	161.8	185.1
2001	693	148.3	780	138.6	651	133.2	648	163.1	881	196.8	831	166.3	28	---	4,512	157.6	178.4
2002	673	139.3	694	120.4	676	138.9	631	153.1	850	188.4	700	137.0	23	---	4,247	145.4	162.9
2003	671	137.3	681	115.1	600	122.9	598	140.4	832	183.8	745	141.9	53	---	4,180	140.7	155.1
2004	630	126.9	696	117.4	605	122.7	589	135.2	725	159.1	723	134.1	51	---	4,019	133.4	144.4
2005	610	122.7	644	108.5	565	114.1	555	122.9	717	157.6	644	117.7	32	---	3,767	123.9	130.6
2006	589	115.0	608	102.9	511	102.4	494	109.3	639	140.6	649	116.5	47	---	3,537	115.4	118.1
2007	564	108.9	536	90.0	507	100.7	558	122.3	680	148.0	593	104.7	51	---	3,489	112.5	112.5
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Coronary Heart Disease death refers to (underlying cause of death) ICD-10 codes I11, I20-I25.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Coronary Heart Disease† Hospitalizations Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	2,157	469.0	2,467	443.9	2,265	471.7	2,251	584.2	2,854	646.0	2,470	503.1	48	---	14,512	515.7	583.5
2001	2,082	445.5	2,297	408.2	2,157	441.3	2,180	548.6	2,622	585.6	2,573	514.9	273	---	14,184	495.3	558.3
2002	2,078	430.3	2,353	408.4	2,074	426.2	2,375	576.2	2,518	558.2	2,471	483.6	307	---	14,176	485.5	544.8
2003	1,974	403.9	2,188	369.9	2,038	417.6	2,156	506.3	2,384	526.5	2,210	421.0	304	---	13,254	446.0	495.9
2004	1,723	347.0	1,988	335.2	1,882	381.8	2,266	520.0	2,245	492.6	2,086	387.0	281	---	12,471	413.9	456.0
2005	1,659	333.6	1,974	332.7	1,782	360.0	2,108	466.9	2,132	468.6	2,131	389.5	269	---	12,055	396.6	430.9
2006	1,492	291.4	1,747	295.6	1,593	319.4	2,162	478.6	2,099	461.8	1,982	355.8	<5	---	11,075	361.3	385.7
2007	1,403	270.8	1,658	278.2	1,489	295.6	2,129	466.5	1,943	422.8	1,892	333.9	<5	---	10,514	339.1	356.4
2008	1,365	258.5	1,509	249.8	1,525	297.6	1,967	426.1	1,914	412.3	1,693	294.1	<5	---	9,973	317.0	327.9

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Coronary Heart Disease hospitalization refers to (principal diagnosis) ICD-9 codes 402, 410-414, 429.2.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Coronary Heart Disease† Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007	DATA NOT YET AVAILABLE																
2008	DATA NOT YET AVAILABLE																

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Coronary Heart Disease emergency department discharge refers to (principal diagnosis) ICD-9 codes 402, 410-414, 429.2

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Prehospital MICN Calls† for Cardiac-related Chief Complaints†† in San Diego County by Location of Occurrence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2004	DATA NOT YET AVAILABLE																
2005	DATA NOT YET AVAILABLE																
2006	DATA NOT YET AVAILABLE																
2007	DATA NOT YET AVAILABLE																
2008	DATA NOT YET AVAILABLE																

\* Rates per 100,000 population.

† Prehospital

†† Cardiac related

§ Rates not calculated for fewer than 5 events.

\*\* Currently, 2006 is first calendar year regional data is available

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Coronary Heart Disease Details

Death Certificate

Coronary Heart Disease<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	564	108.9	536	90.0	507	100.7	558	122.3	680	148.0	593	104.7	51	---	3,489	112.5	112.5
Gender																	
Male	306	115.6	277	93.2	292	114.2	318	142.1	385	171.8	321	115.5	38	---	1,937	125.5	148.3
Female	258	101.9	259	86.7	215	86.7	240	103.2	295	125.3	272	94.2	13	---	1,552	99.7	83.7
Race/Ethnicity																	
White	490	158.3	461	122.4	283	204.7	323	274.9	593	198.7	526	157.5	42	---	2,718	172.7	118.8
Black	5	23.9	14	72.6	105	157.2	26	124.0	20	81.8	8	71.0	<5	---	182	111.2	179.0
Hispanic	47	33.2	21	28.0	72	34.7	145	59.5	43	45.2	33	21.6	<5	---	364	39.7	94.1
API/Other <sup>††</sup>	22	47.9	40	32.0	47	51.6	64	86.1	24	57.8	26	37.9	<5	---	225	50.4	68.4
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	81	31.0	66	19.1	136	50.2	104	46.0	116	47.7	88	30.4	22	---	613	37.5	
65+	483	828.0	470	639.9	371	857.7	454	968.2	564	1038.7	505	714.9	29	---	2,876	829.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Coronary Heart Disease death refers to (underlying cause of death) ICD-10 codes I11, I20-I25

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Coronary Heart Disease<sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	1,365	258.5	1,509	249.8	1,525	297.6	1,967	426.1	1,914	412.3	1,693	294.1	<5	---	9,973	317.0	327.9
Gender																	
Male	925	340.9	1,014	336.5	926	355.1	1,177	520.4	1,207	532.7	1,130	400.1	<5	---	6,379	406.6	461.1
Female	440	171.4	495	163.5	599	238.1	790	335.6	707	297.4	563	192.0	<5	---	3,594	227.8	213.9
Race/Ethnicity																	
White	1,104	352.3	1,125	297.3	633	454.0	696	598.3	1,472	493.2	1,333	398.3	<5	---	6,363	402.5	308.2
Black	34	156.7	31	157.8	304	450.7	75	356.4	72	289.1	28	242.7	<5	---	544	327.2	447.8
Hispanic	110	75.5	117	151.5	332	156.1	841	338.5	226	230.3	141	89.2	<5	---	1,767	187.9	382.3
API/Other <sup>††</sup>	117	247.1	236	183.0	256	275.8	355	468.3	144	336.5	191	267.4	<5	---	1,299	282.9	338.7
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	6	1.2	
25-64	492	184.7	552	158.7	750	272.6	779	340.3	886	360.6	653	221.7	<5	---	4,112	247.9	
65+	873	1468.1	956	1265.5	773	1751.1	1,186	2481.5	1,028	1836.9	1,038	1427.7	<5	---	5,854	1646.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Coronary Heart Disease hospitalization refers to (principal diagnosis) ICD-9 codes 402, 410-414, 429.2

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Coronary Heart Disease<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Coronary Heart Disease emergency department discharge refers to (principal diagnosis) ICD-9 codes 402, 410-414, 429.2

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Stroke

Healthy People 2010 Target: 50 stroke deaths per 100,000 population, age-adjusted\*

USA: 53 deaths per 100,000 population, age-adjusted (2003)\* ‡

California: 57 deaths per 100,000 population, age-adjusted (2003)\* ‡

Stroke† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	218	47.4	274	49.3	244	50.8	199	51.7	306	<b>69.3</b>	335	<b>68.2</b>	<5	---	1,578	56.1	63.9
2001	219	<b>46.9</b>	293	52.1	264	54.0	217	54.6	298	66.6	319	63.8	6	---	1,616	56.4	63.8
2002	246	50.9	256	44.4	211	43.4	175	42.5	251	55.6	315	<b>61.6</b>	5	---	1,459	50.0	55.7
2003	217	44.4	258	43.6	222	45.5	190	44.6	288	<b>63.6</b>	326	<b>62.1</b>	20	---	1,521	51.2	56.2
2004	251	50.5	252	42.5	197	40.0	178	40.8	242	53.1	282	52.3	21	---	1,423	47.2	50.8
2005	184	37.0	215	36.2	170	34.3	174	38.5	200	44.0	268	<b>49.0</b>	7	---	1,218	40.1	42.0
2006	169	33.0	203	34.4	140	<b>28.1</b>	166	36.7	214	<b>47.1</b>	241	43.3	14	---	1,147	37.4	38.3
2007	189	36.5	189	31.7	151	30.0	157	34.4	199	43.3	222	39.2	15	---	1,122	36.2	36.1
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Stroke death refers to (underlying cause of death) ICD-10 codes I60-I69. Stroke is sometimes referred to as Cerebrovascular disease.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Stroke† Hospitalization Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	1,127	<b>245.1</b>	1,358	<b>244.4</b>	1,175	<b>244.7</b>	1,103	286.3	1,210	273.9	1,492	<b>303.9</b>	19	---	7,484	266.0	299.9
2001	979	<b>209.5</b>	1,244	<b>221.1</b>	1,152	235.7	1,095	275.6	1,274	<b>284.5</b>	1,423	<b>284.8</b>	100	---	7,267	253.8	285.3
2002	1,050	<b>217.4</b>	1,175	<b>203.9</b>	1,058	<b>217.4</b>	984	238.7	1,183	<b>262.3</b>	1,376	<b>269.3</b>	112	---	6,938	237.6	265.4
2003	1,011	<b>206.9</b>	1,143	<b>193.2</b>	957	<b>196.1</b>	1,110	<b>260.7</b>	1,184	<b>261.5</b>	1,269	241.7	102	---	6,776	228.0	252.5
2004	917	<b>184.7</b>	1,037	<b>174.9</b>	931	<b>188.9</b>	1,007	<b>231.1</b>	1,128	<b>247.5</b>	1,239	<b>229.9</b>	80	---	6,339	210.4	229.8
2005	893	<b>179.6</b>	1,053	<b>177.5</b>	977	197.4	1,090	<b>241.4</b>	1,099	<b>241.6</b>	1,199	219.1	82	---	6,393	210.3	225.9
2006	970	<b>189.4</b>	1,092	<b>184.8</b>	827	<b>165.8</b>	1,134	<b>251.0</b>	1,173	<b>258.1</b>	1,239	222.4	<5	---	6,435	209.9	221.5
2007	880	<b>169.9</b>	1,055	<b>177.1</b>	935	<b>185.6</b>	1,067	<b>233.8</b>	1,171	<b>254.8</b>	1,324	<b>233.7</b>	<5	---	6,432	207.5	215.0
2008	920	174.2	1,103	182.6	996	194.4	1,071	232.0	1,133	244.0	1,265	219.7	<5	---	6,488	206.2	211.3

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Stroke hospitalization refers to (principal diagnosis) ICD-9 codes 430-438. Stroke is sometimes referred to as Cerebrovascular disease.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Stroke† Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Stroke refers to (principal diagnosis) ICD-9 codes 430-438. Stroke is sometimes referred to as Cerebrovascular disease.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Prehospital MICN Calls† for Stroke-related Chief Complaints†† in San Diego County by Location of Occurrence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2004	DATA NOT YET AVAILABLE																
2005																	
2006																	
2007																	
2008																	

\* Rates p

† Prehos

†† Stroke

§ Rates r

\*\* Curren

Source: C

Prepared

Stroke Details

Death Certificate

Stroke <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	189	36.5	189	31.7	151	30.0	157	34.4	199	43.3	222	39.2	15	---	1,122	36.2	36.1
Gender																	
Male	83	31.3	76	25.6	65	25.4	73	32.6	66	29.5	85	30.6	11	---	459	29.7	35.5
Female	106	41.8	113	37.8	86	34.7	84	36.1	133	56.5	137	47.5	<5	---	663	42.6	36.1
Race/Ethnicity																	
White	155	50.1	142	37.7	70	50.6	62	52.8	163	54.6	188	56.3	14	---	794	50.4	33.8
Black	<5	§	<5	§	22	32.9	6	28.6	7	28.6	<5	§	<5	---	42	25.7	41.0
Hispanic	17	12.0	11	14.7	35	16.9	61	25.0	25	26.3	21	13.7	<5	---	170	18.6	43.1
API/Other††	15	32.7	32	25.6	24	26.4	28	37.7	<5	§	12	17.5	<5	---	116	26.0	35.7
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	18	6.9	21	6.1	30	11.1	27	11.9	31	12.7	24	8.3	5	---	156	9.5	
65+	171	293.1	167	227.4	121	279.7	128	273.0	168	309.4	197	278.9	10	---	962	277.3	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 \*\* Numbers may not add up to totals due to unknown or missing details.  
 † Stroke death refers to (underlying cause of death) ICD-10 codes I60-I69. Stroke is sometimes referred to as Cerebrovascular disease.  
 †† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Stroke <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	920	174.2	1,103	182.6	996	194.4	1,071	232.0	1,133	244.0	1,265	219.7	<5	---	6,488	206.2	211.3
Gender																	
Male	443	163.3	516	171.2	483	185.2	515	227.7	519	229.1	581	205.7	<5	---	3,057	194.9	226.1
Female	477	185.8	587	193.8	513	203.9	556	236.2	614	258.3	684	233.2	<5	---	3,431	217.5	198.1
Race/Ethnicity																	
White	728	232.3	841	222.3	403	289.0	389	334.4	852	285.5	963	287.7	<5	---	4,176	264.2	195.0
Black	27	124.4	42	213.8	221	327.7	38	180.6	55	220.8	21	182.0	<5	---	404	243.0	342.0
Hispanic	99	68.0	86	111.4	238	111.9	485	195.2	148	150.8	149	94.3	<5	---	1,205	128.2	263.3
API/Other††	66	139.4	134	103.9	134	144.4	159	209.7	78	182.3	132	184.8	<5	---	703	153.1	186.6
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	5	5.4	<5	§	<5	---	22	3.4	
15-24	<5	§	8	10.7	<5	§	<5	§	<5	§	<5	§	<5	---	25	5.1	
25-64	267	100.2	256	73.6	396	143.9	349	152.5	348	141.6	357	121.2	<5	---	1,973	119.0	
65+	647	1088.1	837	1108.0	593	1343.3	715	1496.0	776	1386.6	900	1237.9	<5	---	4,468	1256.4	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 \*\* Numbers may not add up to totals due to unknown or missing details.  
 † Stroke hospitalization refers to (principal diagnosis) ICD-9 codes 430-438. Stroke is sometimes referred to as Cerebrovascular disease.  
 †† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Stroke <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other††																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 \*\* Numbers may not add up to totals due to unknown or missing details.  
 † Stroke refers to (principal diagnosis) ICD-9 codes 430-438. Stroke is sometimes referred to as Cerebrovascular disease.  
 †† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.  
 Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Diabetes

Healthy People 2010 Target: n/a for diabetes deaths (underlying cause)

USA: 25.3 deaths per 100,000 population, age-adjusted (2003)\* †

California: 22.6 deaths per 100,000 population, age-adjusted (2003)\* †

Diabetes† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	60	13.0	73	13.1	110	<b>22.9</b>	60	15.6	95	21.5	81	16.5	<5	---	481	17.1	19.2
2001	48	<b>10.3</b>	69	<b>12.3</b>	113	<b>23.1</b>	68	17.1	99	22.1	93	18.6	<5	---	491	17.1	19.3
2002	80	16.6	58	<b>10.1</b>	94	19.3	71	17.2	94	20.8	76	14.9	<5	---	475	16.3	18.3
2003	72	14.7	62	<b>10.5</b>	96	19.7	87	20.4	88	19.4	89	17.0	5	---	499	16.8	18.6
2004	63	<b>12.7</b>	80	13.5	101	20.5	94	21.6	104	22.8	87	16.1	<5	---	531	17.6	19.4
2005	89	17.9	80	<b>13.5</b>	99	20.0	105	23.3	117	25.7	110	20.1	<5	---	604	19.9	21.4
2006	75	<b>14.6</b>	81	<b>13.7</b>	105	21.1	92	20.4	135	<b>29.7</b>	117	21.0	7	---	612	20.0	21.2
2007	66	12.7	78	13.1	84	16.7	99	21.7	114	<b>24.8</b>	74	13.1	5	---	520	16.8	17.5
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Diabetes death refers to (underlying cause of death) ICD-10 codes E10-E14. Data here represent only underlying cause of death and do not include those where Diabetes was a contributing cause of death.

‡ Source: CDC, NCHS, Compressed Mortality Files. On-line Database accessed 12/27/2006: <http://wonder.cdc.gov/cmfi-icd10.html>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Diabetes† Hospitalizations Among San Diego County Resident by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	319	<b>69.4</b>	379	<b>68.2</b>	787	<b>163.9</b>	553	<b>143.5</b>	504	114.1	401	<b>81.7</b>	6	---	2,949	104.8	113.0
2001	356	<b>76.2</b>	348	<b>61.8</b>	689	<b>141.0</b>	539	<b>135.6</b>	480	107.2	416	<b>83.3</b>	55	---	2,883	100.7	108.0
2002	317	<b>65.6</b>	359	<b>62.3</b>	739	<b>151.9</b>	596	<b>144.6</b>	591	<b>131.0</b>	400	<b>78.3</b>	39	---	3,041	104.1	111.7
2003	350	<b>71.6</b>	379	<b>64.1</b>	756	<b>154.9</b>	617	<b>144.9</b>	537	118.6	480	<b>91.4</b>	47	---	3,166	106.5	113.0
2004	358	<b>72.1</b>	361	<b>60.9</b>	717	<b>145.5</b>	701	<b>160.9</b>	579	<b>127.1</b>	486	<b>90.2</b>	43	---	3,245	107.7	113.8
2005	397	<b>79.8</b>	361	<b>60.8</b>	796	<b>160.8</b>	709	<b>157.0</b>	594	<b>130.6</b>	501	<b>91.6</b>	48	---	3,406	112.1	118.1
2006	401	<b>78.3</b>	406	<b>68.7</b>	840	<b>168.4</b>	847	<b>187.5</b>	702	<b>154.4</b>	533	<b>95.7</b>	<5	---	3,729	121.7	126.0
2007	450	<b>86.9</b>	419	<b>70.3</b>	934	<b>185.4</b>	850	<b>186.3</b>	795	<b>173.0</b>	538	<b>94.9</b>	<5	---	3,986	128.6	131.2
2008	416	<b>78.8</b>	413	<b>68.4</b>	922	<b>179.9</b>	831	<b>180.0</b>	870	<b>187.4</b>	520	<b>90.3</b>	<5	---	3,972	126.2	128.3

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Diabetes hospitalization refers to (principal diagnosis) ICD-9 code 250

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHDPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Diabetes† Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. Age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Diabetes emergency department visit refers to (principal diagnosis) ICD-9 code 250

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Diabetes Details

Death Certificate

Diabetes<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	66	12.7	78	13.1	84	16.7	99	21.7	114	24.8	74	13.1	5	---	520	16.8	17.5
Gender																	
Male	38	14.4	35	11.8	44	17.2	47	21.0	65	29.0	43	15.5	<5	---	276	17.9	21.1
Female	28	11.1	43	14.4	40	16.1	52	22.4	49	20.8	31	10.7	<5	---	244	15.7	14.7
Race/Ethnicity																	
White	45	14.5	56	14.9	29	21.0	33	28.1	88	29.5	51	15.3	<5	---	306	19.4	14.5
Black	<5	§	7	36.3	20	30.0	5	23.9	<5	§	<5	§	<5	---	42	25.7	40.7
Hispanic	13	9.2	9	12.0	22	10.6	39	16.0	13	13.7	14	9.2	<5	---	110	12.0	27.5
API/Other††	5	10.9	6	4.8	13	14.3	22	29.6	9	21.7	7	10.2	<5	---	62	13.9	18.3
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	18	6.9	17	4.9	30	11.1	14	6.2	36	14.8	20	6.9	<5	---	136	8.3	
65+	48	82.3	61	83.1	54	124.8	85	181.3	78	143.6	54	76.4	<5	---	384	110.7	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Diabetes death refers to (underlying cause of death) ICD-10 codes E10-E14. Data here represent only underlying cause of death and do not include those where Diabetes was a contributing cause of death.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Diabetes<sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	416	78.8	413	68.4	922	179.9	831	180.0	870	187.4	520	90.3	<5	---	3,972	126.2	128.3
Gender																	
Male	228	84.0	223	74.0	527	202.1	479	211.8	488	215.4	283	100.2	<5	---	2,228	142.0	150.4
Female	188	73.2	190	62.7	395	157.0	352	149.5	382	160.7	237	80.8	<5	---	1,744	110.6	108.1
Race/Ethnicity																	
White	223	71.2	270	71.4	234	167.8	218	187.4	526	176.3	285	85.1	<5	---	1,756	111.1	98.1
Black	16	73.7	39	198.5	243	360.3	44	209.1	95	381.4	26	225.4	<5	---	463	278.4	332.0
Hispanic	136	93.4	57	73.8	348	163.6	481	193.6	183	186.5	160	101.2	<5	---	1,365	145.2	231.3
API/Other††	41	86.6	47	36.4	97	104.5	88	116.1	66	154.2	49	68.6	<5	---	388	84.5	93.6
Age Group																	
0-14	18	16.2	21	19.8	22	20.1	26	24.6	34	36.4	35	29.0	<5	---	156	24.1	
15-24	37	40.7	33	44.1	54	64.4	75	94.5	48	69.4	39	44.4	<5	---	286	58.8	
25-64	217	81.5	212	60.9	602	218.8	418	182.6	573	233.2	260	88.3	<5	---	2,282	137.6	
65+	144	242.2	147	194.6	244	552.7	312	652.8	215	384.2	186	255.8	<5	---	1,248	350.9	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Diabetes hospitalization refers to (principal diagnosis) ICD-9 code 250

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Diabetes<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other††																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Diabetes emergency department visit refers to (principal diagnosis) ICD-9 code 250

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Asthma

Healthy People 2010 Target: see age detail tables for age-group specific targets

USA: 1.4 deaths per 100,000 population, age-adjusted (2003)\* †

California: 1.5 deaths per 100,000 population, age-adjusted (2003)\* †

**Asthma† Deaths Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	5	1.1	<5	§	10	2.1	<5	§	<5	§	10	2.0	<5	---	36	1.3	1.4
2001	5	1.1	10	1.8	8	1.6	11	2.8	<5	§	5	1.0	<5	---	44	1.5	1.7
2002	6	1.2	<5	§	5	1.0	6	1.5	5	1.1	7	1.4	<5	---	32	1.1	1.2
2003	5	1.0	<5	§	9	1.8	<5	§	<5	§	8	1.5	<5	---	31	1.0	1.1
2004	5	1.0	<5	§	7	1.4	<5	§	<5	§	<5	§	<5	---	24	0.8	0.8
2005	7	1.4	7	1.2	13	2.6	5	1.1	5	1.1	<5	§	<5	---	41	1.3	1.4
2006	6	1.2	<5	§	12	2.4	<5	§	5	1.1	5	0.9	<5	---	35	1.1	1.1
2007	7	1.4	<5	§	5	1.0	<5	§	8	1.7	<5	§	<5	---	30	1.0	1.0
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Asthma death refers to (underlying cause of death) ICD-10 codes J45-J46  
 ‡ Source: CDC, NCHS, Compressed Mortality Files. On-line Database accessed 12/27/2006: <http://wonder.cdc.gov/cmfi-icd10.html>  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Asthma† Hospitalizations Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	234	50.9	340	61.2	641	133.5	420	109.0	454	102.8	369	75.2	5	---	2,463	87.5	89.0
2001	273	58.4	290	51.5	730	149.4	323	81.3	406	90.7	362	72.4	34	---	2,418	84.4	86.7
2002	255	52.8	323	56.1	685	140.8	365	88.6	416	92.2	343	67.1	29	---	2,416	82.7	85.1
2003	253	51.8	369	62.4	693	142.0	426	100.0	483	106.7	349	66.5	46	---	2,619	88.1	91.0
2004	243	48.9	307	51.8	609	123.6	326	74.8	429	94.1	302	56.0	47	---	2,263	75.1	77.3
2005	173	34.8	267	45.0	548	110.7	306	67.8	412	90.6	343	62.7	38	---	2,087	68.7	70.4
2006	187	36.5	246	41.6	508	101.8	295	65.3	368	81.0	294	52.8	<5	---	1,898	61.9	62.7
2007	228	44.0	251	42.1	528	104.8	336	73.6	407	88.6	341	60.2	<5	---	2,091	67.4	68.3
2008	204	38.6	341	56.4	552	107.7	357	77.3	486	104.7	327	56.8	<5	---	2,267	72.1	72.4

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Asthma hospitalization refers to (principal diagnosis) ICD-9 code 493  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Asthma† Emergency Department Discharges in San Diego County by Location of Residence**

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Asthma emergency department visit refers to (principal diagnosis) ICD-9 code 493  
 \*\* New database; 2006 is first calendar year regional data is available  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.  
 Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Prehospital MICN Calls† for Respiratory-related Chief Complaints†† in San Diego County by Location of Occurrence**

Year**	North Coastal	North Central	Central	South	East	North Inland	Unknown§	County	County age-
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	Rate*
2004	DATA NOT YET AVAILABLE								
2005									
2006									
2007									
2008									

\* Rates per 100,000 population.  
 † Prehospital MICN calls for respiratory-related chief complaints.  
 †† Respiratory-related chief complaints.  
 \*\* Current data.  
 Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Asthma Details

Healthy People 2010 Target: Age 65+, 4.7 asthma deaths per 100,000 population, age 65+\*

Death Certificate

**Asthma<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	7	1.4	<5	§	5	1.0	<5	§	8	1.7	<5	§	<5	---	30	1.0	1.0
Gender																	
Male	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	12	0.8	0.8
Female	5	2.0	<5	§	<5	§	<5	§	6	2.5	<5	§	<5	---	18	1.2	1.1
Race/Ethnicity																	
White	5	1.6	<5	§	<5	§	<5	§	5	1.7	<5	§	<5	---	16	1.0	0.9
Black	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	5	3.1	3.0
Hispanic	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	0.7
API/Other <sup>††</sup>	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	5	1.1	1.1
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	<5	§	<5	§	5	1.8	<5	§	<5	§	<5	§	<5	---	16	1.0	
65+	5	8.6	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	11	3.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Asthma death refers to (underlying cause of death) ICD-10 codes J45-J46

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

**Asthma<sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	204	38.6	341	56.4	552	107.7	357	77.3	486	104.7	327	56.8	<5	---	2,267	72.1	72.4
Gender																	
Male	71	26.2	134	44.5	247	94.7	157	69.4	176	77.7	139	49.2	<5	---	924	58.9	60.4
Female	133	51.8	207	68.4	305	121.2	200	85.0	310	130.4	188	64.1	<5	---	1,343	85.1	82.8
Race/Ethnicity																	
White	116	37.0	209	55.2	138	99.0	86	73.9	295	98.8	189	56.5	<5	---	1,033	65.4	61.3
Black	19	87.5	27	137.4	166	246.1	40	190.1	55	220.8	19	164.7	<5	---	326	196.1	217.0
Hispanic	50	34.3	48	62.2	180	84.6	171	68.8	107	109.1	83	52.5	<5	---	639	68.0	74.5
API/Other <sup>††</sup>	19	40.1	57	44.2	68	73.3	60	79.1	29	67.8	36	50.4	<5	---	269	58.6	61.5
Age Group																	
0-14	61	54.8	129	121.8	208	190.3	120	113.7	135	144.5	111	91.9	<5	---	764	118.2	
15-24	12	13.2	15	20.0	18	21.5	13	16.4	19	27.5	8	9.1	<5	---	85	17.5	
25-64	72	27.0	120	34.5	227	82.5	143	62.5	224	91.2	133	45.2	<5	---	919	55.4	
65+	59	99.2	77	101.9	99	224.3	81	169.5	108	193.0	75	103.2	<5	---	499	140.3	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Asthma hospitalization refers to (principal diagnosis) ICD-9 code 493

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

**Asthma<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Asthma emergency department visit refers to (principal diagnosis) ICD-9 code 493

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Chronic Obstructive Pulmonary Disease (COPD)

Healthy People 2010 Target: n/a for all ages, age-adjusted

USA: 41.6 deaths per 100,000 population, age-adjusted (2003)\* †

California: 41.9 deaths per 100,000 population, age-adjusted (2003)\* †

Death Certificate

**COPD† Deaths Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	186	40.4	179	32.2	136	<b>28.3</b>	114	29.6	210	<b>47.5</b>	201	40.9	<5	---	1,028	36.5	41.4
2001	205	43.9	203	36.1	145	<b>29.7</b>	110	27.7	246	<b>54.9</b>	218	43.6	6	---	1,133	39.6	44.6
2002	179	37.1	167	29.0	111	<b>22.8</b>	98	<b>23.8</b>	201	<b>44.6</b>	204	39.9	5	---	965	33.0	37.2
2003	193	39.5	172	29.1	109	<b>22.3</b>	116	<b>27.2</b>	200	<b>44.2</b>	221	<b>42.1</b>	9	---	1,020	34.3	38.1
2004	158	31.8	182	30.7	143	29.0	116	<b>26.6</b>	212	<b>46.5</b>	198	36.7	13	---	1,022	33.9	37.4
2005	203	40.8	162	<b>27.3</b>	113	<b>22.8</b>	125	<b>27.7</b>	237	<b>52.1</b>	214	39.1	12	---	1,066	35.1	37.6
2006	148	28.9	185	31.3	111	<b>22.3</b>	119	26.3	237	<b>52.1</b>	189	33.9	9	---	998	32.6	34.3
2007	180	34.7	142	<b>23.8</b>	112	<b>22.2</b>	114	25.0	233	<b>50.7</b>	187	33.0	5	---	973	31.4	32.5
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† COPD death refers to (underlying cause of death) ICD-10 codes J40-44.

‡ Source: CDC, NCHS, Compressed Mortality Files. On-line Database accessed 3/12/2010: <http://wonder.cdc.gov/cmfi-icd10.html>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

**COPD† Hospitalizations Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	445	<b>96.8</b>	594	<b>106.9</b>	758	<b>157.8</b>	619	<b>160.7</b>	688	<b>155.7</b>	578	117.7	10	---	3,692	131.2	148.1
2001	479	<b>102.5</b>	502	<b>89.2</b>	737	<b>150.8</b>	664	<b>167.1</b>	709	<b>158.3</b>	571	<b>114.3</b>	<5	---	3,662	127.9	144.2
2002	358	<b>74.1</b>	427	<b>74.1</b>	671	<b>137.9</b>	625	<b>151.6</b>	785	<b>174.0</b>	579	113.3	<5	---	3,445	118.0	132.9
2003	348	<b>71.2</b>	431	<b>72.9</b>	639	<b>130.9</b>	567	<b>133.1</b>	745	<b>164.5</b>	565	107.6	<5	---	3,295	110.9	123.9
2004	339	<b>68.3</b>	419	<b>70.7</b>	536	108.7	490	<b>112.4</b>	663	<b>145.5</b>	507	94.1	<5	---	2,954	98.0	108.7
2005	343	<b>69.0</b>	417	<b>70.3</b>	486	98.2	491	108.8	696	<b>153.0</b>	475	86.8	<5	---	2,908	95.7	104.2
2006	333	<b>65.0</b>	329	<b>55.7</b>	498	99.8	377	83.4	738	<b>162.4</b>	477	85.6	<5	---	2,752	89.8	96.0
2007	360	<b>69.5</b>	366	<b>61.4</b>	541	107.4	489	107.2	727	<b>158.2</b>	514	90.7	<5	---	2,997	96.7	102.3
2008	454	<b>86.0</b>	461	<b>76.3</b>	570	111.2	588	<b>127.4</b>	749	<b>161.3</b>	646	112.2	<5	---	3,468	110.2	115.0

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† COPD hospitalization refers to (principal diagnosis) ICD-9 codes 490-492, 496.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

**COPD† Emergency Department Discharges in San Diego County by Location of Residence**

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007	DATA NOT YET AVAILABLE																
2008	DATA NOT YET AVAILABLE																

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† COPD emergency department visit refers to (principal diagnosis) ICD-9 code 490-492, 496.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Prehospital

**Prehospital MICN Calls† for Respiratory-related Chief Complaints†† in San Diego County by Location of Occurrence**

Year**	North Coastal	North Central	Central	South	East	North Inland	Unknown§	County	County age-
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	adjusted rate*
2004	DATA NOT YET AVAILABLE								
2005	DATA NOT YET AVAILABLE								
2006	DATA NOT YET AVAILABLE								
2007	DATA NOT YET AVAILABLE								
2008	DATA NOT YET AVAILABLE								

\* Rates per

† Prehosp

†† Respira

\*\* Currentl

Source: Co

Prepared b

COPD Details

Death Certificate

COPD <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	180	34.7	142	23.8	112	22.2	114	25.0	233	50.7	187	33.0	5	---	973	31.4	32.5
Gender																	
Male	73	27.6	68	22.9	44	17.2	58	25.9	100	44.6	83	29.9	<5	---	428	27.7	34.1
Female	107	42.2	74	24.8	68	27.4	56	24.1	133	56.5	104	36.0	<5	---	545	35.0	31.2
Race/Ethnicity																	
White	164	53.0	133	35.3	78	56.4	74	63.0	213	71.4	171	51.2	<5	---	837	53.2	38.0
Black	<5	§	<5	§	14	21.0	<5	§	<5	§	<5	§	<5	---	21	12.8	21.5
Hispanic	11	7.8	<5	§	13	6.3	26	10.7	10	10.5	6	3.9	<5	---	68	7.4	18.6
API/Other††	<5	§	7	5.6	7	7.7	11	14.8	8	19.3	10	14.6	<5	---	47	10.5	14.6
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	12	4.6	7	2.0	24	8.9	8	3.5	31	12.7	14	4.8	<5	---	96	5.9	
65+	168	288.0	135	183.8	88	203.4	106	226.1	202	372.0	173	244.9	5	---	877	252.8	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† COPD death refers to (underlying cause of death) ICD-10 codes J40-44, 47.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

COPD <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	454	86.0	461	76.3	570	111.2	588	127.4	749	161.3	646	112.2	<5	---	3,468	110.2	115.0
Gender																	
Male	179	66.0	191	63.4	300	115.0	294	130.0	339	149.6	275	97.4	<5	---	1,578	100.6	117.2
Female	275	107.1	270	89.2	270	107.3	294	124.9	410	172.5	371	126.5	<5	---	1,890	119.8	113.2
Race/Ethnicity																	
White	395	126.0	387	102.3	335	240.3	309	265.6	652	218.5	559	167.0	<5	---	2,637	166.8	127.9
Black	13	59.9	7	35.6	120	177.9	24	114.0	25	100.4	13	112.7	<5	---	202	121.5	171.8
Hispanic	22	15.1	33	42.7	51	24.0	172	69.2	55	56.1	34	21.5	<5	---	367	39.0	86.8
API/Other††	24	50.7	34	26.4	64	69.0	83	109.5	17	39.7	40	56.0	<5	---	262	57.1	93.4
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	10	2.1	
25-64	109	40.9	94	27.0	272	98.9	145	63.3	282	114.8	163	55.4	<5	---	1,065	64.2	
65+	344	578.5	366	484.5	297	672.8	441	922.7	462	825.5	479	658.8	<5	---	2,389	671.8	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† COPD hospitalization refers to (principal diagnosis) ICD-9 codes 490-492, 496.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

COPD <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other††																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† COPD emergency department visit refers to (principal diagnosis) ICD-9 code 490-492, 496.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Cancer

**Healthy People 2010 Target:** 158.6 overall cancer deaths per 100,000 population, age-adjusted\*  
**USA:** 190.1 deaths per 100,000 population, age-adjusted (2003)\* †  
**California:** 172.1 deaths per 100,000 population, age-adjusted (2003)\* †

Overall Cancer <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	782	170.0	925	166.4	676	140.8	557	144.6	836	189.2	938	191.1	10	---	4,724	167.9	189.5
2001	767	164.1	830	147.5	663	135.6	614	154.5	886	197.9	889	177.9	17	---	4,666	162.9	183.3
2002	751	155.5	897	155.7	672	138.1	554	134.4	816	180.9	883	172.8	11	---	4,584	157.0	175.8
2003	712	145.7	904	152.8	661	135.4	603	141.6	872	192.6	915	174.3	48	---	4,715	158.7	176.5
2004	734	147.8	857	144.5	622	126.2	614	140.9	803	176.2	961	178.3	40	---	4,631	153.7	168.9
2005	750	150.8	889	149.8	614	124.0	667	147.7	801	176.1	914	167.1	29	---	4,664	153.5	165.5
2006	740	144.5	879	148.8	638	127.9	619	137.0	820	180.4	895	160.7	47	---	4,638	151.3	160.5
2007	806	155.6	868	145.7	636	126.3	623	136.5	858	186.7	981	173.1	40	---	4,812	155.2	162.6
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Overall cancer death refers to all malignant neoplasms (underlying cause of death) ICD-10 codes C00-C97.  
 ‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 10/1/2008: <http://wonder.cdc.gov/data2010/source.htm>  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Healthy People 2010 Target:** 28.2 prostate cancer deaths per 100,000 male population, age-adjusted\*  
**USA:** 26.5 deaths per 100,000 male population, age-adjusted (2003)\* †  
**California:** 24.6 deaths per 100,000 male population, age-adjusted (2003)\* †

Prostate Cancer <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	46	19.5	70	24.9	37	15.1	42	21.6	46	21.3	50	20.6	<5	---	292	20.6	29.9
2001	59	24.9	49	17.3	51	20.5	37	18.5	32	14.7	57	23.2	<5	---	287	20.0	28.4
2002	47	19.1	60	20.7	45	18.2	26	12.5	44	20.0	52	20.7	<5	---	274	18.8	26.1
2003	46	18.5	58	19.5	42	16.9	46	21.4	54	24.5	62	24.1	<5	---	312	21.0	28.7
2004	45	17.9	45	15.1	37	14.8	32	14.7	42	19.0	65	24.6	<5	---	268	17.8	23.9
2005	56	22.2	53	17.8	35	13.9	35	15.3	58	26.2	53	19.8	<5	---	292	19.2	25.0
2006	48	18.3	49	16.6	35	13.8	34	15.3	58	26.2	58	21.2	<5	---	284	18.6	23.3
2007	45	17.0	52	17.5	36	14.1	37	16.5	48	21.4	54	19.4	<5	---	273	17.7	21.8
2008	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	0.0

\* Rates per 100,000 male population. County and other age-adjusted rates per male 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Prostate Cancer death refers to (underlying cause of death) ICD-10 code C61.  
 ‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Healthy People 2010 Target:** 2.0 cervical cancer deaths per 100,000 female population, age-adjusted\*  
**USA:** 2.5 deaths per 100,000 female population, age-adjusted (2003)\* †  
**California:** 2.2 deaths per 100,000 female population, age-adjusted (2003)\* †

Cervical Cancer <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	<5	§	8	2.9	5	2.1	7	3.7	5	2.2	5	2.0	<5	---	34	2.4	2.5
2001	9	3.9	<5	§	<5	§	11	5.6	8	3.5	10	3.9	<5	---	46	3.2	3.2
2002	<5	§	<5	§	6	2.5	7	3.4	<5	§	6	2.3	<5	---	27	1.9	1.9
2003	5	2.1	7	2.4	<5	§	<5	§	5	2.1	<5	§	<5	---	27	1.8	1.9
2004	<5	§	<5	§	10	4.1	<5	§	6	2.6	<5	§	<5	---	27	1.8	1.8
2005	5	2.0	<5	§	8	3.3	9	4.0	5	2.1	6	2.2	<5	---	35	2.3	2.3
2006	<5	§	<5	§	9	3.7	9	3.9	7	3.0	6	2.1	<5	---	34	2.2	2.2
2007	6	2.4	<5	§	6	2.4	6	2.6	6	2.5	<5	§	<5	---	31	2.0	1.9
2008	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	0.0

\* Rates per 100,000 female population. Age-adjusted rates per 100,000 female 2000 US standard population. HP 2010 targets include midcourse review revised targets.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Cervical Cancer death refers to (underlying cause of death) ICD-10 code C53.  
 ‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Cancer continued...

**Healthy People 2010 Target:** 21.3 female breast cancer deaths per 100,000 female population, age-adjusted \*

**USA:** 25.3 deaths per 100,000 female population, age-adjusted (2003)\* ‡

**California:** 23.6 deaths per 100,000 female population, age-adjusted (2003)\* ‡

**Female Breast Cancer† Deaths Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	57	25.4	81	29.5	57	24.3	43	22.5	83	36.8	92	37.0	<5	---	415	29.7	29.9
2001	59	25.6	78	27.9	49	20.4	60	30.4	60	26.1	66	26.0	<5	---	373	26.1	26.5
2002	62	26.2	88	30.7	55	23.0	46	22.5	68	29.4	86	33.1	<5	---	407	27.9	28.1
2003	54	22.4	75	25.5	50	20.8	45	21.3	60	25.8	71	26.6	7	---	362	24.4	24.5
2004	66	26.9	52	17.6	56	23.0	48	22.1	61	26.0	63	22.9	<5	---	350	23.2	22.9
2005	45	18.3	75	25.4	54	22.2	62	27.8	60	25.7	64	23.0	<5	---	361	23.8	23.1
2006	54	21.6	65	21.9	39	15.9	42	18.2	81	34.7	78	27.5	<5	---	361	23.5	22.6
2007	57	22.5	59	19.7	47	18.9	39	16.8	63	26.8	66	22.9	<5	---	332	21.3	20.2
2008	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	<5	0.0	0.0

\* Rates per 100,000 female population. Age-adjusted rates per 100,000 female 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Female Breast Cancer death refers to (underlying cause of death) ICD-10 code C50.

‡ Source: National Vital Statistics System - Mortality, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Healthy People 2010 Target:** 13.7 colorectal cancer deaths per 100,000 population, age-adjusted\*

**USA:** 19.1 deaths per 100,000 population, age-adjusted (2003)\* ‡

**California:** 17.0 deaths per 100,000 population, age-adjusted (2003)\* ‡

**Colorectal Cancer† Deaths Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	80	17.4	91	16.4	60	12.5	49	12.7	73	16.5	91	18.5	<5	---	444	15.8	17.8
2001	75	16.0	91	16.2	54	11.0	51	12.8	82	18.3	77	15.4	<5	---	431	15.1	17.0
2002	63	13.0	77	13.4	70	14.4	51	12.4	78	17.3	91	17.8	<5	---	431	14.8	16.6
2003	58	11.9	77	13.0	56	11.5	58	13.6	75	16.6	95	18.1	<5	---	423	14.2	15.8
2004	63	12.7	81	13.7	60	12.2	53	12.2	81	17.8	93	17.3	<5	---	434	14.4	15.8
2005	80	16.1	83	14.0	71	14.3	51	11.3	59	13.0	74	13.5	<5	---	420	13.8	14.9
2006	86	16.8	68	11.5	62	12.4	56	12.4	77	16.9	96	17.2	<5	---	448	14.6	15.3
2007	67	12.9	74	12.4	56	11.1	59	12.9	86	18.7	96	16.9	<5	---	442	14.3	14.8
2008	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	0.0

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Colorectal Cancer death refers to (underlying cause of death) ICD-10 codes C18-C21.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Healthy People 2010 Target:** 43.3 lung cancer deaths per 100,000 population, age-adjusted\*

**USA:** 54.1 deaths per 100,000 population, age-adjusted (2003)\* ‡

**California:** 43.8 deaths per 100,000 population, age-adjusted (2003)\* ‡

**Lung Cancer† Deaths Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	183	39.8	246	44.3	192	40.0	145	37.6	235	53.2	246	50.1	<5	---	1,248	44.4	50.3
2001	193	41.3	201	35.7	197	40.3	151	38.0	272	60.7	209	41.8	5	---	1,228	42.9	48.7
2002	168	34.8	240	41.7	183	37.6	122	29.6	229	50.8	203	39.7	<5	---	1,148	39.3	44.4
2003	185	37.9	202	34.2	168	34.4	137	32.2	247	54.6	201	38.3	7	---	1,147	38.6	43.4
2004	190	38.3	232	39.1	143	29.0	150	34.4	239	52.4	223	41.4	10	---	1,187	39.4	44.0
2005	177	35.6	219	36.9	157	31.7	153	33.9	210	46.2	187	34.2	9	---	1,112	36.6	40.2
2006	150	29.3	223	37.7	132	26.5	133	29.4	198	43.6	203	36.4	11	---	1,050	34.3	37.2
2007	197	38.0	207	34.7	159	31.6	143	31.3	198	43.1	229	40.4	13	---	1,146	37.0	39.6
2008	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	0.0

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Lung Cancer death refers to (underlying cause of death) ICD-10 codes C33-C34.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Death Certificate

Death Certificate

Cancer Details

Death Certificate

Overall Cancer<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	806	155.6	868	145.7	636	126.3	623	136.5	858	186.7	981	173.1	40	---	4,812	155.2	162.6
Gender																	
Male	417	157.5	457	153.8	353	138.1	331	147.9	438	195.5	508	182.8	20	---	2,524	163.6	194.8
Female	389	153.6	411	137.6	283	114.1	292	125.5	420	178.3	473	163.8	20	---	2,288	147.0	138.3
Race/Ethnicity																	
White	682	220.3	712	189.1	313	226.4	318	270.7	717	240.3	829	248.3	32	---	3,603	228.9	173.3
Black	12	57.4	16	83.0	115	172.2	13	62.0	38	155.5	11	97.6	<5	---	207	126.5	204.7
Hispanic	65	45.9	46	61.4	116	55.9	215	88.3	76	79.9	65	42.5	<5	---	586	64.0	131.5
API/Other <sup>††</sup>	47	102.4	94	75.1	92	101.1	77	103.5	27	65.0	76	110.9	<5	---	416	93.2	117.7
Age Group																	
0-14	<5	§	<5	§	<5	§	5	4.8	<5	§	<5	§	<5	---	17	2.7	
15-24	<5	§	<5	§	<5	§	7	8.9	<5	§	8	9.3	<5	---	27	5.7	
25-64	218	83.3	202	58.6	215	79.4	169	74.7	251	103.2	259	89.5	10	---	1,324	80.9	
65+	582	997.7	661	900.0	419	968.7	442	942.6	599	1103.1	711	1006.6	30	---	3,444	992.9	

\* Rates per 100,000 population. Age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Overall cancer death refers to all malignant cancer (underlying cause of death) ICD-10 codes C00-C97.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Prostate Cancer<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	45	17.0	52	17.5	36	14.1	37	16.5	48	21.4	54	19.4	<5	---	273	17.7	21.8
Gender																	
Male	45	17.0	52	17.5	36	14.1	37	16.5	48	21.4	54	19.4	<5	---	273	17.7	21.8
Female																	
Race/Ethnicity																	
White	42	26.6	46	24.3	17	23.1	23	37.5	41	28.1	45	27.9	<5	---	215	27.2	22.7
Black	<5	§	<5	§	10	30.0	<5	§	<5	§	<5	§	<5	---	14	16.5	39.3
Hispanic	<5	§	<5	§	5	4.8	8	6.9	6	12.9	6	7.7	<5	---	27	5.9	18.1
API/Other <sup>††</sup>	<5	§	5	8.2	<5	§	5	14.1	<5	§	<5	§	<5	---	17	7.9	13.3
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	<5	§	<5	§	5	3.6	<5	§	<5	§	5	3.5	<5	---	21	2.6	
65+	41	163.4	51	160.8	31	167.2	35	175.8	44	188.9	49	158.3	<5	---	252	168.6	

\* Rates per 100,000 male population. Age-adjusted rates per 100,000 2000 US standard male population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Prostate Cancer death refers to (underlying cause of death) ICD-10 code C61.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Cervical Cancer<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	6	2.4	<5	§	6	2.4	6	2.6	6	2.5	<5	§	<5	---	31	2.0	1.9
Gender																	
Male																	
Female	6	2.4	<5	§	6	2.4	6	2.6	6	2.5	<5	§	<5	---	31	2.0	1.9
Race/Ethnicity																	
White	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	11	1.4	1.1
Black	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	§
Hispanic	<5	§	<5	§	<5	§	5	3.9	<5	§	<5	§	<5	---	13	2.8	4.4
API/Other <sup>††</sup>	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	§
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	5	3.9	<5	§	<5	§	5	4.2	<5	§	<5	§	<5	---	20	2.4	
65+	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	11	5.6	

\* Rates per 100,000 female population. Age-adjusted rates per 100,000 2000 US standard female population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Cervical Cancer death refers to (underlying cause of death) ICD-10 code C53.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Cancer Details continued...

Death Certificate

Female Breast Cancer <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	57	22.5	59	19.7	47	18.9	39	16.8	63	26.8	66	22.9	<5	---	332	21.3	20.2
Gender																	
Male																	
Female	57	22.5	59	19.7	47	18.9	39	16.8	63	26.8	66	22.9	<5	---	332	21.3	20.2
Race/Ethnicity																	
White	51	33.6	49	26.1	19	29.4	13	23.2	51	33.4	57	33.1	<5	---	241	30.7	21.7
Black	<5	§	<5	§	8	23.9	<5	§	5	40.8	<5	§	<5	---	16	20.3	26.2
Hispanic	5	7.3	<5	§	13	12.6	18	14.1	6	12.3	<5	§	<5	---	48	10.4	17.4
API/Other <sup>††</sup>	<5	§	<5	§	7	15.0	7	18.0	<5	§	7	19.5	<5	---	27	11.6	13.0
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	22	17.0	22	12.9	23	17.4	11	9.3	21	16.9	27	18.4	<5	---	126	15.3	
65+	35	105.3	37	88.7	24	97.1	28	103.8	42	135.4	39	98.3	<5	---	206	104.4	

\* Rates per 100,000 female population. Age-adjusted rates per 100,000 2000 US standard female population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Female Breast Cancer death refers to (underlying cause of death) ICD-10 code C50.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Colorectal Cancer <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	67	12.9	74	12.4	56	11.1	59	12.9	86	18.7	96	16.9	<5	---	442	14.3	14.8
Gender																	
Male	38	14.4	36	12.1	32	12.5	32	14.3	42	18.7	43	15.5	<5	---	224	14.5	17.1
Female	29	11.4	38	12.7	24	9.7	27	11.6	44	18.7	53	18.4	<5	---	218	14.0	12.9
Race/Ethnicity																	
White	56	18.1	62	16.5	31	22.4	30	25.5	73	24.5	84	25.2	<5	---	339	21.5	16.2
Black	<5	§	<5	§	8	12.0	<5	§	<5	§	<5	§	<5	---	18	11.0	18.5
Hispanic	6	4.2	<5	§	10	4.8	21	8.6	6	6.3	7	4.6	<5	---	53	5.8	12.2
API/Other <sup>††</sup>	<5	§	7	5.6	7	7.7	7	9.4	<5	§	5	7.3	<5	---	32	7.2	9.3
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	22	8.4	17	4.9	15	5.5	23	10.2	19	7.8	26	9.0	<5	---	123	7.5	
65+	45	77.1	57	77.6	41	94.8	36	76.8	67	123.4	70	99.1	<5	---	319	92.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Colorectal Cancer death refers to (underlying cause of death) ICD-10 codes C18-C21.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Lung Cancer <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	197	38.0	207	34.7	159	31.6	143	31.3	198	43.1	229	40.4	13	---	1,146	37.0	39.6
Gender																	
Male	93	35.1	96	32.3	94	36.8	77	34.4	108	48.2	130	46.8	7	---	605	39.2	47.3
Female	104	41.1	111	37.2	65	26.2	66	28.4	90	38.2	99	34.3	6	---	541	34.7	33.4
Race/Ethnicity																	
White	179	57.8	174	46.2	86	62.2	94	80.0	176	59.0	202	60.5	9	---	920	58.4	45.1
Black	<5	§	<5	§	38	56.9	<5	§	9	36.8	<5	§	<5	---	60	36.7	59.2
Hispanic	6	4.2	8	10.7	15	7.2	32	13.1	8	8.4	10	6.5	<5	---	80	8.7	19.8
API/Other <sup>††</sup>	8	17.4	23	18.4	20	22.0	13	17.5	5	12.0	15	21.9	<5	---	86	19.3	24.6
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	53	20.3	38	11.0	46	17.0	33	14.6	49	20.1	52	18.0	<5	---	272	16.6	
65+	144	246.9	169	230.1	113	261.2	110	234.6	149	274.4	177	250.6	12	---	874	252.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Lung Cancer death refers to (underlying cause of death) ICD-10 codes C33-C34.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Arthritis and Dorsopathies

Hospital

Arthritis <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	1,057	229.8	1,209	217.5	807	<b>168.0</b>	708	<b>183.8</b>	1,135	<b>256.9</b>	1,424	<b>290.1</b>	14	---	6,354	225.8	250.3
2001	1,157	247.6	1,357	241.2	821	<b>168.0</b>	735	<b>185.0</b>	1,192	<b>266.2</b>	1,494	<b>299.0</b>	<5	---	6,756	235.9	261.5
2002	1,150	238.1	1,274	221.1	858	<b>176.3</b>	873	<b>211.8</b>	1,206	<b>267.4</b>	1,564	<b>306.1</b>	<5	---	6,925	237.2	263.1
2003	1,199	245.3	1,409	238.2	885	<b>181.3</b>	877	<b>205.9</b>	1,339	<b>295.7</b>	1,624	<b>309.3</b>	<5	---	7,333	246.8	272.0
2004	1,272	256.2	1,424	240.1	890	<b>180.6</b>	901	<b>206.8</b>	1,436	<b>315.1</b>	1,660	<b>308.0</b>	<5	---	7,583	251.7	275.7
2005	1,255	252.3	1,519	256.0	850	<b>171.7</b>	950	<b>210.4</b>	1,504	<b>330.6</b>	1,707	<b>312.0</b>	<5	---	7,785	256.1	277.2
2006	1,383	270.1	1,525	258.1	927	<b>185.9</b>	968	<b>214.3</b>	1,494	<b>328.7</b>	1,751	<b>314.3</b>	<5	---	8,048	262.6	280.8
2007	1,428	275.6	1,581	265.3	975	<b>193.6</b>	977	<b>214.1</b>	1,640	<b>356.9</b>	1,943	<b>342.9</b>	<5	---	8,544	275.6	291.3
2008	1,468	278.0	1,693	280.2	977	<b>190.7</b>	1,011	<b>219.0</b>	1,600	<b>344.6</b>	1,999	<b>347.2</b>	<5	---	8,748	278.0	290.5

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
<sup>†</sup> Arthritis hospitalization refers to (principal diagnosis) ICD-9 codes 95.6, 95.7, 98.5, 99.3, 136.1, 274, 277.2, 287.0, 344.6, 353.0, 354.0, 355.5, 357.1, 390, 391, 437.4, 443.0, 446, 447.6, 696.0, 710-716, 719.0, 719.2-719.9, 720-721, 725-727, 728.0-728.3, 728.6-728.9, 729.0-729.1, and 729.4.  
<sup>§</sup> Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Arthritis <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence																	
Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007	DATA NOT YET AVAILABLE																
2008	DATA NOT YET AVAILABLE																

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
<sup>†</sup> Arthritis emergency department discharge refers to (principal diagnosis) ICD-9 codes 95.6, 95.7, 98.5, 99.3, 136.1, 274, 277.2, 287.0, 344.6, 353.0, 354.0, 355.5, 357.1, 390, 391, 437.4, 443.0, 446, 447.6, 696.0, 710-716, 719.0, 719.2-719.9, 720-721, 725-727, 728.0-728.3, 728.6-728.9, 729.0-729.1, and 729.4.  
 \*\* New database; 2006 is first calendar year regional data is available  
<sup>§</sup> Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.  
 Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Dorsopathy <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	698	151.8	764	<b>137.5</b>	532	<b>110.8</b>	423	<b>109.8</b>	864	<b>195.6</b>	1,034	<b>210.6</b>	12	---	4,327	153.8	165.2
2001	802	171.6	888	157.8	539	<b>110.3</b>	556	<b>139.9</b>	915	<b>204.3</b>	1,198	<b>239.7</b>	<5	---	4,898	171.0	183.1
2002	816	169.0	913	158.4	575	<b>118.2</b>	620	<b>150.4</b>	996	<b>220.8</b>	1,074	<b>210.2</b>	<5	---	4,994	171.0	183.0
2003	761	155.7	887	150.0	516	<b>105.7</b>	562	<b>132.0</b>	1,048	<b>231.5</b>	1,043	<b>198.7</b>	<5	---	4,817	162.1	172.6
2004	805	162.1	866	<b>146.0</b>	524	<b>106.3</b>	585	<b>134.2</b>	1,070	<b>234.8</b>	1,140	<b>211.5</b>	<5	---	4,990	165.6	175.6
2005	824	165.7	798	<b>134.5</b>	532	<b>107.5</b>	511	<b>113.2</b>	1,041	<b>228.8</b>	1,129	<b>206.4</b>	<5	---	4,835	159.1	167.7
2006	809	158.0	891	150.8	545	<b>109.3</b>	534	<b>118.2</b>	1,007	<b>221.5</b>	1,060	<b>190.3</b>	<5	---	4,846	158.1	164.3
2007	852	164.5	882	148.0	567	112.6	550	120.5	1,076	234.1	1,059	186.9	<5	---	4,986	160.8	166.7
2008	828	156.8	857	141.8	557	108.7	580	125.6	1,001	215.6	1,186	206.0	<5	---	5,009	159.2	163.5

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
<sup>†</sup> Dorsopathy hospitalization refers to (principal diagnosis) ICD-9 codes 720-724.  
<sup>§</sup> Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Dorsopathy <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence																	
Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007	DATA NOT YET AVAILABLE																
2008	DATA NOT YET AVAILABLE																

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
<sup>†</sup> Dorsopathy emergency department discharge refers to back-related visits for (principal diagnosis) ICD-9 codes 720-724.  
 \*\* New database; 2006 is first calendar year regional data is available  
<sup>§</sup> Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.  
 Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Arthritis and Dorsopathy Details

Hospital

Arthritis <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	1,468	278.0	1,693	280.2	977	190.7	1,011	219.0	1,600	344.6	1,999	347.2	<5	---	8,748	278.0	290.5
Gender																	
Male	607	223.7	755	250.5	421	161.4	426	188.3	708	312.5	845	299.2	<5	---	3,762	239.8	269.0
Female	861	335.4	938	309.8	556	221.0	585	248.5	892	375.3	1,154	393.5	<5	---	4,986	316.1	307.5
Race/Ethnicity																	
White	1,215	387.7	1,422	375.8	481	345.0	507	435.8	1,279	428.6	1,653	493.9	<5	---	6,557	414.8	333.1
Black	33	152.0	39	198.5	191	283.2	28	133.1	66	265.0	36	312.1	<5	---	393	236.3	304.6
Hispanic	117	80.3	104	134.7	218	102.5	373	150.1	180	183.4	168	106.3	<5	---	1,160	123.4	221.6
API/Other <sup>††</sup>	103	217.5	128	99.3	87	93.7	103	135.9	75	175.3	142	198.8	<5	---	638	139.0	161.2
Age Group																	
0-14	23	20.7	36	34.0	29	26.5	28	26.5	32	34.2	50	41.4	<5	---	198	30.6	
15-24	22	24.2	30	40.1	32	38.2	18	22.7	14	20.2	28	31.9	<5	---	144	29.6	
25-64	596	223.7	615	176.8	476	173.0	426	186.1	754	306.9	832	282.5	<5	---	3,699	223.0	
65+	827	1390.8	1,012	1339.7	440	996.7	539	1127.8	800	1429.5	1,089	1497.8	<5	---	4,707	1323.6	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Arthritis hospitalization refers to (principal diagnosis) ICD-9 codes 95.6, 95.7, 98.5, 99.3, 136.1, 274, 277.2, 287.0, 344.6, 353.0, 354.0, 355.5, 357.1, 390, 391, 437.4, 443.0, 446, 447.6, 696.0, 710-716, 719.0, 719.2-719.9, 720-721, 725-727, 728.0-728.3, 728.6-728.9, 729.0-729.1, and 729.4.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Arthritis <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail																	
DATA NOT YET AVAILABLE																	
Total**																	
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Arthritis emergency department discharge refers to (principal diagnosis) ICD-9 codes 95.6, 95.7, 98.5, 99.3, 136.1, 274, 277.2, 287.0, 344.6, 353.0, 354.0, 355.5, 357.1, 390, 391, 437.4, 443.0, 446, 447.6, 696.0, 710-716, 719.0, 719.2-719.9, 720-721, 725-727, 728.0-728.3, 728.6-728.9, 729.0-729.1, and 729.4.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Dorsopathy <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	828	156.8	857	141.8	557	108.7	580	125.6	1,001	215.6	1,186	206.0	<5	---	5,009	159.2	163.5
Gender																	
Male	405	149.3	426	141.4	287	110.0	259	114.5	472	208.3	557	197.2	<5	---	2,406	153.4	166.3
Female	423	164.8	431	142.3	270	107.3	321	136.4	529	222.6	629	214.5	<5	---	2,603	165.0	161.4
Race/Ethnicity																	
White	690	220.2	734	194.0	272	195.1	260	223.5	813	272.4	993	296.7	<5	---	3,762	238.0	202.0
Black	12	55.3	18	91.6	93	137.9	17	80.8	25	100.4	19	164.7	<5	---	184	110.7	136.8
Hispanic	71	48.8	44	57.0	133	62.5	247	99.4	111	113.1	96	60.7	<5	---	702	74.7	115.3
API/Other <sup>††</sup>	55	116.2	61	47.3	59	63.6	56	73.9	52	121.5	78	109.2	<5	---	361	78.6	85.5
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	9	1.4	
15-24	6	6.6	12	16.0	7	8.4	11	13.9	14	20.2	16	18.2	<5	---	66	13.6	
25-64	526	197.5	514	147.8	387	140.6	360	157.3	648	263.8	717	243.5	<5	---	3,152	190.1	
65+	296	497.8	331	438.2	161	364.7	206	431.0	336	600.4	452	621.7	<5	---	1,782	501.1	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Dorsopathy hospitalization refers to (principal diagnosis) ICD-9 codes 720-724.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Arthritis and Dorsopathy Details continued...

Emergency Department

**Dorsopathy† Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail**

DATA NOT YET AVAILABLE

- Total\*\*
- Gender
- Male
- Female
- Race/Ethnic
- White
- Black
- Hispanic
- API/Other††
- Age Group
- 0-14
- 15-24
- 25-64
- 65+

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Dorsopathy emergency department discharge refers to back-related visits for (principal diagnosis) ICD-9 codes 720-724.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Infectious Diseases

Healthy People 2010 Target: 1.0 new tuberculosis case per 100,000 population\*

USA: 4.8 new cases per 100,000 population (2005)\* ‡

California: 8.0 new cases per 100,000 population (2005)\* ‡

TB Registry

**Tuberculosis<sup>†</sup> Incidence Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Correctional <sup>§</sup>		County <sup>††</sup>		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	25	5.4	28	5.0	109	22.7	71	18.4	17	3.8	29	5.9	16	---	295	10.5	10.6
2001	26	5.6	39	6.9	116	23.7	76	19.1	19	4.2	32	6.4	23	---	331	11.6	11.8
2002	26	5.4	40	6.9	114	23.4	76	18.4	20	4.4	34	6.7	16	---	326	11.2	11.3
2003	32	6.5	34	5.7	105	21.5	66	15.5	19	4.2	30	5.7	30	---	316	10.6	10.7
2004	23	4.6	32	5.4	93	18.9	86	19.7	27	5.9	25	4.6	34	---	320	10.6	10.7
2005	30	6.0	44	7.4	85	17.2	69	15.3	23	5.1	31	5.7	23	---	305	10.0	10.3
2006	19	3.7	45	7.6	118	23.7	77	17.0	11	2.4	30	5.4	15	---	315	10.3	10.4
2007	26	5.0	40	6.7	82	16.3	61	13.4	16	3.5	30	5.3	25	---	280	9.0	8.9
2008	23	4.4	34	5.6	77	15.0	62	13.4	18	3.9	20	3.5	30	---	264	8.4	8.4

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Tuberculosis (TB) incidence refers to new active cases that meet CDC definition and are reported to County Public Health Services.

†† Total includes unknown area of residence (1 unknown in 2000).

‡ Source: CDC. Reported Tuberculosis in the United States, 2005. Atlanta, GA: U.S. Department of Health and Human Services, CDC, September 2006. (p54).

§ Rates not calculated for fewer than 5 events. Rates not calculated for correctional cases. (Correctional refers to patients in correctional facilities within San Diego County.)

Source: County of San Diego, Health & Human Services Agency, Tuberculosis Control Program, County TB Registry; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hepatitis Reporting

**Chronic Hepatitis C<sup>†</sup> Reported Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	351	76.3	453	81.5	1,201	250.1	478	124.1	369	83.5	379	77.2	92	---	3,323	118.1	119.7
2001	341	73.0	382	67.9	1,084	221.8	919	231.3	402	89.8	301	60.2	19	---	3,448	120.4	123.5
2002	341	70.6	377	65.4	980	201.4	553	134.2	449	99.5	310	60.7	34	---	3,044	104.2	106.5
2003	247	50.5	391	66.1	944	193.4	466	109.4	370	81.7	279	53.1	22	---	2,719	91.5	93.7
2004	290	58.4	350	59.0	985	199.8	585	134.2	444	97.4	359	66.6	310	---	3,323	110.3	111.7
2005	352	70.8	467	78.7	993	200.6	631	139.8	555	122.0	391	71.5	144	---	3,533	116.2	120.1
2006	388	75.8	485	82.1	1,000	200.5	706	156.3	689	151.6	452	81.1	270	---	3,990	130.2	129.6
2007	406	78.4	498	83.6	947	188.0	1,063	232.9	716	155.8	465	82.1	92	---	4,187	135.1	132.5
2008	436	82.6	419	69.3	849	165.7	602	130.4	614	132.3	421	73.1	244	---	3,585	113.9	111.4

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Chronic Hepatitis C refers to cases reported to County Public Health Services.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch Branch, Communicable Disease Data; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

HIV/AIDS Reporting System

**AIDS<sup>†</sup> Incidence Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	22	4.8	47	8.5	256	53.3	71	18.4	32	7.2	27	5.5	<5	---	455	16.2	
2001	29	6.2	61	10.8	219	44.8	64	16.1	44	9.8	18	3.6	<5	---	435	15.2	
2002	28	5.8	58	10.1	220	45.2	83	20.1	26	5.8	32	6.3	<5	---	447	15.3	
2003	34	7.0	47	7.9	226	46.3	76	17.8	35	7.7	10	1.9	<5	---	428	14.4	
2004	21	4.2	36	6.1	224	45.4	70	16.1	34	7.5	22	4.1	<5	---	407	13.5	
2005	31	6.2	47	7.9	192	38.8	61	13.5	24	5.3	18	3.3	<5	---	373	12.3	
2006	28	5.5	38	6.4	205	41.1	86	19.0	24	5.3	<20	§	n/a	---	397	13.0	
2007	28	5.4	48	8.1	173	34.3	64	14.0	34	7.4	24	4.2	<5	---	371	12.0	
2008	21	4.0	26	4.3	131	25.6	58	12.6	31	6.7	<20	§	n/a	---	281	8.9	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

† AIDS incidence refers to new cases reported to County Public Health Services.

§ Rates not calculated for fewer than 20 events for AIDS. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV/AIDS Epidemiology Unit, HIV/AIDS Reporting System; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

HIV/AIDS Reporting System

**HIV<sup>†</sup> Incidence Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2001															175	6.1	
2002															793	27.2	
2003															681	22.9	
2004															384	12.7	
2005															267	8.8	
2006															376	12.3	
2007															669	21.6	
2008															502	16.0	
cumulative††	237	---	458	---	2,281	---	469	---	244	---	158	---			3,847	---	

\* Rates per 100,000 population. Note: Annual fluctuation in numbers and rates are likely an artifact of reporting, not actual variations.

† HIV incidence refers to name-based reports to CoSD PHS, beginning 4/17/2006. Report date may not reflect the first HIV positive test for that case. †† Cumulative data includes cases reported 4/17/2006 - 12/31/2008.

Source: County of San Diego, Health & Human Services Agency, HIV/AIDS Epidemiology Unit, HIV/AIDS Reporting System; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Infectious Diseases Details

TB Registry

Tuberculosis <sup>†</sup> Incidence Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Correctional <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	23	4.4	34	5.6	77	15.0	62	13.4	18	3.9	20	3.5	30	---	264	8.4	8.4
Gender																	
Male	13	4.8	19	6.3	50	19.2	33	14.6	11	4.9	12	4.2	27	---	165	10.5	10.7
Female	10	3.9	15	5.0	27	10.7	29	12.3	7	2.9	8	2.7	<5	---	99	6.3	6.3
Race/Ethnicity																	
White	<5	§	5	1.3	8	5.7	<5	§	<5	§	5	1.5	<5	---	25	1.6	1.4
Black	<5	§	<5	§	10	14.8	<5	§	<5	§	<5	§	<5	---	16	9.6	9.4
Hispanic	13	8.9	8	10.4	36	16.9	43	17.3	6	6.1	7	4.4	25	---	138	14.7	17.5
API/Other <sup>††</sup>	8	16.9	21	16.3	23	24.8	16	21.1	8	18.7	7	9.8	<5	---	85	18.5	19.5
Age Group																	
0-14	<5	§	<5	§	6	5.5	5	4.7	<5	§	<5	§	<5	---	17	2.6	
15-24	<5	§	6	8.0	8	9.5	8	10.1	<5	§	<5	§	11	---	40	8.2	
25-64	12	4.5	24	6.9	51	18.5	31	13.5	11	4.5	13	4.4	19	---	161	9.7	
65+	<5	§	<5	§	12	27.2	18	37.7	<5	§	5	6.9	<5	---	46	12.9	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 † Tuberculosis (TB) incidence refers to new active cases that meet CDC definition and are reported to County Public Health Services.  
 Correctional refers to patients in correctional facilities within San Diego County.  
 †† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.  
 § Rates not calculated for fewer than 5 events. Rates not calculated for correctional cases.  
 Source: County of San Diego, Health & Human Services Agency, Tuberculosis Control Program, County TB Registry; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hepatitis Reporting

Chronic Hepatitis C <sup>†</sup> Reported Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	436	82.6	419	69.3	849	165.7	602	130.4	614	132.3	421	73.1	244	---	3,585	113.9	111.4
Gender																	
Male	267	98.4	250	83.0	554	212.4	410	181.3	344	151.8	248	87.8	151	---	2,224	141.8	140.3
Female	164	63.9	161	53.2	287	114.1	189	80.3	264	111.1	170	58.0	86	---	1,321	83.7	81.0
Race/Ethnicity <sup>‡</sup>																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14	<5	§	5	4.7	<5	§	<5	§	<5	§	<5	§	<5	---	18	2.8	
15-24	17	18.7	14	18.7	23	27.4	23	29.0	16	23.1	5	5.7	7	---	105	21.6	
25-64	383	143.8	345	99.2	750	272.6	522	228.0	557	226.7	378	128.4	220	---	3,155	190.2	
65+	31	52.1	51	67.5	68	154.0	47	98.3	36	64.3	34	46.8	14	---	281	79.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 \*\* Numbers may not add up to totals due to unknown or missing details.  
 † Chronic Hepatitis C refers to cases reported to County Public Health Services.  
 ‡ Race/Ethnicity is not reported here due to limited availability of this data.  
 †† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch, Communicable Disease Data; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Sexually Transmitted Diseases (STDs)

Healthy People 2010 Target: n/a for Chlamydia incidence

USA: 364.2 reported cases per 100,000 population (2005)\* ‡

California: 332.5 reported cases per 100,000 population (2005)\* ‡

STD Reporting

Chlamydia<sup>†</sup> Incidence, Estimated Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	1,159	252.0	1,262	227.1	2,627	547.0	1,373	356.4	1,265	286.3	951	193.7			8,637	306.9	
2001	1,202	257.2	1,254	222.8	2,714	555.3	1,489	374.7	1,439	321.4	1,070	214.1			9,168	320.2	
2002	1,326	274.5	1,512	262.4	3,008	618.1	1,743	422.9	1,440	319.2	1,196	234.1			10,225	350.2	
2003	1,325	271.1	1,540	260.4	2,837	581.3	1,747	410.2	1,589	350.9	1,211	230.7			10,249	344.9	
2004	1,167	235.0	1,765	297.6	3,016	611.9	1,899	435.8	1,688	370.4	1,287	238.8			10,822	359.2	
2005	1,414	284.3	1,902	320.5	2,938	593.5	1,889	418.4	1,521	334.3	1,337	244.4			11,001	362.0	
2006	1,408	275.0	1,995	337.6	3,162	633.9	2,026	448.5	1,777	390.9	1,612	289.4			11,980	390.9	
2007	1,486	286.8	2,125	356.6	3,286	652.4	2,203	482.7	1,908	415.2	1,680	296.5			12,688	409.3	
2008	1,788	338.6	2,268	375.4	3,652	712.7	2,463	533.6	2,191	471.9	1,703	295.8			14,065	447.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Estimated Chlamydia incidence refers to new cases reported to County Public Health Services, including cases with unknown residence statistically distributed to Regions.

‡ Source: CDC. Sexually Transmitted Disease Surveillance, 2005. Atlanta, GA: U.S. Department of Health and Human Services, November 2006. <http://www.cdc.gov/std/>.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

STD Reporting

Chlamydia<sup>†</sup> Incidence Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	807	175.5	879	158.2	1,829	380.9	956	248.1	881	199.4	662	134.8	2,623	---	8,637	306.9	
2001	887	189.8	926	164.6	2,003	409.8	1,099	276.6	1,062	237.2	790	158.1	2,401	---	9,168	320.2	
2002	1,030	213.3	1,174	203.7	2,336	480.0	1,354	328.5	1,118	247.9	929	181.8	2,284	---	10,225	350.2	
2003	1,034	211.6	1,202	203.2	2,214	453.7	1,364	320.3	1,240	273.9	945	180.0	2,250	---	10,249	344.9	
2004	897	180.6	1,356	228.6	2,317	470.1	1,459	334.8	1,297	284.6	989	183.5	2,507	---	10,822	359.2	
2005	1,042	209.5	1,402	236.3	2,165	437.3	1,392	308.3	1,121	246.4	985	180.0	2,894	---	11,001	362.0	
2006	1,025	200.2	1,453	245.9	2,303	461.7	1,475	326.5	1,294	284.7	1,174	210.8	3,256	---	11,980	390.9	
2007	1,113	214.8	1,592	267.2	2,461	488.6	1,650	361.6	1,429	311.0	1,258	222.0	3,185	---	12,688	409.3	
2008	1,336	253.0	1,694	280.4	2,728	532.4	1,840	398.6	1,637	352.6	1,272	220.9	3,558	---	14,065	447.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Chlamydia incidence refers to new cases reported to County Public Health Services. Note: due to cases with unknown residence, Regional numbers are underestimated.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Healthy People 2010 Target: 19 new gonorrhoea cases per 100,000 population\*

USA: 115.6 reported cases per 100,000 population (2005)\* ‡

California: 95.7 reported cases per 100,000 population (2005)\* ‡

STD Reporting

Gonorrhoea<sup>†</sup> Incidence, Estimated Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	126	27.4	278	50.0	868	180.8	191	49.6	240	54.3	94	19.1			1,797	63.9	
2001	147	31.5	270	48.0	895	183.1	203	51.1	247	55.2	113	22.6			1,875	65.5	
2002	136	28.2	299	51.9	1,008	207.1	256	62.1	288	63.8	141	27.6			2,128	72.9	
2003	166	34.0	269	45.5	803	164.5	302	70.9	296	65.4	136	25.9			1,972	66.4	
2004	144	29.0	347	58.5	1,056	214.2	294	67.5	387	84.9	148	27.5			2,376	78.9	
2005	197	39.6	405	68.3	1,045	211.1	353	78.2	402	88.4	204	37.3			2,606	85.7	
2006	250	48.8	358	60.6	1,027	205.9	405	89.6	478	105.2	248	44.5			2,766	90.2	
2007	199	38.4	355	59.6	902	179.1	344	75.4	351	76.4	233	41.1			2,384	76.9	
2008	180	34.1	268	44.4	836	163.2	269	58.3	303	65.3	161	28.0			2,017	64.1	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Estimated Gonorrhoea incidence refers to new cases reported to County Public Health Services, including cases with unknown residence statistically distributed to Regions.

‡ Source: CDC. Sexually Transmitted Disease Surveillance, 2005. Atlanta, GA: U.S. Department of Health and Human Services, November 2006. <http://www.cdc.gov/std/>.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Sexually Transmitted Diseases (STDs) continued...

STD Reporting

Gonorrhea <sup>†</sup> Incidence Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	86	18.7	190	34.2	594	123.7	131	34.0	164	37.1	64	13.0	568	---	1,797	63.9	
2001	110	23.5	202	35.9	671	137.3	152	38.2	185	41.3	85	17.0	470	---	1,875	65.5	
2002	102	21.1	223	38.7	753	154.7	191	46.3	215	47.7	105	20.5	539	---	2,128	72.9	
2003	121	24.8	196	33.1	585	119.9	220	51.7	216	47.7	99	18.9	535	---	1,972	66.4	
2004	102	20.5	246	41.5	748	151.8	208	47.7	274	60.1	105	19.5	693	---	2,376	78.9	
2005	132	26.5	272	45.8	701	141.6	237	52.5	270	59.3	137	25.0	857	---	2,606	85.7	
2006	149	29.1	213	36.0	612	122.7	241	53.3	285	62.7	148	26.6	1,118	---	2,766	90.2	
2007	126	24.3	225	37.8	572	113.6	218	47.8	223	48.5	148	26.1	872	---	2,384	76.9	
2008	108	20.5	161	26.6	503	98.2	162	35.1	182	39.2	97	16.8	804	---	2,017	64.1	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Gonorrhea incidence refers to new cases reported to County Public Health Services. Note: due to cases with unknown residence, Regional numbers are underestimated.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Healthy People 2010 Target: 0.2 primary & secondary syphilis cases per 100,000 population\*

USA: 3.0 new cases per 100,000 population (2005)\* †

California: 4.4 new cases per 100,000 population (2005)\* †

STD Reporting

Primary and Secondary Syphilis <sup>†</sup> Incidence Among San Diego County Residents by Location of Residence																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	6	1.3	<5	§	11	2.3	5	1.3	<5	§	<5	§	<5	---	27	1.0	
2001	<5	§	<5	§	16	3.3	<5	§	<5	§	<5	§	<5	---	27	0.9	
2002	<5	§	<5	§	19	3.9	<5	§	<5	§	<5	§	<5	---	38	1.3	
2003	<5	§	18	3.0	76	15.6	5	1.2	<5	§	<5	§	<5	---	109	3.7	
2004	7	1.4	11	1.9	94	19.1	8	1.8	9	2.0	<5	§	5	---	136	4.5	
2005	<5	§	20	3.4	119	24.0	19	4.2	20	4.4	5	0.9	6	---	193	6.4	
2006	15	2.9	27	4.6	141	28.3	24	5.3	18	4.0	<5	§	<5	---	232	7.6	
2007	17	3.3	45	7.6	214	42.5	31	6.8	21	4.6	13	2.3	5	---	346	11.2	
2008	16	3.0	37	6.1	212	41.4	31	6.7	29	6.2	13	2.3	7	---	345	11.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Primary and Secondary Syphilis incidence refers to new cases reported to County Public Health Services.

‡ Source: CDC. Sexually Transmitted Disease Surveillance, 2005. Atlanta, GA: U.S. Department of Health and Human Services, November 2006. <http://www.cdc.gov/std/>.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

STD Details

STD Reporting

**Chlamydia<sup>†</sup> Incidence, Among San Diego County Residents by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	1,336	253.0	1,694	280.4	2,728	532.4	1,840	398.6	1,637	352.6	1,272	220.9	3,558	---	14,065	447.0	
Gender																	
Male	361	133.0	499	165.6	686	263.0	347	153.4	345	152.3	269	95.2	1,493	---	4,000	255.0	
Female	973	379.0	1,192	393.6	2,040	810.8	1,492	633.8	1,292	543.6	1,001	341.3	2,040	---	10,030	635.8	
Race/Ethnicity																	
White	241	76.9	421	111.3	282	202.3	132	113.5	332	111.2	212	63.3	359	---	1,979	125.2	
Black	84	387.0	93	473.4	444	658.3	105	499.0	217	871.2	35	303.4	257	---	1,235	742.7	
Hispanic	304	208.8	187	242.1	732	344.1	603	242.7	292	297.6	400	253.1	419	---	2,937	312.4	
API/Other <sup>††</sup>	707	1493.1	993	770.1	1,270	1368.4	1,000	1319.1	796	1860.1	625	874.9	2,523	---	7,914	1723.6	
Age Group																	
0-14	8	7.2	7	6.6	28	25.6	12	11.4	16	17.1	5	4.1	24	---	100	15.5	
15-24	880	967.7	1,030	1375.1	1,790	2136.1	1,220	1536.8	1,175	1698.4	819	932.7	2,130	---	9,044	1860.8	
25-64	440	165.2	645	185.4	885	321.6	596	260.4	439	178.7	436	148.1	1,372	---	4,813	290.2	
65+	<5	§	7	9.3	<5	§	<5	§	<5	§	<5	§	6	---	22	6.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Chlamydia incidence refers to new cases reported to County Public Health Services. Note: due to cases with unknown residence, Regional numbers are underestimated.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

STD Reporting

**Gonorrhea<sup>†</sup> Incidence, Among San Diego County Residents by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	108	20.5	161	26.6	503	98.2	162	35.1	182	39.2	97	16.8	804	---	2,017	64.1	
Gender																	
Male	59	21.7	100	33.2	283	108.5	60	26.5	65	28.7	45	15.9	613	---	1,225	78.1	
Female	49	19.1	61	20.1	220	87.4	101	42.9	117	49.2	51	17.4	186	---	785	49.8	
Race/Ethnicity																	
White	12	3.8	44	11.6	65	46.6	19	16.3	41	13.7	17	5.1	20	---	218	13.8	
Black	14	64.5	19	96.7	123	182.4	16	76.0	38	152.6	9	78.0	39	---	258	155.2	
Hispanic	16	11.0	8	10.4	85	40.0	44	17.7	25	25.5	23	14.6	72	---	273	29.0	
API/Other <sup>††</sup>	66	139.4	90	69.8	230	247.8	83	109.5	78	182.3	48	67.2	673	---	1,268	276.2	
Age Group																	
0-14	<5	§	<5	§	5	4.6	<5	§	<5	§	<5	§	<5	---	14	2.2	
15-24	63	69.3	76	101.5	235	280.4	84	105.8	107	154.7	50	56.9	303	---	918	188.9	
25-64	45	16.9	82	23.6	253	91.9	74	32.3	73	29.7	44	14.9	489	---	1,060	63.9	
65+	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	6	---	9	2.5	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Gonorrhea incidence refers to new cases reported to County Public Health Services. Note: due to cases with unknown residence, Regional numbers are underestimated.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

STD Reporting

**Primary and Secondary Syphilis<sup>†</sup> Incidence Among San Diego County Residents by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	16	3.0	37	6.1	212	41.4	31	6.7	29	6.2	13	2.3	7	---	345	11.0	
Gender																	
Male	16	5.9	35	11.6	207	79.4	28	12.4	29	12.8	11	3.9	7	---	333	21.2	
Female	<5	§	<5	§	5	2.0	<5	§	<5	§	<5	§	<5	---	12	0.8	
Race/Ethnicity																	
White	9	2.9	21	5.6	124	88.9	5	4.3	13	4.4	6	1.8	5	---	183	11.6	
Black	<5	§	<5	§	33	48.9	6	28.5	<5	§	<5	§	<5	---	49	29.5	
Hispanic	6	4.1	7	9.1	41	19.3	17	6.8	8	8.2	<5	§	<5	---	82	8.7	
API/Other <sup>††</sup>	<5	§	6	4.7	14	15.1	<5	§	<5	§	<5	§	<5	---	31	6.8	
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	5	6.7	19	22.7	8	10.1	<5	§	<5	§	<5	---	42	8.6	
25-64	14	5.3	32	9.2	190	69.1	23	10.0	24	9.8	11	3.7	5	---	299	18.0	
65+	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Primary and Secondary Syphilis incidence refers to new cases reported to County Public Health Services.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, HIV, STD and Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Unintentional Injury

**Healthy People 2010 Target:** 17.1 unintentional injury deaths per 100,000 population, age-adjusted\*

**USA:** 37.3 deaths per 100,000 population, age-adjusted (2003)\* †

**California:** 30.4 deaths per 100,000 population, age-adjusted (2003)\* ‡

**Unintentional Injury† Deaths Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	99	21.5	118	21.2	142	29.6	97	25.2	124	28.1	108	22.0	41	---	729	25.9	26.4
2001	126	27.0	115	20.4	124	25.4	78	19.6	111	24.8	129	25.8	34	---	717	25.0	25.3
2002	122	25.3	115	20.0	149	30.6	114	27.7	118	26.2	144	28.2	28	---	790	27.1	27.6
2003	112	22.9	106	17.9	143	29.3	92	21.6	140	30.9	142	27.0	72	---	807	27.2	27.7
2004	140	28.2	144	24.3	130	26.4	91	20.9	133	29.2	151	28.0	74	---	863	28.6	28.7
2005	146	29.4	132	22.2	174	35.1	91	20.2	140	30.8	148	27.1	37	---	868	28.6	28.6
2006	140	27.3	137	23.2	148	29.7	99	21.9	146	32.1	189	33.9	65	---	924	30.1	28.9
2007	159	30.7	154	25.8	148	29.4	121	26.5	155	33.7	194	34.2	64	---	995	32.1	31.4
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Unintentional Injury death refers to (underlying cause of death) ICD-10 codes V01-X59, Y85-Y86.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Unintentional Injury† Hospitalizations Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	2,449	532.5	3,187	573.5	3,468	722.2	2,349	609.7	3,380	765.1	3,154	642.5	52	---	18,039	641.1	675.2
2001	2,567	549.3	3,291	584.8	3,367	688.9	2,332	586.8	3,423	764.5	3,255	651.4	<5	---	18,236	636.8	668.6
2002	2,758	571.0	3,367	584.3	3,290	676.1	2,522	611.9	3,611	800.5	3,488	682.6	<5	---	19,037	651.9	681.7
2003	2,840	581.1	3,363	568.6	3,383	693.2	2,696	633.1	3,649	805.9	3,594	684.6	<5	---	19,528	657.1	684.3
2004	2,859	575.8	3,350	564.9	3,162	641.5	2,820	647.1	3,501	768.2	3,478	645.2	<5	---	19,172	636.3	658.5
2005	2,805	564.0	3,366	567.3	3,213	649.0	2,726	603.8	3,564	783.4	3,707	677.6	<5	---	19,381	637.7	653.8
2006	2,886	563.6	3,419	578.6	3,241	649.8	2,858	632.6	3,583	788.3	3,642	653.8	6	---	19,635	640.6	649.4
2007	2,740	528.9	3,407	571.8	3,340	663.2	2,830	620.1	3,728	811.2	3,721	656.7	<5	---	19,766	637.6	639.1
2008	2,839	537.6	3,545	586.7	3,421	667.7	3,134	678.9	3,947	850.2	3,964	688.5	<5	---	20,850	662.7	660.8

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Unintentional Injury hospitalization refers to (principal diagnosis) ICD-9 Ecodes E800-E869, E880-E929.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Unintentional Injury† Emergency Department Discharges in San Diego County by Location of Residence**

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Unintentional Injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E800-E869, E880-E929.

\*\* New database; FY 2005/2006 is first full year regional data is available.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Unintentional Injury continued...

Healthy People 2010 Target: 0.7 drowning deaths per 100,000 population, age-adjusted\*

USA: 1.2 deaths per 100,000 population, age-adjusted (2003)\* †

California: 1.1 deaths per 100,000 population, age-adjusted (2003)\* †

Drowning† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	<5	§	12	2.2	8	1.7	<5	§	<5	§	<5	§	<5	---	31	1.1	1.1
2001	5	1.1	10	1.8	<5	§	<5	§	5	1.1	<5	§	<5	---	30	1.0	1.0
2002	9	1.9	<5	§	6	1.2	9	2.2	<5	§	<5	§	<5	---	31	1.1	1.1
2003	<5	§	<5	§	5	1.0	<5	§	<5	§	<5	§	<5	---	19	0.6	0.6
2004	8	1.6	7	1.2	<5	§	5	1.1	<5	§	7	1.3	7	---	41	1.4	1.4
2005	<5	§	<5	§	5	1.0	<5	§	5	1.1	6	1.1	<5	---	31	1.0	1.0
2006	8	1.6	7	1.2	8	1.6	<5	§	<5	§	6	1.1	5	---	36	1.2	1.1
2007	<5	§	5	0.8	<5	§	<5	§	<5	§	6	1.1	<5	---	21	0.7	0.7
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Drowning death refers to (underlying cause of death) ICD-10 codes W65-W74, V90, V92.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Healthy People 2010 Target: 0.2 accidental exposure deaths per 100,000 population, age-adjusted\*

USA: 1.2 deaths per 100,000 population, age-adjusted (2003)\* †

California: 0.6 deaths per 100,000 population, age-adjusted (2003)\* †

Deaths due to Accidental Exposure to Smoke, Fire or Flames † Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	11	0.4	0.4
2001	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	7	0.2	0.3
2002	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	10	0.3	0.4
2003	<5	§	<5	§	5	1.0	<5	§	12	2.7	5	1.0	<5	---	28	0.9	1.0
2004	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	8	0.3	0.2
2005	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	12	0.4	0.4
2006	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	13	0.4	0.4
2007	<5	§	<5	§	<5	§	<5	§	<5	§	6	1.1	<5	---	16	0.5	0.5
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Accidental exposure to smoke, fire or flame death refers to (underlying cause of death) ICD-10 codes X00-X09.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Healthy People 2010 Target: n/a for unintentional suffocation

USA: 1.9 deaths per 100,000 population, age-adjusted (2003)\* †

California: 0.9 deaths per 100,000 population, age-adjusted (2003)\* †

Deaths due to Unintentional Suffocation† Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	<5	§	<5	§	6	1.2	<5	§	6	1.4	<5	§	<5	---	19	0.7	0.7
2001	<5	§	<5	§	5	1.0	<5	§	<5	§	<5	§	<5	---	13	0.5	0.5
2002	<5	§	<5	§	<5	§	<5	§	6	1.3	<5	§	<5	---	18	0.6	0.6
2003	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	19	0.6	0.7
2004	<5	§	7	1.2	<5	§	<5	§	6	1.3	5	0.9	<5	---	28	0.9	1.0
2005	5	1.0	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	18	0.6	0.6
2006	5	1.0	<5	§	<5	§	<5	§	<5	§	5	0.9	<5	---	24	0.8	0.8
2007	<5	§	5	0.8	<5	§	<5	§	<5	§	<5	§	<5	---	18	0.6	0.6
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Unintentional suffocation death refers to (underlying cause of death) ICD-10 codes W75-W84.

‡ Source: CDC, NCHS, Compressed Mortality Files. On-line Database accessed 12/27/2006: <http://wonder.cdc.gov/cmfi-icd10.html>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Death Certificate

Death Certificate

Unintentional Injury Details

Death Certificate

Unintentional Injury† Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	159	30.7	154	25.8	148	29.4	121	26.5	155	33.7	194	34.2	64	---	995	32.1	31.4
Gender																	
Male	107	40.4	100	33.7	112	43.8	88	39.3	91	40.6	127	45.7	46	---	671	43.5	44.4
Female	52	20.5	54	18.1	36	14.5	33	14.2	64	27.2	67	23.2	18	---	324	20.8	19.4
Race/Ethnicity																	
White	119	38.4	115	30.5	71	51.4	60	51.1	119	39.9	142	42.5	41	---	667	42.4	35.9
Black	<5	§	<5	§	29	43.4	<5	§	6	24.6	<5	§	8	---	53	32.4	35.7
Hispanic	32	22.6	15	20.0	36	17.3	50	20.5	20	21.0	39	25.5	14	---	206	22.5	28.7
API/Other <sup>††</sup>	5	10.9	20	16.0	12	13.2	9	12.1	10	24.1	12	17.5	<5	---	69	15.5	17.0
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	5	4.1	<5	---	24	3.7	
15-24	34	38.7	13	17.6	15	18.5	11	13.9	12	17.6	24	27.9	<5	---	113	23.8	
25-64	72	27.5	82	23.8	102	37.7	77	34.0	95	39.1	98	33.9	43	---	569	34.8	
65+	50	85.7	56	76.2	29	67.0	29	61.8	44	81.0	67	94.9	11	---	286	82.5	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Unintentional Injury death refers to (underlying cause of death) ICD-10 codes V01-X59, Y85-Y86.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Unintentional Injury† Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	2,839	537.6	3,545	586.7	3,421	667.7	3,134	678.9	3,947	850.2	3,964	688.5	<5	---	20,850	662.7	660.8
Gender																	
Male	1,412	520.4	1,740	577.3	1,919	735.8	1,660	733.9	1,997	881.4	2,011	712.0	<5	---	10,739	684.6	720.4
Female	1,427	555.8	1,805	596.1	1,502	597.0	1,474	626.1	1,949	820.0	1,953	665.9	<5	---	10,110	640.9	589.3
Race/Ethnicity																	
White	2,212	705.8	2,842	751.1	1,656	1187.7	1,342	1153.6	3,024	1013.3	3,047	910.4	<5	---	14,123	893.5	735.6
Black	42	193.5	79	402.1	472	699.8	125	594.0	143	574.1	46	398.8	<5	---	907	545.5	628.0
Hispanic	388	266.4	256	331.5	913	429.2	1,311	527.7	530	540.2	547	346.1	<5	---	3,945	419.6	600.1
API/Other <sup>††</sup>	197	416.0	368	285.4	380	409.4	356	469.6	250	584.2	324	453.5	<5	---	1,875	408.4	457.6
Age Group																	
0-14	162	145.5	163	153.9	231	211.4	212	200.9	213	228.0	249	206.2	<5	---	1,230	190.3	
15-24	258	283.7	273	364.5	353	421.3	338	425.8	346	500.1	397	452.1	<5	---	1,965	404.3	
25-64	1,001	375.8	1,269	364.8	1,687	613.1	1,192	520.7	1,700	692.0	1,398	474.7	<5	---	8,247	497.3	
65+	1,418	2384.6	1,840	2435.7	1,150	2605.1	1,392	2912.5	1,688	3016.3	1,920	2640.8	<5	---	9,408	2645.6	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Unintentional Injury hospitalization refers to (principal diagnosis) ICD-9 Ecodes E800-E869, E880-E929.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Unintentional Injury† Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Unintentional Injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E800-E869, E880-E929.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Fall-Related Injury

Healthy People 2010 Target: 3.3 fall deaths per 100,000 population, age-adjusted\*

USA: 5.9 deaths per 100,000 population, age-adjusted (2003)\* †

California: 4.7 deaths per 100,000 population, age-adjusted (2003)\* †

Fall-Related† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	25	5.4	23	4.1	13	2.7	20	5.2	22	5.0	20	4.1	5	---	128	4.5	5.1
2001	10	2.1	19	3.4	17	3.5	10	2.5	16	3.6	32	6.4	<5	---	107	3.7	4.1
2002	15	3.1	33	5.7	16	3.3	17	4.1	17	3.8	34	6.7	<5	---	134	4.6	5.1
2003	24	4.9	23	3.9	18	3.7	22	5.2	25	5.5	27	5.1	5	---	144	4.8	5.2
2004	20	4.0	37	6.2	12	2.4	17	3.9	25	5.5	24	4.5	<5	---	137	4.5	4.9
2005	28	5.6	31	5.2	37	7.5	19	4.2	20	4.4	32	5.8	<5	---	170	5.6	5.8
2006	34	6.7	41	6.9	22	4.4	19	4.1	23	5.1	39	7.1	8	---	186	6.1	6.1
2007	41	7.9	46	7.7	21	4.2	31	6.8	38	8.3	49	8.6	10	---	236	7.6	7.4
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Fall-related death refers to (underlying cause of death) ICD-10 codes W00-W19; accidental falls.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Fall-related† Hospitalizations Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	1,251	<b>272.3</b>	1,667	299.8	1,483	308.8	1,031	<b>267.6</b>	1,527	<b>345.6</b>	1,569	319.6	28	---	8,556	304.1	334.0
2001	1,263	<b>242.9</b>	1,640	266.4	1,429	265.8	1,063	<b>240.1</b>	1,453	<b>297.3</b>	1,512	276.0	<5	---	8,360	269.1	318.8
2002	1,386	190.9	1,755	202.9	1,413	193.4	1,135	<b>160.9</b>	1,537	<b>221.7</b>	1,729	<b>218.8</b>	<5	---	8,955	202.0	332.6
2003	1,348	184.6	1,734	193.1	1,435	<b>181.1</b>	1,174	<b>156.9</b>	1,554	<b>223.7</b>	1,740	<b>214.3</b>	<5	---	8,986	196.5	325.3
2004	1,473	193.1	1,724	200.8	1,287	<b>166.8</b>	1,284	<b>175.3</b>	1,605	<b>230.2</b>	1,671	189.4	<5	---	9,045	196.0	319.5
2005	1,477	191.2	1,733	188.1	1,366	<b>180.2</b>	1,319	<b>182.7</b>	1,646	<b>239.6</b>	1,806	207.6	<5	---	9,347	200.9	321.6
2006	1,484	289.8	1,760	297.8	1,323	<b>265.2</b>	1,338	296.2	1,656	<b>364.3</b>	1,741	312.5	<5	---	9,305	303.6	311.9
2007	1,416	<b>273.3</b>	1,814	304.4	1,411	<b>280.2</b>	1,357	297.4	1,745	<b>379.7</b>	1,820	321.2	<5	---	9,563	308.5	311.1
2008	1,508	<b>285.6</b>	1,992	329.7	1,601	<b>312.5</b>	1,516	328.4	1,969	<b>424.1</b>	1,962	340.8	<5	---	10,548	335.3	335.2

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Fall-related hospitalization refers to (principal diagnosis) ICD-9 Ecodes E800-E886, E888; accidental falls.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Fall-related† Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Fall-related emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E880-E886, E888; accidental falls.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Fall Details

Death Certificate

Fall-Related<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	41	7.9	46	7.7	21	4.2	31	6.8	38	8.3	49	8.6	10	---	236	7.6	7.4
Gender																	
Male	25	9.4	27	9.1	14	5.5	21	9.4	22	9.8	28	10.1	8	---	145	9.4	10.8
Female	16	6.3	19	6.4	7	2.8	10	4.3	16	6.8	21	7.3	<5	---	91	5.8	5.0
Race/Ethnicity																	
White	38	12.3	40	10.6	9	6.5	16	13.6	33	11.1	39	11.7	8	---	183	11.6	8.0
Black	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	2.7
Hispanic	<5	§	<5	§	<5	§	12	4.9	<5	§	5	3.3	<5	---	29	3.2	6.6
API/Other <sup>††</sup>	<5	§	<5	§	6	6.6	<5	§	<5	§	5	7.3	<5	---	21	4.7	6.3
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
25-64	7	2.7	7	2.0	6	2.2	8	3.5	5	2.1	6	2.1	6	---	45	2.8	
65+	33	56.6	38	51.7	14	32.4	23	49.0	33	60.8	42	59.5	<5	---	186	53.6	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Fall-related death refers to (underlying cause of death) ICD-10 codes W00-W19; accidental falls.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Fall-related<sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	1,508	285.6	1,992	329.7	1,601	312.5	1,516	328.4	1,969	424.1	1,962	340.8	<5	---	10,548	335.3	335.2
Gender																	
Male	610	224.8	831	275.7	773	296.4	646	285.6	818	361.0	787	278.6	<5	---	4,465	284.6	315.5
Female	898	349.8	1,161	383.4	828	329.1	870	369.5	1,150	483.8	1,175	400.6	<5	---	6,082	385.5	343.6
Race/Ethnicity																	
White	1,246	397.6	1,665	440.0	883	633.3	710	610.3	1,591	533.1	1,650	493.0	<5	---	7,745	490.0	368.6
Black	10	46.1	32	162.9	168	249.1	40	190.1	59	236.9	11	95.4	<5	---	320	192.4	256.3
Hispanic	162	111.2	119	154.1	381	179.1	599	241.1	215	219.1	171	108.2	<5	---	1,647	175.2	306.2
API/Other <sup>††</sup>	90	190.1	176	136.5	169	182.1	167	220.3	104	243.0	130	182.0	<5	---	836	182.1	222.2
Age Group																	
0-14	82	73.7	82	77.4	93	85.1	94	89.1	99	106.0	101	83.7	<5	---	551	85.3	
15-24	51	56.1	71	94.8	72	85.9	44	55.4	71	102.6	73	83.1	<5	---	382	78.6	
25-64	312	117.1	447	128.5	587	213.3	379	165.6	572	232.8	383	130.1	<5	---	2,680	161.6	
65+	1,063	1787.6	1,392	1842.7	849	1923.3	999	2090.2	1,227	2192.5	1,405	1932.4	<5	---	6,935	1950.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Fall-related hospitalization refers to (principal diagnosis) ICD-9 Ecodes E800-E886, E888; accidental falls.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Fall-related<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Fall-related emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E880-E886, E888; accidental falls.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Overdose / Poisoning

Healthy People 2010 Target: 1.5 overdose / poisoning deaths per 100,000 population, age-adjusted\*

USA: 9.9 deaths per 100,000 population, age-adjusted (2003)\* ‡

California: 9.5 deaths per 100,000 population, age-adjusted (2003)\* ‡

Overdose/Poisoning† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	31	6.7	45	8.1	70	<b>14.6</b>	39	10.1	49	11.1	29	<b>5.8</b>	10	---	273	9.7	9.7
2001	37	7.9	45	8.0	65	<b>13.3</b>	20	<b>5.0</b>	40	8.9	24	<b>4.8</b>	16	---	247	8.6	8.7
2002	31	6.4	36	<b>6.2</b>	80	<b>16.4</b>	34	8.2	48	10.6	36	7.0	14	---	279	9.6	9.6
2003	37	7.6	40	<b>6.8</b>	84	<b>17.2</b>	35	8.2	60	13.3	26	<b>5.0</b>	24	---	306	10.3	10.4
2004	43	8.7	48	8.1	84	<b>17.0</b>	33	7.6	46	10.1	46	8.5	15	---	315	10.5	10.5
2005	39	7.8	50	8.4	76	<b>15.4</b>	30	6.6	57	12.5	37	6.8	13	---	302	9.9	10.0
2006	44	8.7	53	8.9	80	<b>16.0</b>	33	7.2	59	13.0	44	8.0	11	---	324	10.6	10.5
2007	48	9.3	55	9.2	85	16.9	53	11.6	73	15.9	64	11.3	17	---	395	12.7	12.5
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Overdose/Poisoning death refers to (underlying cause of death) ICD-10 codes X40-X49, X60-X69, X85-X90, Y10-Y19, Y35.2, U01.6-U01.7. This includes all intents.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Overdose/Poisoning† Hospitalizations Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	269	<b>58.5</b>	372	<b>66.9</b>	576	<b>119.9</b>	279	72.4	407	92.1	338	<b>68.9</b>	53	---	2,294	81.5	82.1
2001	262	<b>56.1</b>	399	<b>70.9</b>	570	<b>116.6</b>	320	80.5	468	<b>104.5</b>	326	<b>65.2</b>	44	---	2,389	83.4	83.9
2002	263	<b>54.5</b>	333	<b>57.8</b>	544	<b>111.8</b>	306	74.2	472	<b>104.6</b>	331	<b>64.8</b>	42	---	2,291	78.5	78.8
2003	248	<b>50.7</b>	315	<b>53.3</b>	526	<b>107.8</b>	283	66.5	380	<b>83.9</b>	299	<b>57.0</b>	47	---	2,098	70.6	71.2
2004	261	<b>52.6</b>	352	<b>59.4</b>	517	<b>104.9</b>	291	66.8	361	79.2	315	<b>58.4</b>	61	---	2,158	71.6	72.0
2005	270	<b>54.3</b>	301	<b>50.7</b>	470	<b>94.9</b>	276	61.1	379	<b>83.3</b>	324	59.2	44	---	2,064	67.9	68.1
2006	302	59.0	316	<b>53.5</b>	426	<b>85.4</b>	268	59.3	378	<b>83.2</b>	332	59.6	<5	---	2,022	66.0	66.0
2007	299	<b>57.7</b>	320	<b>53.7</b>	502	<b>99.7</b>	289	63.3	387	<b>84.2</b>	346	61.1	<5	---	2,143	69.1	68.8
2008	320	<b>60.6</b>	317	<b>52.5</b>	529	<b>103.2</b>	347	75.2	402	<b>86.6</b>	391	67.9	<5	---	2,306	73.3	72.5

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Overdose/Poisoning-related hospitalization refers to (principal diagnosis) ICD-9 Ecodes E850-E869, E950-E952, E962. This includes all intents.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Overdose/Poisoning† Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Overdose/Poisoning emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E850-E869, E950-E952, E962. This includes all intents.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Overdose / Poisoning Details

Death Certificate

Overdose/Poisoning<sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	48	9.3	55	9.2	85	16.9	53	11.6	73	15.9	64	11.3	17	---	395	12.7	12.5
Gender																	
Male	28	10.6	30	10.1	65	25.4	38	17.0	40	17.9	37	13.3	11	---	249	16.1	16.0
Female	20	7.9	25	8.4	20	8.1	15	6.4	33	14.0	27	9.4	6	---	146	9.4	9.2
Race/Ethnicity																	
White	41	13.2	43	11.4	56	40.5	28	23.8	62	20.8	56	16.8	15	---	301	19.1	17.2
Black	<5	§	<5	§	19	28.5	<5	§	<5	§	<5	§	<5	---	27	16.5	17.3
Hispanic	6	4.2	6	8.0	7	3.4	23	9.4	6	6.3	<5	§	<5	---	52	5.7	6.3
API/Other <sup>††</sup>	<5	§	5	4.0	<5	§	<5	§	<5	§	<5	§	<5	---	15	3.4	3.3
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	8	9.1	5	6.8	7	8.6	<5	§	<5	§	<5	§	<5	---	29	6.1	
25-64	38	14.5	46	13.3	76	28.1	47	20.8	69	28.4	54	18.7	17	---	347	21.2	
65+	<5	§	<5	§	<5	§	<5	§	<5	§	6	8.5	<5	---	18	5.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Overdose/Poisoning death refers to (underlying cause of death) ICD-10 codes X40-X49, X60-X69, X85-X90, Y10-Y19, Y35.2, U01.6-U01.7. This includes all intents.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Overdose/Poisoning<sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	320	60.6	317	52.5	529	103.2	347	75.2	402	86.6	391	67.9	<5	---	2,306	73.3	72.5
Gender																	
Male	127	46.8	135	44.8	280	107.4	159	70.3	160	70.6	135	47.8	<5	---	996	63.5	63.6
Female	193	75.2	182	60.1	249	99.0	188	79.9	242	101.8	256	87.3	<5	---	1,310	83.0	81.3
Race/Ethnicity																	
White	251	80.1	243	64.2	311	223.0	136	116.9	303	101.5	290	86.6	<5	---	1,534	97.0	90.4
Black	9	41.5	8	40.7	95	140.9	24	114.0	24	96.4	11	95.4	<5	---	171	102.8	109.4
Hispanic	40	27.5	24	31.1	88	41.4	155	62.4	55	56.1	52	32.9	<5	---	414	44.0	51.8
API/Other <sup>††</sup>	20	42.2	42	32.6	35	37.7	32	42.2	20	46.7	38	53.2	<5	---	187	40.7	42.3
Age Group																	
0-14	11	9.9	15	14.2	17	15.6	19	18.0	13	13.9	23	19.0	<5	---	98	15.2	
15-24	62	68.2	45	60.1	54	64.4	63	79.4	56	80.9	66	75.2	<5	---	346	71.2	
25-64	182	68.3	197	56.6	398	144.6	196	85.6	275	111.9	232	78.8	<5	---	1,480	89.2	
65+	65	109.3	60	79.4	60	135.9	69	144.4	58	103.6	70	96.3	<5	---	382	107.4	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Overdose/Poisoning-related hospitalization refers to (principal diagnosis) ICD-9 Ecodes E850-E869, E950-E952, E962. This includes all intents.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Overdose/Poisoning<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Overdose/Poisoning emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E850-E869, E950-E952, E962. This includes all intents.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Motor Vehicle Injury

Healthy People 2010 Target: 8.0 motor vehicle deaths per 100,000 population, age-adjusted\*

USA: 14.8 deaths per 100,000 population, age-adjusted (2003)\* †

California: 12.4 deaths per 100,000 population, age-adjusted (2003)\* †

Deaths due to Motor Vehicle Accidents † on Public Roads Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	29	6.3	29	5.2	34	7.1	30	7.8	34	7.7	39	7.9	11	---	206	7.3	7.2
2001	68	14.6	38	6.8	35	7.2	42	10.6	45	10.0	52	10.4	7	---	287	10.0	9.9
2002	53	11.0	44	7.6	47	9.7	42	10.2	46	10.2	68	13.3	8	---	308	10.5	10.5
2003	51	10.4	37	6.3	35	7.2	32	7.5	40	8.8	66	12.6	30	---	291	9.8	9.7
2004	64	12.9	40	6.7	36	7.3	36	8.3	48	10.5	66	12.2	31	---	321	10.7	10.5
2005	61	12.3	49	8.3	47	9.5	30	6.6	55	12.1	56	10.2	11	---	309	10.2	10.0
2006	46	9.0	33	5.6	38	7.6	35	7.7	53	11.7	80	14.4	32	---	317	10.3	10.2
2007	62	12.0	44	7.4	38	7.5	26	5.7	49	10.7	67	11.8	30	---	316	10.2	10.0
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Motor Vehicle Injury death refers to unintentional deaths of anyone involved in a motor vehicle accident (collision or non-collision) on a public road, including occupants, pedestrians, and cyclists; (underlying cause of death) ICD-10 codes V30-V39 (4-9), V40-V49 (4-9), V50-V59 (4-9), V60-V69 (4-9), V70-V79 (4-9), V81.1, V82.1, V83-V86 (0-3), V20-V28 (3-9), V29 (4-9), V12-V14 (3-9), V19 (4-6), V02-V04 (1, .9), V09.2, V80 (3-5), V87 (0-8), V89.2.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospitalizations due to Motor Vehicle Accidents † on Public Roads Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	427	92.9	526	94.6	748	155.8	506	131.3	578	130.8	524	106.7	9	---	3,318	117.9	116.5
2001	454	97.1	497	88.3	682	139.5	457	115.0	510	113.9	525	105.1	62	---	3,187	111.3	109.8
2002	452	93.6	511	88.7	701	144.0	493	119.6	642	142.3	588	115.1	56	---	3,443	117.9	116.1
2003	468	95.8	505	85.4	699	143.2	565	132.7	580	128.1	560	106.7	66	---	3,443	115.9	113.7
2004	479	96.5	488	82.3	664	134.7	570	130.8	581	127.5	523	97.0	58	---	3,363	111.6	109.5
2005	416	83.6	464	78.2	666	134.5	530	117.4	499	109.7	560	102.4	63	---	3,198	105.2	103.2
2006	428	83.6	552	93.4	692	138.7	552	122.2	486	106.9	585	105.0	<5	---	3,297	107.6	105.5
2007	373	72.0	476	79.9	682	135.4	498	109.1	536	116.6	526	92.8	<5	---	3,091	99.7	97.5
2008	363	68.7	433	71.7	609	118.9	528	114.4	509	109.6	544	94.5	<5	---	2,986	94.9	93.0

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Motor Vehicle Injury hospitalization refers to unintentional hospitalization of anyone involved in a motor vehicle accident (collision or non-collision) on a public road, including occupants, pedestrians, and cyclists; primary ICD-9 Ecodes E810-819.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Motor Vehicle Injury † Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007	DATA NOT YET AVAILABLE																
2008	DATA NOT YET AVAILABLE																

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Motor Vehicle Injury refers to unintentional injuries discharged from emergency department of anyone involved in a motor vehicle accident (collision or non-collision) on a public road, including occupants, pedestrians, and cyclists; primary ICD-9 Ecodes E810-819.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Death Certificate

Hospital

Emergency Department

Motor Vehicle Injury continued...

Healthy People 2010 Target: n/a for non-fatal occupant injuries

USA: n/a

California: 732.1 nonfatal injuries per 100,000 population (2004)\* †

Total Injuries due to Motor Vehicle Accidents† in San Diego County by Location of Occurrence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	3,127	<b>680.0</b>	5,371	<b>966.5</b>	4,213	877.3	2,827	<b>733.7</b>	3,797	859.4	4,108	836.8	217	---	23,660	840.8	
2001	3,395	<b>726.5</b>	5,424	<b>963.9</b>	4,032	824.9	2,972	<b>747.9</b>	3,896	870.1	4,312	862.9	84	---	24,115	842.1	
2002	3,669	<b>759.7</b>	5,472	<b>949.7</b>	4,137	850.1	3,056	<b>741.5</b>	3,848	853.1	4,464	873.7	93	---	24,739	847.2	
2003	3,597	<b>736.0</b>	5,368	<b>907.5</b>	3,937	806.7	3,193	<b>749.8</b>	3,703	817.8	4,621	<b>880.2</b>	151	---	24,570	826.8	
2004	3,572	<b>719.3</b>	5,623	<b>948.1</b>	3,812	<b>773.4</b>	3,244	<b>744.4</b>	3,892	854.0	4,580	849.7	152	---	24,875	825.6	
2005	3,310	<b>665.5</b>	5,155	<b>868.7</b>	3,580	<b>723.2</b>	2,905	<b>643.5</b>	3,592	789.6	4,593	<b>839.5</b>	368	---	23,503	773.3	
2006	3,096	<b>604.7</b>	4,882	<b>826.2</b>	3,270	<b>655.6</b>	2,645	<b>585.5</b>	3,282	722.1	4,444	<b>797.8</b>	324	---	21,943	715.9	
2007	3,149	<b>607.8</b>	4,789	<b>803.7</b>	3,157	<b>626.8</b>	2,530	<b>554.4</b>	3,199	696.1	4,224	<b>745.4</b>	111	---	21,159	682.5	
2008																	

\* Rates per 100,000 population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Motor Vehicle accidents here refer to those occurring on public roads with injury; injured may be occupant, pedestrian or cyclist.

‡ Source: California Highway Patrol (CHP), SWITRS, 2004 Annual Report of Fatal and Injury Motor Vehicle Traffic Collisions, Tables 8a-8b.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Alcohol-involved Motor Vehicle Accidents† Injuries in San Diego County by Location of Occurrence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	396	<b>86.1</b>	613	110.3	439	91.4	412	106.9	439	99.4	483	98.4	40	---	2,822	100.3	
2001	483	103.4	648	115.2	480	98.2	356	<b>89.6</b>	545	<b>121.7</b>	537	107.5	9	---	3,058	106.8	
2002	523	108.3	607	105.3	453	93.1	337	<b>81.8</b>	470	104.2	631	<b>123.5</b>	14	---	3,035	103.9	
2003	507	103.7	653	110.4	485	99.4	405	95.1	460	101.6	631	<b>120.2</b>	26	---	3,167	106.6	
2004	555	111.8	655	110.4	470	<b>95.4</b>	437	100.3	483	106.0	648	120.2	8	---	3,256	108.1	
2005	504	101.3	632	106.5	383	<b>77.4</b>	371	<b>82.2</b>	457	100.5	549	100.3	35	---	2,931	96.4	
2006	495	96.7	721	<b>122.0</b>	387	<b>77.6</b>	321	<b>71.1</b>	436	95.9	610	109.5	63	---	3,033	99.0	
2007	430	<b>83.0</b>	685	<b>115.0</b>	367	<b>72.9</b>	369	<b>80.9</b>	467	101.6	616	<b>108.7</b>	11	---	2,945	95.0	
2008																	

\* Rates per 100,000 population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Alcohol-involved motor vehicle accidents here refer to those occurring on public roads where injury has occurred, where one or more party (driver, pedestrian or pedalcyclist) had been drinking.

‡ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Drinking Drivers Involved in Motor Vehicle Injury Accidents† in San Diego County by Location of Occurrence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	254	55.2	381	68.6	287	59.8	230	59.7	297	67.2	309	62.9	23	---	1,781	63.3	
2001	299	64.0	420	74.6	319	65.3	238	59.9	349	77.9	360	72.0	8	---	1,993	69.6	
2002	320	66.3	417	72.4	319	65.6	227	<b>55.1</b>	316	70.1	369	72.2	9	---	1,977	67.7	
2003	305	62.4	396	67.0	262	<b>53.7</b>	236	<b>55.4</b>	299	66.0	376	71.6	98	---	1,972	66.4	
2004	344	69.3	413	69.6	311	63.1	287	65.9	318	69.8	419	77.7	6	---	2,098	69.6	
2005	356	71.6	428	72.1	279	<b>56.4</b>	253	<b>56.0</b>	299	65.7	370	67.6	26	---	2,011	66.2	
2006	325	63.5	481	<b>81.4</b>	267	<b>53.5</b>	226	<b>50.0</b>	295	64.9	416	74.7	41	---	2,051	66.9	
2007	317	61.2	424	71.2	258	<b>51.2</b>	232	<b>50.8</b>	312	67.9	403	71.1	117	---	2,063	66.5	
2008																	

\* Rates per 100,000 population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Drinking drivers involved in motor vehicle accidents here refer to those occurring on public roads where injury has occurred. Drinking driver may or may not have injury themselves.

‡ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Active Restraint Use by Occupants Injured in Motor Vehicle Accidents† in San Diego County by Location of Occurrence, Ages 6+

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	
2000	2,181	86.4%	3,570	84.6%	2,562	84.4%	1,911	84.7%	2,592	82.1%	2,795	84.1%	137	79.7%	15,748	84.2%	
2001	2,288	85.2%	3,659	84.7%	2,488	84.3%	2,003	83.6%	2,551	80.6%	2,916	81.4%	55	77.5%	15,960	83.3%	
2002	2,473	84.5%	3,640	83.7%	2,503	85.1%	2,012	83.1%	2,437	<b>77.4%</b>	2,854	79.5%	65	86.7%	15,984	82.2%	
2003	2,369	83.0%	3,632	84.9%	2,449	86.5%	2,042	82.7%	2,314	<b>77.2%</b>	2,994	78.9%	86	74.8%	15,886	82.2%	
2004	2,352	87.8%	3,925	90.9%	2,322	88.8%	2,029	88.7%	2,569	83.6%	2,966	85.7%	106	91.4%	16,269	87.7%	
2005	2,277	84.6%	3,504	87.8%	2,100	<b>81.2%</b>	2,021	87.0%	2,573	86.7%	3,081	88.0%	243	88.0%	15,799	86.2%	
2006	2,097	89.8%	2,801	89.9%	1,635	88.7%	1,729	88.5%	2,304	89.6%	2,731	90.2%	195	91.5%	13,492	89.6%	
2007	2,003	93.0%	2,346	90.9%	1,288	89.3%	1,537	88.8%	2,246	90.5%	2,541	92.4%	36	90.0%	11,997	91.0%	
2008																	

\*% is calculated as proportion of occupant victims using active restraint (safety belt), among those whose restraint use was known.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Motor vehicle accidents here refer to those occurring on public roads where injury has occurred; occupants are drivers or passengers of motor vehicles such as cars, trucks, or buses.

‡ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Community Health Statistics, 3/12/2010.

Motor Vehicle Injury continued...

SWITRS

Child Restraint Use by Occupants Injured in Motor Vehicle Accidents <sup>†</sup> in San Diego County by Location of Occurrence, Ages 0-5																	
Year	North Coastal		North Central		Central		South		East		North Inland		Unknown		County		County age-adjusted rate*
	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	
2000	22	48.9%	30	46.9%	26	34.7%	36	46.8%	24	33.8%	24	36.9%	<5	40.0%	164	40.8%	
2001	21	36.8%	31	48.4%	17	26.2%	26	43.3%	23	34.3%	40	48.8%	<5	§§	158	40.0%	
2002	37	69.8%	31	58.5%	40	50.6%	21	43.8%	43	64.2%	52	63.4%	<5	100.0%	225	58.7%	
2003	24	55.8%	37	62.7%	29	48.3%	29	43.3%	35	63.6%	48	67.6%	<5	§§	202	56.9%	
2004	19	52.8%	33	61.1%	26	48.1%	26	49.1%	39	63.9%	38	64.4%	<5	50.0%	182	57.1%	
2005	22	57.9%	20	54.1%	17	42.5%	31	56.4%	38	74.5%	36	62.1%	5	71.4%	169	59.1%	
2006	16	61.5%	16	64.0%	29	72.5%	18	66.7%	28	57.1%	30	68.2%	<5	80.0%	141	65.3%	
2007	19	44.2%	23	71.9%	17	68.0%	20	48.8%	32	64.0%	21	61.8%	<5	100.0%	133	58.8%	
2008																	

\*% is calculated as proportion of occupant victims age 0-5 who were restrained (in car or booster seat), among those whose restraint use was known.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Motor vehicle accidents here refer to those occurring on public roads where injury has occurred; occupants are drivers or passengers of motor vehicles such as cars, trucks, or buses.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County. §§ Rates can not be calculated when denominator is zero.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Motor Vehicle Injury Details

Death Certificate

Deaths due to Motor Vehicle Accidents <sup>†</sup> on Public Roads Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	62	12.0	44	7.4	38	7.5	26	5.7	49	10.7	67	11.8	30	---	316	10.2	10.0
Gender																	
Male	46	17.4	31	10.4	27	10.6	21	9.4	30	13.4	43	15.5	23	---	221	14.3	13.9
Female	16	6.3	13	4.4	11	4.4	5	2.1	19	8.1	24	8.3	7	---	95	6.1	6.0
Race/Ethnicity																	
White	39	12.6	28	7.4	10	7.2	11	9.4	30	10.1	40	12.0	18	---	176	11.2	10.6
Black	<5	§	<5	§	8	12.0	<5	§	<5	§	<5	§	<5	---	17	10.4	11.3
Hispanic	19	13.4	7	9.3	18	8.7	13	5.3	10	10.5	23	15.0	7	---	97	10.6	11.5
API/Other <sup>††</sup>	<5	§	8	6.4	<5	§	<5	§	7	16.8	<5	§	<5	---	26	5.8	5.7
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	14	2.2	
15-24	21	23.9	10	13.6	8	9.9	6	7.6	10	14.6	18	20.9	<5	---	77	16.2	
25-64	27	10.3	20	5.8	23	8.5	16	7.1	31	12.7	33	11.4	16	---	166	10.1	
65+	12	20.6	12	16.3	6	13.9	<5	§	6	11.0	13	18.4	5	---	57	16.4	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor Vehicle Injury death refers to unintentional deaths of anyone involved in a motor vehicle accident (collision or non-collision) on a public road, including occupants, pedestrians, and cyclists; (underlying cause of death) ICD-10 codes V30-V39 (4.-9), V40-V49 (4.-9), V50-V59 (4.-9), V60-V69 (4.-9), V70-V79 (4.-9), V81.1, V82.1, V83-V86 (0.-3), V20-V28 (3.-9), V29 (4.-9), V12-V14 (3.-9), V19 (4.-6), V02-V04 (1, .9), V09.2, V80 (3.-5), V87 (0.-8), V89.2.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Hospitalizations due to Motor Vehicle Accidents <sup>†</sup> on Public Roads Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	363	68.7	433	71.7	609	118.9	528	114.4	509	109.6	544	94.5	<5	---	2,986	94.9	93.0
Gender																	
Male	249	91.8	274	90.9	392	150.3	331	146.3	306	135.1	363	128.5	<5	---	1,915	122.1	118.4
Female	114	44.4	159	52.5	217	86.2	197	83.7	203	85.4	181	61.7	<5	---	1,071	67.9	67.2
Race/Ethnicity																	
White	232	74.0	300	79.3	201	144.2	183	157.3	331	110.9	340	101.6	<5	---	1,587	100.4	98.1
Black	9	41.5	18	91.6	114	169.0	32	152.1	21	84.3	13	112.7	<5	---	207	124.5	120.5
Hispanic	82	56.3	53	68.6	203	95.4	240	96.6	104	106.0	132	83.5	<5	---	814	86.6	88.1
API/Other <sup>††</sup>	40	84.5	62	48.1	91	98.0	73	96.3	53	123.8	59	82.6	<5	---	378	82.3	81.2
Age Group																	
0-14	5	4.5	5	4.7	28	25.6	26	24.6	15	16.1	22	18.2	<5	---	101	15.6	
15-24	104	114.4	92	122.8	165	196.9	173	217.9	122	176.3	151	172.0	<5	---	807	166.0	
25-64	217	81.5	264	75.9	358	130.1	280	122.3	317	129.0	307	104.2	<5	---	1,743	105.1	
65+	37	62.2	72	95.3	58	131.4	49	102.5	55	98.3	64	88.0	<5	---	335	94.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor Vehicle Injury hospitalization refers to unintentional hospitalization of anyone involved in a motor vehicle accident (collision or non-collision) on a public road, including occupants, pedestrians, and cyclists; primary ICD-9 Ecodes E810-819.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Motor Vehicle Injury <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor vehicle injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E810-819.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Motor Vehicle Injury Details continued...

Motor Vehicle Accident Injuries <sup>†</sup> in San Diego County by Location of Occurrence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	3,149	607.8	4,789	803.7	3,157	626.8	2,530	554.4	3,199	696.1	4,224	745.4	111	---	21,159	682.5	
Gender																	
Male	1,563	590.3	2,364	795.6	1,561	610.7	1,185	529.7	1,591	710.1	2,166	779.3	57	---	10,487	679.6	
Female	1,542	608.8	2,293	767.5	1,508	607.9	1,287	553.3	1,573	667.9	2,014	697.6	50	---	10,267	659.4	
Race/Ethnicity - n/a																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14	230	208.4	239	230.0	228	210.1	241	231.4	263	280.5	270	223.9	8	---	1,479	230.6	
15-24	952	1084.6	1,319	1789.2	795	981.7	689	872.4	884	1294.6	1,225	1424.9	28	---	5,892	1238.6	
25-64	1,668	637.6	2,855	828.0	1,888	696.9	1,381	610.2	1,757	722.5	2,377	821.2	66	---	11,992	732.9	
65+	269	461.2	317	431.6	182	420.8	177	377.5	271	499.1	318	450.2	7	---	1,541	444.3	

\* Rates per 100,000 population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor Vehicle accident injuries here refers to motor vehicle crashes occurring on public roads with injury; injured may be occupant, pedestrian or cyclist.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Alcohol-involved Motor Vehicle Accident <sup>†</sup> Injuries in San Diego County by Location of Occurrence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	430	83.0	685	115.0	367	72.9	369	80.9	467	101.6	616	108.7	11	---	2,945	95.0	
Gender																	
Male	264	99.7	446	150.1	221	86.5	229	102.4	299	133.4	367	132.0	5	---	1,831	118.6	
Female	159	62.8	225	75.3	142	57.2	137	58.9	161	68.4	246	85.2	6	---	1,076	69.1	
Race/Ethnicity - n/a																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14	12	10.9	14	13.5	7	6.5	22	21.1	17	18.1	25	20.7	<5	---	97	15.1	
15-24	177	201.6	264	358.1	120	148.2	144	182.3	165	241.6	219	254.7	<5	---	1,089	228.9	
25-64	219	83.7	376	109.0	226	83.4	191	84.4	271	111.4	351	121.3	11	---	1,645	100.5	
65+	18	30.9	21	28.6	11	25.4	8	17.1	6	11.0	15	21.2	<5	---	79	22.8	

\* Rates per 100,000 population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Alcohol-involved motor vehicle accidents here refer to those occurring on public roads where injury has occurred, where one or more party (driver, pedestrian or pedalcyclist) had been drinking.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Drinking Drivers Involved in Motor Vehicle Injury Accidents <sup>†</sup> in San Diego County by Location of Occurrence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	317	61.2	424	71.2	258	51.2	232	50.8	312	67.9	403	71.1	117	---	2,063	66.5	
Gender - n/a																	
Male	230	86.9	310	104.3	187	73.2	171	76.4	244	108.9	298	107.2	83	---	1,523	98.7	
Female	81	32.0	104	34.8	64	25.8	51	21.9	66	28.0	98	33.9	30	---	494	31.7	
Race/Ethnicity - n/a																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	129	147.0	172	233.3	78	96.3	81	102.6	112	164.0	141	164.0	32	---	745	156.6	
25-64	168	64.2	238	69.0	170	62.8	133	58.8	191	78.5	249	86.0	79	---	1,228	75.0	
65+	10	17.1	5	6.8	<5	§	<5	§	5	9.2	<5	§	<5	---	30	8.6	

\* Rates per 100,000 population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Drinking drivers involved in motor vehicle accidents here refer to those occurring on public roads where injury has occurred. Drinking driver may or may not have injury themselves.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Motor Vehicle Injury Details continued...

Active Restraint Use by Occupants Injured in Motor Vehicle Accidents<sup>†</sup> in San Diego County by Location of Occurrence, Ages 6+, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	
Total**	2,003	93.0%	2,346	90.9%	1,288	89.3%	1,537	88.8%	2,246	90.5%	2,541	92.4%	36	---	11,997	91.0%	
Gender																	
Male	884	91.8%	1,049	88.2%	600	87.5%	631	86.2%	987	87.4%	1,165	90.1%	13	---	5,329	88.7%	
Female	1,103	94.0%	1,271	93.4%	673	91.1%	890	90.8%	1,243	93.2%	1,365	94.3%	23	---	6,568	93.0%	
Race/Ethnicity - n/a																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
6-14	84	83.2%	74	79.6%	58	75.3%	91	83.5%	116	87.9%	117	90.0%	<5	---	540	84.1%	
15-24	638	92.6%	692	87.8%	361	87.4%	449	86.3%	619	86.5%	751	89.9%	6	---	3,516	88.6%	
25-64	1,091	93.8%	1,421	92.7%	815	91.7%	884	90.5%	1,285	92.1%	1,451	93.1%	29	---	6,976	92.4%	
65+	190	95.0%	159	95.2%	54	85.7%	113	90.4%	226	95.0%	222	97.8%	<5	---	965	94.5%	

\*% is calculated as proportion of occupant victims using active restraint (safety belt), among those whose restraint use was known.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor vehicle accidents here refer to those occurring on public roads where injury has occurred; occupants are drivers or passengers of motor vehicles such as cars, trucks, or buses.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Child Restraint Use by Occupants Injured in Motor Vehicle Accidents<sup>†</sup> in San Diego County by Location of Occurrence, Ages 0-5, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	No.	%*	
Total**	19	44.2%	23	71.9%	17	68.0%	20	48.8%	32	64.0%	21	61.8%	<5	---	133	58.8%	
Gender																	
Male	7	33.3%	11	68.8%	8	57.1%	9	40.9%	15	68.2%	11	64.7%	<5	---	62	54.9%	
Female	12	54.5%	12	80.0%	9	81.8%	11	57.9%	17	60.7%	10	58.8%	<5	---	71	63.4%	
Race/Ethnicity - n/a																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
<1	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	7	58.3%	
1-3	13	48.1%	15	78.9%	11	68.8%	10	55.6%	19	70.4%	9	52.9%	<5	---	78	62.4%	
4-5	6	42.9%	8	61.5%	6	66.7%	6	33.3%	11	55.0%	11	73.3%	<5	---	48	53.9%	

\*% is calculated as proportion of occupant victims age 0-5 who were restrained (in car or booster seat), among those whose restraint use was known.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor vehicle accidents here refer to those occurring on public roads with injury; occupants are drivers or passengers of motor vehicles such as cars, trucks, or buses.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Pedestrian Injuries

**Healthy People 2010 Target:** n/a for pedestrian deaths  
**USA:** 1.7 deaths per 100,000 population (2003)\* †  
**California:** 2.1 deaths per 100,000 population (2003)\* †

Death Certificate

**Pedestrian† Deaths due to Motor Vehicle Accidents on Public Roads Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	5	1.1	5	0.9	17	3.5	5	1.3	8	1.8	6	1.2	5	---	51	1.8	1.8
2001	7	1.5	<5	§	13	2.7	10	2.5	15	3.3	9	1.8	<5	---	60	2.1	2.1
2002	8	1.7	13	2.3	23	4.7	12	2.9	10	2.2	13	2.5	<5	---	80	2.7	2.9
2003	8	1.6	9	1.5	10	2.0	9	2.1	11	2.4	9	1.7	7	---	63	2.1	2.2
2004	13	2.6	7	1.2	12	2.4	5	1.1	<5	§	8	1.5	7	---	56	1.9	1.9
2005	5	1.0	8	1.3	6	1.2	9	2.0	6	1.3	8	1.5	5	---	47	1.5	1.5
2006	11	2.1	6	1.0	11	2.2	10	2.2	8	1.8	13	2.3	<5	---	62	2.0	2.0
2007	13	2.5	6	1.0	14	2.8	<5	§	<5	§	10	1.8	12	---	61	2.0	1.9
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Pedestrian death attributed to Motor Vehicle Accidents refers to those occurring on public roads; (underlying cause of death) ICD-10 codes V02-V04 (.1, .9), V09.2.  
 ‡ Source: CDC, NCHS, Compressed Mortality Files. On-line Database accessed 12/27/2006: <http://wonder.cdc.gov/cmfi-icd10.html>  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

**Pedestrian† Hospitalizations due to Motor Vehicle Accidents on Public Roads Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	49	10.7	51	9.2	129	26.9	59	15.3	54	12.2	38	7.7	<5	---	381	13.5	13.7
2001	47	10.1	55	9.8	117	23.9	51	12.8	56	12.5	44	8.8	7	---	377	13.2	13.2
2002	49	10.1	68	11.8	131	26.9	55	13.3	58	12.9	47	9.2	7	---	415	14.2	14.4
2003	57	11.7	50	8.5	111	22.7	78	18.3	43	9.5	47	9.0	6	---	392	13.2	13.3
2004	43	8.7	55	9.3	104	21.1	70	16.1	64	14.0	37	6.9	5	---	378	12.5	12.7
2005	36	7.2	59	9.9	115	23.2	65	14.4	51	11.2	42	7.7	5	---	373	12.3	12.3
2006	31	6.1	49	8.3	104	20.9	72	15.9	49	10.8	44	7.9	<5	---	349	11.4	11.4
2007	29	5.6	54	9.1	125	24.8	62	13.6	44	9.6	51	9.0	<5	---	365	11.8	11.7
2008	30	5.7	37	6.1	115	22.4	59	12.8	53	11.4	50	8.7	<5	---	344	10.9	10.9

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Pedestrian hospitalizations attributed to Motor Vehicle Accidents refers to those occurring on public roads; primary ICD-9 Ecodes E810-819(.7).  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.  
 Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

**Pedestrian Injury† Emergency Department Discharges, in San Diego County by Location of Residence**

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Pedestrian injury emergency department discharges refers to those involving Motor Vehicle Accidents occurring on public roads; primary ICD-9 Ecodes E810-819(.7).  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.  
 Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Healthy People 2010 Target:** 19 nonfatal pedestrian injuries per 100,000 population\*  
**USA:** 28 nonfatal injuries per 100,000 population (2001)\* †  
**California:** 38.0 nonfatal injuries per 100,000 population (2004)\* ††

SWITRS

**Pedestrian Injuries due to Motor Vehicle Accidents† in San Diego County by Location of Occurrence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	129	28.1	213	38.3	344	71.6	181	47.0	153	34.6	130	26.5	<5	---	1,153	41.0	
2001	130	27.8	238	42.3	340	69.6	178	44.8	163	36.4	121	24.2	<5	---	1,172	40.9	
2002	138	28.6	222	38.5	368	75.6	170	41.2	147	32.6	144	28.2	<5	---	1,190	40.8	
2003	135	27.6	191	32.3	330	67.6	194	45.6	131	28.9	123	23.4	8	---	1,112	37.4	
2004	148	29.8	236	39.8	330	67.0	181	41.5	148	32.5	147	27.3	7	---	1,197	39.7	
2005	139	27.9	223	37.6	289	58.4	144	31.9	139	30.6	114	20.8	20	---	1,068	35.1	
2006	117	22.9	203	34.4	292	58.5	158	35.0	127	27.9	137	24.6	18	---	1,052	34.3	
2007	142	27.4	251	42.1	334	66.3	168	36.8	153	33.3	143	25.2	<5	---	1,192	38.4	

\* Rates per 100,000 population.  
 Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.  
 † Motor Vehicle Accidents here refers to those occurring on public roads where injury has occurred.  
 ‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 1/19/2007: <http://wonder.cdc.gov/data2010/source.htm>.  
 †† Source: California Highway Patrol (CHP), SWITRS, 2004 Annual Report of Fatal and Injury Motor Vehicle Traffic Collisions, Tables 8a-8b.  
 § Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: County of San Diego, Health & Human Services Agency, Emergency Medical Services, SWITRS Database; SANDAG, Current Population Estimates, 4/24/2009.  
Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Pedestrian Injury Details

Death Certificate

Pedestrian <sup>†</sup> Deaths due to Motor Vehicle Accidents on Public Roads Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	13	2.5	6	1.0	14	2.8	<5	§	<5	§	10	1.8	12	---	61	2.0	1.9
Gender																	
Male	9	3.4	<5	§	11	4.3	<5	§	<5	§	7	2.5	12	---	48	3.1	3.0
Female	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	13	0.8	0.8
Race/Ethnicity																	
White	8	2.6	<5	§	5	3.6	<5	§	<5	§	<5	§	6	---	26	1.7	1.6
Black	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	6	3.7	5.2
Hispanic	<5	§	<5	§	6	2.9	<5	§	<5	§	7	4.6	<5	---	23	2.5	3.4
API/Other <sup>††</sup>	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	6	1.3	1.3
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	<5	§	<5	§	<5	§	<5	§	<5	§	5	5.8	<5	---	14	2.9	
25-64	<5	§	<5	§	10	3.7	<5	§	<5	§	<5	§	8	---	25	1.5	
65+	6	10.3	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	18	5.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Pedestrian death attributed to Motor Vehicle Accidents refers to those occurring on public roads; (underlying cause of death) ICD-10 codes V02-V04 (.1, .9), V09.2.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Pedestrian <sup>†</sup> Hospitalizations due to Motor Vehicle Accidents on Public Roads Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	30	5.7	37	6.1	115	22.4	59	12.8	53	11.4	50	8.7	<5	---	344	10.9	10.9
Gender																	
Male	17	6.3	22	7.3	70	26.8	40	17.7	29	12.8	30	10.6	<5	---	208	13.3	13.6
Female	13	5.1	15	5.0	45	17.9	19	8.1	24	10.1	20	6.8	<5	---	136	8.6	8.5
Race/Ethnicity																	
White	19	6.1	27	7.1	42	30.1	21	18.1	31	10.4	31	9.3	<5	---	171	10.8	10.0
Black	<5	§	<5	§	21	31.1	<5	§	<5	§	<5	§	<5	---	28	16.8	16.9
Hispanic	7	4.8	<5	§	39	18.3	32	12.9	12	12.2	15	9.5	<5	---	109	11.6	14.0
API/Other <sup>††</sup>	<5	§	<5	§	13	14.0	5	6.6	7	16.4	<5	§	<5	---	36	7.8	8.5
Age Group																	
0-14	<5	§	<5	§	13	11.9	8	7.6	8	8.6	<5	§	<5	---	35	5.4	
15-24	<5	§	5	6.7	19	22.7	13	16.4	8	11.6	14	15.9	<5	---	63	13.0	
25-64	18	6.8	17	4.9	60	21.8	23	10.0	30	12.2	26	8.8	<5	---	174	10.5	
65+	7	11.8	14	18.5	23	52.1	15	31.4	7	12.5	6	8.3	<5	---	72	20.2	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Pedestrian hospitalizations due to Motor Vehicle Accidents refers to those occurring on public roads; primary ICD-9 Ecodes E810-819(.7).

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Pedestrian Motor Vehicle Injury <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Pedestrian motor vehicle injury emergency department discharges refers to those occurring on public roads; primary ICD-9 Ecodes E810-819(.7).

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Pedestrian Injury Details continued...

**Pedestrian Injuries due to Motor Vehicle Accidents<sup>†</sup> in San Diego County by Location of Occurrence, 2007 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	142	27.4	251	42.1	334	66.3	168	36.8	153	33.3	143	25.2	<5	---	1,192	38.4	
Gender																	
Male	79	29.8	156	52.5	187	73.2	94	42.0	82	36.6	84	30.2	<5	---	683	44.3	
Female	60	23.7	91	30.5	131	52.8	66	28.4	68	28.9	58	20.1	<5	---	474	30.4	
Race/Ethnicity - n/a																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14	34	30.8	29	27.9	47	43.3	34	32.6	45	48.0	34	28.2	<5	---	223	34.8	
15-24	28	31.9	63	85.5	64	79.0	35	44.3	28	41.0	37	43.0	<5	---	255	53.6	
25-64	61	23.3	140	40.6	180	66.4	78	34.5	71	29.2	58	20.0	<5	---	589	36.0	
65+	18	30.9	18	24.5	39	90.2	21	44.8	8	14.7	14	19.8	<5	---	118	34.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Motor Vehicle Accidents here refers to those occurring on public roads where injury has occurred.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

‡ Source: California Highway Patrol (CHP), SWITRS, 2004 Annual Report of Fatal and Injury Motor Vehicle Traffic Collisions, Tables 8a-8b.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

SWITRS

Intentional Injury

**Healthy People 2010 Target:** 2.8 homicide deaths per 100,000 population, age-adjusted\*

**USA:** 6.0 deaths per 100,000 population, age-adjusted (2003)\* ‡

**California:** 6.8 deaths per 100,000 population, age-adjusted (2003)\* ‡

**Homicide† Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	10	2.2	11	2.0	36	7.5	12	3.1	16	3.6	8	1.6	<5	---	96	3.4	3.2
2001	13	2.8	11	2.0	34	7.0	14	3.5	14	3.1	9	1.8	<5	---	99	3.5	3.3
2002	12	2.5	10	1.7	27	5.5	9	2.2	18	4.0	14	2.7	6	---	96	3.3	3.2
2003	12	2.5	11	1.9	47	9.6	23	5.4	22	4.9	13	2.5	8	---	136	4.6	4.4
2004	14	2.8	9	1.5	53	10.8	18	4.1	25	5.5	10	1.9	9	---	138	4.6	4.3
2005	13	2.6	10	1.7	33	6.7	22	4.9	14	3.1	11	2.0	6	---	109	3.6	3.4
2006	15	3.0	19	3.2	42	8.4	12	2.6	23	5.1	16	2.9	9	---	136	4.4	4.2
2007	10	1.9	9	1.5	38	7.5	22	4.8	20	4.4	10	1.8	10	---	119	3.8	3.8
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Homicide refers to (underlying cause of death) ICD-10 codes U01-U02, X85-Y09, Y87.1.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Assault Hospitalizations† Among San Diego County Residents by Location of Residence**

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	105	22.8	159	28.6	510	106.2	181	47.0	139	31.5	109	22.2	<5	---	1,207	42.9	41.0
2001	114	24.4	141	25.1	480	98.2	186	46.8	197	44.0	114	22.8	30	---	1,262	44.1	41.6
2002	149	30.9	145	25.2	445	91.4	186	45.1	176	39.0	104	20.4	52	---	1,257	43.0	40.6
2003	153	31.3	161	27.2	551	112.9	234	55.0	185	40.9	128	24.4	57	---	1,469	49.4	46.8
2004	162	32.6	162	27.3	554	112.4	248	56.9	194	42.6	129	23.9	65	---	1,514	50.2	47.5
2005	136	27.3	179	30.2	520	105.0	236	52.3	214	47.0	158	28.9	70	---	1,513	49.8	47.4
2006	145	28.3	183	31.0	547	109.7	305	67.5	222	48.8	160	28.7	<5	---	1,562	51.0	48.8
2007	155	29.9	189	31.7	566	112.4	312	68.4	250	54.4	180	31.8	<5	---	1,652	53.3	51.1
2008	132	25.0	166	27.5	563	109.9	350	75.8	271	58.4	137	23.8	<5	---	1,619	51.5	49.6

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Assault hospitalization refers to (principal diagnosis) ICD-9 Ecodes E960-E969.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

**Assault† Emergency Department Discharges in San Diego County by Location of Residence**

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Assault emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E960-E969.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Intentional Injury continued...

Healthy People 2010 Target: 4.8 suicide deaths per 100,000 population, age-adjusted\*

USA: 10.8 deaths per 100,000 population, age-adjusted (2003)\* †

California: 9.8 deaths per 100,000 population, age-adjusted (2003)\* †

Suicide † Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	48	10.4	80	14.4	54	11.2	39	10.1	56	12.7	51	10.4	5	---	333	11.8	12.2
2001	45	9.6	59	10.5	72	14.7	36	9.1	50	11.2	44	8.8	8	---	314	11.0	11.3
2002	47	9.7	48	8.3	56	11.5	34	8.2	55	12.2	56	11.0	12	---	308	10.5	10.8
2003	44	9.0	68	11.5	52	10.7	37	8.7	68	15.0	36	6.9	21	---	326	11.0	11.2
2004	44	8.9	54	9.1	56	11.4	30	6.9	59	12.9	62	11.5	6	---	311	10.3	10.5
2005	44	8.8	63	10.6	55	11.1	36	8.0	48	10.6	41	7.5	10	---	297	9.8	10.0
2006	43	8.5	59	9.9	43	8.6	25	5.5	55	12.1	55	9.9	10	---	290	9.5	9.5
2007	56	10.8	59	9.9	56	11.1	30	6.6	78	17.0	65	11.5	14	---	358	11.5	11.5
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Suicide refers to (underlying cause of death) ICD-10 codes U03, X60-X84, Y87.0.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Self-Inflicted Injury † Hospitalizations Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	213	46.3	276	49.7	423	88.1	205	53.2	305	69.0	243	49.5	5	---	1,670	59.3	58.2
2001	224	47.9	319	56.7	429	87.8	291	73.2	347	77.5	241	48.2	44	---	1,895	66.2	64.6
2002	231	47.8	255	44.3	433	89.0	263	63.8	337	74.7	264	51.7	41	---	1,824	62.5	60.8
2003	210	43.0	239	40.4	400	82.0	235	55.2	304	67.1	236	45.0	42	---	1,666	56.1	54.5
2004	219	44.1	211	35.6	387	78.5	217	49.8	250	54.9	240	44.5	53	---	1,577	52.3	51.1
2005	205	41.2	187	31.5	360	72.7	203	45.0	230	50.6	199	36.4	40	---	1,424	46.9	45.9
2006	186	36.3	182	30.8	305	61.1	187	41.4	209	46.0	193	34.6	<5	---	1,262	41.2	40.5
2007	189	36.5	198	33.2	315	62.5	217	47.6	194	42.2	203	35.8	<5	---	1,316	42.4	41.7
2008	199	37.7	169	28.0	325	63.4	242	52.4	228	49.1	211	36.6	<5	---	1,374	43.7	42.8

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Self-inflicted injury hospitalization refers to (principal diagnosis) ICD-9 Ecodes E950-E959.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Self-Inflicted Injury † Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Self-inflicted injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E950-E959.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Intentional Injury Details

Death Certificate

Homicide<sup>†</sup> Among San Diego County Residents by Location of Residence, 2007 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	10	1.9	9	1.5	38	7.5	22	4.8	20	4.4	10	1.8	10	---	119	3.8	3.8
Gender																	
Male	8	3.0	7	2.4	33	12.9	17	7.6	16	7.1	9	3.2	10	---	100	6.5	6.2
Female	<5	§	<5	§	5	2.0	5	2.1	<5	§	<5	§	<5	---	19	1.2	1.2
Race/Ethnicity																	
White	<5	§	<5	§	<5	§	<5	§	8	2.7	<5	§	7	---	34	2.2	2.1
Black	<5	§	<5	§	15	22.5	<5	§	5	20.5	<5	§	<5	---	26	15.9	15.7
Hispanic	<5	§	<5	§	15	7.2	16	6.6	7	7.4	5	3.3	<5	---	50	5.5	4.9
API/Other <sup>††</sup>	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	9	2.0	1.9
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	6	0.9	
15-24	<5	§	<5	§	7	8.6	5	6.3	<5	§	<5	§	<5	---	25	5.3	
25-64	8	3.1	5	1.5	26	9.6	15	6.6	14	5.8	6	2.1	9	---	83	5.1	
65+	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	5	1.4	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Homicide refers to (underlying cause of death) ICD-10 codes U01-U02, X85-Y09, Y87.1.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Assault Hospitalizations<sup>†</sup> Among San Diego County Residents by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	132	25.0	166	27.5	563	109.9	350	75.8	271	58.4	137	23.8	<5	---	1,619	51.5	49.6
Gender																	
Male	113	41.6	137	45.5	472	181.0	305	134.8	214	94.5	108	38.2	<5	---	1,349	86.0	80.2
Female	19	7.4	29	9.6	91	36.2	45	19.1	57	24.0	29	9.9	<5	---	270	17.1	17.0
Race/Ethnicity																	
White	62	19.8	99	26.2	147	105.4	104	89.4	150	50.3	63	18.8	<5	---	625	39.5	40.8
Black	9	41.5	16	81.4	155	229.8	31	147.3	31	124.5	<5	§	<5	---	246	147.9	137.8
Hispanic	50	34.3	35	45.3	212	99.7	187	75.3	75	76.4	56	35.4	<5	---	615	65.4	57.2
API/Other <sup>††</sup>	11	23.2	16	12.4	49	52.8	28	36.9	15	35.1	14	19.6	<5	---	133	29.0	27.7
Age Group																	
0-14	5	4.5	<5	§	10	9.1	10	9.5	8	8.6	8	6.6	<5	---	43	6.7	
15-24	51	56.1	56	74.8	176	210.0	135	170.1	90	130.1	42	47.8	<5	---	550	113.2	
25-64	68	25.5	105	30.2	360	130.8	196	85.6	162	65.9	83	28.2	<5	---	974	58.7	
65+	8	13.5	<5	§	17	38.5	9	18.8	11	19.7	<5	§	<5	---	52	14.6	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Assault hospitalization refers to (principal diagnosis) ICD-9 Ecodes E960-E969.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Assault<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Assault emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E960-E969.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Intentional Injury Details continued...

Death Certificate

**Suicide<sup>†</sup> Among San Diego County Residents by Location of Residence, 2007 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	56	10.8	59	9.9	56	11.1	30	6.6	78	17.0	65	11.5	14	---	358	11.5	11.5
Gender																	
Male	45	17.0	41	13.8	47	18.4	27	12.1	59	26.3	47	16.9	13	---	279	18.1	18.6
Female	11	4.3	18	6.0	9	3.6	<5	§	19	8.1	18	6.2	<5	---	79	5.1	5.0
Race/Ethnicity																	
White	41	13.2	49	13.0	36	26.0	18	15.3	68	22.8	55	16.5	9	---	276	17.5	15.6
Black	<5	§	<5	§	8	12.0	<5	§	<5	§	<5	§	<5	---	10	6.1	6.0
Hispanic	11	7.8	5	6.7	5	2.4	9	3.7	6	6.3	<5	§	<5	---	40	4.4	4.7
API/Other <sup>††</sup>	<5	§	<5	§	7	7.7	<5	§	<5	§	7	10.2	<5	---	32	7.2	7.5
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	9	10.3	6	8.1	8	9.9	<5	§	<5	§	5	5.8	<5	---	37	7.8	
25-64	35	13.4	36	10.4	40	14.8	23	10.2	63	25.9	47	16.2	11	---	255	15.6	
65+	12	20.6	17	23.1	8	18.5	<5	§	11	20.3	13	18.4	<5	---	66	19.0	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Suicide refers to (underlying cause of death) ICD-10 codes U03, X60-X84, Y87.0.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

**Self-Inflicted Injury Hospitalizations<sup>†</sup> Among San Diego County Residents by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	199	37.7	169	28.0	325	63.4	242	52.4	228	49.1	211	36.6	<5	---	1,374	43.7	42.8
Gender																	
Male	88	32.4	76	25.2	184	70.6	106	46.9	80	35.3	81	28.7	<5	---	615	39.2	38.4
Female	111	43.2	93	30.7	141	56.0	136	57.8	148	62.3	130	44.3	<5	---	759	48.1	47.9
Race/Ethnicity																	
White	153	48.8	132	34.9	191	137.0	102	87.7	182	61.0	159	47.5	<5	---	919	58.1	57.9
Black	9	41.5	<5	§	40	59.3	23	109.3	12	48.2	<5	§	<5	---	89	53.5	50.1
Hispanic	22	15.1	12	15.5	72	33.9	103	41.5	25	25.5	29	18.3	<5	---	263	28.0	26.0
API/Other <sup>††</sup>	15	31.7	21	16.3	22	23.7	14	18.5	9	21.0	22	30.8	<5	---	103	22.4	21.9
Age Group																	
0-14	<5	§	5	4.7	<5	§	5	4.7	<5	§	5	4.1	<5	---	23	3.6	
15-24	47	51.7	37	49.4	60	71.6	73	92.0	47	67.9	48	54.7	<5	---	312	64.2	
25-64	136	51.1	113	32.5	248	90.1	152	66.4	169	68.8	143	48.6	<5	---	961	57.9	
65+	15	25.2	14	18.5	13	29.4	12	25.1	9	16.1	15	20.6	<5	---	78	21.9	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Self-inflicted injury hospitalization refers to (principal diagnosis) ICD-9 Ecodes E950-E959.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

**Self-Inflicted Injury<sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail**

	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Self-inflicted injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E950-E959.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Firearm Injury

Healthy People 2010 Target: 3.6 firearm-related deaths per 100,000 population, age-adjusted\*

USA: 10.3 deaths per 100,000 population, age-adjusted (2003)\* †

California: 9.8 deaths per 100,000 population, age-adjusted (2003)\* †

Firearm-related† Deaths Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	29	6.3	43	7.7	43	9.0	21	5.5	35	7.9	31	6.3	<5	---	202	7.2	7.3
2001	31	6.6	38	6.8	52	10.6	33	8.3	31	6.9	30	6.0	<5	---	217	7.6	7.7
2002	27	5.6	25	4.3	36	7.4	19	4.6	45	10.0	37	7.2	6	---	195	6.7	6.8
2003	31	6.3	44	7.4	47	9.6	33	7.7	51	11.3	31	5.9	11	---	248	8.3	8.3
2004	33	6.6	20	3.4	53	10.8	26	6.0	42	9.2	31	5.8	8	---	213	7.1	7.0
2005	29	5.8	29	4.9	45	9.1	38	8.4	32	7.0	29	5.3	<5	---	205	6.7	6.7
2006	29	5.7	31	5.2	42	8.4	14	3.1	44	9.7	36	6.5	6	---	202	6.6	6.5
2007	32	6.2	33	5.5	45	8.9	24	5.3	38	8.3	33	5.8	13	---	218	7.0	7.0
2008																	

\* Rates per 100,000 population. County and other age-adjusted rates per 100,000 2000 US standard population. HP 2010 targets include midcourse review revised targets.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Firearm-related death refers to (underlying cause of death) ICD-10 codes W32-W34, X72-X74, U01.4, X93-X95, Y22-Y24, Y35.0. This includes all intents.

‡ Source: National Vital Statistics System, CDC, NCHS. Online database accessed 12/20/2006: <http://wonder.cdc.gov/data2010/source.htm>

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Firearm-related† Hospitalizations Among San Diego County Residents by Location of Residence

Year	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2000	17	3.7	17	3.1	74	15.4	17	4.4	26	5.9	19	3.9	<5	---	174	6.2	5.7
2001	20	4.3	20	3.6	90	18.4	28	7.0	44	9.8	15	3.0	<5	---	221	7.7	7.2
2002	28	5.8	18	3.1	68	14.0	36	8.7	32	7.1	18	3.5	<5	---	204	7.0	6.5
2003	26	5.3	12	2.0	94	19.3	35	8.2	34	7.5	27	5.1	<5	---	230	7.7	7.3
2004	32	6.4	15	2.5	139	28.2	44	10.1	35	7.7	18	3.3	5	---	288	9.6	8.8
2005	27	5.4	25	4.2	108	21.8	24	5.3	39	8.6	18	3.3	<5	---	244	8.0	7.5
2006	17	3.3	14	2.4	114	22.9	42	9.3	35	7.7	23	4.1	<5	---	245	8.0	7.5
2007	24	4.6	22	3.7	96	19.1	39	8.5	35	7.6	25	4.4	<5	---	241	7.8	7.4
2008	21	4.0	15	2.5	74	14.4	44	9.5	29	6.2	19	3.3	<5	---	202	6.4	6.1

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Firearm injury hospitalization refers to (principal diagnosis) ICD-9 Ecodes E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4. This includes all intents.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Firearm-related† Emergency Department Discharges in San Diego County by Location of Residence

Year**	North Coastal		North Central		Central		South		East		North Inland		Unknown§		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
2006	DATA NOT YET AVAILABLE																
2007																	
2008																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

Bold rates indicate that the Region's rate is statistically significantly different (higher or lower) from the County rate for that year. Confidence interval testing could not be performed for rates with § symbols. See Data Guide.

† Firearm injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4. This includes all intents.

\*\* New database; 2006 is first calendar year regional data is available

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Firearm Injury Details

Death Certificate

Firearm-related <sup>†</sup> Deaths Among San Diego County Residents by Location of Residence, 2007 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	32	6.2	33	5.5	45	8.9	24	5.3	38	8.3	33	5.8	13	---	218	7.0	7.0
Gender																	
Male	30	11.3	31	10.4	40	15.6	23	10.3	33	14.7	30	10.8	12	---	199	12.9	13.2
Female	<5	§	<5	§	5	2.0	<5	§	5	2.1	<5	§	<5	---	19	1.2	1.2
Race/Ethnicity																	
White	22	7.1	28	7.4	16	11.6	9	7.7	29	9.7	26	7.8	7	---	137	8.7	7.6
Black	<5	§	<5	§	13	19.5	<5	§	<5	§	<5	§	<5	---	21	12.8	12.1
Hispanic	8	5.6	<5	§	10	4.8	13	5.3	8	8.4	<5	§	<5	---	44	4.8	4.4
API/Other <sup>††</sup>	<5	§	<5	§	6	6.6	<5	§	<5	§	<5	§	<5	---	16	3.6	3.7
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	<5	§	
15-24	5	5.7	<5	§	9	11.1	6	7.6	5	7.3	<5	§	<5	---	32	6.7	
25-64	19	7.3	21	6.1	31	11.4	13	5.7	26	10.7	20	6.9	9	---	139	8.5	
65+	8	13.7	10	13.6	<5	§	5	10.7	7	12.9	11	15.6	<5	---	46	13.3	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Firearm-related death refers to (underlying cause of death) ICD-10 codes W32-W34, X72-X74, U01.4, X93-X95, Y22-Y24, Y35.0. This includes all intents.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Hospital

Firearm-related <sup>†</sup> Hospitalizations Among San Diego County Residents by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	21	4.0	15	2.5	74	14.4	44	9.5	29	6.2	19	3.3	<5	---	202	6.4	6.1
Gender																	
Male	18	6.6	12	4.0	64	24.5	40	17.7	22	9.7	18	6.4	<5	---	174	11.1	10.2
Female	<5	§	<5	§	10	4.0	<5	§	7	2.9	<5	§	<5	---	28	1.8	1.8
Race/Ethnicity																	
White	7	2.2	10	2.6	<5	§	9	7.7	17	5.7	8	2.4	<5	---	55	3.5	3.5
Black	<5	§	<5	§	33	48.9	6	28.5	<5	§	<5	§	<5	---	43	25.9	21.9
Hispanic	11	7.6	<5	§	35	16.5	25	10.1	6	6.1	7	4.4	<5	---	87	9.3	7.6
API/Other <sup>††</sup>	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	17	3.7	3.5
Age Group																	
0-14	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	5	0.8	
15-24	11	12.1	5	6.7	37	44.2	15	18.9	8	11.6	10	11.4	<5	---	86	17.7	
25-64	8	3.0	9	2.6	35	12.7	28	12.2	18	7.3	8	2.7	<5	---	106	6.4	
65+	<5	§	<5	§	<5	§	<5	§	<5	§	<5	§	<5	---	5	1.4	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Firearm injury hospitalization refers to (principal diagnosis) ICD-9 Ecodes E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4. This includes all intents.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown.

Source: Hospital Discharge Data, (CA OSHPD), County of San Diego, Health & Human Services Agency, Epidemiology & Immunization Services Branch; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.

Emergency Department

Firearm-related <sup>†</sup> Emergency Department Discharges in San Diego County by Location of Residence, 2008 Detail																	
	North Coastal		North Central		Central		South		East		North Inland		Unknown <sup>§</sup>		County		County age-adjusted rate*
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	
Total**	DATA NOT YET AVAILABLE																
Gender																	
Male																	
Female																	
Race/Ethnicity																	
White																	
Black																	
Hispanic																	
API/Other <sup>††</sup>																	
Age Group																	
0-14																	
15-24																	
25-64																	
65+																	

\* Rates per 100,000 population. County age-adjusted rates per 100,000 2000 US standard population.

\*\* Numbers may not add up to totals due to unknown or missing details.

† Firearm injury emergency department discharge refers to (principal diagnosis) ICD-9 Ecodes E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4. This includes all intents.

†† API/Other includes Asian, Pacific Islanders, those reporting 2 or more race/ethnicities, other, or had missing information.

§ Rates not calculated for fewer than 5 events. Rates not calculated in cases where zip code is unknown or outside San Diego County.

Source: HASD&IC, CHIP, County of San Diego, Health & Human Services Agency, Emergency Medical Services, Emergency Department Database; SANDAG, Current Population Estimates, 4/24/2009.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 3/12/2010.