

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Thomas McCaffery, Chief Deputy Director

California

Monthly Summary Report

Selected Reportable Diseases

JANUARY, 2004

Report Weeks 1 -4

JANUARY 4, 2004 to JANUARY 31, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 JANUARY (WEEK 1 - 4), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|------|------|------------------------|------|------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 270 | 278 | 299 | 270 | 278 | 299 | MEASLES: | | | | | | |
| AMEBIASIS | 10 | 28 | 21 | 10 | 28 | 21 | TOTAL | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | - | - | - |
| BOTULISM: | | | | | | | - IMPORTED | - | - | - | - | - | - |
| - FOODBORNE | - | - | - | - | - | - | MENINGITIS, VIRAL | 106 | 118 | 134 | 106 | 118 | 134 |
| - INFANT | 2 | 1 | 3 | 2 | 1 | 3 | MENINGOCOCCAL INF. | 31 | 17 | 11 | 31 | 17 | 11 |
| - WOUND | 2 | - | 2 | 2 | - | 2 | MUMPS | 5 | 10 | 5 | 5 | 10 | 5 |
| BRUCELLA | 1 | 1 | 3 | 1 | 1 | 3 | N G U | 250 | 309 | 298 | 250 | 309 | 298 |
| CAMPYLOBACTERIOSIS | 302 | 332 | 328 | 302 | 332 | 328 | PERTUSSIS | - | 114 | 21 | - | 114 | 21 |
| CHANCROID | - | - | - | - | - | - | P I D | 59 | 48 | 63 | 59 | 48 | 63 |
| CHLAMYDIAL INF. | 7792 | 6504 | 6978 | 7792 | 6504 | 6978 | PLAGUE | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | - | - | POLIOMYELITIS | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 109 | 40 | 56 | 109 | 40 | 56 | PSITTACOSIS | - | - | 5 | - | - | 5 |
| CONJUNCT. NEWBORN | - | 1 | - | - | 1 | - | Q FEVER | - | 2 | 1 | - | 2 | 1 |
| CRYPTOSPORIDIOSIS | 23 | 39 | 22 | 23 | 39 | 22 | RABIES: | | | | | | |
| CYSTICERCOSIS | 6 | 8 | 5 | 6 | 8 | 5 | - ANIMAL | 7 | 3 | 4 | 7 | 3 | 4 |
| DENGUE | 2 | - | - | 2 | - | - | - HUMAN | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | RELAPSING FEVER | 1 | - | - | 1 | - | - |
| DIPHTHERIA | - | - | - | - | - | - | REYE SYNDROME | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 1 | - | - | 1 | - |
| - ARBOVIRAL | - | - | - | - | - | - | ROCKY MTN SPOT FVR | 1 | - | - | 1 | - | - |
| - OTHER VIRAL | 11 | 2 | 9 | 11 | 2 | 9 | RUBELLA | - | - | - | - | - | - |
| E. COLI (O157:H7) | 9 | 9 | 8 | 9 | 9 | 8 | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | SALMONELLOSIS | 216 | 221 | 304 | 216 | 221 | 304 |
| - OUTBREAKS | 5 | 4 | 4 | 5 | 4 | 4 | SHIGELLOSIS: | | | | | | |
| - CASES | 54 | 109 | 34 | 54 | 109 | 34 | TOTAL | 80 | 176 | 138 | 80 | 176 | 138 |
| GIARDIASIS | 126 | 138 | 151 | 126 | 138 | 151 | - GROUP A | 1 | 1 | 4 | 1 | 1 | 4 |
| GONOCOCCAL INF. | 1910 | 1571 | 1826 | 1910 | 1571 | 1826 | - GROUP B | 22 | 36 | 31 | 22 | 36 | 31 |
| H-FLU (<30 YRS OLD)* | - | 2 | 1 | - | 2 | 1 | - GROUP C | 5 | 1 | 4 | 5 | 1 | 4 |
| HANTA VIRUS | - | - | - | - | - | - | - GROUP D | 36 | 114 | 78 | 36 | 114 | 78 |
| H U S | 1 | 1 | - | 1 | 1 | - | - GRP. UNSPECIFIED | 16 | 24 | 21 | 16 | 24 | 21 |
| HEPATITIS: | | | | | | | SYPHILIS: | | | | | | |
| - TYPE A | 81 | 80 | 138 | 81 | 80 | 138 | TOTAL | 109 | 353 | 251 | 109 | 353 | 251 |
| - TYPE B | 44 | 38 | 34 | 44 | 38 | 34 | - PRIMARY | 18 | 34 | 14 | 18 | 34 | 14 |
| - TYPE C | 1 | 5 | 2 | 1 | 5 | 2 | - SECONDARY | 30 | 86 | 40 | 30 | 86 | 40 |
| - TYPE D | 1 | - | - | 1 | - | - | - EARLY LATENT | 34 | 64 | 44 | 34 | 64 | 44 |
| - NON-A / NON-B | - | - | - | - | - | - | - LATE & LATE LTN. | 27 | 161 | 150 | 27 | 161 | 150 |
| - OTHER VIRAL | 1 | 1 | 1 | 1 | 1 | 1 | - CONGENITAL | - | 8 | 3 | - | 8 | 3 |
| KAWASAKI SYNDROME | 3 | 9 | 12 | 3 | 9 | 12 | TETANUS | - | - | - | - | - | - |
| LEGIONELLOSIS | 11 | 5 | 7 | 11 | 5 | 7 | TOXIC SHOCK SYNDROME | 2 | 1 | 2 | 2 | 1 | 2 |
| LEPROSY | 3 | 3 | - | 3 | 3 | - | TRICHINOSIS | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | TUBERCULOSIS | 26 | 33 | 65 | 26 | 33 | 65 |
| LISTERIOSIS | 5 | 4 | 7 | 5 | 4 | 7 | TULAREMIA | - | - | - | - | - | - |
| LYME DISEASE | 6 | 7 | - | 6 | 7 | - | TYPHOID FEVER | 3 | 5 | - | 3 | 5 | - |
| MALARIA | 5 | 7 | 17 | 5 | 7 | 17 | TYPHUS FEVER | - | 2 | 2 | - | 2 | 2 |
| | | | | | | | VIBRIO INFECTIONS | 1 | 4 | - | 1 | 4 | - |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 302 | 15 | - | - | - | 1 | 1 | - | 10 | - | - | 9 | - | 3 | - | - | 3 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7792 | 376 | 18 | - | 1 | 65 | 2 | - | 128 | - | 25 | 314 | 3 | 16 | 59 | 2 | 256 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 109 | - | - | - | - | - | - | - | 3 | - | 1 | 22 | - | - | - | - | 17 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 23 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 1 |
| CYSTICERCOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 9 | - | - | - | - | - | - | - | - | - | 1 | 4 | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 54 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 126 | 4 | 1 | - | - | - | 2 | - | 1 | - | - | 1 | - | 1 | 1 | - | 1 |
| GONOCOCCAL INFECTNS | 1910 | 120 | 12 | - | 1 | 13 | 1 | - | 23 | - | 3 | 63 | - | 4 | 2 | - | 62 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 81 | 4 | - | - | - | 1 | 1 | - | - | - | - | 1 | - | - | 1 | - | 2 |
| - TYPE B | 44 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 3 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 3 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| LEGIONELLOSIS | 11 | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| LYME DISEASE | 6 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 5 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 106 | 4 | - | - | - | - | - | - | 1 | - | 2 | 2 | - | - | 4 | - | 3 |
| MENINGOCOCCAL INF. | 31 | 2 | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - | 3 | - | - | - |
| MUMPS | 5 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| N G U | 250 | 35 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 4 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 59 | 2 | - | - | - | 1 | - | - | 3 | - | - | 7 | - | - | - | - | 4 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 216 | 12 | - | - | - | 1 | - | - | 1 | - | - | 11 | - | 1 | 2 | - | 2 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 80 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | 1 | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 22 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 36 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| - UNSPECIFIED | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 109 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 27 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 26 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 10 | - | - | - | 6 | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 302 | 1 | - | - | 82 | 2 | - | 3 | 5 | - | - | 5 | - | - | 5 | 4 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7792 | 76 | 12 | - | 2761 | 169 | 49 | 55 | 20 | - | 12 | 67 | - | 1 | 131 | 12 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 109 | 4 | - | 1 | 9 | - | - | - | - | - | 1 | - | - | - | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 23 | - | - | - | 9 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| CYSTICERCOSIS | 6 | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 11 | - | - | - | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| E. COLI (O157:H7) | 9 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| - CASES | 54 | - | - | - | - | - | - | - | - | - | - | - | - | - | 16 | - |
| GIARDIASIS | 126 | - | - | - | 36 | - | 1 | - | 5 | - | - | 1 | - | - | 3 | 3 |
| GONOCOCCAL INFECTNS | 1910 | 20 | - | - | 555 | 46 | 5 | 10 | 1 | - | - | 9 | - | - | 31 | 2 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 81 | - | - | - | 31 | 2 | - | - | - | - | 1 | - | - | - | 1 | 1 |
| - TYPE B | 44 | 5 | 1 | - | 6 | 1 | - | 2 | - | - | 5 | - | - | - | 1 | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEGIONELLOSIS | 11 | - | - | - | 5 | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 6 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 1 | - |
| MALARIA | 5 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|-------------|-------|------|--------|-------------|------------|------------------|--------|-------|----------|------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 106 | 1 | - | - | 30 | 3 | - | - | - | - | 1 | - | - | - | 4 | 2 |
| MENINGOCOCCAL INF. | 31 | - | - | - | 3 | - | - | - | - | - | 1 | 1 | - | - | 4 | - |
| MUMPS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| N G U | 250 | 1 | - | - | 50 | 12 | - | - | 8 | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 59 | - | - | - | 3 | 1 | - | - | 5 | - | - | - | - | - | 2 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 216 | 1 | - | - | 75 | 2 | - | 1 | 2 | - | 6 | - | - | - | 2 | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 80 | - | - | - | 31 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 2 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 22 | - | - | - | 10 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 36 | - | - | - | 16 | - | - | 1 | 1 | - | 1 | - | - | - | - | 2 |
| - UNSPECIFIED | 16 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | 3 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 109 | - | - | - | 41 | 3 | 1 | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 18 | - | - | - | 7 | - | 1 | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 30 | - | - | - | 11 | 1 | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 34 | - | - | - | 9 | 2 | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 27 | - | - | - | 14 | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 26 | - | - | - | - | 2 | 1 | - | - | - | - | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 10 | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| - WOUND | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 302 | 1 | 14 | 3 | - | 1 | 12 | - | 1 | 17 | - | 13 | 5 | 22 | 3 | 22 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7792 | 6 | 514 | 25 | 1 | 83 | 217 | 17 | 434 | 744 | 267 | 142 | 18 | 54 | 83 | 53 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 109 | - | 4 | - | - | 1 | 1 | - | - | 6 | - | - | 13 | - | - | 2 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 23 | - | 1 | 1 | - | - | 1 | - | - | 4 | - | - | - | 1 | - | - |
| CYSTICERCOSIS | 6 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| DENGUE | 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 11 | - | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| E. COLI 016187:H7 | 9 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - |
| - CASES | 54 | - | - | - | - | - | - | - | - | 1 | - | - | - | 12 | - | - |
| GIARDIASIS | 126 | - | 7 | 1 | - | 1 | 9 | - | 1 | 12 | - | 5 | 1 | 5 | 2 | 14 |
| GONOCOCCAL INFECTNS | 1910 | - | 76 | 3 | - | 25 | 93 | 5 | 156 | 176 | 178 | 54 | 1 | 5 | 6 | 40 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 81 | 2 | 7 | 3 | - | 3 | 7 | - | 3 | 1 | - | - | - | 2 | - | 1 |
| - TYPE B | 44 | - | 3 | - | - | 4 | - | - | 1 | - | - | - | 4 | - | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEGIONELLOSIS | 11 | - | 2 | - | - | - | - | - | - | 2 | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 5 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 106 | - | 12 | 2 | - | 6 | 9 | - | - | 5 | - | - | 3 | - | 1 | 1 |
| MENINGOCOCCAL INF. | 31 | - | 5 | 1 | - | 1 | 4 | - | - | - | - | 1 | - | - | - | - |
| MUMPS | 5 | - | 1 | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| N G U | 250 | - | 26 | - | - | - | - | - | 20 | 2 | 85 | 1 | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 59 | - | 7 | - | - | 1 | 1 | - | 3 | 4 | 5 | - | - | - | 1 | 1 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | - | 3 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 216 | - | 22 | - | - | 8 | 5 | - | - | 22 | - | 2 | - | 5 | 3 | 15 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 80 | - | 6 | 1 | - | 2 | 2 | - | 4 | 5 | - | - | 1 | 2 | - | 4 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP B | 22 | - | 2 | - | - | 1 | 1 | - | 2 | 2 | - | - | 1 | - | - | 1 |
| - GROUP C | 5 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 36 | - | 3 | - | - | - | 1 | - | 2 | 2 | - | - | - | 1 | - | - |
| - UNSPECIFIED | 16 | - | - | 1 | - | 1 | - | - | - | 1 | - | - | - | 1 | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 109 | - | - | - | - | - | - | - | - | 10 | 48 | - | 1 | - | - | - |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | 9 | - | - | - | - | - |
| - SECONDARY | 30 | - | - | - | - | - | - | - | - | 6 | 10 | - | - | - | - | - |
| - EARLY LATENT | 34 | - | - | - | - | - | - | - | - | 3 | 19 | - | 1 | - | - | - |
| - LATE & LATE LTN. | 27 | - | - | - | - | - | - | - | - | 1 | 10 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 26 | - | - | - | - | 2 | - | - | - | - | - | - | 6 | 1 | 1 | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 302 | 1 | 2 | - | - | 6 | 10 | 7 | - | - | - | 11 | - | 2 | - | - |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7792 | 45 | 44 | - | 8 | 89 | 54 | 101 | 16 | - | 1 | 107 | - | 21 | - | 18 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 109 | - | - | - | - | - | - | 1 | - | - | - | 13 | - | 10 | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 23 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 6 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| DENGUE | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 9 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| - CASES | 54 | - | - | - | - | - | 25 | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 126 | 1 | 1 | - | 1 | - | 1 | 1 | - | - | - | 1 | - | 1 | - | - |
| GONOCOCCAL INFECTNS | 1910 | 7 | 2 | - | - | 23 | 21 | 20 | 5 | - | - | 25 | - | 1 | - | 5 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 81 | - | - | - | - | - | 3 | - | - | - | - | 1 | - | - | - | 2 |
| - TYPE B | 44 | - | 2 | - | - | - | 3 | 2 | - | - | - | - | - | - | - | - |
| - TYPE C | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 6 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| MALARIA | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 02/20/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JANUARY (WEEK 1 - 4), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 106 | 1 | - | - | - | 2 | 2 | 2 | 1 | - | - | 2 | - | - | - | - |
| MENIGOCOCCAL INFECT. | 31 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| MUMPS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 250 | 1 | - | - | - | 1 | 3 | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 59 | 2 | - | - | - | 1 | 1 | 1 | - | - | - | 3 | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 216 | 1 | 1 | - | - | 2 | 2 | 2 | 1 | - | - | 5 | - | - | - | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 80 | 2 | - | - | - | 3 | - | - | - | - | - | 3 | - | 1 | - | 1 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP C | 5 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 36 | 1 | - | - | - | 1 | - | - | - | - | - | 1 | - | 1 | - | - |
| - UNSPECIFIED | 16 | - | - | - | - | 1 | - | - | - | - | - | 2 | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 109 | 1 | - | - | - | - | - | 1 | - | - | - | - | 1 | 1 | - | - |
| - PRIMARY | 18 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 30 | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| - EARLY LATENT | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 27 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 26 | - | 2 | - | - | - | 5 | - | - | - | - | - | - | 1 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 02/20/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, JANUARY (WEEK 1 - 4), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|-------|------|------|
| ALL AGES | | | |
| Pneumonia | 1299 | 488 | 462 |
| Influenza | 23 | - | - |
| All Causes | 10460 | 5357 | 5289 |
| AGE 65 AND OVER | | | |
| Pneumonia | 1111 | 429 | 410 |
| Influenza | 18 | - | - |
| All Causes | 7600 | 3767 | 3735 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|------|------|
| ALL AGES | | | |
| Pneumonia | 1299 | 488 | 462 |
| Influenza | 23 | - | 0 |
| All Causes | 10460 | 5357 | 5289 |
| AGE 65 AND OVER | | | |
| Pneumonia | 1111 | 429 | 410 |
| Influenza | 18 | - | 0 |
| All Causes | 7600 | 3767 | 3735 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, JANUARY (WEEK 1 - 4), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 58 | 69 | 64 |
| FRESNO | 771 | 450 | 521 |
| GLENDALE | 283 | 92 | 71 |
| LONG BEACH | 372 | 293 | 307 |
| LOS ANGELES | 6002 | 1730 | 1213 |
| PASADENA | 154 | 137 | 117 |
| SACRAMENTO | 920 | 829 | 861 |
| SAN DIEGO | 975 | 734 | 729 |
| SAN FRANCISCO | * | 107 | 475 |
| SAN JOSE | 782 | 777 | 788 |
| SANTA CRUZ ** | 143 | 139 | 143 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 58 | 69 | 64 |
| FRESNO | 771 | 450 | 521 |
| GLENDALE | 283 | 92 | 71 |
| LONG BEACH | 372 | 293 | 307 |
| LOS ANGELES | 6002 | 1730 | 1213 |
| PASADENA | 154 | 137 | 117 |
| SACRAMENTO | 920 | 829 | 861 |
| SAN DIEGO | 975 | 734 | 729 |
| SAN FRANCISCO | * | 107 | 475 |
| SAN JOSE | 782 | 777 | 788 |
| SANTA CRUZ ** | 143 | 139 | 143 |

Provisional Data

* Reports not received at time of printing.

Report Generated 02/23/2004

** Santa Cruz reports mortality for entire county.

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Thomas McCaffery, Chief Deputy Director

California

Monthly Summary Report

Selected Reportable Diseases

FEBRUARY, 2004

Report Weeks 5 - 8

FEBRUARY 1, 2004 to FEBRUARY 28, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1

February ((Week 5 - 8), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|------|------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 332 | 750 | 380 | 602 | 1028 | 679 | MEASLES: | | | | | | |
| AMEBIASIS | 10 | 27 | 32 | 20 | 55 | 53 | TOTAL | - | - | 2 | - | - | 2 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | 2 | - | - | 2 |
| | | | | | | | - IMPORTED | - | - | - | - | - | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 101 | 114 | 118 | 209 | 232 | 252 |
| - FOODBORNE | - | - | 1 | - | - | 1 | MENINGOCOCCAL INF. | 27 | 23 | 21 | 58 | 40 | 32 |
| - INFANT | 2 | 1 | 2 | 4 | 1 | 5 | MUMPS | 2 | 3 | 4 | 7 | 13 | 9 |
| - WOUND | 1 | - | 1 | 3 | - | 3 | N G U | 269 | 287 | 398 | 592 | 598 | 696 |
| | | | | | | | PERTUSSIS | - | 115 | 54 | - | 262 | 75 |
| BRUCELLA | - | 1 | 2 | 1 | 2 | 5 | P I D | 43 | 81 | 84 | 105 | 134 | 147 |
| CAMPYLOBACTERIOSIS | 345 | 388 | 362 | 654 | 720 | 690 | PLAGUE | - | - | - | - | - | - |
| CHANCROID | 1 | - | - | 1 | - | - | POLIOMYELITIS | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 8017 | 8905 | 8487 | 15998 | 16476 | 15465 | PSITTACOSIS | - | - | 1 | - | - | 6 |
| CHOLERA | - | - | - | - | - | - | Q FEVER | - | 1 | - | - | 3 | 1 |
| COCCIDIOIDOMYCOSIS | 121 | 57 | 96 | 229 | 97 | 152 | | | | | | | |
| CONJUNCT. NEWBORN | - | - | - | - | 1 | - | RABIES: | | | | | | |
| CRYPTOSPORIDIOSIS | 14 | 13 | 14 | 40 | 52 | 36 | - ANIMAL | - | 9 | 9 | 7 | 12 | 13 |
| CYSTICERCOSIS | 6 | 3 | 7 | 13 | 11 | 12 | - HUMAN | - | - | - | - | - | - |
| DENGUE | 1 | - | - | 3 | - | - | | | | | | | |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | RELAPSING FEVER | 1 | 2 | - | 2 | 2 | - |
| DIPHTHERIA | - | - | - | - | - | - | REYE SYNDROME | - | - | - | - | - | - |
| | | | | | | | RHEUMATIC FEVER | 1 | - | - | 1 | 1 | - |
| ENCEPHALITIS: | | | | | | | ROCKY MTN SPOT FVR | - | - | - | 1 | - | - |
| - ARBOVIRAL | - | - | - | - | - | - | RUBELLA | - | - | 1 | - | - | 1 |
| - OTHER VIRAL | 9 | 9 | 11 | 20 | 11 | 20 | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| | | | | | | | SALMONELLOSIS | 233 | 282 | 235 | 452 | 503 | 539 |
| E. COLI (O157:H7) | 2 | 1 | 8 | 11 | 10 | 16 | | | | | | | |
| | | | | | | | SHIGELLOSIS: | | | | | | |
| FOODBORNE ILLNESS: | | | | | | | TOTAL | 84 | 193 | 132 | 165 | 369 | 270 |
| - OUTBREAKS | 5 | 15 | 21 | 16 | 19 | 25 | - GROUP A | 1 | - | - | 2 | 1 | 4 |
| - CASES | 108 | 150 | 227 | 233 | 259 | 261 | - GROUP B | 27 | 50 | 43 | 49 | 86 | 74 |
| | | | | | | | - GROUP C | 6 | 6 | 2 | 11 | 7 | 6 |
| GIARDIASIS | 101 | 161 | 181 | 234 | 299 | 332 | - GROUP D | 35 | 107 | 68 | 74 | 221 | 146 |
| GONOCOCCAL INF. | 1954 | 1884 | 1817 | 3930 | 3534 | 3643 | - GRP. UNSPECIFIED | 15 | 30 | 19 | 29 | 54 | 40 |
| H-FLU (<30 YRS OLD)* | - | 5 | 4 | 2 | 11 | 5 | | | | | | | |
| HANTA VIRUS | - | - | - | - | - | - | SYPHILIS: | | | | | | |
| H U S | 2 | - | - | 3 | 1 | - | TOTAL | 121 | 342 | 263 | 337 | 702 | 514 |
| | | | | | | | - PRIMARY | 22 | 29 | 20 | 55 | 62 | 34 |
| HEPATITIS: | | | | | | | - SECONDARY | 35 | 75 | 38 | 90 | 163 | 78 |
| - TYPE A | 63 | 91 | 180 | 144 | 171 | 318 | - EARLY LATENT | 27 | 62 | 44 | 84 | 128 | 88 |
| - TYPE B | 43 | 56 | 47 | 89 | 94 | 81 | - LATE & LATE LTN. | 37 | 173 | 160 | 108 | 338 | 310 |
| - TYPE C | 1 | 1 | 5 | 2 | 6 | 7 | - CONGENITAL | - | 3 | 1 | - | 11 | 4 |
| - TYPE D | - | - | - | 1 | - | - | | | | | | | |
| - NON-A / NON-B | - | - | 1 | - | - | 1 | TETANUS | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | 3 | 3 | 1 | 4 | TOXIC SHOCK SYNDROME | 3 | 2 | 1 | 5 | 3 | 3 |
| | | | | | | | TRICHINOSIS | - | - | 2 | - | - | 2 |
| KAWASAKI SYNDROME | 8 | 12 | 4 | 11 | 21 | 16 | TUBERCULOSIS | 47 | 181 | 114 | 87 | 289 | 179 |
| LEGIONELLOSIS | 2 | 6 | 6 | 13 | 11 | 13 | TULAREMIA | - | - | - | - | - | - |
| LEPROSY | 1 | - | 1 | 4 | 3 | 1 | TYPHOID FEVER | 4 | 6 | 7 | 7 | 11 | 7 |
| LEPTOSPIROSIS | - | - | - | - | - | - | TYPHUS FEVER | 2 | - | 2 | 2 | 2 | 4 |
| LISTERIOSIS | 2 | 5 | 4 | 7 | 9 | 11 | VIBRIO INFECTIONS | 8 | - | 1 | 9 | 4 | 1 |
| LYME DISEASE | 5 | 4 | 8 | 11 | 10 | 8 | YELLOW FEVER | - | - | - | - | - | - |
| MALARIA | 9 | 15 | 10 | 14 | 22 | 27 | | | | | | | |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 10 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 345 | 26 | - | - | - | 2 | 1 | - | 22 | - | 4 | 7 | - | 4 | - | - | 5 |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8017 | 444 | 19 | - | 2 | 67 | 3 | - | 138 | 2 | 16 | 347 | 5 | 21 | 32 | 2 | 304 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | 1 | - | - | - | - | - | - | - | - | - | 9 | - | - | - | - | 26 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 6 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| E. COLI (O157:H7) | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 108 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 101 | 5 | 1 | - | - | - | 2 | - | 2 | - | - | - | 1 | - | - | 1 | 2 |
| GONOCOCCAL INFECTNS | 1954 | 124 | 11 | - | - | 12 | 1 | - | 36 | - | - | 61 | - | 1 | - | - | 51 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 63 | - | - | - | - | - | - | - | 3 | - | 1 | - | - | - | 2 | - | 5 |
| - TYPE B | 43 | - | - | - | - | - | - | - | 3 | - | 3 | - | - | - | - | - | 7 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 8 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| MALARIA | 9 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 101 | 1 | 1 | - | - | 2 | - | - | 2 | 1 | 1 | 2 | - | - | 2 | - | 4 |
| MENINGOCOCCAL INF. | 27 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| MUMPS | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 269 | 26 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 4 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 43 | 3 | - | - | - | - | - | - | 2 | - | - | 2 | - | - | - | - | 4 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 233 | 6 | 1 | - | - | - | - | - | 7 | - | - | 7 | - | 1 | 1 | - | 3 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 84 | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 1 | - | 1 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 27 | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - GROUP C | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 35 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 15 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | 1 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 121 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 1 |
| - PRIMARY | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 35 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 27 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 37 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 1 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 10 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 345 | 3 | - | - | 69 | 3 | 1 | 5 | 3 | - | 1 | 6 | - | - | 3 | 1 |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8017 | 29 | 18 | 2 | 2580 | 146 | - | 28 | 34 | 1 | 19 | 83 | - | 1 | 79 | 7 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | 19 | - | - | 10 | 2 | - | - | - | - | - | 2 | - | - | 1 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 6 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | 1 | 1 | - | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| E. COLI (O157:H7) | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| - CASES | 108 | - | - | - | - | - | - | - | - | - | - | - | - | - | 28 | - |
| GIARDIASIS | 101 | - | 1 | 1 | 25 | - | - | 2 | 2 | - | 1 | - | - | - | 1 | 1 |
| GONOCOCCAL INFECTNS | 1954 | 7 | - | - | 586 | 55 | - | 6 | 6 | - | 1 | 16 | - | - | 20 | 2 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 63 | 1 | 1 | - | 22 | 1 | - | - | - | - | 2 | - | - | - | 1 | 1 |
| - TYPE B | 43 | 1 | - | - | 11 | 1 | - | 3 | - | - | - | - | - | - | - | 1 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| MALARIA | 9 | - | - | - | 6 | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|----------------|-------|------|--------|----------------|---------------|---------------------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 101 | 1 | - | - | 20 | 3 | - | - | - | - | - | 3 | - | - | - | - |
| MENINGOCOCCAL INF. | 27 | - | - | - | 11 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 269 | 1 | - | - | 59 | 9 | - | - | 7 | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 43 | - | 1 | - | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 233 | 1 | 1 | - | 80 | 4 | - | 1 | - | - | - | 5 | - | - | - | 3 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 84 | - | - | - | 31 | 1 | - | 1 | - | - | - | 2 | - | - | 2 | 2 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP B | 27 | - | - | - | 10 | - | - | - | - | - | - | 1 | - | - | - | - |
| - GROUP C | 6 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 35 | - | - | - | 15 | 1 | - | - | - | - | - | 1 | - | - | - | 1 |
| - UNSPECIFIED | 15 | - | - | - | 4 | - | - | 1 | - | - | - | - | - | - | 2 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 121 | 1 | - | - | 35 | 1 | - | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 22 | - | - | - | 5 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 35 | - | - | - | 7 | 1 | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 27 | - | - | - | 7 | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 37 | 1 | - | - | 16 | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | 30 | - | - | - | - | - | - | - | - | - | 1 | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | 1 | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 2 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 8 | - | - | - | 6 | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER- SIDE | SACRA- MENTO | SAN BENITO | SAN BER- NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|----------------|--------|--------|--------|--------|----------------|-----------------|---------------|---------------------|--------------|------------------|----------------|--------------------|--------------|------------------|----------------|
| AMEBIASIS | 10 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 345 | - | 10 | 5 | - | 8 | 10 | - | 7 | 31 | - | 6 | 4 | 16 | 2 | 38 |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8017 | 6 | 383 | 23 | 5 | 106 | 340 | 23 | 448 | 783 | 242 | 218 | 56 | 110 | 65 | 135 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | - | 3 | - | - | - | - | - | - | 6 | - | 3 | 7 | - | 1 | 1 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | 1 | - | - | - | 3 | - | - | 2 | - | - | - | 3 | - | - |
| CYSTICERCOSIS | 6 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - |
| E. COLI 016187:H7 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | 1 |
| - CASES | 108 | - | - | - | - | - | - | - | - | 55 | - | - | - | - | - | 4 |
| GIARDIASIS | 101 | - | 5 | 1 | - | - | 2 | - | 2 | 15 | - | 6 | - | 2 | 3 | 10 |
| GONOCOCCAL INFECTNS | 1954 | - | 67 | 3 | - | 66 | 110 | 2 | 174 | 168 | 130 | 48 | 5 | 22 | 11 | 59 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 63 | - | - | 1 | - | 2 | - | - | 1 | 11 | - | - | - | - | 2 | 2 |
| - TYPE B | 43 | - | 2 | - | - | 1 | - | - | 2 | - | - | - | 1 | - | 1 | 1 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| KAWASAKI SYNDROME | 8 | - | 2 | - | - | 1 | - | - | - | 2 | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| LYME DISEASE | 5 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| MALARIA | 9 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 101 | - | 17 | 2 | - | 5 | 5 | - | 1 | 12 | - | 1 | 2 | - | 3 | - |
| MENINGOCOCCAL INF. | 27 | - | 3 | - | - | - | - | - | - | 2 | - | 1 | - | 1 | - | 2 |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 269 | - | 53 | 1 | - | 1 | - | - | 19 | 2 | 81 | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 43 | - | 1 | 1 | - | 1 | - | - | 3 | 3 | 2 | 3 | 1 | 1 | - | 2 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 233 | - | 20 | - | - | 7 | 7 | - | 16 | 22 | - | 5 | - | 4 | 1 | 11 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 84 | - | 5 | 1 | - | - | 1 | - | 4 | 9 | - | 1 | - | 1 | 7 | 5 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 27 | - | 2 | - | - | - | 1 | - | 1 | 5 | - | 1 | - | - | - | 2 |
| - GROUP C | 6 | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| - GROUP D | 35 | - | 3 | - | - | - | - | - | 2 | 2 | - | - | - | 1 | 6 | 1 |
| - UNSPECIFIED | 15 | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 121 | - | 4 | - | - | 3 | - | - | - | 9 | 53 | 3 | - | 1 | - | 4 |
| - PRIMARY | 22 | - | - | - | - | 2 | - | - | - | 1 | 11 | - | - | - | - | 2 |
| - SECONDARY | 35 | - | 2 | - | - | - | - | - | - | 2 | 17 | 1 | - | 1 | - | 2 |
| - EARLY LATENT | 27 | - | 1 | - | - | - | - | - | - | 3 | 14 | 1 | - | - | - | - |
| - LATE & LATE LTN. | 37 | - | 1 | - | - | 1 | - | - | - | 3 | 11 | 1 | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | - | - | 9 | - | - | - | 5 | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| TYPHUS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 8 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 10 | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| BRUCELLOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 345 | 5 | 1 | - | - | 4 | 10 | 2 | - | - | - | 15 | - | 1 | 4 | - |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8017 | 63 | 28 | - | 11 | 107 | 41 | 133 | 10 | - | - | 125 | 1 | 77 | 33 | 16 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | - | - | - | - | - | - | 2 | - | - | - | 13 | - | 15 | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - CASES | 108 | - | - | - | - | - | 21 | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 101 | 2 | 1 | - | - | - | 1 | - | - | - | - | 2 | - | 1 | - | - |
| GONOCOCCAL INFECTNS | 1954 | 7 | 3 | - | - | 23 | 6 | 19 | 4 | - | - | 16 | - | 8 | 1 | 6 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 63 | 1 | - | - | - | 2 | 1 | - | - | - | - | - | - | - | - | - |
| - TYPE B | 43 | - | 1 | - | - | - | - | - | - | - | - | - | 1 | 3 | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 8 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 03/18/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: February (Week 5 - 8), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 101 | - | - | - | - | 2 | 4 | 1 | - | - | - | 2 | - | - | 1 | - |
| MENIGOCOCCAL INFECT. | 27 | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| MUMPS | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| N G U | 269 | - | - | - | - | 2 | 1 | - | - | - | - | - | - | 1 | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 43 | 1 | - | - | - | - | 1 | 3 | - | - | - | 5 | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 233 | 3 | - | - | - | 2 | 3 | 3 | 1 | - | - | 4 | - | 2 | 1 | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 84 | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - | 1 | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 27 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - GROUP C | 6 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - GROUP D | 35 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 15 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 121 | - | - | - | - | - | 2 | - | - | - | - | - | - | 1 | - | - |
| - PRIMARY | 22 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - SECONDARY | 35 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 27 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 37 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 03/18/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, February (Week 5 - 8), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|-------|------|------|
| ALL AGES | | | |
| Pneumonia | 1207 | 454 | 677 |
| Influenza | 6 | 1 | - |
| All Causes | 10546 | 5095 | 7862 |
| AGE 65 AND OVER | | | |
| Pneumonia | 1052 | 403 | 604 |
| Influenza | 3 | - | - |
| All Causes | 7536 | 3605 | 5607 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 2574 | 942 | 1139 |
| Influenza | 31 | 1 | - |
| All Causes | 21578 | 10452 | 13151 |
| AGE 65 AND OVER | | | |
| Pneumonia | 2221 | 832 | 1014 |
| Influenza | 22 | - | - |
| All Causes | 15541 | 7372 | 9342 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, February (Week 5 - 8), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 71 | 52 | 70 |
| FRESNO | 439 | 452 | 355 |
| GLENDALE | 329 | 89 | 160 |
| LONG BEACH | 337 | 306 | 318 |
| LOS ANGELES | 6052 | 1686 | 3958 |
| PASADENA | 140 | 99 | 122 |
| SACRAMENTO | 872 | 773 | 801 |
| SAN DIEGO | 745 | 713 | 673 |
| SAN FRANCISCO | 626 | * | 536 |
| SAN JOSE | 808 | 791 | 748 |
| SANTA CRUZ ** | 127 | 134 | 121 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|------|------|
| BERKELEY | 129 | 121 | 134 |
| FRESNO | 1210 | 902 | 876 |
| GLENDALE | 612 | 181 | 231 |
| LONG BEACH | 709 | 599 | 625 |
| LOS ANGELES | 12054 | 3416 | 5171 |
| PASADENA | 294 | 236 | 239 |
| SACRAMENTO | 1792 | 1602 | 1662 |
| SAN DIEGO | 1720 | 1447 | 1402 |
| SAN FRANCISCO | 1198 | 107 | 1011 |
| SAN JOSE | 1590 | 1568 | 1536 |
| SANTA CRUZ ** | 270 | 273 | 264 |

Provisional Data

* Report not received at time of printing.

Report Generated 03/18/2004

** Santa Cruz reports mortality for entire county.

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Thomas McCaffery, Chief Deputy Director

California

Monthly Summary Report

Selected Reportable Diseases

MARCH, 2004

Report Weeks 9 - 13
FEBRUARY 29, 2004 to APRIL 3, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 MARCH (WEEK 9 - 13), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|-------|-------|-------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 392 | 446 | 362 | 994 | 1474 | 1041 | MEASLES: | | | | | | |
| AMEBIASIS | 22 | 33 | 53 | 42 | 88 | 106 | TOTAL | - | 1 | 1 | - | 1 | 3 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | 1 | 1 | - | 1 | 3 |
| | | | | | | | - IMPORTED | - | - | - | - | - | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 146 | 131 | 142 | 356 | 363 | 394 |
| - FOODBORNE | - | - | - | - | - | 1 | MENINGOCOCCAL INF. | 20 | 32 | 47 | 77 | 72 | 79 |
| - INFANT | 2 | 1 | 3 | 7 | 2 | 8 | MUMPS | 3 | 9 | 11 | 10 | 22 | 20 |
| - WOUND | 1 | 4 | 1 | 2 | 4 | 4 | N G U | 330 | 445 | 477 | 987 | 1042 | 1173 |
| BRUCELLSIS | 3 | 1 | 1 | 4 | 3 | 6 | PERTUSSIS | 15 | 142 | 78 | 32 | 445 | 153 |
| CAMPYLOBACTERIOSIS | 335 | 389 | 408 | 988 | 1109 | 1098 | P I D | 88 | 79 | 105 | 197 | 213 | 252 |
| CHANCROID | - | - | - | 1 | - | - | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 11977 | 11951 | 11012 | 28502 | 28382 | 26477 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | - | - | PSITTACOSIS | - | - | 2 | - | - | 8 |
| COCCIDIOIDOMYCOSIS | 242 | 162 | 188 | 471 | 259 | 340 | Q FEVER | 1 | - | 1 | 1 | 3 | 2 |
| CONJUNCT. NEWBORN | - | 1 | - | - | 2 | - | | | | | | | |
| CRYPTOSPORIDIOSIS | 13 | 27 | 25 | 53 | 79 | 61 | RABIES: | | | | | | |
| CYSTICERCOSIS | 7 | 10 | 9 | 20 | 21 | 21 | - ANIMAL | 16 | 21 | 23 | 23 | 34 | 36 |
| DENGUE | - | - | - | 3 | - | - | - HUMAN | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | | | | | | | |
| DIPHTHERIA | - | - | - | - | - | - | RELAPSING FEVER | - | - | - | 2 | 2 | - |
| | | | | | | | REYE SYNDROME | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | - | - | 1 | 1 | - |
| - ARBOVIRAL | - | - | - | - | - | - | ROCKY MTN SPOT FVR | 1 | - | - | 2 | - | - |
| - OTHER VIRAL | 7 | 9 | 17 | 27 | 20 | 37 | RUBELLA | - | - | - | - | - | 1 |
| | | | | | | | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 4 | 8 | 8 | 15 | 18 | 24 | SALMONELLOSIS | 301 | 359 | 291 | 753 | 862 | 830 |
| | | | | | | | | | | | | | |
| FOODBORNE ILLNESS: | | | | | | | SHIGELLOSIS: | | | | | | |
| - OUTBREAKS | 4 | 18 | 12 | 20 | 37 | 37 | TOTAL | 93 | 184 | 147 | 257 | 553 | 417 |
| - CASES | 57 | 311 | 259 | 290 | 570 | 520 | - GROUP A | 1 | - | - | 3 | 1 | 4 |
| | | | | | | | - GROUP B | 44 | 37 | 44 | 94 | 123 | 118 |
| GIARDIASIS | 156 | 202 | 215 | 391 | 501 | 547 | - GROUP C | 1 | 3 | 4 | 12 | 10 | 10 |
| GONOCOCCAL INF. | 2692 | 2357 | 2415 | 6817 | 5881 | 6058 | - GROUP D | 30 | 99 | 79 | 104 | 320 | 225 |
| H-FLU (<30 YRS OLD)* | - | 5 | 9 | 2 | 21 | 14 | - GRP. UNSPECIFIED | 17 | 45 | 20 | 44 | 99 | 60 |
| HANTA VIRUS | - | - | - | - | - | - | | | | | | | |
| H U S | - | 2 | - | 3 | 2 | - | SYPHILIS: | | | | | | |
| | | | | | | | TOTAL | 265 | 495 | 408 | 809 | 1205 | 922 |
| HEPATITIS: | | | | | | | - PRIMARY | 46 | 55 | 28 | 114 | 118 | 62 |
| - TYPE A | 107 | 121 | 178 | 248 | 292 | 496 | - SECONDARY | 60 | 87 | 70 | 180 | 250 | 148 |
| - TYPE B | 58 | 74 | 75 | 148 | 168 | 156 | - EARLY LATENT | 62 | 87 | 69 | 193 | 215 | 157 |
| - TYPE C | 1 | 4 | 4 | 3 | 9 | 11 | - LATE & LATE LTN. | 97 | 259 | 236 | 322 | 604 | 546 |
| - TYPE D | - | 2 | - | 1 | 2 | - | - CONGENITAL | - | 7 | 5 | - | 18 | 9 |
| - NON-A / NON-B | - | - | - | - | - | 1 | | | | | | | |
| - OTHER VIRAL | 4 | - | 1 | 7 | 1 | 5 | TETANUS | - | - | 3 | - | - | 3 |
| | | | | | | | TOXIC SHOCK SYNDROME | 2 | - | 3 | 7 | 1 | 6 |
| KAWASAKI SYNDROME | 22 | 13 | 20 | 33 | 33 | 36 | TRICHINOSIS | - | - | - | - | - | 2 |
| LEGIONELLOSIS | 3 | 7 | 3 | 15 | 18 | 16 | TUBERCULOSIS | 162 | 193 | 213 | 353 | 482 | 392 |
| LEPROSY | 4 | 1 | 4 | 8 | 4 | 5 | TULAREMIA | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | TYPHOID FEVER | 2 | 11 | 4 | 9 | 22 | 11 |
| LISTERIOSIS | 4 | 11 | 5 | 11 | 20 | 16 | TYPHUS FEVER | - | - | 1 | 2 | 2 | 5 |
| LYME DISEASE | 2 | 5 | 10 | 11 | 14 | 18 | VIBRIO INFECTIONS | 5 | 4 | - | 14 | 8 | 1 |
| MALARIA | 7 | 16 | 12 | 22 | 38 | 39 | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 05/11/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 335 | 12 | - | - | - | 1 | - | 2 | 21 | - | 3 | 11 | - | 3 | - | - | 7 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11977 | 511 | 34 | - | 5 | 61 | 3 | 8 | 215 | - | 25 | 510 | 7 | 29 | 39 | 2 | 356 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 242 | 1 | - | - | - | - | - | - | 1 | - | 1 | 27 | - | 1 | - | - | 127 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 13 | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| CYSTICERCOSIS | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| E. COLI (O157:H7) | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - CASES | 57 | - | - | - | - | - | - | - | 34 | - | - | - | - | - | - | - | - |
| GIARDIASIS | 156 | 10 | - | - | - | - | 1 | - | 6 | - | 4 | 4 | 2 | - | 2 | - | - |
| GONOCOCCAL INFECTNS | 2692 | 141 | 11 | - | - | 10 | 3 | 1 | 60 | - | 1 | 108 | - | 3 | 8 | - | 70 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 107 | 5 | 3 | - | - | - | - | 2 | 4 | - | - | 4 | - | - | - | - | 2 |
| - TYPE B | 58 | - | - | - | 1 | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | 4 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| KAWASAKI SYNDROME | 22 | 1 | - | - | - | - | - | - | 2 | - | - | 2 | - | - | - | - | - |
| LEGIONELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/12/2004)

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA- VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|----------------|---------|----------|--------|--------|-------|----------------|--------|-----------------|--------------|--------------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 146 | 4 | - | - | 1 | 1 | - | 1 | 2 | - | 3 | 11 | 1 | 1 | 2 | - | 2 |
| MENINGOCOCCAL INF. | 20 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| MUMPS | 3 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| N G U | 330 | 15 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 6 |
| PERTUSSIS | 15 | - | - | - | - | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| P I D | 88 | 4 | - | - | - | 1 | 2 | - | 3 | - | 1 | 6 | - | 1 | 1 | - | 13 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 16 | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 1 | - | 2 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 301 | 11 | 1 | - | - | 3 | - | - | 16 | - | 2 | 8 | - | 1 | - | - | 6 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 93 | 3 | - | - | - | - | - | - | - | - | - | 3 | - | 1 | - | - | 2 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 44 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - GROUP C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 30 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 17 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | 1 | - | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 265 | 2 | 1 | - | - | - | - | - | 1 | - | - | 5 | - | - | - | - | 1 |
| - PRIMARY | 46 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 60 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - EARLY LATENT | 62 | - | 1 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| - LATE & LATE LTN. | 97 | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | 1 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 162 | 7 | - | - | - | - | - | - | 7 | - | 1 | 6 | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 22 | 2 | - | - | 11 | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 335 | - | - | - | 76 | 6 | 2 | 2 | 2 | - | 3 | - | - | - | 7 | 3 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11977 | 64 | 6 | 3 | 3565 | 245 | 40 | 175 | 36 | 5 | 19 | 72 | - | 2 | 140 | 13 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 242 | 12 | - | - | 15 | - | - | 2 | - | - | - | 1 | - | - | 1 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 7 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| E. COLI (O157:H7) | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 57 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| GIARDIASIS | 156 | - | 1 | - | 26 | - | - | - | 3 | - | 2 | 1 | - | 1 | 8 | - |
| GONOCOCCAL INFECTNS | 2692 | 11 | - | - | 839 | 49 | 8 | 27 | 3 | - | 3 | 14 | - | 1 | 27 | 4 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 107 | 1 | - | - | 43 | 3 | 1 | - | 1 | - | - | - | - | - | - | 1 |
| - TYPE B | 58 | 2 | - | 1 | 10 | - | - | 14 | - | - | 1 | - | - | - | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 22 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 4 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 4 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| MALARIA | 7 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|----------------|-------|------|--------|----------------|---------------|---------------------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 146 | 1 | - | - | 12 | 3 | - | 1 | - | - | - | - | - | - | 5 | - |
| MENINGOCOCCAL INF. | 20 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| MUMPS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 330 | 1 | - | - | 93 | 17 | - | - | 16 | - | - | - | - | - | - | - |
| PERTUSSIS | 15 | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| P I D | 88 | - | - | - | 6 | 1 | - | 1 | 3 | - | - | - | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 16 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 301 | 1 | - | - | 79 | 6 | - | 3 | 1 | - | - | 3 | - | - | - | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 93 | - | - | - | 33 | 1 | 1 | - | - | - | - | 2 | - | - | 3 | 1 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 44 | - | - | - | 14 | - | 1 | - | - | - | - | 2 | - | - | 2 | 1 |
| - GROUP C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 30 | - | - | - | 14 | 1 | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 17 | - | - | - | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 265 | - | - | - | 94 | 6 | - | - | - | - | - | - | - | - | 1 | - |
| - PRIMARY | 46 | - | - | - | 19 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 60 | - | - | - | 8 | 3 | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 62 | - | - | - | 14 | 1 | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 97 | - | - | - | 53 | 2 | - | - | - | - | - | - | - | - | 1 | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 162 | - | - | - | 75 | 3 | - | - | - | - | - | - | - | - | 2 | 2 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 22 | - | - | - | - | - | 4 | - | - | 1 | - | - | - | - | - | 1 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 335 | - | 19 | 2 | 1 | 6 | 8 | - | 6 | 33 | - | 15 | 3 | 10 | 4 | 21 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11977 | 16 | 456 | 35 | 5 | 270 | 615 | 10 | 876 | 1052 | 360 | 295 | 44 | 125 | 154 | 561 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 242 | - | 5 | - | - | 12 | - | - | 5 | 8 | - | - | 3 | 1 | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 13 | - | - | 2 | - | - | 2 | - | 1 | 1 | - | - | 1 | 1 | - | 2 |
| CYSTICERCOSIS | 7 | - | - | - | - | - | 1 | - | 2 | - | - | - | - | - | - | 1 |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - |
| E. COLI 016187:H7 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | 1 | - | - | - | 2 | - | - |
| - CASES | 57 | - | - | - | - | - | - | - | - | 7 | - | - | - | 15 | - | - |
| GIARDIASIS | 156 | - | 7 | 4 | 1 | 3 | 9 | - | 4 | 12 | - | 10 | - | 4 | 2 | 18 |
| GONOCOCCAL INFECTNS | 2692 | 2 | 87 | 6 | - | 65 | 192 | 7 | 164 | 204 | 219 | 68 | 3 | 28 | 7 | 103 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 107 | - | 2 | 2 | - | 6 | 5 | - | - | 4 | - | - | 1 | 5 | - | 1 |
| - TYPE B | 58 | - | 3 | - | - | 4 | - | - | 1 | 1 | - | 1 | - | - | - | 2 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 22 | - | 5 | - | - | 3 | 3 | - | - | 4 | - | - | - | - | - | - |
| LEGIONELLOSIS | 3 | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEPROSY | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 4 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| MALARIA | 7 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 146 | - | 21 | - | - | 3 | 10 | - | 4 | 25 | - | 2 | 2 | 1 | - | 7 |
| MENINGOCOCCAL INF. | 20 | 1 | 1 | - | - | 1 | 2 | - | 1 | 2 | - | - | - | 1 | 2 | 3 |
| MUMPS | 3 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| N G U | 330 | - | 42 | - | - | 7 | - | - | 20 | 1 | 101 | 2 | - | - | - | 3 |
| PERTUSSIS | 15 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 6 |
| P I D | 88 | 1 | 4 | - | - | 2 | 4 | - | 5 | 5 | 5 | 2 | - | 1 | - | 3 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 16 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 301 | - | 15 | 2 | - | 9 | 9 | - | 10 | 51 | - | 3 | 3 | 3 | 4 | 21 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 93 | - | 4 | - | - | 4 | 3 | - | 6 | 10 | - | - | - | - | - | 6 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 44 | - | 3 | - | - | 3 | 3 | - | 6 | 3 | - | - | - | - | - | - |
| - GROUP C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 30 | - | 1 | - | - | 1 | - | - | - | 7 | - | - | - | - | - | 3 |
| - UNSPECIFIED | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 265 | 2 | 11 | - | - | 5 | 2 | - | 8 | 24 | 84 | 2 | - | - | - | 9 |
| - PRIMARY | 46 | - | 2 | - | - | - | - | - | - | 2 | 16 | - | - | - | - | 3 |
| - SECONDARY | 60 | 1 | 2 | - | - | 3 | 1 | - | - | 10 | 25 | 1 | - | - | - | 3 |
| - EARLY LATENT | 62 | 1 | 1 | - | - | 2 | 1 | - | - | 7 | 26 | 1 | - | - | - | 3 |
| - LATE & LATE LTN. | 97 | - | 6 | - | - | - | - | - | 8 | 5 | 17 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 162 | - | 3 | 1 | - | 8 | 7 | - | 1 | - | 12 | 1 | - | 4 | - | 17 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| CAMPYLOBACTERIOSIS | 335 | 6 | - | - | - | 1 | 5 | 7 | 2 | - | - | 11 | - | 9 | 5 | - |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11977 | 67 | 80 | - | 4 | 137 | 49 | 167 | 5 | - | 1 | 198 | 9 | 130 | 35 | 31 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 242 | - | - | - | - | 2 | - | 1 | - | - | - | 14 | - | 2 | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 156 | 1 | 1 | - | - | 3 | 4 | - | - | - | - | - | 1 | 1 | - | - |
| GONOCOCCAL INFECTNS | 2692 | 5 | 5 | - | - | 15 | 16 | 34 | - | - | - | 32 | 1 | 12 | 5 | 10 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 107 | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - | - | 4 | 3 | - |
| - TYPE B | 58 | 1 | 2 | - | - | - | - | 3 | - | - | - | - | 1 | 2 | - | - |
| - TYPE C | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 22 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| LEGIONELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 4 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 9 - 13), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 146 | 1 | 3 | - | - | 3 | 2 | 8 | - | - | - | 1 | - | 1 | 1 | - |
| MENIGOCOCCAL INFECT. | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 330 | 1 | - | - | - | - | 2 | - | - | - | - | - | - | 1 | 1 | - |
| PERTUSSIS | 15 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| P I D | 88 | 5 | - | - | - | 1 | 2 | - | - | - | - | 2 | 1 | 2 | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 16 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 301 | 6 | 3 | - | - | - | 3 | 6 | 1 | - | - | 5 | 1 | 2 | 2 | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 93 | 1 | - | - | - | - | 3 | 2 | - | - | - | - | - | 4 | - | - |
| - GROUP A | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - GROUP B | 44 | - | - | - | - | - | - | 2 | - | - | - | - | - | 2 | - | - |
| - GROUP C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - GROUP D | 30 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - UNSPECIFIED | 17 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 265 | 4 | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| - PRIMARY | 46 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - SECONDARY | 60 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 62 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 97 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 162 | - | - | - | - | - | - | 1 | - | - | - | - | - | 4 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/12/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, MARCH (WEEK 9 - 13), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 892 | 708 | 764 |
| Influenza | 1 | 2 | 3 |
| All Causes | 8065 | 6775 | 6765 |
| AGE 65 AND OVER | | | |
| Pneumonia | 765 | 628 | 654 |
| Influenza | - | 1 | 2 |
| All Causes | 5734 | 4896 | 4855 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 3466 | 1650 | 1903 |
| Influenza | 32 | 3 | 3 |
| All Causes | 29643 | 17227 | 19916 |
| AGE 65 AND OVER | | | |
| Pneumonia | 2986 | 1460 | 1668 |
| Influenza | 22 | 1 | 2 |
| All Causes | 21275 | 12268 | 14197 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, MARCH (WEEK 9 - 13), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 73 | 94 | 80 |
| FRESNO | 634 | 549 | 720 |
| GLENDALE | 181 | 107 | 69 |
| LONG BEACH | 361 | 415 | 350 |
| LOS ANGELES | 3003 | 1981 | 1473 |
| PASADENA | 154 | 133 | 155 |
| SACRAMENTO | 1089 | 1140 | 1136 |
| SAN DIEGO | 921 | 859 | 899 |
| SAN FRANCISCO | 664 | 247 | 650 |
| SAN JOSE | 818 | 1064 | 1055 |
| SANTA CRUZ ** | 167 | 186 | 178 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|------|------|
| BERKELEY | 202 | 215 | 214 |
| FRESNO | 1844 | 1451 | 1596 |
| GLENDALE | 793 | 288 | 300 |
| LONG BEACH | 1070 | 1014 | 975 |
| LOS ANGELES | 15057 | 5397 | 6644 |
| PASADENA | 448 | 369 | 394 |
| SACRAMENTO | 2881 | 2742 | 2798 |
| SAN DIEGO | 2641 | 2306 | 2301 |
| SAN FRANCISCO | 1862 | 354 | 1661 |
| SAN JOSE | 2408 | 2632 | 2591 |
| SANTA CRUZ ** | 437 | 459 | 442 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 05/13/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Thomas McCaffery, Chief Deputy Director

California

Monthly Summary Report

Selected Reportable Diseases

APRIL, 2004

Report Weeks 14 - 17

APRIL 4, 2004 to MAY 1, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1

APRIL (WEEK 14 - 17), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|------|------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 390 | 451 | 326 | 1384 | 1925 | 1367 | MEASLES: | | | | | | |
| AMEBIASIS | 14 | 35 | 37 | 57 | 123 | 143 | TOTAL | - | 1 | - | - | 2 | 3 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | - | 1 | 3 |
| | | | | | | | - IMPORTED | - | 1 | - | - | 1 | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 203 | 121 | 110 | 561 | 484 | 504 |
| - FOODBORNE | - | - | - | - | - | 1 | MENINGOCOCCAL INF. | 27 | 25 | 23 | 104 | 97 | 102 |
| - INFANT | 3 | 1 | - | 10 | 3 | 8 | MUMPS | 1 | 7 | 2 | 11 | 29 | 22 |
| - WOUND | 1 | 1 | - | 3 | 5 | 4 | N G U | 268 | 325 | 318 | 1280 | 1367 | 1491 |
| BRUCELLA | 4 | 1 | 5 | 8 | 4 | 11 | PERTUSSIS | 3 | 112 | 52 | 35 | 557 | 205 |
| CAMPYLOBACTERIOSIS | 254 | 315 | 332 | 1244 | 1424 | 1430 | P I D | 57 | 55 | 84 | 255 | 268 | 336 |
| CHANCROID | - | - | - | 1 | - | - | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 9457 | 8497 | 8260 | 38200 | 36879 | 34737 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | 1 | - | - | 1 | - | PSITTACOSIS | - | - | - | - | - | 8 |
| COCCIDIOIDOMYCOSIS | 110 | 66 | 66 | 581 | 325 | 406 | Q FEVER | 1 | - | 2 | 2 | 3 | 4 |
| CONJUNCT. NEWBORN | - | - | - | - | 2 | - | | | | | | | |
| CRYPTOSPORIDIOSIS | 10 | 13 | 10 | 63 | 92 | 71 | RABIES: | | | | | | |
| CYSTICERCOSIS | 3 | 7 | 10 | 23 | 28 | 31 | - ANIMAL | 13 | 19 | 23 | 36 | 53 | 59 |
| DENGUE | 1 | 1 | 1 | 4 | 1 | 1 | - HUMAN | - | - | 1 | - | - | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | | | | | | | |
| DIPHTHERIA | - | - | - | - | - | - | RELAPSING FEVER | 1 | - | 1 | 3 | 2 | 1 |
| | | | | | | | REYE SYNDROME | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 1 | 1 | 1 | 2 | 1 |
| - ARBOVIRAL | - | - | - | - | - | - | ROCKY MTN SPOT FVR | - | - | - | 2 | - | - |
| - OTHER VIRAL | 15 | 8 | 11 | 42 | 28 | 48 | RUBELLA | - | - | - | - | - | 1 |
| | | | | | | | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 6 | 6 | 9 | 21 | 24 | 33 | SALMONELLOSIS | 274 | 269 | 221 | 1028 | 1131 | 1051 |
| | | | | | | | | | | | | | |
| FOODBORNE ILLNESS: | | | | | | | SHIGELLOSIS: | | | | | | |
| - OUTBREAKS | 15 | 6 | 18 | 44 | 43 | 55 | TOTAL | 68 | 124 | 105 | 325 | 677 | 522 |
| - CASES | 169 | 56 | 199 | 650 | 626 | 719 | - GROUP A | 1 | 1 | 1 | 4 | 2 | 5 |
| | | | | | | | - GROUP B | 31 | 40 | 32 | 126 | 163 | 150 |
| GIARDIASIS | 94 | 140 | 168 | 485 | 641 | 715 | - GROUP C | 2 | - | 3 | 14 | 10 | 13 |
| GONOCOCCAL INF. | 2103 | 1770 | 1862 | 9041 | 7651 | 7920 | - GROUP D | 23 | 64 | 44 | 127 | 384 | 269 |
| H-FLU (<30 YRS OLD)* | - | 10 | 8 | 2 | 31 | 22 | - GRP. UNSPECIFIED | 11 | 19 | 25 | 54 | 118 | 85 |
| HANTA VIRUS | - | - | - | - | - | - | | | | | | | |
| H U S | 3 | - | - | 6 | 2 | - | SYPHILIS: | | | | | | |
| | | | | | | | TOTAL | 118 | 372 | 289 | 975 | 1577 | 1211 |
| HEPATITIS: | | | | | | | - PRIMARY | 18 | 34 | 22 | 135 | 152 | 84 |
| - TYPE A | 62 | 86 | 130 | 310 | 378 | 626 | - SECONDARY | 24 | 73 | 39 | 207 | 323 | 187 |
| - TYPE B | 40 | 65 | 44 | 189 | 233 | 200 | - EARLY LATENT | 47 | 75 | 42 | 243 | 290 | 199 |
| - TYPE C | 2 | 6 | 10 | 8 | 15 | 21 | - LATE & LATE LTN. | 29 | 185 | 181 | 387 | 789 | 727 |
| - TYPE D | - | - | - | 1 | 2 | - | - CONGENITAL | - | 5 | 5 | 3 | 23 | 14 |
| - NON-A / NON-B | - | 1 | - | - | 1 | 1 | | | | | | | |
| - OTHER VIRAL | 1 | 2 | 2 | 8 | 3 | 7 | TETANUS | - | - | - | - | - | 3 |
| | | | | | | | TOXIC SHOCK SYNDROME | 1 | - | 1 | 8 | 1 | 7 |
| KAWASAKI SYNDROME | 27 | 18 | 12 | 60 | 51 | 48 | TRICHINOSIS | - | - | - | - | - | 2 |
| LEGIONELLOSIS | 6 | 2 | 2 | 21 | 20 | 18 | TUBERCULOSIS | 52 | 239 | 154 | 405 | 721 | 546 |
| LEPROSY | 3 | 1 | 3 | 11 | 5 | 8 | TULAREMIA | 1 | - | - | 1 | - | - |
| LEPTOSPIROSIS | - | 1 | - | - | 1 | - | TYPHOID FEVER | 7 | 6 | 5 | 16 | 28 | 16 |
| LISTERIOSIS | 11 | 5 | 5 | 22 | 25 | 21 | TYPHUS FEVER | - | 1 | - | 2 | 3 | 5 |
| LYME DISEASE | 4 | 5 | 4 | 15 | 19 | 22 | VIBRIO INFECTIONS | 5 | - | - | 19 | 8 | 1 |
| MALARIA | 6 | 7 | 10 | 29 | 45 | 49 | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 05/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA- VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|----------------|---------|----------|--------|--------|-------|----------------|--------|-----------------|--------------|--------------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 14 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 254 | 7 | 3 | - | - | 11 | - | - | 6 | - | 1 | 5 | - | 2 | 3 | - | 4 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9457 | 402 | 29 | - | 1 | 72 | 2 | 2 | 228 | 6 | 11 | 410 | 4 | 30 | 33 | 1 | 331 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 110 | - | - | - | - | - | - | 2 | - | - | - | 7 | - | - | - | - | 56 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTITERCOSIS | 3 | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| DENGUE | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 15 | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| E. COLI (O157:H7) | 6 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4 | - | - |
| - CASES | 169 | - | - | - | - | - | - | - | - | - | - | - | - | - | 36 | - | - |
| GIARDIASIS | 94 | 4 | - | - | - | - | - | - | 3 | - | - | 1 | - | 1 | - | - | - |
| GONOCOCCAL INFECTNS | 2103 | 122 | 7 | - | 1 | 9 | 3 | - | 48 | - | 1 | 105 | - | 5 | 6 | 1 | 53 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 62 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 1 | - | 2 |
| - TYPE B | 40 | - | - | - | - | 1 | - | - | - | 1 | - | 3 | - | 2 | - | - | 3 |
| - TYPE C | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 27 | - | - | - | - | 1 | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| LEPROSY | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA- VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|----------------|---------|----------|--------|--------|-------|----------------|--------|-----------------|--------------|--------------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 203 | 6 | - | - | - | 4 | - | 1 | 2 | - | 1 | 13 | - | - | 5 | - | 6 |
| MENINGOCOCCAL INF. | 27 | - | - | - | - | - | - | - | 2 | - | - | 2 | - | - | - | - | 1 |
| MUMPS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 268 | 24 | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | 4 |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 57 | 3 | - | - | - | - | - | - | 1 | - | 1 | 5 | - | 2 | - | - | 6 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 13 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 274 | 10 | - | - | - | 5 | - | - | 9 | - | 2 | 5 | - | 1 | 1 | - | 3 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 68 | 4 | - | - | - | - | - | - | 4 | - | - | 2 | - | - | 3 | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - GROUP B | 31 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - GROUP C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - GROUP D | 23 | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| - UNSPECIFIED | 11 | - | - | - | - | - | - | - | 3 | - | - | - | - | - | 1 | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 118 | 3 | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | 3 |
| - PRIMARY | 18 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 47 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - LATE & LATE LTN. | 29 | - | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | 2 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 52 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 14 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| - WOUND | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 254 | - | - | 1 | 52 | 3 | - | 5 | 2 | - | - | 1 | - | - | 2 | 1 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9457 | 12 | 8 | 2 | 2413 | 185 | 9 | 53 | 12 | 2 | 15 | 76 | 2 | - | 94 | 12 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 110 | 4 | - | - | 6 | - | - | 3 | - | - | - | 2 | - | - | 2 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 15 | 1 | - | - | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| E. COLI (O157:H7) | 6 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 15 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 169 | - | - | - | 49 | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 94 | 1 | - | - | 25 | - | - | - | 2 | - | - | - | - | - | 2 | - |
| GONOCOCCAL INFECTNS | 2103 | 8 | - | - | 556 | 48 | 1 | 14 | 2 | - | - | 18 | - | - | 14 | 4 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 62 | 2 | - | - | 28 | 2 | - | - | 1 | - | - | - | - | - | 1 | - |
| - TYPE B | 40 | 1 | - | - | 6 | 1 | - | 3 | - | - | 1 | - | - | - | - | - |
| - TYPE C | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 27 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 11 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|----------------|-------|------|--------|----------------|---------------|---------------------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 203 | 2 | - | - | 28 | 3 | 1 | 1 | - | - | - | - | - | - | 17 | - |
| MENINGOCOCCAL INF. | 27 | - | - | - | 4 | 1 | - | 1 | - | - | - | - | - | - | 1 | - |
| MUMPS | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 268 | - | - | - | 39 | 13 | 2 | - | 1 | - | - | 1 | - | - | - | - |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 57 | - | - | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 13 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 274 | - | - | - | 107 | 3 | - | 2 | - | - | - | 3 | - | - | 2 | 2 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 68 | - | - | - | 18 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 31 | - | - | - | 8 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 23 | - | - | - | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| - UNSPECIFIED | 11 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 118 | - | - | - | 28 | 3 | - | - | - | - | - | - | - | - | 1 | - |
| - PRIMARY | 18 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 24 | - | - | - | 5 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| - EARLY LATENT | 47 | - | - | - | 12 | 2 | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 29 | - | - | - | 10 | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 52 | - | - | - | 17 | 3 | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRA-MENTO | SAN BENITO | SAN BER-NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|-------------|------------|-----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 14 | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - | 2 | 4 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 4 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 254 | 2 | 13 | 2 | - | 5 | 9 | - | 5 | 26 | - | 11 | 2 | 13 | 4 | 15 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9457 | 19 | 501 | 24 | 1 | 275 | 483 | 13 | 726 | 885 | 253 | 238 | 37 | 103 | 74 | 622 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 110 | - | 1 | - | - | 1 | 1 | - | 1 | 1 | - | 3 | 6 | 1 | 1 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - | - | 2 |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 15 | - | - | - | - | - | - | - | 3 | - | - | 1 | - | - | - | - |
| E. COLI 016187:H7 | 6 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 15 | - | 5 | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 |
| - CASES | 169 | - | 17 | - | - | - | 2 | - | - | - | - | - | - | - | - | 38 |
| GIARDIASIS | 94 | 1 | 8 | 2 | - | 1 | 4 | - | 1 | 6 | - | 8 | - | 2 | 3 | 9 |
| GONOCOCCAL INFECTNS | 2103 | 2 | 71 | 2 | - | 46 | 117 | 5 | 125 | 194 | 140 | 84 | 7 | 4 | 6 | 102 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 62 | 1 | 2 | - | - | 3 | 1 | - | 3 | - | - | 1 | - | 3 | - | 3 |
| - TYPE B | 40 | - | 2 | - | - | 5 | - | - | - | 1 | - | 3 | - | - | - | - |
| - TYPE C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 27 | - | 1 | - | - | - | 2 | - | - | 16 | - | 1 | - | - | - | 1 |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 11 | - | 2 | - | - | 2 | 1 | - | - | 1 | - | - | - | - | - | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| MALARIA | 6 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 203 | - | 32 | 1 | - | 4 | 9 | - | 4 | 29 | - | 1 | 2 | 3 | - | 7 |
| MENINGOCOCCAL INF. | 27 | - | 2 | - | - | - | - | - | 1 | 6 | - | 3 | - | - | - | 1 |
| MUMPS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 268 | - | 78 | - | - | 2 | - | 1 | 16 | 3 | 78 | - | - | - | - | - |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 57 | 1 | 3 | - | - | - | 1 | - | 2 | 5 | 9 | 2 | - | - | - | 1 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 13 | - | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - | 1 | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 274 | - | 15 | 1 | - | 3 | 8 | - | 8 | 26 | - | 8 | 1 | - | 3 | 15 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 68 | 2 | 9 | - | - | 4 | - | - | 3 | 7 | - | - | - | 1 | - | 3 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 31 | 2 | 5 | - | - | 2 | - | - | 2 | 6 | - | - | - | - | - | - |
| - GROUP C | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 23 | - | 4 | - | - | - | - | - | 1 | 1 | - | - | - | 1 | - | 3 |
| - UNSPECIFIED | 11 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 118 | - | 4 | - | - | 1 | - | - | - | 17 | 44 | - | - | 1 | - | 4 |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | 2 | 9 | - | - | 1 | - | 3 |
| - SECONDARY | 24 | - | - | - | - | - | - | - | - | 3 | 11 | - | - | - | - | - |
| - EARLY LATENT | 47 | - | 2 | - | - | - | - | - | - | 10 | 17 | - | - | - | - | 1 |
| - LATE & LATE LTN. | 29 | - | 2 | - | - | 1 | - | - | - | 2 | 7 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 52 | - | 4 | - | - | 2 | 4 | - | - | - | 10 | - | - | 4 | - | 4 |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | 1 |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| CAMPYLOBACTERIOSIS | 254 | 4 | 1 | - | 1 | 4 | 5 | 4 | 1 | - | - | 9 | - | 6 | 3 | - |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9457 | 40 | 57 | - | 12 | 132 | 57 | 126 | 5 | - | 1 | 139 | - | 140 | 22 | 15 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 110 | - | - | - | - | - | - | 1 | - | - | - | 11 | - | - | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 15 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 6 | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 15 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - CASES | 169 | - | - | - | - | - | 27 | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 94 | - | 1 | - | - | 2 | 2 | - | - | - | - | 1 | - | 4 | - | - |
| GONOCOCCAL INFECTNS | 2103 | 1 | 5 | - | 2 | 28 | 31 | 50 | 8 | - | - | 34 | - | 8 | 3 | 2 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 62 | - | - | 1 | - | - | 2 | 1 | - | - | - | 1 | 1 | - | - | - |
| - TYPE B | 40 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | 3 | - | - |
| - TYPE C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 27 | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 4 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| MALARIA | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 05/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: APRIL (WEEK 14 - 17), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|-----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 203 | 3 | 1 | - | - | 2 | 3 | 2 | - | - | - | 5 | - | 4 | 1 | - |
| MENINGOCOCCAL INFECT. | 27 | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 268 | 1 | - | - | - | 2 | 1 | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | 3 | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | - | - |
| P I D | 57 | 3 | - | - | - | 2 | 3 | 1 | - | - | - | 1 | - | 2 | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 13 | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | 2 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 274 | 3 | - | - | - | 7 | 5 | 3 | 1 | - | - | 4 | 1 | - | 6 | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 68 | - | - | - | - | 2 | 1 | 1 | - | - | - | 1 | - | 1 | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 31 | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - | 1 | - | - |
| - GROUP C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 23 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 11 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 118 | - | - | - | - | - | - | 3 | - | - | - | 1 | - | 1 | - | - |
| - PRIMARY | 18 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - SECONDARY | 24 | - | - | - | - | - | - | 2 | - | - | - | - | - | 1 | - | - |
| - EARLY LATENT | 47 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 29 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 52 | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | - |
| TULAREMIA | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 05/19/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, APRIL (WEEK 14 - 17), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 514 | 550 | 488 |
| Influenza | - | 1 | - |
| All Causes | 5107 | 5547 | 5221 |
| AGE 65 AND OVER | | | |
| Pneumonia | 432 | 475 | 415 |
| Influenza | - | 1 | - |
| All Causes | 3543 | 3942 | 3699 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 3980 | 2200 | 2391 |
| Influenza | 32 | 4 | 3 |
| All Causes | 34750 | 22774 | 25137 |
| AGE 65 AND OVER | | | |
| Pneumonia | 3418 | 1935 | 2083 |
| Influenza | 22 | 2 | 2 |
| All Causes | 24818 | 16210 | 17896 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, APRIL (WEEK 14 - 17), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 51 | 75 | 65 |
| FRESNO | 528 | 533 | 480 |
| GLENDALE | 81 | 90 | 66 |
| LONG BEACH | 257 | 286 | 283 |
| LOS ANGELES | 1310 | 1587 | 1266 |
| PASADENA | 109 | 95 | 112 |
| SACRAMENTO | 794 | 826 | 850 |
| SAN DIEGO | 682 | 658 | 710 |
| SAN FRANCISCO | 493 | 536 | 500 |
| SAN JOSE | 690 | 738 | 780 |
| SANTA CRUZ ** | 112 | 123 | 109 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|------|------|
| BERKELEY | 253 | 290 | 279 |
| FRESNO | 2372 | 1984 | 2076 |
| GLENDALE | 874 | 378 | 366 |
| LONG BEACH | 1327 | 1300 | 1258 |
| LOS ANGELES | 16367 | 6984 | 7910 |
| PASADENA | 557 | 464 | 506 |
| SACRAMENTO | 3675 | 3568 | 3648 |
| SAN DIEGO | 3323 | 2964 | 3011 |
| SAN FRANCISCO | 2355 | 890 | 2161 |
| SAN JOSE | 3098 | 3370 | 3371 |
| SANTA CRUZ ** | 549 | 582 | 551 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 05/13/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

MAY, 2004
Report Weeks 18 - 21
MAY 2, 2004 to MAY 29, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 MAY (WEEK 18 - 21), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|------|------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 377 | 717 | 360 | 1761 | 2642 | 1727 | MEASLES: | | | | | | |
| AMEBIASIS | 20 | 34 | 43 | 77 | 157 | 186 | TOTAL | - | - | - | - | 2 | 3 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | - | 1 | 3 |
| BOTULISM: | | | | | | | - IMPORTED | - | - | - | - | 1 | - |
| - FOODBORNE | - | - | - | - | - | 1 | MENINGITIS, VIRAL | 151 | 149 | 136 | 712 | 633 | 640 |
| - INFANT | 1 | 2 | 5 | 10 | 5 | 13 | MENINGOCOCCAL INF. | 9 | 22 | 22 | 113 | 119 | 124 |
| - WOUND | - | 1 | - | 3 | 5 | 4 | MUMPS | - | 4 | 5 | 11 | 33 | 27 |
| BRUCELLOSIS | 2 | 2 | 3 | 10 | 6 | 14 | N G U | 230 | 293 | 296 | 1607 | 1660 | 1787 |
| CAMPYLOBACTERIOSIS | 270 | 383 | 448 | 1517 | 1807 | 1878 | PERTUSSIS | - | 108 | 83 | 35 | 665 | 288 |
| CHANCROID | - | - | - | 1 | - | - | P I D | 63 | 79 | 80 | 327 | 347 | 416 |
| CHLAMYDIAL INF. | 8649 | 9092 | 8545 | 47430 | 45971 | 43282 | PLAGUE | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | POLIOMYELITIS | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 118 | 84 | 117 | 695 | 409 | 523 | PSITTACOSIS | - | - | - | - | - | 8 |
| CONJUNCT. NEWBORN | - | 1 | - | - | 3 | - | Q FEVER | 2 | 1 | 1 | 4 | 4 | 5 |
| CRYPTOSPORIDIOSIS | 16 | 18 | 17 | 79 | 110 | 88 | RABIES: | | | | | | |
| CYSTICERCOSIS | 3 | - | 8 | 26 | 28 | 39 | - ANIMAL | 17 | 19 | 23 | 53 | 72 | 82 |
| DENGUE | - | 2 | - | 4 | 3 | 1 | - HUMAN | - | - | - | - | - | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | RELAPSING FEVER | 1 | - | 2 | 5 | 2 | 3 |
| DIPHTHERIA | - | - | - | - | - | - | REYE SYNDROME | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | - | - | 1 | 2 | 1 |
| - ARBOVIRAL | - | - | - | - | - | - | ROCKY MTN SPOT FVR | - | - | - | 2 | - | - |
| - OTHER VIRAL | 7 | 8 | 5 | 49 | 36 | 53 | RUBELLA | - | - | - | - | - | 1 |
| E. COLI (O157:H7) | 7 | 11 | 14 | 28 | 35 | 47 | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | SALMONELLOSIS | 240 | 171 | 238 | 1270 | 1302 | 1289 |
| - OUTBREAKS | 11 | 10 | 11 | 57 | 53 | 66 | SHIGELLOSIS: | | | | | | |
| - CASES | 174 | 142 | 378 | 849 | 768 | 1097 | TOTAL | 93 | 84 | 121 | 418 | 761 | 643 |
| GIARDIASIS | 110 | 124 | 192 | 597 | 765 | 907 | - GROUP A | 1 | 2 | 1 | 5 | 4 | 6 |
| GONOCOCCAL INF. | 2031 | 1906 | 1766 | 11283 | 9557 | 9686 | - GROUP B | 42 | 23 | 27 | 168 | 186 | 177 |
| H-FLU (<30 YRS OLD)* | - | 3 | 6 | 2 | 34 | 28 | - GROUP C | 6 | 3 | 1 | 20 | 13 | 14 |
| HANTA VIRUS | - | - | - | - | - | - | - GROUP D | 29 | 47 | 68 | 156 | 431 | 337 |
| H U S | - | 1 | - | 6 | 3 | - | - GRP. UNSPECIFIED | 15 | 9 | 24 | 69 | 127 | 109 |
| HEPATITIS: | | | | | | | SYPHILIS: | | | | | | |
| - TYPE A | 55 | 61 | 111 | 364 | 439 | 737 | TOTAL | 145 | 314 | 315 | 1279 | 1891 | 1526 |
| - TYPE B | 36 | 39 | 47 | 223 | 247 | 247 | - PRIMARY | 20 | 40 | 26 | 173 | 192 | 110 |
| - TYPE C | 2 | 3 | 9 | 10 | 7 | 30 | - SECONDARY | 46 | 67 | 47 | 280 | 390 | 234 |
| - TYPE D | 1 | - | - | 2 | 2 | - | - EARLY LATENT | 28 | 60 | 56 | 300 | 350 | 255 |
| - NON-A / NON-B | - | 1 | 3 | - | 2 | 4 | - LATE & LATE LTN. | 51 | 144 | 179 | 523 | 933 | 906 |
| - OTHER VIRAL | - | 3 | 2 | 8 | 6 | 9 | - CONGENITAL | - | 3 | 7 | 3 | 26 | 21 |
| KAWASAKI SYNDROME | 7 | 15 | 9 | 68 | 66 | 57 | TETANUS | - | - | - | - | - | 3 |
| LEGIONELLOSIS | 2 | - | - | 23 | 20 | 18 | TOXIC SHOCK SYNDROME | 4 | 3 | 2 | 12 | 4 | 9 |
| LEPROSY | 2 | 1 | 2 | 13 | 6 | 10 | TRICHINOSIS | 1 | - | - | 1 | - | 2 |
| LEPTOSPIROSIS | - | - | - | - | 1 | - | TUBERCULOSIS | 65 | 227 | 186 | 596 | 948 | 732 |
| LISTERIOSIS | 6 | 7 | 6 | 28 | 32 | 27 | TULAREMIA | - | - | - | 1 | - | - |
| LYME DISEASE | 2 | 5 | 6 | 15 | 24 | 28 | TYPHOID FEVER | 2 | 4 | 10 | 18 | 32 | 26 |
| MALARIA | 6 | 4 | 10 | 35 | 49 | 59 | TYPHUS FEVER | - | 1 | - | 2 | 4 | 5 |
| | | | | | | | VIBRIO INFECTIONS | 5 | 4 | - | 24 | 12 | 1 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 20 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 270 | - | 1 | - | - | 4 | - | - | 14 | - | - | 13 | - | 4 | 5 | - | 18 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8649 | 402 | 29 | - | - | 50 | 4 | 2 | 181 | 3 | 11 | 398 | 3 | 24 | 19 | 1 | 290 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 118 | - | - | - | - | - | - | - | 3 | - | - | 10 | - | - | - | - | 44 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| E. COLI (O157:H7) | 7 | - | - | - | - | - | 4 | - | - | - | - | - | - | 1 | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 174 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 110 | - | - | - | - | - | 1 | - | 4 | - | 5 | 3 | 2 | 1 | - | - | 4 |
| GONOCOCCAL INFECTNS | 2031 | 150 | 11 | - | 1 | 11 | 1 | 1 | 58 | - | - | 89 | - | 6 | 4 | - | 58 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 55 | - | 1 | - | - | - | - | - | 3 | - | - | - | - | - | - | - | - |
| - TYPE B | 36 | - | - | - | - | 2 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| - TYPE C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 151 | - | - | - | - | - | - | - | 2 | - | 2 | 10 | 1 | - | 1 | - | 4 |
| MENINGOCOCCAL INF. | 9 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | 1 |
| MUMPS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 230 | 40 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 63 | 2 | - | - | - | 1 | - | - | 1 | - | - | 8 | - | - | - | - | 8 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 17 | - | - | - | - | 2 | - | - | 2 | - | - | - | 1 | - | - | 1 | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 240 | - | - | - | - | 1 | 1 | - | 9 | - | 2 | 3 | - | 1 | 1 | - | 3 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 93 | - | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 2 | - | 3 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 42 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 29 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - UNSPECIFIED | 15 | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | 2 | - | 3 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 145 | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | 6 |
| - PRIMARY | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - EARLY LATENT | 28 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - LATE & LATE LTN. | 51 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 5 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 65 | - | - | - | - | - | - | - | 4 | - | - | - | - | 1 | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 20 | - | - | - | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 270 | - | - | - | 68 | 6 | - | - | - | - | 2 | 8 | - | - | - | 1 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8649 | 47 | 11 | - | 2560 | 200 | 12 | 20 | - | - | 17 | 69 | - | - | 96 | 11 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 118 | 3 | - | - | 13 | - | - | 2 | - | - | - | - | - | - | 4 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 16 | - | - | - | 14 | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 174 | - | - | - | 33 | - | - | - | - | - | - | - | - | - | 1 | - |
| GIARDIASIS | 110 | - | - | - | 32 | 1 | - | - | - | - | 1 | - | - | - | 1 | 1 |
| GONOCOCCAL INFECTNS | 2031 | 7 | - | - | 560 | 48 | 1 | 5 | - | - | 2 | 18 | - | - | 23 | 2 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 55 | - | - | - | 25 | - | 2 | - | - | - | - | - | - | - | 1 | 1 |
| - TYPE B | 36 | 2 | - | - | 10 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| - TYPE C | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|-------------|-------|------|--------|-------------|------------|------------------|--------|-------|----------|------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 151 | 1 | - | - | 1 | 6 | 1 | - | - | - | - | - | - | - | 10 | - |
| MENINGOCOCCAL INF. | 9 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| MUMPS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 230 | - | - | - | 51 | 7 | - | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 63 | - | - | - | 4 | 1 | - | - | - | - | - | - | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 240 | - | - | - | 88 | 7 | - | 3 | - | 1 | 1 | 3 | - | - | 1 | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 93 | - | - | - | 26 | 3 | 1 | 1 | - | - | - | 1 | - | - | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 42 | - | - | - | 13 | 2 | - | 1 | - | - | - | 1 | - | - | - | - |
| - GROUP C | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 29 | - | - | - | 11 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 15 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 145 | - | 2 | - | 36 | 4 | - | - | - | - | 1 | - | - | - | - | - |
| - PRIMARY | 20 | - | 1 | - | 4 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| - SECONDARY | 46 | - | - | - | 4 | 2 | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 28 | - | 1 | - | 6 | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 51 | - | - | - | 22 | 1 | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 65 | - | 2 | - | 35 | 1 | 1 | - | 1 | - | - | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 20 | - | 3 | - | - | - | 2 | - | - | - | - | - | - | - | 1 | 3 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| CAMPYLOBACTERIOSIS | 270 | 1 | 21 | 3 | - | 8 | 7 | - | 6 | - | - | 11 | 1 | 2 | 9 | 19 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8649 | 14 | 604 | 19 | - | 203 | 335 | 19 | 524 | 799 | 309 | 212 | 39 | 72 | 53 | 285 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 118 | - | 2 | - | - | 2 | 3 | 1 | 3 | - | - | 3 | 2 | 1 | 4 | 1 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | 1 | - | - | 1 | - | - | - | - | 2 | - | - | - | - |
| E. COLI 016187:H7 | 7 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | 3 | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 2 |
| - CASES | 174 | - | 31 | - | - | - | - | - | - | 59 | - | - | 12 | 10 | - | 28 |
| GIARDIASIS | 110 | 2 | 10 | 3 | - | 2 | 5 | - | 2 | - | - | 5 | - | - | 2 | 9 |
| GONOCOCCAL INFECTNS | 2031 | 2 | 73 | 2 | - | 41 | 112 | 5 | 114 | 164 | 169 | 61 | 4 | 5 | 5 | 91 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 55 | - | 1 | - | - | 2 | 7 | - | - | - | - | 1 | - | - | 2 | - |
| - TYPE B | 36 | - | 2 | - | - | 5 | 2 | - | - | - | - | 4 | - | - | - | - |
| - TYPE C | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| LEGIONELLOSIS | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | 2 | - | - | 1 | - | - | - | - | - | - | - | - | 2 | 1 |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 6 | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 151 | 1 | 52 | - | - | 16 | 8 | 2 | 2 | - | - | 2 | 1 | 1 | 3 | 6 |
| MENINGOCOCCAL INF. | 9 | - | 1 | - | - | - | - | - | - | - | - | 2 | - | - | - | - |
| MUMPS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 230 | - | 29 | - | - | 4 | - | - | 21 | - | 68 | - | - | 2 | - | 1 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 63 | - | 4 | - | - | 1 | - | - | 2 | 3 | 5 | 2 | - | - | 1 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 17 | 3 | - | 1 | - | - | - | - | 4 | - | - | - | - | - | 1 | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 240 | 1 | 18 | 3 | - | 8 | 15 | - | 12 | - | - | 7 | - | 4 | 4 | 20 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 93 | - | 4 | 1 | - | 12 | 1 | - | 8 | - | - | 2 | - | 8 | 1 | 5 |
| - GROUP A | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 42 | - | 1 | - | - | 12 | 1 | - | - | - | - | 2 | - | 4 | 1 | 1 |
| - GROUP C | 6 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP D | 29 | - | 2 | - | - | - | - | - | 8 | - | - | - | - | 1 | - | 1 |
| - UNSPECIFIED | 15 | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 145 | - | 1 | - | - | 6 | - | - | 3 | 12 | 53 | 4 | 2 | 1 | - | 6 |
| - PRIMARY | 20 | - | 1 | - | - | 1 | - | - | - | 2 | 8 | - | - | - | - | 1 |
| - SECONDARY | 46 | - | - | - | - | 2 | - | - | - | 5 | 21 | 3 | - | 1 | - | 4 |
| - EARLY LATENT | 28 | - | - | - | - | 1 | - | - | - | 5 | 13 | - | - | - | - | 1 |
| - LATE & LATE LTN. | 51 | - | - | - | - | 2 | - | - | 3 | - | 11 | 1 | 2 | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| TUBERCULOSIS | 65 | - | 8 | - | - | - | 3 | - | 1 | - | 7 | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 20 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 270 | 1 | - | - | - | 7 | 6 | 13 | 1 | - | - | 5 | - | 3 | - | 2 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8649 | 39 | 48 | - | 5 | 90 | 31 | 141 | 33 | - | 3 | 130 | - | 150 | 17 | 15 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 118 | - | - | - | - | - | - | 3 | - | - | - | 12 | 1 | - | 1 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 174 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 110 | 3 | 1 | - | - | 1 | 2 | - | 1 | - | - | 2 | 1 | 3 | - | - |
| GONOCOCCAL INFECTNS | 2031 | 3 | 8 | - | - | 19 | 11 | 41 | 7 | - | - | 25 | - | 11 | - | 2 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 55 | - | - | - | 2 | - | - | 2 | - | - | - | 2 | - | 1 | 2 | - |
| - TYPE B | 36 | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | 1 | - | - |
| - TYPE C | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LEPROSY | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 06/22/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MAY (WEEK 18 - 21), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 151 | 2 | 1 | - | - | 2 | 4 | 2 | 1 | - | - | 3 | - | 2 | 1 | - |
| MENIGOCOCCAL INFECT. | 9 | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| MUMPS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 230 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 63 | 2 | - | - | - | - | 1 | 1 | 3 | - | - | 7 | - | 4 | 1 | 1 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 17 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 240 | 2 | - | - | - | 4 | 3 | 8 | 1 | - | - | 4 | - | - | - | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 93 | 4 | 2 | - | 1 | - | - | 2 | 1 | - | - | - | - | 1 | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 42 | - | - | - | - | - | - | 2 | - | - | - | - | - | 1 | - | - |
| - GROUP C | 6 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 29 | - | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| - UNSPECIFIED | 15 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 145 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | 3 | - | - |
| - PRIMARY | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 46 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| - EARLY LATENT | 28 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 51 | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 06/22/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, MAY (WEEK 18 - 21), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 405 | 510 | 375 |
| Influenza | - | 2 | 2 |
| All Causes | 4644 | 5735 | 5111 |
| AGE 65 AND OVER | | | |
| Pneumonia | 334 | 435 | 305 |
| Influenza | - | 1 | 2 |
| All Causes | 3241 | 3953 | 3636 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 4385 | 2710 | 2766 |
| Influenza | 32 | 6 | 5 |
| All Causes | 39394 | 28509 | 30248 |
| AGE 65 AND OVER | | | |
| Pneumonia | 3752 | 2370 | 2388 |
| Influenza | 22 | 3 | 4 |
| All Causes | 28059 | 20163 | 21532 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, MAY (WEEK 18 - 21), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 63 | 62 | 65 |
| FRESNO | 411 | 506 | 500 |
| GLENDALE | 61 | 132 | 80 |
| LONG BEACH | 231 | 286 | 255 |
| LOS ANGELES | 1076 | 1934 | 1393 |
| PASADENA | 119 | 110 | 86 |
| SACRAMENTO | 769 | 745 | 840 |
| SAN DIEGO | 630 | 640 | 613 |
| SAN FRANCISCO | 422 | 503 | 486 |
| SAN JOSE | 736 | 677 | 654 |
| SANTA CRUZ ** | 126 | 140 | 139 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|------|------|
| BERKELEY | 316 | 352 | 344 |
| FRESNO | 2783 | 2490 | 2576 |
| GLENDALE | 935 | 510 | 446 |
| LONG BEACH | 1558 | 1586 | 1513 |
| LOS ANGELES | 17443 | 8918 | 9303 |
| PASADENA | 676 | 574 | 592 |
| SACRAMENTO | 4444 | 4313 | 4488 |
| SAN DIEGO | 3953 | 3604 | 3624 |
| SAN FRANCISCO | 2777 | 1393 | 2647 |
| SAN JOSE | 3834 | 4047 | 4025 |
| SANTA CRUZ ** | 675 | 722 | 690 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 06/10/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

JUNE, 2004
Report Weeks 22 - 26
MAY 30, 2004 to JULY 3, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 JUNE (WEEK 23 - 26), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|-------|-------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 363 | 498 | 312 | 2124 | 3140 | 2039 | MEASLES: | | | | | | |
| AMEBIASIS | 23 | 39 | 42 | 104 | 196 | 228 | TOTAL | - | - | - | - | 2 | 3 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | - | 1 | 3 |
| BOTULISM: | | | | | | | - IMPORTED | - | - | - | - | 1 | - |
| - FOODBORNE | - | 1 | - | - | 1 | 1 | MENINGITIS, VIRAL | 434 | 436 | 228 | 1217 | 1069 | 868 |
| - INFANT | 8 | 1 | 1 | 18 | 6 | 14 | MENINGOCOCCAL INF. | 16 | 26 | 13 | 132 | 145 | 137 |
| - WOUND | 2 | 2 | 2 | 5 | 7 | 6 | MUMPS | 2 | 9 | 16 | 13 | 42 | 43 |
| BRUCELLOSIS | 2 | 2 | 4 | 15 | 8 | 18 | N G U | 250 | 307 | 398 | 1885 | 1967 | 2185 |
| CAMPYLOBACTERIOSIS | 511 | 552 | 608 | 2111 | 2359 | 2486 | PERTUSSIS | - | 105 | 134 | 35 | 770 | 422 |
| CHANCROID | - | - | - | 1 | - | - | P I D | 61 | 92 | 109 | 394 | 439 | 525 |
| CHLAMYDIAL INF. | 9498 | 10645 | 10360 | 57551 | 56616 | 53642 | PLAGUE | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | POLIOMYELITIS | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 321 | 104 | 180 | 1017 | 513 | 703 | PSITTACOSIS | - | - | - | - | - | 8 |
| CONJUNCT. NEWBORN | - | - | - | - | 3 | - | Q FEVER | 4 | 1 | 2 | 8 | 5 | 7 |
| CRYPTOSPORIDIOSIS | 15 | 30 | 17 | 95 | 140 | 105 | RABIES: | | | | | | |
| CYSTICERCOSIS | 3 | 2 | 10 | 29 | 30 | 49 | - ANIMAL | 21 | 25 | 29 | 78 | 97 | 111 |
| DENGUE | 1 | - | - | 5 | 3 | 1 | - HUMAN | - | - | - | - | - | 1 |
| DIARRHEA, NWB. O/B | - | - | 4 | - | - | 4 | RELAPSING FEVER | - | 1 | - | 5 | 3 | 3 |
| DIPHTHERIA | - | - | 1 | - | - | 1 | REYE SYNDROME | - | 1 | - | - | 1 | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 1 | 1 | 1 | 3 | 2 |
| - ARBOVIRAL | - | - | - | - | - | - | ROCKY MTN SPOT FVR | - | - | - | 2 | - | - |
| - OTHER VIRAL | 7 | 17 | 10 | 56 | 53 | 63 | RUBELLA | - | - | 1 | - | - | 2 |
| E. COLI (O157:H7) | 15 | 15 | 26 | 44 | 50 | 73 | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | SALMONELLOSIS | 357 | 324 | 430 | 1680 | 1626 | 1719 |
| - OUTBREAKS | 18 | 15 | 18 | 77 | 68 | 84 | SHIGELLOSIS: | | | | | | |
| - CASES | 158 | 207 | 355 | 1014 | 975 | 1452 | TOTAL | 116 | 136 | 157 | 544 | 897 | 800 |
| GIARDIASIS | 127 | 181 | 226 | 747 | 946 | 1133 | - GROUP A | - | 1 | 2 | 5 | 5 | 8 |
| GONOCOCCAL INF. | 2344 | 2361 | 2313 | 13802 | 11918 | 11999 | - GROUP B | 39 | 39 | 38 | 209 | 225 | 215 |
| H-FLU (<30 YRS OLD)* | - | 8 | 2 | 2 | 42 | 30 | - GROUP C | 7 | 4 | 4 | 31 | 17 | 18 |
| HANTA VIRUS | - | - | - | - | - | - | - GROUP D | 33 | 71 | 95 | 194 | 502 | 432 |
| H U S | 2 | 2 | - | 8 | 5 | - | - GRP. UNSPECIFIED | 37 | 21 | 18 | 105 | 148 | 127 |
| HEPATITIS: | | | | | | | SYPHILIS: | | | | | | |
| - TYPE A | 98 | 111 | 102 | 476 | 550 | 839 | TOTAL | 121 | 396 | 410 | 1620 | 2287 | 1936 |
| - TYPE B | 33 | 73 | 63 | 259 | 320 | 310 | - PRIMARY | 18 | 45 | 30 | 203 | 237 | 140 |
| - TYPE C | 1 | 8 | 8 | 11 | 15 | 38 | - SECONDARY | 37 | 78 | 93 | 349 | 468 | 327 |
| - TYPE D | - | 2 | - | 2 | 4 | - | - EARLY LATENT | 34 | 85 | 75 | 366 | 435 | 330 |
| - NON-A / NON-B | - | - | 1 | - | 2 | 5 | - LATE & LATE LTN. | 32 | 175 | 207 | 687 | 1108 | 1113 |
| - OTHER VIRAL | 2 | 1 | 14 | 10 | 7 | 23 | - CONGENITAL | - | 13 | 5 | 15 | 39 | 26 |
| KAWASAKI SYNDROME | 11 | 36 | 35 | 79 | 102 | 92 | TETANUS | - | - | 2 | - | - | 5 |
| LEGIONELLOSIS | 6 | 7 | 8 | 29 | 27 | 26 | TOXIC SHOCK SYNDROME | 1 | - | 2 | 14 | 4 | 11 |
| LEPROSY | - | 1 | 2 | 13 | 7 | 12 | TRICHINOSIS | - | - | - | - | - | 2 |
| LEPTOSPIROSIS | - | - | - | 1 | 1 | - | TUBERCULOSIS | 81 | 231 | 218 | 828 | 1179 | 950 |
| LISTERIOSIS | 12 | 12 | 7 | 42 | 44 | 34 | TULAREMIA | - | - | - | 1 | - | - |
| LYME DISEASE | 5 | 5 | 8 | 20 | 29 | 36 | TYPHOID FEVER | 3 | 10 | 9 | 21 | 42 | 35 |
| MALARIA | 6 | 14 | 19 | 46 | 63 | 78 | TYPHUS FEVER | - | 1 | - | 2 | 5 | 5 |
| | | | | | | | VIBRIO INFECTIONS | 2 | 4 | 1 | 26 | 16 | 2 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 8 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 511 | - | 1 | - | 1 | 4 | 2 | - | 20 | - | 1 | 21 | - | 5 | 6 | 3 | 15 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9498 | 458 | 18 | - | - | 40 | 2 | 1 | 328 | - | 28 | 444 | 1 | 32 | 2 | - | 302 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 321 | - | - | - | 2 | 2 | - | - | 2 | - | - | 10 | - | - | 1 | - | 220 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 15 | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| E. COLI (O157:H7) | 15 | - | - | - | 1 | - | 1 | - | 3 | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - CASES | 158 | - | - | - | - | - | - | - | - | - | - | - | - | - | 5 | - | - |
| GIARDIASIS | 127 | - | - | - | - | 1 | - | - | 1 | - | - | 3 | - | - | 1 | - | 4 |
| GONOCOCCAL INFECTNS | 2344 | 160 | 10 | - | - | 10 | 2 | - | 79 | - | - | 94 | - | 6 | 1 | - | 75 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 98 | - | 1 | - | 1 | - | - | - | 3 | - | - | - | - | 2 | 1 | - | 1 |
| - TYPE B | 33 | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | 6 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 434 | - | - | - | - | - | - | - | 3 | - | 4 | 19 | - | - | 9 | - | 5 |
| MENINGOCOCCAL INF. | 16 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| N G U | 250 | 22 | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | 8 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 61 | 5 | - | - | - | - | 1 | - | 1 | - | - | 6 | - | - | - | - | 9 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 4 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 21 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 357 | - | - | - | - | 3 | - | - | 13 | - | 2 | 10 | - | 1 | 4 | - | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 116 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 4 | 1 | 4 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - |
| - GROUP C | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 33 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 37 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 4 | - | 4 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 121 | 1 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | 4 |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 37 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 34 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 32 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 4 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 23 | - | - | - | 9 | 1 | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 8 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 511 | 2 | - | - | 94 | 6 | 1 | 2 | - | - | 2 | 11 | - | - | 6 | 3 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9498 | 66 | 8 | - | 2859 | 201 | 44 | 109 | - | - | 23 | 89 | - | - | 111 | 10 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 321 | 8 | - | 1 | 20 | - | - | 3 | - | - | - | - | - | - | 3 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 15 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 15 | - | - | - | 2 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 18 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| - CASES | 158 | - | - | - | 13 | - | - | - | - | - | - | - | - | - | 2 | - |
| GIARDIASIS | 127 | - | - | - | 19 | 2 | 1 | 1 | - | - | 1 | 1 | - | - | 2 | 2 |
| GONOCOCCAL INFECTNS | 2344 | 6 | 1 | - | 662 | 60 | 6 | 22 | - | 2 | - | 18 | - | - | 27 | 3 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 98 | 2 | - | 1 | 37 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| - TYPE B | 33 | 1 | - | - | 2 | 1 | - | 2 | - | - | - | - | - | - | - | - |
| - TYPE C | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 12 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 6 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|----------------|-------|------|--------|----------------|---------------|---------------------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 434 | 1 | 1 | - | 74 | 12 | 2 | 7 | - | - | - | 3 | - | - | 29 | - |
| MENINGOCOCCAL INF. | 16 | - | - | - | 3 | 1 | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 250 | 2 | - | - | 37 | 17 | 1 | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 61 | - | - | - | 6 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 21 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 357 | 1 | - | - | 102 | 6 | 1 | 3 | - | - | - | 2 | - | - | 4 | 5 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 116 | - | - | - | 40 | 10 | 3 | 5 | - | - | - | 1 | - | - | 1 | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | - | - | 14 | 2 | 1 | - | - | - | - | 1 | - | - | - | - |
| - GROUP C | 7 | - | - | - | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 33 | - | - | - | 11 | 6 | 2 | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 37 | - | - | - | 10 | 1 | - | 5 | - | - | - | - | - | - | 1 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 121 | - | - | - | 23 | 2 | 2 | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 37 | - | - | - | 9 | 1 | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 34 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 32 | - | - | - | 10 | 1 | 2 | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | 1 | - | - | 18 | 9 | - | - | 1 | - | - | - | - | - | 2 | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 23 | - | 2 | 1 | - | 1 | - | - | - | 1 | - | - | 1 | 1 | 2 | 4 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 8 | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| - WOUND | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 511 | 2 | 28 | 1 | - | 15 | 21 | - | 23 | 56 | - | 22 | 11 | 16 | 9 | 35 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9498 | 4 | 494 | 41 | - | 485 | 221 | - | 605 | 446 | 297 | 248 | 38 | 199 | 87 | 403 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 321 | - | 1 | 1 | - | 2 | 3 | - | 3 | 2 | - | - | 15 | - | 3 | 1 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 15 | - | - | - | - | - | 2 | - | 1 | 4 | - | - | 2 | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| DENGUE | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| E. COLI 016187:H7 | 15 | - | - | - | - | - | 2 | - | - | - | - | - | - | 2 | - | 1 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 18 | - | 9 | - | - | 1 | 1 | - | - | 2 | - | - | 1 | - | - | 1 |
| - CASES | 158 | - | 34 | - | - | 13 | 13 | - | - | 29 | - | - | 35 | - | - | 14 |
| GIARDIASIS | 127 | - | 12 | - | - | 4 | 8 | - | 3 | 15 | - | 4 | 1 | 10 | - | 13 |
| GONOCOCCAL INFECTNS | 2344 | 1 | 65 | 7 | 1 | 102 | 87 | - | 178 | 96 | 177 | 85 | 1 | 56 | 5 | 102 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 98 | - | 9 | 1 | - | 2 | 3 | - | 1 | 15 | - | 6 | - | 2 | 1 | 1 |
| - TYPE B | 33 | - | 1 | - | - | 2 | - | - | - | - | - | 7 | - | 3 | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | 2 | - | - | - | - | - | - | 8 | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | - | 1 | - | - | 1 | - | - | - | 3 | - | - | - | - | - | 1 |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 12 | - | - | - | - | - | 2 | - | - | 2 | - | - | - | 1 | - | 3 |
| LYME DISEASE | 5 | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| MALARIA | 6 | - | 2 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BER-NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|-----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 434 | - | 58 | 1 | - | 33 | 14 | - | 7 | 79 | - | - | 5 | 3 | 4 | 12 |
| MENINGOCOCCAL INF. | 16 | - | 1 | - | - | 1 | 3 | - | - | 2 | - | - | - | - | - | 1 |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 250 | 1 | 48 | - | - | 2 | - | - | 26 | - | 78 | - | - | 1 | - | 2 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 61 | - | 1 | - | - | 2 | - | - | 4 | - | 3 | - | - | - | - | 6 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 4 | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 21 | 1 | - | 1 | - | - | 2 | - | 1 | - | - | - | 1 | - | 3 | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 357 | - | 28 | 2 | - | 10 | 21 | - | 20 | 44 | - | 5 | 4 | 5 | 3 | 14 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 116 | - | 8 | 1 | - | 4 | 4 | - | 2 | 10 | - | 1 | - | 5 | 1 | 2 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | 3 | - | - | 1 | 1 | - | 2 | 2 | - | 1 | - | 3 | 1 | - |
| - GROUP C | 7 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 33 | - | 4 | - | - | 2 | 3 | - | - | 5 | - | - | - | - | - | - |
| - UNSPECIFIED | 37 | - | - | 1 | - | 1 | - | - | - | 3 | - | - | - | 2 | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 121 | - | 3 | - | - | 4 | 4 | - | 4 | 7 | 62 | - | - | - | - | 2 |
| - PRIMARY | 18 | - | - | - | - | - | 2 | - | - | 3 | 12 | - | - | - | - | 1 |
| - SECONDARY | 37 | - | 1 | - | - | 3 | 1 | - | - | 3 | 17 | - | - | - | - | 1 |
| - EARLY LATENT | 34 | - | 1 | - | - | - | 1 | - | - | 1 | 26 | - | - | - | - | - |
| - LATE & LATE LTN. | 32 | - | 1 | - | - | 1 | - | - | 4 | - | 7 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | 15 | 1 | - | - | 10 | - | 2 | - | 9 | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 2 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 511 | 7 | 1 | - | - | 8 | 14 | 10 | - | - | - | 19 | 1 | 5 | - | 1 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9498 | 34 | 58 | - | 9 | 137 | 56 | 128 | 21 | - | - | 149 | 3 | 113 | 23 | 23 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 321 | - | - | - | - | - | - | - | - | - | - | 18 | - | - | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 7 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 158 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 127 | 1 | 1 | - | - | 3 | 3 | 1 | 1 | - | - | 3 | 1 | 4 | - | - |
| GONOCOCCAL INFECTNS | 2344 | 7 | 5 | - | - | 24 | 7 | 34 | 6 | - | - | 37 | - | 8 | 2 | 7 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 98 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | 3 | 1 | - |
| - TYPE B | 33 | 1 | 1 | - | - | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 12 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 07/19/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JUNE (WEEK 22 - 26), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|-----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 434 | 10 | 1 | - | - | 6 | 3 | 11 | 1 | - | - | 4 | - | 11 | - | 2 |
| MENINGOCOCCAL INFECT. | 16 | - | - | - | - | - | 1 | 2 | - | - | - | - | - | - | - | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| N G U | 250 | 1 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 61 | 2 | - | - | - | 1 | 1 | 5 | - | - | - | 3 | - | 1 | - | 2 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 21 | 1 | - | - | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 357 | 6 | 3 | - | - | 6 | 5 | 4 | - | - | - | 10 | - | 5 | - | 4 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 116 | - | - | - | - | - | - | 2 | - | - | - | 2 | - | 3 | - | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | - | - | - | - | - | 2 | - | - | - | - | - | 3 | - | - |
| - GROUP C | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 33 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 37 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 121 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 37 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 32 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | - | - | - | - | - | 2 | - | - | - | - | - | 9 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 07/19/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, JUNE (WEEK 23 - 26), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 669 | 582 | 438 |
| Influenza | 1 | 1 | 1 |
| All Causes | 6940 | 6114 | 7055 |
| AGE 65 AND OVER | | | |
| Pneumonia | 590 | 497 | 380 |
| Influenza | 1 | - | 1 |
| All Causes | 4787 | 4288 | 5047 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 5054 | 3292 | 3204 |
| Influenza | 33 | 7 | 6 |
| All Causes | 46334 | 34623 | 37303 |
| AGE 65 AND OVER | | | |
| Pneumonia | 4342 | 2867 | 2768 |
| Influenza | 23 | 3 | 5 |
| All Causes | 32846 | 24451 | 26579 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, JUNE (WEEK 23 - 26), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 69 | 92 | 88 |
| FRESNO | 565 | 554 | 539 |
| GLENDALE | 122 | 95 | 136 |
| LONG BEACH | 354 | 330 | 329 |
| LOS ANGELES | 2356 | 1568 | 2411 |
| PASADENA | 133 | 121 | 121 |
| SACRAMENTO | 938 | 941 | 979 |
| SAN DIEGO | 767 | 762 | 777 |
| SAN FRANCISCO | 679 | 613 | 615 |
| SAN JOSE | 824 | 869 | 883 |
| SANTA CRUZ ** | 133 | 169 | 177 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 385 | 444 | 432 |
| FRESNO | 3348 | 3044 | 3115 |
| GLENDALE | 1057 | 605 | 582 |
| LONG BEACH | 1912 | 1916 | 1842 |
| LOS ANGELES | 19799 | 10486 | 11714 |
| PASADENA | 809 | 695 | 713 |
| SACRAMENTO | 5382 | 5254 | 5467 |
| SAN DIEGO | 4720 | 4366 | 4401 |
| SAN FRANCISCO | 3456 | 2006 | 3262 |
| SAN JOSE | 4658 | 4916 | 4908 |
| SANTA CRUZ ** | 808 | 891 | 867 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 07/16/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

JULY, 2004
Report Weeks 27 - 30
JULY 4, 2004 to JULY 31, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1

JULY (WEEK 27 - 30), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|------|------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 363 | 365 | 431 | 2487 | 3505 | 2470 | MEASLES: | | | | | | |
| AMEBIASIS | 24 | 22 | 34 | 134 | 218 | 262 | TOTAL | - | 2 | 2 | - | 4 | 5 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | 2 | - | 1 | 5 |
| | | | | | | | - IMPORTED | - | 2 | - | - | 3 | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 390 | 526 | 274 | 1625 | 1595 | 1142 |
| - FOODBORNE | - | - | - | - | 1 | 1 | MENINGOCOCCAL INF. | 10 | 12 | 10 | 144 | 157 | 147 |
| - INFANT | 2 | 2 | 2 | 20 | 8 | 16 | MUMPS | 4 | 1 | 5 | 17 | 43 | 48 |
| - WOUND | 3 | 6 | 1 | 7 | 13 | 7 | N G U | 235 | 266 | 351 | 2293 | 2233 | 2536 |
| BRUCELLOSIS | 3 | 1 | - | 18 | 9 | 18 | PERTUSSIS | - | 40 | 85 | 118 | 810 | 507 |
| CAMPYLOBACTERIOSIS | 466 | 544 | 600 | 2677 | 2903 | 3086 | P I D | 54 | 65 | 81 | 462 | 504 | 606 |
| CHANCROID | - | - | - | 1 | - | - | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 7560 | 8215 | 7815 | 67036 | 64831 | 61457 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | PSITTACOSIS | - | - | - | - | - | 8 |
| COCCIDIOIDOMYCOSIS | 188 | 118 | 96 | 1209 | 631 | 799 | Q FEVER | - | 1 | 1 | 9 | 6 | 8 |
| CONJUNCT. NEWBORN | - | - | - | - | 3 | - | | | | | | | |
| CRYPTOSPORIDIOSIS | 10 | 10 | 15 | 107 | 150 | 120 | RABIES: | | | | | | |
| CYSTICERCOSIS | 8 | 4 | 1 | 37 | 34 | 50 | - ANIMAL | 8 | 23 | 23 | 87 | 120 | 134 |
| DENGUE | - | - | - | 5 | 3 | 1 | - HUMAN | - | - | - | - | - | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | 4 | | | | | | | |
| DIPHTHERIA | - | - | - | - | - | 1 | RELAPSING FEVER | - | 2 | 2 | 5 | 5 | 5 |
| | | | | | | | REYE SYNDROME | - | - | - | - | 1 | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | - | 1 | 1 | 3 | 3 |
| - ARBOVIRAL | 5 | - | - | 6 | - | - | ROCKY MTN SPOT FVR | 1 | - | - | 2 | - | - |
| - OTHER VIRAL | 5 | 5 | 8 | 61 | 58 | 71 | RUBELLA | - | - | 1 | - | - | 3 |
| | | | | | | | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 20 | 12 | 13 | 66 | 62 | 86 | SALMONELLOSIS | 382 | 364 | 403 | 2093 | 1990 | 2122 |
| | | | | | | | | | | | | | |
| FOODBORNE ILLNESS: | | | | | | | SHIGELLOSIS: | | | | | | |
| - OUTBREAKS | 2 | 10 | 12 | 85 | 78 | 96 | TOTAL | 110 | 155 | 216 | 673 | 1052 | 1016 |
| - CASES | 24 | 147 | 138 | 1101 | 1122 | 1590 | - GROUP A | - | 1 | - | 5 | 6 | 8 |
| | | | | | | | - GROUP B | 32 | 59 | 47 | 248 | 284 | 262 |
| GIARDIASIS | 141 | 161 | 174 | 919 | 1107 | 1307 | - GROUP C | 5 | 3 | 1 | 36 | 20 | 19 |
| GONOCOCCAL INF. | 1978 | 1938 | 1714 | 16258 | 13856 | 13713 | - GROUP D | 48 | 74 | 142 | 254 | 576 | 574 |
| H-FLU (<30 YRS OLD)* | - | 2 | 2 | 13 | 44 | 32 | - GRP. UNSPECIFIED | 25 | 18 | 26 | 130 | 166 | 153 |
| HANTA VIRUS | 1 | - | - | 1 | - | - | | | | | | | |
| H U S | 1 | - | - | 9 | 5 | - | SYPHILIS: | | | | | | |
| | | | | | | | TOTAL | 129 | 291 | 283 | 2055 | 2578 | 2219 |
| HEPATITIS: | | | | | | | - PRIMARY | 18 | 34 | 29 | 240 | 271 | 169 |
| - TYPE A | 51 | 68 | 70 | 533 | 618 | 909 | - SECONDARY | 40 | 57 | 53 | 428 | 525 | 380 |
| - TYPE B | 34 | 45 | 47 | 293 | 365 | 357 | - EARLY LATENT | 31 | 58 | 53 | 458 | 493 | 383 |
| - TYPE C | 5 | 1 | 2 | 16 | 16 | 40 | - LATE & LATE LTN. | 39 | 138 | 139 | 906 | 1246 | 1252 |
| - TYPE D | 1 | - | 3 | 3 | 4 | 3 | - CONGENITAL | 1 | 4 | 9 | 23 | 43 | 35 |
| - NON-A / NON-B | - | - | 1 | - | 2 | 6 | | | | | | | |
| - OTHER VIRAL | - | 2 | 14 | 10 | 9 | 37 | TETANUS | - | - | 1 | - | - | 6 |
| | | | | | | | TOXIC SHOCK SYNDROME | 3 | - | - | 19 | 4 | 11 |
| KAWASAKI SYNDROME | 9 | 10 | 12 | 93 | 112 | 104 | TRICHINOSIS | - | - | - | - | - | 2 |
| LEGIONELLOSIS | 5 | 6 | 10 | 34 | 33 | 36 | TUBERCULOSIS | 81 | 225 | 173 | 1072 | 1404 | 1123 |
| LEPROSY | 1 | 2 | 5 | 14 | 9 | 17 | TULAREMIA | 1 | - | - | 1 | - | - |
| LEPTOSPIROSIS | 1 | - | - | 2 | 1 | - | TYPHOID FEVER | 4 | 9 | 1 | 30 | 51 | 36 |
| LISTERIOSIS | 13 | 15 | 8 | 59 | 59 | 42 | TYPHUS FEVER | - | 2 | 3 | 2 | 7 | 8 |
| LYME DISEASE | 6 | 3 | 5 | 27 | 32 | 41 | VIBRIO INFECTIONS | 7 | 3 | 8 | 35 | 19 | 10 |
| MALARIA | 11 | 8 | 20 | 61 | 71 | 98 | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 24 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| CAMPYLOBACTERIOSIS | 466 | 30 | 1 | - | 1 | 4 | 3 | 1 | 27 | - | 2 | 14 | - | 3 | 1 | - | 10 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7560 | 400 | 16 | - | 2 | 43 | 1 | 2 | 203 | - | 8 | 353 | 5 | 16 | - | - | 259 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 188 | 1 | - | - | - | - | - | - | 1 | - | - | 8 | - | - | 1 | - | 121 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| CYSTICERCOSIS | 8 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 20 | 2 | - | - | - | - | - | - | 4 | - | - | - | - | 2 | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 141 | 4 | - | - | - | 1 | 1 | - | 8 | - | - | 1 | - | - | - | - | 4 |
| GONOCOCCAL INFECTNS | 1978 | 163 | 8 | - | 1 | 7 | - | - | 39 | - | 3 | 81 | - | 3 | - | - | 52 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 51 | 1 | - | - | - | 1 | - | - | - | - | - | 2 | - | 3 | 1 | - | - |
| - TYPE B | 34 | - | - | - | - | - | - | - | 3 | - | - | - | - | 3 | - | - | - |
| - TYPE C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 9 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 13 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 6 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 11 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 390 | 4 | - | - | - | - | - | - | 5 | - | 3 | 32 | - | - | 3 | - | 6 |
| MENINGOCOCCAL INF. | 10 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| N G U | 235 | 20 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | 4 | - | - | - | - | - | - | 1 | - | - | 2 | - | - | - | - | 5 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 8 | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 382 | 22 | 1 | - | - | 2 | - | - | 23 | - | - | 9 | - | 4 | 1 | - | 5 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 110 | 9 | - | - | - | - | - | - | 5 | - | - | - | - | - | - | - | 1 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 32 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 5 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 48 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 25 | 2 | - | - | - | - | - | - | 5 | - | - | - | - | - | - | - | 1 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 129 | 1 | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | 2 |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 31 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 39 | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | 2 |
| - CONGENITAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | - | - | - | - | - | - | 10 | - | - | - | - | - | 3 | - | - |
| TULAREMIA | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|-----------------------|----------------|-------|------|--------|----------------|---------------|----------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| AMEBIASIS | 24 | - | - | - | 15 | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 466 | 2 | - | - | 82 | 5 | 2 | 5 | 7 | - | - | 3 | - | - | 7 | 4 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTIONS | 7560 | 58 | 5 | 3 | 2693 | 164 | - | 42 | 31 | - | 9 | 59 | - | - | 147 | 12 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 188 | 4 | - | 1 | 16 | - | - | 1 | - | - | - | 4 | - | - | 2 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 8 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 5 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 5 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 20 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 141 | - | 1 | - | 32 | 3 | 1 | 1 | 6 | - | 2 | - | - | - | 2 | 2 |
| GONOCOCCAL INFECTIONS | 1978 | 12 | - | 2 | 681 | 40 | - | 14 | 2 | - | 2 | 14 | - | - | 13 | 1 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTIONS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 51 | - | - | - | 19 | - | - | - | - | - | - | - | - | - | 2 | - |
| - TYPE B | 34 | - | - | - | 10 | - | - | 5 | - | - | 1 | - | - | - | - | 2 |
| - TYPE C | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 13 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 6 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|-------------|-------|------|--------|-------------|------------|------------------|--------|-------|----------|------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 390 | 2 | - | - | 69 | 9 | 5 | 1 | 1 | - | - | 2 | - | - | 10 | - |
| MENINGOCOCCAL INF. | 10 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 4 | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| N G U | 235 | 2 | - | - | 50 | 11 | - | - | 8 | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | - | - | - | 5 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 382 | - | - | 1 | 118 | 3 | 1 | - | 5 | - | - | 2 | - | - | - | 4 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 110 | - | - | - | 31 | 5 | - | - | - | - | - | - | - | - | 6 | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 32 | - | - | - | 12 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 5 | - | - | - | 2 | 2 | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 48 | - | - | - | 12 | 2 | - | - | - | - | - | - | - | - | 1 | - |
| - UNSPECIFIED | 25 | - | - | - | 5 | 1 | - | - | - | - | - | - | - | - | 5 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 129 | - | - | - | 29 | 1 | 2 | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 18 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 40 | - | - | - | 7 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 31 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 39 | - | - | - | 15 | - | 1 | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | - | - | 36 | 4 | - | - | 2 | - | - | - | - | - | 1 | 1 |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER- SIDE | SACRA- MENTO | SAN BENITO | SAN BER- NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|----------------|--------|--------|--------|--------|----------------|-----------------|---------------|---------------------|--------------|------------------|----------------|--------------------|--------------|------------------|----------------|
| AMEBIASIS | 24 | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 2 | 4 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 3 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| CAMPYLOBACTERIOSIS | 466 | 2 | 20 | - | - | 9 | 28 | 2 | 9 | 53 | - | 11 | 4 | 21 | 4 | 43 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7560 | 6 | 409 | 15 | - | 236 | 423 | 15 | 453 | - | 290 | 131 | 32 | 205 | 105 | 183 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 188 | - | - | - | - | 2 | - | - | 2 | 3 | - | 1 | 4 | - | 1 | 1 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | - | - | - | - | 1 | 3 | - | - | - | - | - | 2 |
| CYSTICERCOSIS | 8 | - | 2 | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 5 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 5 | 1 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | 1 |
| E. COLI 016187:H7 | 20 | 2 | 1 | 1 | - | - | - | - | 1 | 2 | - | 2 | - | 1 | - | 1 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 2 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| - CASES | 24 | - | - | - | - | - | 19 | - | - | 5 | - | - | - | - | - | - |
| GIARDIASIS | 141 | - | 6 | 2 | - | 3 | 5 | - | 1 | 16 | - | 6 | 3 | 6 | 3 | 16 |
| GONOCOCCAL INFECTNS | 1978 | 1 | 76 | 2 | - | 38 | 140 | 6 | 146 | - | 142 | 45 | 5 | 26 | 3 | 92 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 51 | - | 2 | - | - | 6 | 3 | - | 2 | 3 | - | 1 | - | 1 | - | 3 |
| - TYPE B | 34 | - | 3 | - | - | 2 | 1 | - | 1 | 1 | - | 2 | - | - | - | - |
| - TYPE C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| - TYPE D | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 9 | - | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | 2 |
| LEGIONELLOSIS | 5 | - | - | - | - | 2 | - | - | - | 2 | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 13 | - | 1 | - | - | 1 | - | - | 1 | 1 | - | 1 | - | 1 | 1 | 1 |
| LYME DISEASE | 6 | 1 | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| MALARIA | 11 | - | - | 1 | - | 2 | - | - | 1 | - | - | - | - | - | - | 3 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 390 | 1 | 55 | 1 | - | 46 | 11 | - | 20 | 60 | - | 1 | - | 4 | 4 | 12 |
| MENINGOCOCCAL INF. | 10 | - | - | - | - | - | - | - | 2 | 2 | - | - | - | - | 1 | - |
| MUMPS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 235 | - | 48 | - | - | 1 | - | - | 16 | - | 51 | - | - | 24 | - | 1 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | - | 7 | - | - | 2 | - | - | 10 | - | 4 | - | - | 4 | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 8 | - | - | - | - | - | - | 2 | - | 1 | - | - | 1 | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 382 | 1 | 22 | 5 | - | 14 | 14 | - | 17 | 20 | - | 11 | 1 | 8 | 8 | 31 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 110 | - | 7 | 1 | - | 6 | 1 | - | 6 | 17 | - | 1 | - | 6 | 1 | 5 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 32 | - | 4 | - | - | 4 | - | - | 3 | 5 | - | - | - | 1 | 1 | 1 |
| - GROUP C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 48 | - | 3 | 1 | - | 2 | 1 | - | 3 | 8 | - | 1 | - | 3 | - | 4 |
| - UNSPECIFIED | 25 | - | - | - | - | - | - | - | - | 4 | - | - | - | 2 | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 129 | - | 8 | - | - | 7 | 2 | - | - | 22 | 47 | 1 | - | - | - | 2 |
| - PRIMARY | 18 | - | 1 | - | - | 1 | - | - | - | 4 | 10 | - | - | - | - | - |
| - SECONDARY | 40 | - | 3 | - | - | 4 | - | - | - | 9 | 13 | - | - | - | - | 1 |
| - EARLY LATENT | 31 | - | 2 | - | - | 2 | 2 | - | - | 5 | 13 | 1 | - | - | - | 1 |
| - LATE & LATE LTN. | 39 | - | 2 | - | - | - | - | - | - | 4 | 11 | - | - | - | - | - |
| - CONGENITAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | 6 | - | - | - | 4 | - | - | - | 12 | 1 | - | - | 1 | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 7 | - | - | - | - | 1 | 3 | - | - | - | - | - | - | - | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 466 | 5 | 2 | - | 2 | 11 | 8 | 4 | - | - | - | 13 | - | - | - | 1 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 7560 | 28 | 49 | - | 6 | 115 | 31 | 118 | 9 | - | 1 | 159 | 2 | - | - | 8 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 188 | - | - | - | - | - | - | 2 | - | - | - | 12 | - | - | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 10 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 8 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 141 | - | - | - | - | 3 | 1 | 1 | - | - | - | - | - | - | - | - |
| GONOCOCCAL INFECTNS | 1978 | 3 | 4 | - | 2 | 31 | 10 | 36 | 1 | - | - | 30 | - | - | - | 1 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 51 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - TYPE B | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE C | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 9 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 6 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 08/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: JULY (WEEK 27 - 30), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 390 | 4 | 1 | - | - | 5 | 3 | 7 | - | - | - | 2 | - | - | - | 1 |
| MENIGOCOCCAL INFECT. | 10 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 235 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | 1 | - | - | - | 1 | 2 | 3 | - | - | - | 1 | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 8 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 382 | - | 1 | - | - | 3 | 8 | 6 | - | - | 2 | 8 | 1 | - | - | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 110 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 32 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 48 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 129 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - PRIMARY | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 40 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 31 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 39 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - CONGENITAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 7 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 08/17/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, JULY (WEEK 27 - 30), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 439 | 385 | 375 |
| Influenza | 2 | - | - |
| All Causes | 4751 | 4381 | 5161 |
| AGE 65 AND OVER | | | |
| Pneumonia | 371 | 339 | 328 |
| Influenza | 2 | - | - |
| All Causes | 3250 | 3036 | 3563 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 5493 | 3677 | 3579 |
| Influenza | 35 | 7 | 6 |
| All Causes | 51085 | 39004 | 42464 |
| AGE 65 AND OVER | | | |
| Pneumonia | 4713 | 3206 | 3096 |
| Influenza | 25 | 3 | 5 |
| All Causes | 36096 | 27487 | 30142 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, JULY (WEEK 27 - 30), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 56 | 53 | 63 |
| FRESNO | 467 | 442 | 495 |
| GLENDALE | 68 | 52 | 72 |
| LONG BEACH | 269 | 270 | 285 |
| LOS ANGELES | 1208 | 800 | 1562 |
| PASADENA | 77 | 111 | 81 |
| SACRAMENTO | 736 | 739 | 732 |
| SAN DIEGO | 553 | 641 | 611 |
| SAN FRANCISCO | 440 | 451 | 427 |
| SAN JOSE | 764 | 676 | 721 |
| SANTA CRUZ ** | 113 | 146 | 112 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 441 | 497 | 495 |
| FRESNO | 3815 | 3486 | 3610 |
| GLENDALE | 1125 | 657 | 654 |
| LONG BEACH | 2181 | 2186 | 2127 |
| LOS ANGELES | 21007 | 11286 | 13276 |
| PASADENA | 886 | 806 | 794 |
| SACRAMENTO | 6118 | 5993 | 6199 |
| SAN DIEGO | 5273 | 5007 | 5012 |
| SAN FRANCISCO | 3896 | 2457 | 3689 |
| SAN JOSE | 5422 | 5592 | 5629 |
| SANTA CRUZ ** | 921 | 1037 | 979 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 08/17/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

AUGUST, 2004

Report Weeks 31 - 34

AUGUST 1, 2004 to AUGUST 28, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 AUGUST (WEEK 31 - 34), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|------|------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 410 | 430 | 393 | 2897 | 3935 | 2863 | MEASLES: | | | | | | |
| AMEBIASIS | 11 | 71 | 38 | 159 | 289 | 300 | TOTAL | - | 1 | - | - | 5 | 5 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | 1 | - | - | 2 | 5 |
| | | | | | | | - IMPORTED | - | - | - | - | 3 | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 424 | 981 | 261 | 2051 | 2576 | 1403 |
| - FOODBORNE | - | - | - | - | 1 | 1 | MENINGOCOCCAL INF. | 6 | 11 | 13 | 150 | 168 | 160 |
| - INFANT | 1 | 2 | 1 | 21 | 10 | 17 | MUMPS | 3 | 2 | 5 | 20 | 45 | 53 |
| - WOUND | - | - | 2 | 7 | 13 | 9 | N G U | 234 | 275 | 359 | 2584 | 2508 | 2895 |
| BRUCELLOSIS | 2 | 4 | 2 | 19 | 13 | 20 | PERTUSSIS | 23 | 62 | 81 | 236 | 872 | 588 |
| CAMPYLOBACTERIOSIS | 436 | 618 | 603 | 3155 | 3521 | 3689 | P I D | 49 | 80 | 107 | 516 | 584 | 713 |
| CHANCROID | - | - | - | 1 | - | - | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 8583 | 8637 | 8448 | 76168 | 73468 | 69905 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | PSITTACOSIS | - | 1 | - | - | 1 | 8 |
| COCCIDIOIDOMYCOSIS | 121 | 112 | 122 | 1330 | 743 | 921 | Q FEVER | - | - | - | 8 | 6 | 8 |
| CONJUNCT. NEWBORN | 1 | - | - | 1 | 3 | - | | | | | | | |
| CRYPTOSPORIDIOSIS | 12 | 26 | 16 | 121 | 176 | 136 | RABIES: | | | | | | |
| CYSTICERCOSIS | 6 | 1 | 4 | 44 | 35 | 54 | - ANIMAL | 15 | 18 | 27 | 102 | 138 | 161 |
| DENGUE | 1 | - | - | 5 | 3 | 1 | - HUMAN | - | - | - | - | - | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | 4 | | | | | | | |
| DIPHTHERIA | - | - | - | - | - | 1 | RELAPSING FEVER | 1 | - | 1 | 6 | 5 | 6 |
| | | | | | | | REYE SYNDROME | - | - | - | - | 1 | - |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 1 | - | 1 | 4 | 3 |
| - ARBOVIRAL | 17 | - | - | 20 | - | - | ROCKY MTN SPOT FVR | - | - | - | 2 | - | - |
| - OTHER VIRAL | 9 | 7 | 7 | 70 | 65 | 78 | RUBELLA | - | - | - | - | - | 3 |
| | | | | | | | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 29 | 25 | 29 | 95 | 87 | 115 | SALMONELLOSIS | 338 | 416 | 427 | 2443 | 2406 | 2549 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | 13 | 19 | 90 | 91 | 115 | SHIGELLOSIS: | | | | | | |
| - CASES | 73 | 104 | 316 | 1169 | 1226 | 1906 | TOTAL | 126 | 259 | 293 | 812 | 1311 | 1309 |
| | | | | | | | - GROUP A | - | 1 | 1 | 5 | 7 | 9 |
| GIARDIASIS | 150 | 318 | 246 | 1096 | 1425 | 1553 | - GROUP B | 33 | 51 | 45 | 291 | 335 | 307 |
| GONOCOCCAL INF. | 2233 | 2077 | 1993 | 18683 | 15933 | 15706 | - GROUP C | 6 | 7 | 1 | 42 | 27 | 20 |
| H-FLU (<30 YRS OLD)* | 4 | 4 | 4 | 17 | 48 | 36 | - GROUP D | 64 | 167 | 195 | 324 | 743 | 769 |
| HANTA VIRUS | 1 | - | - | 2 | - | - | - GRP. UNSPECIFIED | 23 | 33 | 51 | 150 | 199 | 204 |
| H U S | 2 | 1 | - | 11 | 6 | - | | | | | | | |
| | | | | | | | SYPHILIS: | | | | | | |
| HEPATITIS: | | | | | | | TOTAL | 111 | 309 | 330 | 2352 | 2887 | 2549 |
| - TYPE A | 45 | 69 | 91 | 579 | 687 | 1000 | - PRIMARY | 16 | 16 | 27 | 263 | 287 | 196 |
| - TYPE B | 22 | 61 | 45 | 319 | 426 | 402 | - SECONDARY | 31 | 58 | 52 | 499 | 583 | 432 |
| - TYPE C | 4 | 2 | 7 | 22 | 18 | 47 | - EARLY LATENT | 29 | 66 | 62 | 489 | 559 | 445 |
| - TYPE D | 1 | - | 2 | 4 | 4 | 5 | - LATE & LATE LTN. | 35 | 163 | 188 | 1078 | 1409 | 1440 |
| - NON-A / NON-B | - | 1 | - | - | 3 | 6 | - CONGENITAL | - | 6 | 1 | 23 | 49 | 36 |
| - OTHER VIRAL | 3 | 5 | 8 | 13 | 14 | 45 | | | | | | | |
| KAWASAKI SYNDROME | 7 | 9 | 4 | 101 | 121 | 108 | TETANUS | - | 1 | - | - | 1 | 6 |
| LEGIONELLOSIS | 5 | 7 | 2 | 39 | 40 | 38 | TOXIC SHOCK SYNDROME | 2 | 1 | - | 22 | 5 | 11 |
| LEPROSY | 3 | 2 | 2 | 17 | 11 | 19 | TRICHINOSIS | - | - | - | - | - | 2 |
| LEPTOSPIROSIS | - | 1 | - | 2 | 2 | - | TUBERCULOSIS | 47 | 174 | 194 | 1235 | 1578 | 1317 |
| LISTERIOSIS | 5 | 6 | 5 | 64 | 65 | 47 | TULAREMIA | - | - | 1 | 1 | - | 1 |
| LYME DISEASE | 5 | 10 | 12 | 32 | 42 | 53 | TYPHOID FEVER | 9 | 9 | 3 | 38 | 60 | 39 |
| MALARIA | 18 | 9 | 21 | 80 | 80 | 119 | TYPHUS FEVER | 1 | - | 3 | 4 | 7 | 11 |
| | | | | | | | VIBRIO INFECTIONS | 21 | 5 | 5 | 57 | 24 | 15 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 09/15/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA- VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|----------------|---------|----------|--------|--------|-------|----------------|--------|-----------------|--------------|--------------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 11 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 436 | 41 | 2 | - | 5 | 1 | - | 23 | - | 4 | 17 | 3 | 3 | - | - | - | 8 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8583 | 351 | 12 | - | 1 | 40 | 3 | 5 | 284 | 4 | 23 | 360 | - | 35 | 21 | - | 352 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | 1 | - | - | - | - | - | - | 3 | - | - | 8 | - | - | - | - | 58 |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| CRYPTOSPORIDIOSIS | 12 | - | - | - | - | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| CYSTICERCOSIS | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| E. COLI (O157:H7) | 29 | 1 | 1 | - | - | - | - | - | - | - | 3 | 1 | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - CASES | 73 | - | - | - | - | - | - | - | - | - | - | 37 | - | - | - | - | - |
| GIARDIASIS | 150 | 10 | 1 | - | - | - | 1 | - | 5 | 1 | - | 5 | - | 1 | - | - | 3 |
| GONOCOCCAL INFECTNS | 2233 | 104 | 7 | - | 13 | - | - | - | 93 | 1 | - | 89 | - | 7 | - | - | 90 |
| H-FLU (<30 YRS OLD)* | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 45 | - | - | - | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - | 1 |
| - TYPE B | 22 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | 1 | - | - | 3 |
| - TYPE C | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| - OTHER VIRAL | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | 1 | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - |
| MALARIA | 18 | 1 | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 424 | 10 | - | - | - | 2 | 2 | - | 4 | - | 4 | 27 | - | - | - | - | 12 |
| MENINGOCOCCAL INF. | 6 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 234 | 12 | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | 3 |
| PERTUSSIS | 23 | 3 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| P I D | 49 | 1 | - | - | - | 1 | - | - | 2 | - | - | 5 | - | 1 | - | - | 8 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 15 | 1 | - | - | - | 1 | - | - | 3 | - | - | - | 1 | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 338 | 22 | 1 | - | 1 | 2 | - | - | 3 | - | 1 | 13 | 1 | 1 | - | - | 5 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 126 | 3 | - | - | - | 1 | - | - | 3 | - | - | 8 | - | - | - | - | 4 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 33 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - GROUP C | 6 | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| - GROUP D | 64 | 2 | - | - | - | - | - | - | 1 | - | - | 4 | - | - | - | - | - |
| - UNSPECIFIED | 23 | 1 | - | - | - | - | - | - | 1 | - | - | 3 | - | - | - | - | 4 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 111 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| - PRIMARY | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 31 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 29 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| - LATE & LATE LTN. | 35 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 9 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 21 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 11 | - | - | - | 6 | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 436 | 1 | 1 | 1 | 69 | 4 | - | - | 8 | - | 2 | 8 | - | - | 1 | 6 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8583 | 37 | 4 | - | 2774 | 154 | - | 62 | 30 | - | 17 | 68 | - | - | 12 | 12 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | 5 | - | - | 5 | - | - | 2 | - | - | - | - | - | - | 1 | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 12 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 6 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 17 | - | - | - | 3 | 1 | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 29 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| - CASES | 73 | - | - | - | 9 | - | - | - | - | - | - | 11 | - | - | - | - |
| GIARDIASIS | 150 | - | - | - | 13 | 4 | 2 | - | 5 | - | 1 | 22 | - | - | 2 | 4 |
| GONOCOCCAL INFECTNS | 2233 | 7 | - | - | 718 | 52 | - | 9 | 2 | - | - | 27 | - | - | 8 | - |
| H-FLU (<30 YRS OLD)* | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 45 | - | - | 2 | 11 | - | - | - | 1 | - | - | - | - | - | - | - |
| - TYPE B | 22 | - | - | - | 1 | - | - | 4 | - | - | - | - | - | - | - | - |
| - TYPE C | 4 | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| MALARIA | 18 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|-------------|-------|------|--------|-------------|------------|------------------|--------|-------|----------|------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 424 | - | 1 | - | 41 | 24 | 3 | 3 | - | - | - | 5 | - | - | 1 | - |
| MENINGOCOCCAL INF. | 6 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 234 | - | - | - | 68 | 13 | - | - | 4 | - | - | - | - | - | - | - |
| PERTUSSIS | 23 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 49 | - | - | - | 6 | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 15 | - | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 338 | - | - | - | 83 | 2 | - | 3 | 8 | - | - | 3 | - | - | 2 | 2 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 126 | - | - | - | 31 | 2 | - | 1 | - | - | - | 2 | - | - | 1 | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 33 | - | - | - | 16 | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 6 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 64 | - | - | - | 13 | 1 | - | - | - | - | - | 2 | - | - | - | - |
| - UNSPECIFIED | 23 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 111 | 1 | - | - | 29 | 1 | - | - | - | - | - | 1 | - | - | 2 | - |
| - PRIMARY | 16 | - | - | - | 5 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 31 | - | - | - | 8 | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 29 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| - LATE & LATE LTN. | 35 | 1 | - | - | 12 | 1 | - | - | - | - | - | 1 | - | - | 1 | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | 24 | 1 | - | - | 1 | - | - | - | - | - | - | 1 |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 9 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 21 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 11 | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 1 | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 436 | 1 | 37 | 7 | 1 | 6 | 12 | - | 17 | 45 | - | 12 | 5 | 7 | 11 | 22 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8583 | 3 | 374 | 44 | - | 377 | 361 | - | 782 | 968 | 236 | 19 | 26 | 51 | 83 | 77 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | - | 1 | - | - | 7 | 2 | - | 2 | 5 | - | 1 | 7 | 1 | 1 | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 12 | - | 3 | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| CYSTICERCOSIS | 6 | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| DENGUE | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 17 | - | 4 | - | - | 9 | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | 3 |
| E. COLI 016187:H7 | 29 | - | 1 | - | - | - | 4 | - | - | 3 | - | 1 | - | 2 | - | 7 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| - CASES | 73 | - | 9 | - | - | - | - | - | - | 7 | - | - | - | - | - | - |
| GIARDIASIS | 150 | 1 | 8 | - | 3 | 2 | 8 | - | 3 | 10 | - | 9 | 3 | 1 | 2 | 13 |
| GONOCOCCAL INFECTNS | 2233 | - | 52 | 4 | - | 77 | 118 | - | 156 | 251 | 143 | 7 | 2 | 9 | 4 | 58 |
| H-FLU (<30 YRS OLD)* | 4 | - | - | - | - | - | - | - | 1 | 3 | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 45 | - | 1 | 1 | - | 5 | 2 | - | 3 | 4 | - | 1 | 1 | - | - | 3 |
| - TYPE B | 22 | - | 1 | - | - | 3 | - | - | - | 2 | - | 2 | 1 | - | - | 1 |
| - TYPE C | 4 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 3 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | 2 | 1 | - | - | 1 | - | - | 1 | - | - | - | 1 | - | - |
| LEGIONELLOSIS | 5 | - | 4 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | 2 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 18 | - | 2 | - | - | 1 | 1 | - | - | 2 | - | - | - | - | - | 6 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 424 | - | 93 | - | - | 41 | 11 | - | 13 | 55 | - | - | 2 | 2 | 3 | 19 |
| MENINGOCOCCAL INF. | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 3 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| N G U | 234 | - | 40 | - | - | 3 | - | - | 16 | - | 63 | - | - | 7 | - | - |
| PERTUSSIS | 23 | - | - | - | - | - | - | - | 4 | 13 | - | - | - | - | - | - |
| P I D | 49 | - | 5 | 1 | - | - | 1 | - | 3 | 3 | 3 | - | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 15 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 338 | 1 | 29 | 7 | - | 17 | 16 | - | 13 | 24 | - | 10 | 4 | 13 | 4 | 13 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 126 | - | 11 | 1 | 1 | 7 | 3 | - | 8 | 12 | - | 2 | - | 5 | 2 | 7 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 33 | - | 2 | - | - | 2 | 1 | - | 1 | 1 | - | 1 | - | 2 | 1 | 1 |
| - GROUP C | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP D | 64 | - | 9 | 1 | 1 | 4 | 2 | - | 7 | 7 | - | 1 | - | 3 | 1 | 1 |
| - UNSPECIFIED | 23 | - | - | - | - | 1 | - | - | - | 4 | - | - | - | - | - | 4 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 111 | - | 1 | - | - | 2 | - | - | 5 | 7 | 54 | - | - | - | - | 4 |
| - PRIMARY | 16 | - | 1 | - | - | - | - | - | - | 2 | 8 | - | - | - | - | - |
| - SECONDARY | 31 | - | - | - | - | - | - | - | - | 2 | 16 | - | - | - | - | 3 |
| - EARLY LATENT | 29 | - | - | - | - | - | - | - | - | 3 | 18 | - | - | - | - | 1 |
| - LATE & LATE LTN. | 35 | - | - | - | - | 2 | - | - | 5 | - | 12 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | - | - | - | - | 2 | - | - | 1 | - | 8 | - | - | - | 2 | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 9 | - | 2 | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 21 | - | - | - | - | 1 | 6 | - | - | 5 | - | - | - | - | - | 5 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 11 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 436 | 6 | 3 | - | - | 7 | 6 | 14 | - | - | - | 6 | - | - | - | 3 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8583 | - | 52 | - | 6 | 97 | 50 | 151 | 8 | - | - | 145 | - | - | - | 12 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 121 | - | - | - | - | - | - | 1 | - | - | - | 10 | - | - | - | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 6 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 9 | - | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| E. COLI (O157:H7) | 29 | - | 1 | - | - | - | - | 2 | - | - | - | 2 | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 73 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 150 | - | - | - | - | 3 | 1 | 2 | - | - | - | 1 | - | - | - | - |
| GONOCOCCAL INFECTNS | 2233 | - | 4 | - | - | 18 | 1 | 49 | 4 | - | - | 46 | - | - | - | 3 |
| H-FLU (<30 YRS OLD)* | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 45 | 1 | - | - | - | - | - | 5 | - | - | - | - | - | - | - | - |
| - TYPE B | 22 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE C | 4 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| - TYPE D | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 3 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 3 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 5 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 5 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 18 | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 09/16/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: AUGUST (WEEK 31 - 34), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|-----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 424 | 4 | - | - | - | 3 | 5 | 19 | - | - | - | 15 | - | - | - | - |
| MENINGOCOCCAL INFECT. | 6 | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| MUMPS | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 234 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | 23 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| P I D | 49 | - | - | - | - | 1 | 3 | 1 | 1 | - | - | - | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 15 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 338 | 7 | 2 | - | - | 6 | 10 | 6 | - | - | - | 1 | 1 | - | - | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 126 | 2 | - | - | - | 3 | 1 | 3 | - | - | - | 2 | - | - | - | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 33 | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| - GROUP C | 6 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 64 | 1 | - | - | - | - | - | 3 | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 23 | - | - | - | - | 1 | - | - | - | - | - | 2 | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 111 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 31 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 29 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 35 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 47 | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | 3 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 09/16/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, AUGUST (WEEK 31 - 34), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 402 | 446 | 332 |
| Influenza | - | 3 | - |
| All Causes | 4718 | 5527 | 4912 |
| AGE 65 AND OVER | | | |
| Pneumonia | 333 | 389 | 270 |
| Influenza | - | 1 | - |
| All Causes | 3178 | 3790 | 3398 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 5895 | 4123 | 3911 |
| Influenza | 35 | 10 | 6 |
| All Causes | 55803 | 44531 | 47376 |
| AGE 65 AND OVER | | | |
| Pneumonia | 5046 | 3595 | 3366 |
| Influenza | 25 | 4 | 5 |
| All Causes | 39274 | 31277 | 33540 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, AUGUST (WEEK 31- 34), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 53 | 57 | 64 |
| FRESNO | 480 | 440 | 412 |
| GLENDALE | 68 | 79 | 61 |
| LONG BEACH | 257 | 300 | 275 |
| LOS ANGELES | 1273 | 1768 | 1296 |
| PASADENA | 113 | 100 | 100 |
| SACRAMENTO | 699 | 745 | 746 |
| SAN DIEGO | 631 | 670 | 606 |
| SAN FRANCISCO | 424 | 577 | 495 |
| SAN JOSE | 614 | 672 | 702 |
| SANTA CRUZ ** | 106 | 119 | 155 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 494 | 554 | 559 |
| FRESNO | 4295 | 3926 | 4022 |
| GLENDALE | 1193 | 736 | 715 |
| LONG BEACH | 2438 | 2486 | 2402 |
| LOS ANGELES | 22280 | 13054 | 14572 |
| PASADENA | 999 | 906 | 894 |
| SACRAMENTO | 6817 | 6738 | 6945 |
| SAN DIEGO | 5904 | 5677 | 5618 |
| SAN FRANCISCO | 4320 | 3034 | 4184 |
| SAN JOSE | 6036 | 6264 | 6331 |
| SANTA CRUZ ** | 1027 | 1156 | 1134 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 09/22/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

SEPTEMBER, 2004

Report Weeks 35 - 39

AUGUST 29, 2004 to OCTOBER 2, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1

SEPTEMBER ((WEEK 35 - 39), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|-------|-------|-------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 800 | 460 | 509 | 3697 | 4395 | 3372 | MEASLES: | | | | | | |
| AMEBIASIS | 35 | 41 | 55 | 213 | 330 | 355 | TOTAL | - | - | - | - | 5 | 5 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | - | 2 | 5 |
| | | | | | | | - IMPORTED | - | - | - | - | 3 | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 443 | 1107 | 472 | 2182 | 3683 | 1875 |
| - FOODBORNE | - | - | - | - | 1 | 1 | MENINGOCOCCAL INF. | 9 | 9 | 15 | 146 | 177 | 175 |
| - INFANT | 3 | 6 | 1 | 24 | 16 | 18 | MUMPS | 2 | 1 | 4 | 21 | 46 | 57 |
| - WOUND | 1 | 4 | 2 | 8 | 17 | 11 | N G U | 294 | 424 | 425 | 2925 | 2932 | 3320 |
| BRUCELLOSIS | 2 | 3 | 3 | 17 | 16 | 23 | PERTUSSIS | 1 | 55 | 161 | 381 | 927 | 749 |
| CAMPYLOBACTERIOSIS | 412 | 592 | 653 | 3328 | 4113 | 4342 | P I D | 80 | 101 | 114 | 607 | 685 | 827 |
| CHANCROID | - | - | 2 | 1 | - | 2 | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 11521 | 11355 | 11017 | 88902 | 84823 | 80922 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | PSITTACOSIS | 1 | - | - | 1 | 1 | 8 |
| COCCIDIOIDOMYCOSIS | 258 | 162 | 271 | 1561 | 905 | 1192 | Q FEVER | 3 | - | 1 | 11 | 6 | 9 |
| CONJUNCT. NEWBORN | - | 1 | - | 1 | 4 | - | | | | | | | |
| CRYPTOSPORIDIOSIS | 72 | 38 | 23 | 186 | 214 | 159 | RABIES: | | | | | | |
| CYSTICERCOSIS | 4 | 6 | 10 | 46 | 41 | 64 | - ANIMAL | 25 | 31 | 47 | 127 | 169 | 208 |
| DENGUE | 2 | - | - | 7 | 3 | 1 | - HUMAN | - | 1 | - | - | 1 | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | 4 | | | | | | | |
| DIPHTHERIA | - | - | - | - | - | 1 | RELAPSING FEVER | 1 | 1 | 6 | 7 | 6 | 12 |
| | | | | | | | REYE SYNDROME | - | - | 1 | - | 1 | 1 |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 1 | - | 1 | 5 | 3 |
| - ARBOVIRAL | 31 | - | - | 51 | - | - | ROCKY MTN SPOT FVR | - | 1 | 1 | 2 | 1 | 1 |
| - OTHER VIRAL | 8 | 14 | 13 | 78 | 79 | 91 | RUBELLA | - | - | - | - | - | 3 |
| | | | | | | | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 32 | 41 | 49 | 120 | 128 | 164 | SALMONELLOSIS | 404 | 486 | 466 | 2651 | 2892 | 3015 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | |
| - OUTBREAKS | 19 | 11 | 20 | 110 | 102 | 135 | SHIGELLOSIS: | | | | | | |
| - CASES | 258 | 225 | 334 | 1462 | 1451 | 2240 | TOTAL | 251 | 274 | 417 | 1020 | 1585 | 1726 |
| | | | | | | | - GROUP A | 2 | - | 6 | 7 | 7 | 15 |
| GIARDIASIS | 221 | 281 | 325 | 1282 | 1706 | 1878 | - GROUP B | 51 | 57 | 52 | 338 | 392 | 359 |
| GONOCOCCAL INF. | 2963 | 2547 | 2574 | 21919 | 18480 | 18280 | - GROUP C | 7 | 8 | 2 | 46 | 35 | 22 |
| H-FLU (<30 YRS OLD)* | - | 6 | 3 | 21 | 54 | 39 | - GROUP D | 154 | 164 | 289 | 455 | 907 | 1058 |
| HANTA VIRUS | 1 | - | - | 3 | - | - | - GRP. UNSPECIFIED | 37 | 45 | 68 | 174 | 244 | 272 |
| H U S | 1 | 1 | - | 13 | 7 | - | | | | | | | |
| | | | | | | | SYPHILIS: | | | | | | |
| HEPATITIS: | | | | | | | TOTAL | 210 | 389 | 392 | 2877 | 3276 | 2941 |
| - TYPE A | 67 | 118 | 96 | 604 | 805 | 1096 | - PRIMARY | 37 | 37 | 39 | 325 | 324 | 235 |
| - TYPE B | 27 | 54 | 41 | 350 | 480 | 443 | - SECONDARY | 65 | 80 | 86 | 615 | 663 | 518 |
| - TYPE C | 1 | 2 | 8 | 23 | 20 | 55 | - EARLY LATENT | 49 | 65 | 89 | 610 | 624 | 534 |
| - TYPE D | - | - | 1 | 4 | 4 | 6 | - LATE & LATE LTN. | 59 | 201 | 174 | 1299 | 1610 | 1614 |
| - NON-A / NON-B | - | - | - | - | 3 | 6 | - CONGENITAL | - | 6 | 4 | 28 | 55 | 40 |
| - OTHER VIRAL | - | 2 | 4 | 12 | 16 | 49 | | | | | | | |
| KAWASAKI SYNDROME | 5 | 13 | 8 | 75 | 134 | 116 | TETANUS | - | 1 | - | - | 2 | 6 |
| LEGIONELLOSIS | 6 | 6 | 3 | 38 | 46 | 41 | TOXIC SHOCK SYNDROME | 4 | - | - | 24 | 5 | 11 |
| LEPROSY | 1 | 1 | 1 | 17 | 12 | 20 | TRICHINOSIS | - | 1 | - | - | 1 | 2 |
| LEPTOSPIROSIS | - | 1 | - | 1 | 3 | - | TUBERCULOSIS | 70 | 160 | 180 | 1472 | 1738 | 1497 |
| LISTERIOSIS | 15 | 9 | 6 | 75 | 74 | 53 | TULAREMIA | 1 | 1 | - | 2 | 1 | 1 |
| LYME DISEASE | 3 | 14 | 15 | 33 | 56 | 68 | TYPHOID FEVER | 13 | 11 | 14 | 49 | 71 | 53 |
| MALARIA | 16 | 22 | 15 | 92 | 102 | 134 | TYPHUS FEVER | - | - | - | 4 | 7 | 11 |
| | | | | | | | VIBRIO INFECTIONS | 31 | 16 | 9 | 81 | 40 | 24 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 35 | - | - | - | - | 2 | - | - | 2 | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 412 | 25 | 1 | - | 1 | 7 | - | 1 | 29 | - | - | 14 | 1 | 1 | - | 2 | 10 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11521 | 451 | 29 | - | - | 64 | 3 | - | 343 | - | 35 | 501 | - | 18 | 20 | 1 | 318 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 258 | 2 | - | - | - | - | - | 1 | 1 | - | - | 12 | - | - | - | - | 183 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 72 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| CYSTICERCOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| DENGUE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 31 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 32 | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | 1 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 258 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 221 | 5 | - | - | 1 | 6 | - | - | 12 | - | 1 | 6 | - | 4 | 2 | - | 5 |
| GONOCOCCAL INFECTNS | 2963 | 151 | 8 | - | - | 19 | - | - | 102 | - | 2 | 138 | - | 5 | 1 | - | 125 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | 2 | - | - | - | - | - | - | 4 | - | 1 | 3 | - | - | - | - | 1 |
| - TYPE B | 27 | 1 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | 1 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 16 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 443 | 14 | 1 | - | - | - | 2 | - | 7 | - | 2 | 39 | - | 4 | 11 | 1 | 14 |
| MENINGOCOCCAL INF. | 9 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| N G U | 294 | 15 | 2 | - | - | - | - | - | 4 | - | - | - | - | - | - | - | 4 |
| PERTUSSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 80 | 3 | - | - | - | - | - | - | 3 | - | - | 19 | - | - | - | - | 7 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 25 | - | - | - | - | - | - | - | 1 | - | - | - | 2 | - | - | 1 | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 404 | 30 | 3 | - | 1 | 2 | 2 | 2 | 19 | - | 1 | 8 | 1 | 1 | - | - | 7 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 251 | 4 | - | - | - | - | - | - | 10 | - | - | 18 | - | - | 2 | - | 6 |
| - GROUP A | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - GROUP B | 51 | 2 | - | - | - | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| - GROUP C | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 154 | 1 | - | - | - | - | - | - | 4 | - | - | 11 | - | - | - | - | - |
| - UNSPECIFIED | 37 | 1 | - | - | - | - | - | - | 5 | - | - | 4 | - | - | 2 | - | 6 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 210 | 1 | - | - | - | - | - | - | 2 | - | - | 1 | - | - | - | - | 1 |
| - PRIMARY | 37 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - SECONDARY | 65 | - | - | - | - | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| - EARLY LATENT | 49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 59 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 70 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 13 | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 31 | 2 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 35 | - | - | - | 17 | - | - | - | 1 | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 412 | 1 | - | - | 113 | 8 | - | 3 | 1 | 1 | 7 | 3 | - | - | 5 | 5 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11521 | 96 | 1 | - | 3624 | 263 | - | 62 | 30 | - | 10 | 66 | - | 1 | 71 | 14 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 258 | 2 | - | - | 14 | - | - | 4 | - | - | - | 1 | - | - | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 72 | - | - | - | 11 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| CYSTICERCOSIS | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 31 | - | - | - | 20 | 1 | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 8 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 32 | - | - | - | 4 | 1 | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 19 | - | - | - | 8 | - | - | - | - | - | - | - | - | - | 2 | - |
| - CASES | 258 | - | - | - | 147 | - | - | - | - | - | - | - | - | - | 10 | - |
| GIARDIASIS | 221 | - | 1 | 2 | 37 | 2 | - | 2 | 7 | - | - | 11 | - | - | 1 | - |
| GONOCOCCAL INFECTNS | 2963 | 17 | - | 1 | 934 | 70 | - | 27 | 2 | - | - | 20 | - | - | 3 | - |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | - | - | - | 26 | - | - | - | - | - | - | - | - | - | 1 | - |
| - TYPE B | 27 | - | 1 | 2 | 1 | 1 | - | 4 | - | - | - | - | - | - | - | 1 |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 5 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 15 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| LYME DISEASE | 3 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| MALARIA | 16 | - | - | - | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|-------------|-------|------|--------|-------------|------------|------------------|--------|-------|----------|------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 443 | 1 | - | - | 132 | 17 | - | 4 | 2 | - | - | 2 | - | - | 3 | - |
| MENINGOCOCCAL INF. | 9 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 294 | 4 | - | - | 89 | 8 | - | - | 9 | - | - | - | - | - | - | - |
| PERTUSSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 80 | - | - | - | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 25 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | 4 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 404 | 1 | - | 1 | 104 | 6 | - | 1 | 4 | - | 2 | 1 | - | - | 7 | 5 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 251 | 1 | - | - | 117 | 3 | - | 1 | 1 | - | 1 | - | - | - | 1 | 2 |
| - GROUP A | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 51 | - | - | - | 31 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 7 | - | - | - | 4 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| - GROUP D | 154 | - | - | - | 75 | 2 | - | 1 | - | - | 1 | - | - | - | 1 | - |
| - UNSPECIFIED | 37 | 1 | - | - | 7 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 210 | - | - | - | 76 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| - PRIMARY | 37 | - | - | - | 6 | - | - | - | - | - | 1 | - | - | - | - | - |
| - SECONDARY | 65 | - | - | - | 22 | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 49 | - | - | - | 14 | - | - | - | - | - | - | - | - | - | 1 | - |
| - LATE & LATE LTN. | 59 | - | - | - | 34 | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 70 | - | - | - | 27 | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 13 | - | - | - | 3 | 1 | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 31 | - | - | - | 13 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER- SIDE | SACRA- MENTO | SAN BENITO | SAN BER- NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|----------------|--------|--------|--------|--------|----------------|-----------------|---------------|---------------------|--------------|------------------|----------------|--------------------|--------------|------------------|----------------|
| AMEBIASIS | 35 | - | 4 | - | - | - | 5 | - | - | - | - | - | - | - | 1 | 3 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - |
| CAMPYLOBACTERIOSIS | 412 | 1 | 25 | 1 | - | 6 | 15 | 1 | 13 | - | - | 14 | 1 | 8 | 11 | 31 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11521 | 5 | 455 | 41 | 1 | 392 | 642 | 10 | 694 | 700 | 346 | 223 | 49 | 87 | 97 | 996 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 258 | - | - | 1 | - | 3 | 1 | 1 | 4 | - | - | 2 | - | - | 1 | 1 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 72 | 1 | 3 | 4 | - | 1 | 1 | - | 1 | - | - | - | 44 | - | - | 1 |
| CYSTICERCOSIS | 4 | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| DENGUE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 31 | - | 4 | 1 | - | 2 | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 8 | - | - | 1 | - | - | 3 | - | 1 | - | - | - | - | - | - | 1 |
| E. COLI 016187:H7 | 32 | - | 2 | 3 | - | 1 | 10 | - | 1 | - | - | 1 | 1 | - | - | 1 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 19 | - | 5 | 1 | - | 1 | - | - | - | 2 | - | - | - | - | - | - |
| - CASES | 258 | - | 33 | 20 | - | 33 | - | - | - | 15 | - | - | - | - | - | - |
| GIARDIASIS | 221 | - | 14 | 4 | - | 4 | 32 | 1 | 12 | - | - | 11 | - | 4 | 4 | 19 |
| GONOCOCCAL INFECTNS | 2963 | 1 | 76 | 6 | - | 78 | 193 | 2 | 217 | 145 | 193 | 77 | 1 | 7 | 7 | 136 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | - | 4 | 1 | - | 3 | 3 | - | 4 | - | - | - | 1 | 2 | 1 | 6 |
| - TYPE B | 27 | - | 1 | - | - | 1 | 2 | - | 2 | - | - | - | - | - | - | 1 |
| - TYPE C | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 5 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 6 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 15 | - | 3 | - | - | 1 | - | - | - | - | - | - | 1 | - | 2 | 1 |
| LYME DISEASE | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 16 | - | 1 | - | - | - | 1 | - | 2 | - | - | - | - | - | - | 5 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 443 | - | 50 | 2 | - | 28 | 9 | - | 16 | - | - | - | 4 | - | 10 | 26 |
| MENINGOCOCCAL INF. | 9 | - | 3 | - | - | 1 | - | - | 2 | - | - | - | - | - | - | 1 |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| N G U | 294 | - | 21 | 1 | - | - | - | - | 23 | 2 | 104 | - | - | - | - | 7 |
| PERTUSSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 80 | - | 4 | 2 | - | 1 | 1 | 1 | 7 | 3 | 2 | - | - | 1 | - | 3 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 3 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 25 | - | - | - | - | - | - | - | 2 | - | 3 | - | 1 | - | 3 | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 404 | - | 27 | 7 | - | 10 | 21 | - | 33 | - | - | 3 | 4 | 14 | 5 | 42 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 251 | - | 21 | 1 | - | 10 | 9 | 1 | 11 | - | - | - | - | 8 | - | 19 |
| - GROUP A | 2 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| - GROUP B | 51 | - | 6 | - | - | 1 | 3 | - | 1 | - | - | - | - | 2 | - | 2 |
| - GROUP C | 7 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 154 | - | 14 | 1 | - | 9 | 6 | 1 | 7 | - | - | - | - | 6 | - | 11 |
| - UNSPECIFIED | 37 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | 6 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 210 | - | 7 | - | - | 8 | 2 | - | 11 | 24 | 69 | 1 | - | - | - | 2 |
| - PRIMARY | 37 | - | 1 | - | - | 3 | - | - | - | 10 | 13 | - | - | - | - | - |
| - SECONDARY | 65 | - | 3 | - | - | 1 | 1 | - | 1 | 12 | 19 | - | - | - | - | 2 |
| - EARLY LATENT | 49 | - | 3 | - | - | 2 | 1 | - | 1 | 2 | 23 | 1 | - | - | - | - |
| - LATE & LATE LTN. | 59 | - | - | - | - | 2 | - | - | 9 | - | 14 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 70 | - | - | - | - | 1 | 29 | - | - | - | 7 | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 31 | - | 1 | 1 | - | - | 3 | - | - | - | - | - | - | - | 1 | 4 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 35 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 412 | 2 | - | - | - | 5 | 9 | 15 | - | - | - | 12 | - | - | 3 | - |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 11521 | 46 | 56 | - | - | 147 | 81 | 214 | 17 | - | 1 | 172 | 1 | 3 | 11 | 13 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 258 | - | - | - | - | - | - | 2 | - | - | - | 20 | 1 | - | 1 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 72 | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| CYSTICERCOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 31 | - | 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - OTHER VIRAL | 8 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 32 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 258 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 221 | 2 | - | - | - | 1 | 5 | 2 | - | - | - | 1 | - | - | - | - |
| GONOCOCCAL INFECTNS | 2963 | 9 | 7 | - | - | 30 | 19 | 83 | 3 | - | - | 38 | - | - | 2 | 8 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | - | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | 1 |
| - TYPE B | 27 | - | 1 | - | - | - | 1 | 1 | - | - | - | - | 2 | 2 | - | - |
| - TYPE C | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 5 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 |
| LEGIONELLOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 15 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - |
| LYME DISEASE | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 10/27/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: SEPTEMBER (WEEK 35 - 39), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 443 | 7 | 1 | - | - | - | 4 | 13 | 1 | - | - | 12 | - | - | 3 | 1 |
| MENIGOCOCCAL INFECT. | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 294 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PERTUSSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 80 | - | - | - | - | 1 | - | 4 | - | - | - | 12 | - | - | - | 1 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 25 | - | - | - | - | - | - | 1 | 1 | - | - | - | - | 3 | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 404 | 2 | 2 | - | - | 7 | 5 | 9 | 1 | - | - | 3 | - | - | - | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 251 | - | - | - | - | - | 1 | 2 | - | - | - | 1 | - | - | - | - |
| - GROUP A | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 51 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 154 | - | - | - | - | - | - | 2 | - | - | - | 1 | - | - | - | - |
| - UNSPECIFIED | 37 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 210 | - | - | - | - | 1 | - | - | - | - | - | 1 | - | 1 | - | - |
| - PRIMARY | 37 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 65 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - EARLY LATENT | 49 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - LATE & LATE LTN. | 59 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 70 | - | - | - | - | - | - | - | - | - | - | - | - | 6 | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 13 | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 31 | 1 | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 10/27/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, SEPTEMBER (WEEK 35 - 39), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 485 | 382 | 362 |
| Influenza | - | - | 1 |
| All Causes | 5643 | 5141 | 6028 |
| AGE 65 AND OVER | | | |
| Pneumonia | 419 | 334 | 306 |
| Influenza | - | - | 1 |
| All Causes | 3843 | 3597 | 4099 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 6380 | 4505 | 4273 |
| Influenza | 35 | 10 | 7 |
| All Causes | 61446 | 49672 | 53404 |
| AGE 65 AND OVER | | | |
| Pneumonia | 5465 | 3929 | 3672 |
| Influenza | 25 | 4 | 6 |
| All Causes | 43117 | 34874 | 37639 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, SEPTEMBER (WEEK 35 - WEEK 39), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 76 | 82 | 71 |
| FRESNO | 497 | 567 | 477 |
| GLENDALE | 67 | 71 | 107 |
| LONG BEACH | 295 | 346 | 314 |
| LOS ANGELES | 1383 | 1223 | 1846 |
| PASADENA | 94 | 123 | 104 |
| SACRAMENTO | 932 | 908 | 802 |
| SAN DIEGO | 769 | 820 | 759 |
| SAN FRANCISCO | 588 | 113 | 572 |
| SAN JOSE | 809 | 740 | 846 |
| SANTA CRUZ ** | 133 | 148 | 130 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 570 | 636 | 630 |
| FRESNO | 4792 | 4493 | 4499 |
| GLENDALE | 1260 | 807 | 822 |
| LONG BEACH | 2733 | 2832 | 2716 |
| LOS ANGELES | 23663 | 14277 | 16418 |
| PASADENA | 1093 | 1029 | 998 |
| SACRAMENTO | 7749 | 7646 | 7747 |
| SAN DIEGO | 6673 | 6497 | 6377 |
| SAN FRANCISCO | 4908 | 3147 | 4756 |
| SAN JOSE | 6845 | 7004 | 7177 |
| SANTA CRUZ ** | 1160 | 1304 | 1264 |

Provisional Data

** Santa Cruz reports mortality for entire county.

Report Generated 10/18/2004

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

OCTOBER, 2004

Report Weeks 40 - 43

OCTOBER 3, 2004 to OCTOBER 30, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1

OCTOBER (WEEK 40 - 43), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|----------|------|------|------------------------|-------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | ** -2063 | 397 | 346 | 1634 | 4792 | 3718 | MEASLES: | | | | | | |
| AMEBIASIS | 20 | 26 | 31 | 247 | 356 | 386 | TOTAL | - | - | - | - | 5 | 5 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | - | 2 | 5 |
| | | | | | | | - IMPORTED | - | - | - | - | 3 | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 283 | 645 | 263 | 2863 | 4328 | 2138 |
| - FOODBORNE | - | 1 | - | - | 2 | 1 | MENINGOCOCCAL INF. | 10 | 9 | 10 | 173 | 186 | 185 |
| - INFANT | 5 | 2 | - | 29 | 18 | 18 | MUMPS | 9 | 2 | 4 | 31 | 48 | 61 |
| - WOUND | 1 | 2 | 3 | 9 | 19 | 14 | N G U | 198 | 298 | 271 | 3184 | 3230 | 3591 |
| BRUCELLOSIS | 1 | 2 | 1 | 18 | 18 | 24 | PERTUSSIS | - | 54 | 110 | 427 | 981 | 859 |
| CAMPYLOBACTERIOSIS | 338 | 456 | 485 | 4062 | 4569 | 4827 | P I D | 54 | 98 | 99 | 663 | 783 | 926 |
| CHANCROID | - | - | - | 1 | - | 2 | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 8282 | 9736 | 9732 | 97480 | 94559 | 90654 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | PSITTACOSIS | - | - | - | 1 | 1 | 8 |
| COCCIDIOIDOMYCOSIS | 185 | 219 | 81 | 1786 | 1124 | 1273 | Q FEVER | 1 | - | - | 12 | 6 | 9 |
| CONJUNCT. NEWBORN | - | 4 | - | 1 | 8 | - | RABIES: | | | | | | |
| CRYPTOSPORIDIOSIS | 14 | 31 | 12 | 220 | 245 | 171 | - ANIMAL | 19 | 22 | 22 | 146 | 191 | 230 |
| CYSTICERCOSIS | 7 | 1 | 8 | 56 | 42 | 72 | - HUMAN | - | - | - | - | 1 | 1 |
| DENGUE | - | 1 | 1 | 7 | 4 | 2 | RELAPSING FEVER | 1 | - | 1 | 8 | 6 | 13 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | 4 | REYE SYNDROME | - | - | - | - | 1 | 1 |
| DIPHTHERIA | - | - | - | - | - | 1 | RHEUMATIC FEVER | - | 1 | 1 | 1 | 6 | 4 |
| ENCEPHALITIS: | | | | | | | ROCKY MTN SPOT FVR | - | - | - | 2 | 1 | 1 |
| - ARBOVIRAL | 24 | - | - | 76 | - | - | RUBELLA | - | - | - | - | - | 3 |
| - OTHER VIRAL | 36 | 7 | 14 | 118 | 86 | 105 | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | 34 | 34 | 154 | 162 | 198 | SALMONELLOSIS | 363 | 399 | 423 | 3328 | 3291 | 3438 |
| FOODBORNE ILLNESS: | | | | | | | SHIGELLOSIS: | | | | | | |
| - OUTBREAKS | 4 | 13 | 16 | 114 | 115 | 151 | TOTAL | 214 | 211 | 373 | 1347 | 1796 | 2099 |
| - CASES | 44 | 267 | 165 | 1516 | 1718 | 2405 | - GROUP A | 1 | 3 | 1 | 9 | 10 | 16 |
| GIARDIASIS | 172 | 193 | 233 | 1585 | 1899 | 2111 | - GROUP B | 39 | 41 | 46 | 408 | 433 | 405 |
| GONOCOCCAL INF. | 2021 | 2314 | 2060 | 24044 | 20794 | 20340 | - GROUP C | 5 | 7 | 6 | 54 | 42 | 28 |
| H-FLU (<30 YRS OLD)* | 13 | 1 | 3 | 35 | 55 | 42 | - GROUP D | 145 | 134 | 276 | 661 | 1041 | 1334 |
| HANTA VIRUS | - | - | - | 3 | - | - | - GRP. UNSPECIFIED | 24 | 26 | 44 | 215 | 270 | 316 |
| H U S | 2 | 5 | - | 15 | 12 | - | SYPHILIS: | | | | | | |
| HEPATITIS: | | | | | | | TOTAL | 97 | 271 | 329 | 3067 | 3547 | 3270 |
| - TYPE A | 67 | 101 | 128 | 729 | 906 | 1224 | - PRIMARY | 13 | 31 | 28 | 339 | 355 | 263 |
| - TYPE B | 36 | 46 | 67 | 395 | 526 | 510 | - SECONDARY | 27 | 58 | 69 | 653 | 721 | 587 |
| - TYPE C | 3 | 5 | 5 | 26 | 25 | 60 | - EARLY LATENT | 33 | 50 | 51 | 656 | 674 | 585 |
| - TYPE D | - | - | 1 | 4 | 4 | 7 | - LATE & LATE LTN. | 24 | 129 | 176 | 1389 | 1739 | 1790 |
| - NON-A / NON-B | - | - | - | - | 3 | 6 | - CONGENITAL | - | 3 | 5 | 30 | 58 | 45 |
| - OTHER VIRAL | 1 | 4 | 3 | 14 | 20 | 52 | TETANUS | - | - | - | - | 2 | 6 |
| KAWASAKI SYNDROME | 11 | 19 | 12 | 125 | 153 | 128 | TOXIC SHOCK SYNDROME | 2 | 2 | - | 29 | 7 | 11 |
| LEGIONELLOSIS | 2 | 5 | 11 | 48 | 51 | 52 | TRICHINOSIS | - | - | - | - | 1 | 2 |
| LEPROSY | 2 | - | - | 20 | 12 | 20 | TUBERCULOSIS | 44 | 172 | 185 | 1665 | 1910 | 1682 |
| LEPTOSPIROSIS | - | 1 | - | 1 | 4 | - | TULAREMIA | 1 | - | - | 3 | 1 | 1 |
| LISTERIOSIS | 7 | 13 | 10 | 95 | 87 | 63 | TYPHOID FEVER | 7 | 8 | 10 | 59 | 79 | 63 |
| LYME DISEASE | 4 | 13 | 20 | 38 | 69 | 88 | TYPHUS FEVER | - | 3 | 1 | 4 | 10 | 12 |
| MALARIA | 7 | 20 | 16 | 107 | 122 | 150 | VIBRIO INFECTIONS | 20 | 7 | 7 | 113 | 47 | 31 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 11/12/2004)

** Reason for the negative number is due to IDEP (Intrastate/Interstate Duplication Elimination Project) that OOA (Office of AIDS) has recently completed. The project's purpose was to remove cases that were reported in more than one state; the byproduct was to identify the duplicate cases of the HIV/AIDS case registry within the OAA. The large number should be a one time thing. If you have any question, please contact OAA at (916) 449-5873.

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 338 | 19 | - | - | - | 3 | 1 | - | 15 | - | 3 | 12 | - | 2 | 1 | - | 4 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8282 | 349 | 3 | - | 2 | 77 | 1 | 1 | 164 | 1 | 16 | 390 | 2 | 42 | 4 | - | 322 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 185 | 2 | - | - | - | - | - | - | 1 | - | - | 15 | - | - | - | - | 83 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| CYSTICERCOSIS | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 24 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - OTHER VIRAL | 36 | 4 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| - CASES | 44 | - | - | - | - | - | - | - | - | - | 19 | - | - | - | - | - | - |
| GIARDIASIS | 172 | 3 | 1 | - | - | - | - | - | 5 | - | 1 | 5 | - | - | 1 | - | 1 |
| GONOCOCCAL INFECTNS | 2021 | 129 | - | - | 2 | 16 | - | - | 45 | - | - | 110 | - | 3 | - | - | 117 |
| H-FLU (<30 YRS OLD)* | 13 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | 1 | - | - | - | - | - | - | 4 | - | 1 | 1 | - | - | - | - | 1 |
| - TYPE B | 36 | - | - | - | 1 | - | - | - | - | - | 3 | - | - | 1 | - | - | 1 |
| - TYPE C | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | - | - | - | 1 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| MALARIA | 7 | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 283 | 7 | - | - | - | 2 | - | - | 2 | - | - | 15 | - | - | - | - | 5 |
| MENINGOCOCCAL INF. | 10 | 1 | - | - | - | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| MUMPS | 9 | - | 3 | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| N G U | 198 | 3 | 1 | - | - | - | - | - | 3 | - | - | - | - | - | - | - | 5 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | 4 | - | - | - | - | - | - | 4 | - | - | 9 | - | - | - | - | 9 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 19 | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 363 | 21 | - | - | - | - | - | - | 7 | - | 1 | 8 | - | - | 9 | - | 3 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 214 | 3 | - | - | - | - | - | - | 4 | - | - | 7 | - | - | 7 | - | 2 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | 2 | - | - |
| - GROUP C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 145 | 2 | - | - | - | - | - | - | 2 | - | - | 2 | - | - | 4 | - | - |
| - UNSPECIFIED | 24 | - | - | - | - | - | - | - | 2 | - | - | 3 | - | - | 1 | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 97 | 1 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| - PRIMARY | 13 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - SECONDARY | 27 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 33 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 24 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 44 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| TYPHOID FEVER | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 20 | 1 | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|-----------------------|----------------|-------|------|--------|----------------|---------------|----------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| AMEBIASIS | 20 | - | - | - | 9 | - | - | - | - | - | - | 1 | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| CAMPYLOBACTERIOSIS | 338 | - | - | - | 89 | 4 | - | 8 | 2 | - | - | 7 | - | - | 3 | 2 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTIONS | 8282 | 11 | - | - | 2557 | 195 | - | 67 | 33 | - | 24 | 80 | 1 | - | 90 | 8 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 185 | 5 | - | - | 19 | - | - | 4 | - | - | - | 1 | - | - | 2 | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 7 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 24 | - | - | - | 21 | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 36 | - | - | - | 28 | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | - | - | - | 4 | - | - | - | 2 | - | - | - | - | - | 1 | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 44 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 172 | - | - | - | 28 | 2 | - | 1 | - | - | - | 19 | - | - | 1 | 1 |
| GONOCOCCAL INFECTIONS | 2021 | - | - | - | 649 | 48 | - | 14 | 2 | - | 6 | 23 | - | - | 23 | 1 |
| H-FLU (<30 YRS OLD)* | 13 | - | - | - | 11 | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTIONS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | - | - | - | 32 | 1 | - | - | - | - | - | - | - | - | - | - |
| - TYPE B | 36 | - | - | - | 7 | 2 | - | 2 | - | - | - | - | - | - | 1 | - |
| - TYPE C | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 7 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| MALARIA | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|----------------|-------|------|--------|----------------|---------------|---------------------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 283 | - | - | - | 83 | 7 | - | - | 1 | - | - | 2 | - | - | 1 | - |
| MENINGOCOCCAL INF. | 10 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| N G U | 198 | 1 | - | - | 42 | 11 | - | - | 4 | - | - | - | - | - | - | 7 |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | - | - | - | 2 | - | - | - | - | - | - | 1 | - | - | 5 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 19 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 363 | - | - | - | 114 | 7 | - | - | - | - | - | 2 | - | - | 2 | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 214 | - | - | - | 71 | 5 | - | 2 | - | - | - | - | - | - | 1 | 1 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | - | - | 22 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP C | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 145 | - | - | - | 40 | 4 | - | 1 | - | - | - | - | - | - | 1 | - |
| - UNSPECIFIED | 24 | - | - | - | 7 | - | - | 1 | - | - | - | - | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 97 | - | - | - | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| - PRIMARY | 13 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 27 | - | - | - | 9 | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 33 | - | - | - | 6 | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 24 | - | - | - | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 44 | - | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRA-MENTO | SAN BENITO | SAN BER-NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|-------------|------------|-----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 20 | - | 2 | - | - | - | - | - | - | 4 | - | - | - | - | 2 | 1 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 5 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| - WOUND | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 338 | - | 17 | - | - | 6 | 13 | - | 6 | 41 | - | 11 | 3 | 2 | 6 | 22 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8282 | 14 | 398 | 15 | - | 79 | 170 | 8 | 740 | 416 | 248 | 233 | 40 | 157 | 82 | 652 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 185 | - | 4 | - | - | 4 | 1 | - | 4 | 3 | - | 1 | 3 | - | - | 2 |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | 3 | - | - | - | - | - | 3 | 2 | - | 1 | - | 2 | - | - |
| CYSTICERCOSIS | 7 | - | 2 | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 24 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 36 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| E. COLI 016187:H7 | 22 | - | 4 | - | - | 1 | 1 | - | - | 2 | - | 1 | 1 | - | - | 1 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - | - |
| - CASES | 44 | - | - | - | - | - | - | - | - | 25 | - | - | - | - | - | - |
| GIARDIASIS | 172 | - | 9 | 2 | - | 1 | 30 | - | 2 | 19 | - | 9 | - | - | 4 | 14 |
| GONOCOCCAL INFECTNS | 2021 | 1 | 57 | 1 | - | 19 | 58 | 5 | 151 | 65 | 175 | 84 | 1 | 32 | 6 | 75 |
| H-FLU (<30 YRS OLD)* | 13 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | - | 9 | - | - | 2 | 2 | - | 1 | 5 | - | 1 | - | - | 2 | 2 |
| - TYPE B | 36 | - | 4 | - | - | 2 | 1 | - | 3 | - | - | 2 | - | - | - | 1 |
| - TYPE C | 3 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | 2 | - | - | 2 | 2 | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 7 | - | - | - | - | - | - | - | - | 3 | - | - | - | 1 | - | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| MALARIA | 7 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 283 | 2 | 42 | - | - | 13 | 8 | - | 31 | 35 | - | 1 | - | 3 | 2 | 5 |
| MENINGOCOCCAL INF. | 10 | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| MUMPS | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 198 | - | 26 | - | - | - | - | - | 15 | - | 78 | - | - | - | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | - | 3 | - | - | 2 | - | - | 4 | 1 | - | - | - | - | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 19 | - | - | - | - | - | - | - | 1 | - | - | 3 | - | - | 2 | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 363 | 3 | 35 | 2 | - | 11 | 8 | - | 12 | 32 | - | 10 | 2 | 6 | 3 | 22 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 214 | - | 25 | 1 | - | 13 | 6 | - | 15 | 32 | - | - | - | 4 | 3 | 6 |
| - GROUP A | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | 3 | - | - | 1 | 1 | - | - | 2 | - | - | - | - | 1 | 2 |
| - GROUP C | 5 | - | 1 | - | - | - | - | - | - | 2 | - | - | - | - | - | - |
| - GROUP D | 145 | - | 21 | 1 | - | 10 | 5 | - | 15 | 27 | - | - | - | 2 | 2 | 2 |
| - UNSPECIFIED | 24 | - | - | - | - | 1 | - | - | - | 1 | - | - | - | 2 | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 97 | - | 2 | - | - | 1 | - | - | 5 | 8 | 45 | 1 | - | - | - | 2 |
| - PRIMARY | 13 | - | - | - | - | - | - | - | - | 3 | 4 | - | - | - | - | 1 |
| - SECONDARY | 27 | - | - | - | - | - | - | - | - | 2 | 15 | - | - | - | - | - |
| - EARLY LATENT | 33 | - | 2 | - | - | - | - | - | - | 3 | 21 | - | - | - | - | 1 |
| - LATE & LATE LTN. | 24 | - | - | - | - | 1 | - | - | 5 | - | 5 | 1 | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 44 | - | 20 | - | - | - | 11 | - | - | - | 4 | - | - | - | 1 | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 20 | - | 1 | - | - | 1 | 1 | - | - | 3 | - | - | - | 1 | - | 4 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 20 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - WOUND | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 338 | 1 | 1 | - | - | 5 | 8 | 3 | - | 1 | - | 7 | - | 10 | - | - |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8282 | 30 | 62 | - | 14 | 116 | 52 | 126 | 25 | - | 1 | 102 | - | 46 | - | 16 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 185 | - | - | - | - | - | - | 1 | - | - | - | 17 | - | 13 | - | - |
| CONJUNCT. NEWBORN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 14 | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| CYSTICERCOSIS | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| DENGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 36 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | - | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 44 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 172 | 1 | - | - | 1 | 1 | 6 | - | - | - | - | 1 | - | 1 | - | 2 |
| GONOCOCCAL INFECTNS | 2021 | 1 | 9 | - | 1 | 23 | 13 | 21 | 2 | - | - | 26 | - | 2 | - | 5 |
| H-FLU (<30 YRS OLD)* | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 67 | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| - TYPE B | 36 | - | 1 | - | - | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - |
| - TYPE C | 3 | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 11 | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| LEGIONELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 11/12/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: OCTOBER (WEEK 40 - 43), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 283 | 1 | 2 | - | - | - | 1 | 5 | - | 1 | - | 4 | - | 2 | - | - |
| MENIGOCOCCAL INFECT. | 10 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| MUMPS | 9 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 198 | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| PERTUSSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 54 | 1 | - | - | - | - | - | 1 | 2 | - | - | 4 | - | 1 | - | 1 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 19 | 1 | 1 | - | - | 2 | - | - | - | - | - | - | - | - | 4 | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 363 | - | - | - | 1 | 5 | 6 | 10 | - | 1 | - | 4 | - | 16 | - | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 214 | - | - | - | - | 1 | 1 | 1 | - | - | - | 3 | - | - | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 39 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP C | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 145 | - | - | - | - | 1 | - | 1 | - | - | - | 2 | - | - | - | - |
| - UNSPECIFIED | 24 | - | - | - | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 97 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 27 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 33 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 44 | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | - | - |
| TULAREMIA | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 7 | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| TYPHUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 20 | - | - | - | - | - | 3 | - | - | - | - | - | - | 1 | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 11/12/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, OCTOBER (WEEK 40 - 43), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 438 | 308 | 344 |
| Influenza | - | - | - |
| All Causes | 4688 | 4160 | 6107 |
| AGE 65 AND OVER | | | |
| Pneumonia | 354 | 275 | 290 |
| Influenza | - | - | - |
| All Causes | 3228 | 2861 | 4316 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 6818 | 4813 | 4617 |
| Influenza | 35 | 10 | 7 |
| All Causes | 66134 | 53832 | 59511 |
| AGE 65 AND OVER | | | |
| Pneumonia | 5819 | 4204 | 3962 |
| Influenza | 25 | 4 | 6 |
| All Causes | 46345 | 37735 | 41955 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, OCTOBER (WEEK 40 - 43), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 60 | 80 | 63 |
| FRESNO | 415 | 434 | 461 |
| GLENDALE | 48 | 61 | 133 |
| LONG BEACH | 247 | 246 | 277 |
| LOS ANGELES | 1271 | 1135 | 2407 |
| PASADENA | 89 | 87 | 91 |
| SACRAMENTO | 697 | 719 | 754 |
| SAN DIEGO | 558 | 630 | 615 |
| SAN FRANCISCO | 478 | * | 496 |
| SAN JOSE | 732 | 652 | 694 |
| SANTA CRUZ ** | 93 | 116 | 116 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 630 | 716 | 693 |
| FRESNO | 5207 | 4927 | 4960 |
| GLENDALE | 1308 | 868 | 955 |
| LONG BEACH | 2980 | 3078 | 2993 |
| LOS ANGELES | 24934 | 15412 | 18825 |
| PASADENA | 1182 | 1116 | 1089 |
| SACRAMENTO | 8446 | 8365 | 8501 |
| SAN DIEGO | 7231 | 7127 | 6992 |
| SAN FRANCISCO | 5386 | 3147 | 5252 |
| SAN JOSE | 7577 | 7656 | 7871 |
| SANTA CRUZ ** | 1253 | 1420 | 1380 |

Provisional Data

* No report received.

Report Generated 11/17/2004

** Santa Cruz reports mortality for entire county.

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

NOVEMBER, 2004

Report Weeks 44 - 47

OCTOBER 31, 2004 to NOVEMBER 27, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1

NOVEMBER (WEEK 44 - 47), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|-------|------|------------------------|--------|-------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | * | * | * | * | * | * | MEASLES: | | | | | | |
| AMEBIASIS | 17 | 34 | 39 | 267 | 390 | 425 | TOTAL | - | 1 | - | 4 | 6 | 5 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | - | - | 2 | 2 | 5 |
| BOTULISM: | | | | | | | - IMPORTED | - | 1 | - | 2 | 4 | - |
| - FOODBORNE | - | - | - | - | 2 | 1 | MENINGITIS, VIRAL | 211 | 463 | 246 | 3081 | 4791 | 2384 |
| - INFANT | 3 | 7 | 1 | 32 | 25 | 19 | MENINGOCOCCAL INF. | 4 | 12 | 15 | 179 | 198 | 200 |
| - WOUND | - | 1 | 3 | 9 | 20 | 17 | MUMPS | 16 | 2 | 3 | 47 | 50 | 64 |
| BRUCELLOSIS | 7 | - | 2 | 26 | 18 | 26 | N G U | 206 | 299 | 309 | 3453 | 3529 | 3900 |
| CAMPYLOBACTERIOSIS | 320 | 385 | 431 | 4419 | 4954 | 5258 | PERTUSSIS | 3 | 63 | 92 | 481 | 1044 | 951 |
| CHANCROID | - | - | - | 1 | - | 2 | P I D | 44 | 76 | 72 | 727 | 859 | 998 |
| CHLAMYDIAL INF. | 8170 | 10197 | 8474 | 106824 | 104756 | 99128 | PLAGUE | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | POLIOMYELITIS | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 173 | 334 | 128 | 1978 | 1458 | 1401 | PSITTACOSIS | - | - | 1 | 1 | 1 | 9 |
| CONJUNCT. NEWBORN | 1 | 1 | - | 2 | 9 | - | Q FEVER | - | - | 2 | 12 | 6 | 11 |
| CRYPTOSPORIDIOSIS | 24 | 13 | 18 | 245 | 258 | 189 | RABIES: | | | | | | |
| CYSTICERCOSIS | 9 | 4 | 6 | 65 | 46 | 78 | - ANIMAL | 7 | 15 | 17 | 159 | 206 | 247 |
| DENGUE | 1 | - | - | 8 | 4 | 2 | - HUMAN | - | - | - | - | 1 | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | 4 | RELAPSING FEVER | - | - | 2 | 9 | 6 | 15 |
| DIPHTHERIA | - | - | - | - | - | 1 | REYE SYNDROME | - | - | - | - | 1 | 1 |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 2 | - | 1 | 8 | 4 |
| - ARBOVIRAL | 10 | - | - | 86 | - | - | ROCKY MTN SPOT FVR | - | - | - | 2 | 1 | 1 |
| - OTHER VIRAL | 26 | 15 | 8 | 145 | 101 | 113 | RUBELLA | - | - | - | - | - | 3 |
| E. COLI (O157:H7) | 29 | 59 | 32 | 186 | 221 | 230 | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | SALMONELLOSIS | 349 | 408 | 327 | 3699 | 3699 | 3765 |
| - OUTBREAKS | 11 | 10 | 18 | 132 | 125 | 169 | SHIGELLOSIS: | | | | | | |
| - CASES | 56 | 95 | 259 | 1688 | 1813 | 2664 | TOTAL | 192 | 255 | 300 | 1548 | 2051 | 2399 |
| GIARDIASIS | 200 | 170 | 196 | 1799 | 2069 | 2307 | - GROUP A | - | 2 | 1 | 9 | 12 | 17 |
| GONOCOCCAL INF. | 2040 | 2097 | 1818 | 26422 | 22891 | 22158 | - GROUP B | 38 | 66 | 40 | 448 | 499 | 445 |
| H-FLU (<30 YRS OLD)** | - | 2 | 1 | 36 | 57 | 43 | - GROUP C | 8 | 5 | 5 | 63 | 47 | 33 |
| HANTA VIRUS | - | 1 | - | 3 | 1 | - | - GROUP D | 112 | 134 | 217 | 777 | 1175 | 1551 |
| H U S | 2 | 3 | - | 17 | 15 | - | - GRP. UNSPECIFIED | 34 | 48 | 37 | 251 | 318 | 353 |
| HEPATITIS: | | | | | | | SYPHILIS: | | | | | | |
| - TYPE A | 61 | 125 | 104 | 790 | 1031 | 1328 | TOTAL | 127 | 332 | 305 | 3433 | 3879 | 3575 |
| - TYPE B | 30 | 46 | 36 | 425 | 572 | 546 | - PRIMARY | 23 | 37 | 22 | 377 | 392 | 285 |
| - TYPE C | 3 | 2 | 5 | 29 | 27 | 65 | - SECONDARY | 34 | 90 | 69 | 734 | 811 | 656 |
| - TYPE D | - | - | - | 4 | 4 | 7 | - EARLY LATENT | 30 | 69 | 64 | 720 | 743 | 649 |
| - NON-A / NON-B | - | - | - | - | 3 | 6 | - LATE & LATE LTN. | 40 | 129 | 143 | 1572 | 1868 | 1933 |
| - OTHER VIRAL | 1 | 2 | 1 | 15 | 22 | 53 | - CONGENITAL | - | 7 | 7 | 30 | 65 | 52 |
| KAWASAKI SYNDROME | 7 | 13 | 11 | 132 | 166 | 139 | TETANUS | - | - | 1 | 1 | 2 | 7 |
| LEGIONELLOSIS | 11 | 12 | 3 | 59 | 63 | 55 | TOXIC SHOCK SYNDROME | 3 | 2 | 1 | 32 | 9 | 12 |
| LEPROSY | - | - | 2 | 20 | 12 | 22 | TRICHINOSIS | - | - | - | - | 1 | 2 |
| LEPTOSPIROSIS | - | - | - | 1 | 4 | - | TUBERCULOSIS | 28 | 33 | 241 | 1979 | 1943 | 1923 |
| LISTERIOSIS | 9 | 3 | 11 | 105 | 90 | 74 | TULAREMIA | - | - | - | 3 | 1 | 1 |
| LYME DISEASE | 8 | 9 | 3 | 47 | 78 | 91 | TYPHOID FEVER | 3 | 10 | 12 | 63 | 89 | 75 |
| MALARIA | 4 | 24 | 19 | 111 | 146 | 169 | TYPHUS FEVER | 2 | 6 | 4 | 7 | 16 | 16 |
| | | | | | | | VIBRIO INFECTIONS | 17 | 19 | 11 | 133 | 66 | 42 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* No report received from Office of AIDS at time of printing.

** Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 12/17/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 7 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 320 | 27 | - | - | - | 2 | 1 | - | 1 | - | - | 14 | 1 | - | 4 | - | 4 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8170 | 357 | - | - | 2 | 40 | 2 | 2 | 49 | - | 14 | 323 | - | 20 | 10 | - | 252 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 173 | 1 | - | - | - | 1 | - | - | - | - | - | 9 | - | - | - | - | 83 |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 24 | 1 | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - |
| CYSTICERCOSIS | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - OTHER VIRAL | 26 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| E. COLI (O157:H7) | 29 | 1 | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 56 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 200 | 8 | - | - | - | - | 1 | - | 3 | - | - | 2 | - | - | - | - | 3 |
| GONOCOCCAL INFECTNS | 2040 | 111 | 2 | - | 3 | 6 | - | 2 | 13 | - | - | 89 | - | 3 | - | - | 85 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 61 | 2 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - TYPE B | 30 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 2 |
| - TYPE C | 3 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| LEGIONELLOSIS | 11 | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 9 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 |
| LYME DISEASE | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 4 | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 211 | - | - | - | - | - | 1 | - | - | - | 2 | 17 | - | - | - | - | 5 |
| MENINGOCOCCAL INF. | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 206 | 13 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 3 |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 44 | 1 | - | - | - | - | - | - | - | - | - | 6 | - | - | - | - | 13 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | 1 | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 349 | 25 | - | - | - | 1 | 1 | - | - | - | - | 8 | 2 | - | 2 | - | 4 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 192 | 2 | - | - | - | 1 | - | - | - | - | - | 3 | - | - | - | - | 1 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 38 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - GROUP C | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 112 | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| - UNSPECIFIED | 34 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 127 | 5 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 2 |
| - PRIMARY | 23 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 34 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 30 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 40 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 2 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 28 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 17 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 17 | - | - | - | 3 | 2 | - | - | 2 | - | - | 2 | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 320 | 4 | - | - | 65 | 3 | 2 | - | 4 | - | - | 9 | - | - | 3 | 3 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8170 | 61 | - | 1 | 2597 | 159 | - | 34 | 18 | - | 5 | 61 | 1 | - | 152 | 16 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 173 | 12 | - | - | 18 | - | - | 3 | - | - | - | 1 | - | - | 1 | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 24 | - | - | - | 11 | 1 | - | - | - | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 9 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 10 | - | - | - | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 26 | - | - | - | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| E. COLI (O157:H7) | 29 | - | - | - | 4 | - | - | 1 | 1 | - | 1 | 3 | - | - | 1 | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 56 | - | - | - | 7 | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 200 | - | - | - | 18 | 1 | - | 2 | 3 | - | 1 | 21 | - | - | 3 | 1 |
| GONOCOCCAL INFECTNS | 2040 | 11 | - | - | 632 | 38 | - | 9 | 7 | - | 1 | 11 | - | - | 22 | 1 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 61 | 2 | - | - | 18 | 1 | - | 2 | - | - | - | - | - | - | - | - |
| - TYPE B | 30 | - | - | - | 4 | - | 2 | 5 | - | - | - | - | - | - | 1 | - |
| - TYPE C | 3 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| LEGIONELLOSIS | 11 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 9 | - | - | - | 3 | - | - | - | 1 | - | - | - | - | - | - | - |
| LYME DISEASE | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|-------------|-------|------|--------|-------------|------------|------------------|--------|-------|----------|------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 211 | 2 | - | - | 44 | 3 | 2 | - | - | - | - | 1 | - | - | 2 | - |
| MENINGOCOCCAL INF. | 4 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| MUMPS | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 13 |
| N G U | 206 | 2 | - | - | 58 | 3 | - | - | 8 | - | - | 1 | - | - | - | - |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 44 | - | - | - | 4 | - | - | 1 | 1 | - | - | - | - | - | 1 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 349 | 2 | - | - | 82 | 5 | 3 | 1 | 4 | - | 1 | 3 | - | - | - | 2 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 192 | 3 | - | - | 82 | 3 | 2 | - | 1 | - | - | - | - | - | 2 | 2 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 38 | - | - | - | 15 | 2 | - | - | - | - | - | - | - | - | - | 1 |
| - GROUP C | 8 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 112 | 3 | - | - | 58 | 1 | 2 | - | 1 | - | - | - | - | - | - | 1 |
| - UNSPECIFIED | 34 | - | - | - | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 127 | - | - | - | 29 | - | - | - | - | - | 2 | 1 | - | - | - | 1 |
| - PRIMARY | 23 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| - SECONDARY | 34 | - | - | - | 8 | - | - | - | - | - | 1 | - | - | - | - | - |
| - EARLY LATENT | 30 | - | - | - | 8 | - | - | - | - | - | 1 | - | - | - | - | - |
| - LATE & LATE LTN. | 40 | - | - | - | 11 | - | - | - | - | - | - | 1 | - | - | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 28 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 17 | - | - | - | 3 | 1 | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER- SIDE | SACRA- MENTO | SAN BENITO | SAN BER- NARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|----------------|--------|--------|--------|--------|----------------|-----------------|---------------|---------------------|--------------|------------------|----------------|--------------------|--------------|------------------|----------------|
| AMEBIASIS | 17 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | 3 | 2 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 7 | - | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - | 1 | - |
| CAMPYLOBACTERIOSIS | 320 | - | 15 | 2 | - | 6 | 10 | - | 2 | 38 | - | 10 | 2 | 1 | 5 | 20 |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8170 | 4 | 104 | 30 | 1 | 158 | 364 | - | 398 | 793 | 214 | 165 | 32 | 156 | 103 | 571 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 173 | - | 4 | - | - | 3 | 1 | - | 2 | 8 | - | - | 3 | - | - | 1 |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| CRYPTOSPORIDIOSIS | 24 | - | - | - | - | - | - | - | - | 2 | - | - | 2 | - | 2 | - |
| CYSTICERCOSIS | 9 | - | 3 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 10 | - | 4 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| - OTHER VIRAL | 26 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| E. COLI 016187:H7 | 29 | - | - | 1 | - | - | 1 | - | 2 | - | - | 1 | - | - | - | 1 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | 5 | - | - | 1 | - | - | - | 2 | - | - | - | - | - | - |
| - CASES | 56 | - | 22 | - | - | 4 | - | - | - | 11 | - | - | - | - | - | - |
| GIARDIASIS | 200 | 3 | 7 | 1 | - | 4 | 65 | - | 1 | 16 | - | 2 | 3 | - | 2 | 18 |
| GONOCOCCAL INFECTNS | 2040 | - | 14 | 5 | - | 20 | 108 | - | 133 | 185 | 168 | 59 | 1 | 27 | 6 | 91 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 61 | - | 1 | 1 | - | 3 | 4 | - | - | 8 | - | 4 | 1 | - | 3 | 4 |
| - TYPE B | 30 | - | 1 | - | - | - | - | - | - | - | - | 2 | - | 3 | - | 1 |
| - TYPE C | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | 3 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| LEGIONELLOSIS | 11 | - | - | - | - | - | - | - | - | 2 | - | - | - | - | 1 | 1 |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 9 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LYME DISEASE | 8 | - | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - | 1 | - |
| MALARIA | 4 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 211 | - | 41 | 1 | - | 12 | 12 | - | 23 | 13 | - | 3 | - | 1 | 2 | 1 |
| MENINGOCOCCAL INF. | 4 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 16 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| N G U | 206 | 1 | 19 | - | - | - | - | - | 13 | - | 71 | - | - | 4 | - | - |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| P I D | 44 | - | 1 | - | - | - | - | - | 3 | 3 | 1 | - | 1 | - | - | 1 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 349 | - | 31 | - | - | 10 | 10 | - | 11 | 42 | - | 12 | 2 | 13 | 3 | 23 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 192 | - | 10 | - | - | 5 | 3 | - | 3 | 22 | - | 4 | 1 | 4 | 4 | 10 |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 38 | - | 3 | - | - | 2 | 1 | - | - | 4 | - | 1 | - | 2 | - | 5 |
| - GROUP C | 8 | - | - | - | - | - | - | - | - | 2 | - | - | 1 | - | 1 | - |
| - GROUP D | 112 | - | 7 | - | - | 2 | 2 | - | 3 | 14 | - | 3 | - | 2 | 2 | 2 |
| - UNSPECIFIED | 34 | - | - | - | - | 1 | - | - | - | 2 | - | - | - | - | 1 | 3 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 127 | - | 2 | - | - | 5 | 2 | - | 9 | 15 | 46 | - | - | 1 | 1 | 2 |
| - PRIMARY | 23 | - | - | - | - | 1 | - | - | - | 4 | 12 | - | - | - | - | - |
| - SECONDARY | 34 | - | - | - | - | - | - | - | - | 8 | 14 | - | - | - | - | 1 |
| - EARLY LATENT | 30 | - | 1 | - | - | 1 | 2 | - | - | 3 | 13 | - | - | - | - | - |
| - LATE & LATE LTN. | 40 | - | 1 | - | - | 3 | - | - | 9 | - | 7 | - | - | 1 | 1 | 1 |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 28 | - | 5 | - | - | - | 8 | - | - | - | 4 | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| TYPHUS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| VIBRIO INFECTIONS | 17 | - | 3 | - | - | 2 | - | - | - | 2 | - | 1 | - | 3 | - | 1 |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 17 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 7 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 320 | 8 | 3 | - | - | 5 | 11 | 15 | - | - | - | 8 | - | 12 | - | - |
| CHANCROID | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 8170 | 29 | 36 | - | 20 | 101 | 35 | 132 | 4 | - | - | 142 | 6 | 379 | 5 | 12 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 173 | - | - | - | - | - | - | 3 | - | - | - | 13 | - | 6 | - | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 24 | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| CYSTICERCOSIS | 9 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| DENGUE | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 10 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| - OTHER VIRAL | 26 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 29 | - | 2 | - | - | - | - | - | - | - | - | - | - | 7 | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 11 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| - CASES | 56 | - | - | - | - | - | - | - | - | - | - | - | 12 | - | - | - |
| GIARDIASIS | 200 | - | - | - | - | 1 | 3 | 1 | - | - | - | - | 3 | 3 | - | - |
| GONOCOCCAL INFECTNS | 2040 | 3 | 8 | - | 1 | 25 | 9 | 57 | 1 | - | - | 41 | 2 | 23 | - | 7 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 61 | - | 1 | - | - | - | - | 1 | - | - | - | - | - | 4 | - | - |
| - TYPE B | 30 | - | - | - | - | - | 3 | - | - | - | - | - | 1 | 4 | - | - |
| - TYPE C | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 11 | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| LEPROSY | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 9 | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| LYME DISEASE | 8 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 2 | - | - |
| MALARIA | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 12/21/2004)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: NOVEMBER (WEEK 44 - 47), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN- ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|----------------|---------------|--------|--------|----------|--------|--------|-----------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 211 | 1 | 1 | - | - | - | - | 1 | 1 | - | - | 3 | - | 16 | - | - |
| MENIGOCOCCAL INFECT. | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 206 | - | - | - | - | 2 | 2 | - | - | - | - | - | - | 4 | - | - |
| PERTUSSIS | 3 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| P I D | 44 | - | - | - | - | - | 1 | 3 | - | - | - | 1 | - | 2 | - | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 349 | 1 | 2 | - | - | 2 | 6 | 7 | 1 | - | - | 1 | - | 26 | - | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 192 | - | - | - | - | - | 5 | 1 | - | - | - | 3 | - | 15 | - | - |
| - GROUP A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 38 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - GROUP C | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 112 | - | - | - | - | - | 2 | 1 | - | - | - | - | - | 2 | - | - |
| - UNSPECIFIED | 34 | - | - | - | - | - | 3 | - | - | - | - | 3 | - | 12 | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 127 | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - |
| - PRIMARY | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 34 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - EARLY LATENT | 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 40 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 28 | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | 8 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 12/21/2004)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, NOVEMBER (WEEK 44 - 47), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 453 | 416 | 461 |
| Influenza | 1 | - | - |
| All Causes | 4655 | 4510 | 5693 |
| AGE 65 AND OVER | | | |
| Pneumonia | 363 | 357 | 401 |
| Influenza | 1 | - | - |
| All Causes | 3106 | 3208 | 3989 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 7271 | 5229 | 5078 |
| Influenza | 36 | 10 | 7 |
| All Causes | 70789 | 58342 | 65204 |
| AGE 65 AND OVER | | | |
| Pneumonia | 6182 | 4561 | 4363 |
| Influenza | 26 | 4 | 6 |
| All Causes | 49451 | 40943 | 45944 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, NOVEMBER (WEEK 44 - 47), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 45 | 61 | 68 |
| FRESNO | 420 | 497 | 456 |
| GLENDALE | 63 | 64 | 104 |
| LONG BEACH | 233 | 269 | 241 |
| LOS ANGELES | 1285 | 1317 | 1925 |
| PASADENA | 76 | 90 | 87 |
| SACRAMENTO | 714 | 723 | 760 |
| SAN DIEGO | 586 | 628 | 664 |
| SAN FRANCISCO | 422 | * | 551 |
| SAN JOSE | 699 | 732 | 713 |
| SANTA CRUZ ** | 112 | 129 | 124 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 675 | 777 | 761 |
| FRESNO | 5627 | 5424 | 5416 |
| GLENDALE | 1371 | 932 | 1059 |
| LONG BEACH | 3213 | 3347 | 3234 |
| LOS ANGELES | 26219 | 16729 | 20750 |
| PASADENA | 1258 | 1206 | 1176 |
| SACRAMENTO | 9160 | 9088 | 9261 |
| SAN DIEGO | 7817 | 7755 | 7656 |
| SAN FRANCISCO | 5808 | 3147 | 5803 |
| SAN JOSE | 8276 | 8388 | 8584 |
| SANTA CRUZ ** | 1365 | 1549 | 1504 |

Provisional Data

* No report received at time of printing.

Report Generated 12/16/2004

** Santa Cruz reports mortality for entire county.

State of California
Arnold Schwarzenegger, Governor

Department of Health Services
Sandra Shewry, Director

California

Monthly Summary Report

Selected Reportable Diseases

DECEMBER, 2004

Report Weeks 48 - 52

NOVEMBER 28, 2004 to JANUARY 1, 2004

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 DECEMBER (48 - 52), 2004

| CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | | CASES REPORTED FOR PERIOD | | | | CASES REPORTED TO DATE | | |
|---------------------------|------|-------|-------|------------------------|--------|--------|---------------------------|------|------|------|------------------------|------|------|
| D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | D I S E A S E | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| AIDS | 268 | 414 | 445 | 4216 | 5863 | 5114 | MEASLES: | | | | | | |
| AMEBIASIS | 22 | 34 | 34 | 295 | 424 | 459 | TOTAL | - | 2 | - | 4 | 8 | 5 |
| ANTHRAX | - | - | - | - | - | - | - INDIGENOUS | - | 1 | - | 2 | 3 | 5 |
| | | | | | | | - IMPORTED | - | 1 | - | 2 | 5 | - |
| BOTULISM: | | | | | | | MENINGITIS, VIRAL | 246 | 260 | 229 | 3334 | 5051 | 2613 |
| - FOODBORNE | 5 | - | - | 5 | 2 | 1 | MENINGOCOCCAL INF. | 12 | 25 | 24 | 191 | 223 | 224 |
| - INFANT | 4 | 4 | 3 | 36 | 29 | 22 | MUMPS | 9 | 6 | 6 | 56 | 56 | 70 |
| - WOUND | 6 | 3 | 3 | 15 | 23 | 20 | N G U | 242 | 315 | 343 | 3718 | 3844 | 4243 |
| BRUCELLOSIS | 2 | 1 | 6 | 23 | 19 | 32 | PERTUSSIS | 55 | 105 | 169 | 651 | 1149 | 1120 |
| CAMPYLOBACTERIOSIS | 510 | 367 | 590 | 4935 | 5321 | 5848 | P I D | 67 | 71 | 94 | 804 | 930 | 1092 |
| CHANCROID | 1 | - | - | 2 | - | 2 | PLAGUE | - | - | - | - | - | - |
| CHLAMYDIAL INF. | 9622 | 10031 | 11149 | 117086 | 114787 | 110277 | POLIOMYELITIS | - | - | - | - | - | - |
| CHOLERA | - | - | - | - | 1 | - | PSITTACOSIS | - | - | - | 1 | 1 | 9 |
| COCCIDIOIDOMYCOSIS | 142 | 280 | 326 | 2115 | 1738 | 1727 | Q FEVER | 2 | 2 | 1 | 13 | 8 | 12 |
| CONJUNCT. NEWBORN | 1 | - | - | 3 | 9 | - | | | | | | | |
| CRYPTOSPORIDIOSIS | 32 | 21 | 11 | 281 | 279 | 200 | RABIES: | | | | | | |
| CYSTICERCOSIS | 4 | 5 | 4 | 69 | 51 | 82 | - ANIMAL | 4 | 10 | 6 | 169 | 216 | 253 |
| DENGUE | 6 | - | - | 14 | 4 | 2 | - HUMAN | - | - | - | - | 1 | 1 |
| DIARRHEA, NWB. O/B | - | - | - | - | - | 4 | | | | | | | |
| DIPHTHERIA | - | - | - | - | - | 1 | RELAPSING FEVER | - | - | 3 | 8 | 6 | 18 |
| | | | | | | | REYE SYNDROME | - | - | - | - | 1 | 1 |
| ENCEPHALITIS: | | | | | | | RHEUMATIC FEVER | - | 1 | 1 | 1 | 9 | 5 |
| - ARBOVIRAL | 6 | - | - | 91 | - | - | ROCKY MTN SPOT FVR | - | - | 1 | 2 | 1 | 2 |
| - OTHER VIRAL | 13 | 7 | 12 | 158 | 108 | 125 | RUBELLA | - | - | 2 | - | - | 5 |
| | | | | | | | RUBELLA, CONGENITAL | - | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | 35 | 39 | 208 | 256 | 269 | SALMONELLOSIS | 401 | 300 | 470 | 4104 | 3999 | 4235 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | 28 | 42 | 140 | 153 | 211 | SHIGELLOSIS: | | | | | | |
| - CASES | 55 | 513 | 780 | 1786 | 2326 | 3444 | TOTAL | 137 | 157 | 343 | 1688 | 2208 | 2742 |
| | | | | | | | - GROUP A | 1 | - | 1 | 10 | 12 | 18 |
| GIARDIASIS | 236 | 160 | 254 | 2038 | 2229 | 2561 | - GROUP B | 37 | 35 | 66 | 487 | 534 | 511 |
| GONOCOCCAL INF. | 2465 | 2595 | 2448 | 29032 | 25486 | 24606 | - GROUP C | 4 | 7 | 5 | 67 | 54 | 38 |
| H-FLU (<30 YRS OLD)* | - | 1 | 1 | 36 | 58 | 44 | - GROUP D | 73 | 91 | 228 | 853 | 1266 | 1779 |
| HANTA VIRUS | - | 1 | - | 3 | 2 | - | - GRP. UNSPECIFIED | 22 | 24 | 43 | 271 | 342 | 396 |
| H U S | 3 | 5 | - | 20 | 20 | - | | | | | | | |
| | | | | | | | SYPHILIS: | | | | | | |
| HEPATITIS: | | | | | | | TOTAL | 148 | 290 | 337 | 3772 | 4169 | 3912 |
| - TYPE A | 71 | 87 | 124 | 861 | 1118 | 1452 | - PRIMARY | 25 | 25 | 33 | 410 | 417 | 318 |
| - TYPE B | 67 | 54 | 68 | 493 | 626 | 614 | - SECONDARY | 40 | 57 | 59 | 805 | 868 | 715 |
| - TYPE C | 4 | 1 | 3 | 33 | 28 | 68 | - EARLY LATENT | 46 | 70 | 67 | 781 | 813 | 716 |
| - TYPE D | - | - | - | 4 | 4 | 7 | - LATE & LATE LTN. | 34 | 136 | 174 | 1740 | 2004 | 2107 |
| - NON-A / NON-B | - | - | - | - | 3 | 6 | - CONGENITAL | 3 | 2 | 4 | 36 | 67 | 56 |
| - OTHER VIRAL | 4 | 4 | 4 | 19 | 26 | 57 | | | | | | | |
| KAWASAKI SYNDROME | 25 | 11 | 31 | 158 | 177 | 170 | TETANUS | - | 2 | 1 | 1 | 4 | 8 |
| LEGIONELLOSIS | 5 | 7 | 5 | 64 | 70 | 60 | TOXIC SHOCK SYNDROME | 7 | 1 | 1 | 39 | 10 | 13 |
| LEPROSY | 5 | 7 | 10 | 25 | 19 | 32 | TRICHINOSIS | 1 | 1 | - | 1 | 2 | 2 |
| LEPTOSPIROSIS | - | 1 | - | 1 | 5 | - | TUBERCULOSIS | 119 | - | 706 | 2311 | 1943 | 2629 |
| LISTERIOSIS | 6 | 7 | 9 | 111 | 97 | 83 | TULAREMIA | - | 1 | - | 2 | 2 | 1 |
| LYME DISEASE | 7 | 6 | 6 | 51 | 84 | 97 | TYPHOID FEVER | 3 | 2 | 5 | 67 | 91 | 80 |
| MALARIA | 23 | 15 | 16 | 135 | 161 | 185 | TYPHUS FEVER | 1 | 1 | 1 | 8 | 17 | 17 |
| | | | | | | | VIBRIO INFECTIONS | 13 | 6 | 4 | 146 | 72 | 46 |
| | | | | | | | YELLOW FEVER | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|----------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| AMEBIASIS | 22 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | | |
| - FOODBORNE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 4 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - WOUND | 6 | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 510 | 21 | - | - | 1 | 2 | 1 | 1 | 30 | 3 | - | 18 | 1 | 4 | 9 | - | 7 |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9622 | 487 | 9 | - | 2 | 83 | 3 | 8 | 409 | 11 | 24 | 435 | 2 | 31 | 3 | 1 | 288 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 142 | - | - | - | - | - | - | - | 6 | - | - | 6 | - | - | 2 | - | 31 |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 32 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| CYSTICERCOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 13 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| E. COLI (O157:H7) | 22 | - | - | - | - | - | - | - | 1 | - | 1 | 3 | - | 1 | 1 | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - CASES | 55 | - | - | - | - | - | - | - | - | - | - | - | - | - | 8 | - | - |
| GIARDIASIS | 236 | 4 | - | - | - | 4 | 2 | - | 7 | - | - | 1 | - | - | 2 | - | 1 |
| GONOCOCCAL INFECTNS | 2465 | 182 | - | - | 1 | 19 | 1 | 2 | 122 | 2 | 4 | 112 | - | 4 | - | - | 91 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | | |
| - TYPE A | 71 | - | - | - | - | - | - | - | 1 | - | - | 2 | - | - | 4 | - | - |
| - TYPE B | 67 | - | - | - | 3 | - | - | - | 2 | - | 2 | 1 | - | - | - | - | 1 |
| - TYPE C | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| KAWASAKI SYNDROME | 25 | 1 | - | - | - | - | - | - | 1 | - | 1 | 2 | - | - | 2 | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| LYME DISEASE | 7 | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - |
| MALARIA | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | ALAMEDA | BERKELEY | ALPINE | AMADOR | BUTTE | CALA-VERAS | COLUSA | CONTRA COSTA | DEL NORTE | EL DORADO | FRESNO | GLENN | HUMBOLDT | IMPERIAL | INYO | KERN |
|---------------------|-------------|---------|----------|--------|--------|-------|------------|--------|--------------|-----------|-----------|--------|-------|----------|----------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 246 | 3 | - | - | - | - | 1 | - | 8 | - | 5 | 11 | - | - | 18 | - | 10 |
| MENINGOCOCCAL INF. | 12 | 1 | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | 1 |
| MUMPS | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N G U | 242 | 29 | - | - | - | - | - | - | 3 | - | 1 | - | - | 1 | - | - | - |
| PERTUSSIS | 55 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| P I D | 67 | 5 | - | - | - | - | - | - | 5 | - | - | 9 | - | - | - | - | 5 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | | |
| - ANIMAL | 4 | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 1 | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 401 | 11 | - | - | - | 1 | - | 1 | 15 | - | 2 | 9 | - | 2 | 2 | - | 3 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 137 | 6 | - | - | - | 1 | - | - | 5 | - | - | 3 | - | - | 7 | - | 2 |
| - GROUP A | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 37 | 1 | - | - | - | - | - | - | 2 | - | - | 2 | - | - | 1 | - | - |
| - GROUP C | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 73 | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | 2 | - | - |
| - UNSPECIFIED | 22 | 1 | - | - | - | 1 | - | - | 2 | - | - | - | - | - | 4 | - | 2 |
| SYPHILIS: | | | | | | | | | | | | | | | | | |
| TOTAL | 148 | - | - | - | - | - | - | - | 1 | - | - | 3 | - | - | - | - | - |
| - PRIMARY | 25 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| - SECONDARY | 40 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 34 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - |
| - CONGENITAL | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 7 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 119 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 13 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA | MADERA | MARIN | MARIPOSA | MENDO-CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|----------------------|-------------|-------|------|--------|-------------|------------|----------|--------|-------|----------|------------|--------|-------|------|----------|------|
| AMEBIASIS | 22 | - | - | - | 9 | 2 | - | - | 1 | - | - | 3 | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 510 | 2 | - | - | 58 | 4 | 2 | 5 | 9 | - | 2 | 6 | 1 | - | 3 | 6 |
| CHANCROID | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9622 | 52 | - | 3 | 2338 | 204 | - | 95 | 137 | 1 | 20 | 83 | - | - | 124 | 23 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 142 | 5 | - | 1 | 24 | - | - | 4 | 1 | - | - | 1 | - | - | 1 | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 32 | - | - | - | 4 | 1 | - | - | 1 | - | - | - | - | - | - | - |
| CYSTICERCOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 6 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 6 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 13 | - | - | - | 7 | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 55 | - | - | - | 32 | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 236 | - | - | - | 23 | 1 | - | 1 | 6 | - | 1 | 29 | - | 1 | 3 | 3 |
| GONOCOCCAL INFECTNS | 2465 | 14 | - | - | 614 | 58 | - | 18 | 12 | - | - | 19 | - | - | 8 | 1 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 71 | - | - | - | 24 | - | - | 3 | - | - | - | - | - | - | 1 | - |
| - TYPE B | 67 | 2 | - | - | 9 | - | 1 | 5 | - | - | - | - | - | - | - | 2 |
| - TYPE C | 4 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| LEPROSY | 5 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - |
| LYME DISEASE | 7 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| MALARIA | 23 | - | - | - | 18 | 1 | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | KINGS | LAKE | LASSEN | LOS ANGELES | LONG BEACH | PASADENA & OTHER | MADERA | MARIN | MARIPOSA | MENDO- CINO | MERCED | MODOC | MONO | MONTEREY | NAPA |
|---------------------|----------------|-------|------|--------|----------------|---------------|---------------------|--------|-------|----------|----------------|--------|-------|------|----------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 246 | 1 | - | - | 31 | 5 | 3 | 3 | - | - | - | 1 | - | - | 2 | - |
| MENINGOCOCCAL INF. | 12 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 5 |
| N G U | 242 | - | - | - | 33 | 10 | - | - | 10 | - | - | - | - | - | - | - |
| PERTUSSIS | 55 | - | - | - | 15 | - | - | - | - | - | - | - | - | - | 11 | - |
| P I D | 67 | - | - | - | 3 | 1 | - | - | 3 | - | - | 1 | - | - | 1 | - |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 401 | - | - | - | 125 | 4 | - | 3 | 4 | - | - | 3 | - | - | 3 | - |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 137 | - | - | - | 39 | 2 | 1 | 1 | 1 | - | - | - | - | - | 1 | 1 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 37 | - | - | - | 9 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| - GROUP C | 4 | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| - GROUP D | 73 | - | - | - | 27 | 1 | - | - | - | - | - | - | - | - | - | - |
| - UNSPECIFIED | 22 | - | - | - | 2 | - | - | 1 | - | - | - | - | - | - | 1 | 1 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 148 | - | - | - | 38 | - | 1 | - | - | - | - | - | - | - | - | - |
| - PRIMARY | 25 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 40 | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 46 | - | - | - | 10 | - | - | - | - | - | - | - | - | - | - | - |
| - LATE & LATE LTN. | 34 | - | - | - | 18 | - | 1 | - | - | - | - | - | - | - | - | - |
| - CONGENITAL | 3 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 119 | - | - | - | 76 | 1 | - | - | - | - | - | - | - | - | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 13 | - | - | - | 4 | - | - | - | 1 | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|----------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| AMEBIASIS | 22 | - | 2 | - | - | - | - | - | - | 1 | - | - | - | - | - | 2 |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | 5 | - | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - |
| - INFANT | 4 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 |
| - WOUND | 6 | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 1 |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| CAMPYLOBACTERIOSIS | 510 | 1 | 19 | 6 | - | 4 | 15 | 1 | 6 | 64 | - | 15 | 4 | 70 | 5 | 34 |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9622 | 11 | 536 | 43 | 2 | 632 | 581 | 36 | 481 | 50 | 226 | 247 | 47 | 194 | 121 | 606 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 142 | - | 7 | - | - | 9 | 1 | - | - | 12 | - | - | 12 | - | 2 | 1 |
| CONJUNCT. NEWBORN | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 32 | - | 2 | - | - | - | 2 | - | - | 2 | - | - | 2 | 2 | 12 | - |
| CYSTICERCOSIS | 4 | - | - | - | - | - | - | - | 1 | 3 | - | - | - | - | - | - |
| DENGUE | 6 | - | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHTHERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 6 | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 13 | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 1 | - | - | - |
| E. COLI 016187:H7 | 22 | 1 | 2 | 1 | - | - | - | - | - | 1 | - | 3 | - | 1 | 1 | 2 |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| - CASES | 55 | - | - | - | - | - | - | - | - | 11 | 4 | - | - | - | - | - |
| GIARDIASIS | 236 | 7 | 5 | 1 | - | - | 59 | 2 | 1 | 15 | - | 8 | - | 29 | - | 10 |
| GONOCOCCAL INFECTNS | 2465 | 1 | 50 | 7 | - | 132 | 206 | 8 | 143 | 9 | 186 | 87 | 2 | 24 | 8 | 118 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 71 | 2 | 2 | - | - | 8 | 2 | - | - | 6 | - | 1 | - | 2 | 3 | - |
| - TYPE B | 67 | - | 5 | - | - | 3 | 3 | - | - | 2 | - | 3 | 1 | 17 | - | - |
| - TYPE C | 4 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 25 | - | 5 | - | - | 1 | 1 | - | - | 8 | - | - | - | - | 1 | - |
| LEGIONELLOSIS | 5 | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | 1 |
| LEPROSY | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| LYME DISEASE | 7 | - | - | - | - | - | - | - | - | 2 | - | - | - | 2 | - | - |
| MALARIA | 23 | - | 2 | - | - | 2 | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | NEVADA | ORANGE | PLACER | PLUMAS | RIVER-SIDE | SACRAMENTO | SAN BENITO | SAN BERNARDINO | SAN DIEGO | SAN FRANCISCO | SAN JOAQUIN | SAN LUIS OBISPO | SAN MATEO | SANTA BARBARA | SANTA CLARA |
|---------------------|-------------|--------|--------|--------|--------|------------|------------|------------|----------------|-----------|---------------|-------------|-----------------|-----------|---------------|-------------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 246 | - | 48 | 1 | - | 6 | 10 | - | 12 | 30 | - | 1 | 10 | 2 | 2 | 4 |
| MENINGOCOCCAL INF. | 12 | - | 2 | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - | 1 |
| MUMPS | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| N G U | 242 | - | 41 | - | - | 3 | - | - | 10 | 2 | 81 | - | - | 7 | - | 4 |
| PERTUSSIS | 55 | 1 | 5 | - | - | - | 1 | - | 1 | 12 | - | - | - | - | - | 2 |
| P I D | 67 | - | 4 | 1 | - | - | 2 | - | 2 | - | 3 | 1 | - | - | 1 | 4 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 401 | 1 | 35 | 1 | - | 9 | 17 | 4 | 12 | 47 | - | 8 | 6 | 20 | 2 | 15 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 137 | - | 13 | - | - | 5 | - | 1 | 1 | 25 | - | - | - | 3 | 1 | 4 |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 37 | - | 3 | - | - | 2 | - | - | - | 6 | - | - | - | 2 | - | 2 |
| - GROUP C | 4 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - GROUP D | 73 | - | 10 | - | - | 3 | - | - | 1 | 16 | - | - | - | 1 | 1 | 1 |
| - UNSPECIFIED | 22 | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - | 1 |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 148 | - | 13 | - | - | 2 | - | - | 5 | 22 | 51 | - | 1 | - | - | 4 |
| - PRIMARY | 25 | - | 5 | - | - | 1 | - | - | - | 6 | 7 | - | - | - | - | 1 |
| - SECONDARY | 40 | - | 5 | - | - | 1 | - | - | 1 | 4 | 22 | - | - | - | - | 1 |
| - EARLY LATENT | 46 | - | 2 | - | - | - | - | - | - | 12 | 17 | - | - | - | - | 2 |
| - LATE & LATE LTN. | 34 | - | 1 | - | - | - | - | - | 4 | - | 4 | - | 1 | - | - | - |
| - CONGENITAL | 3 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 7 | - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TRICHINOSIS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 119 | - | 10 | - | - | - | 12 | - | - | - | 10 | 2 | - | 2 | 1 | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 13 | - | 1 | 1 | - | - | - | - | - | 2 | - | - | - | 1 | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| AMEBIASIS | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ANTHRAX | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BOTULISM: | | | | | | | | | | | | | | | | |
| - FOODBORNE | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| - INFANT | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - WOUND | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BRUCELLOSIS | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CAMPYLOBACTERIOSIS | 510 | 5 | - | - | - | 9 | 14 | 11 | 1 | - | 1 | 15 | - | 9 | 5 | - |
| CHANCROID | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CHLAMYDIAL INFECTNS | 9622 | 45 | 57 | - | 11 | 147 | 83 | 177 | 4 | - | 1 | 136 | - | 221 | 29 | 22 |
| CHOLERA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| COCCIDIOIDOMYCOSIS | 142 | - | - | - | - | - | - | 2 | - | - | - | 7 | - | 7 | - | - |
| CONJUNCT. NEWBORN | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| CRYPTOSPORIDIOSIS | 32 | - | - | - | - | 2 | - | - | - | - | - | - | - | - | 1 | - |
| CYSTICERCOSIS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DENGUE | 6 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| DIARRHEA, NWB. O/B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DIPHThERIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ENCEPHALITIS: | | | | | | | | | | | | | | | | |
| - ARBOVIRAL | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E. COLI (O157:H7) | 22 | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| FOODBORNE ILLNESS: | | | | | | | | | | | | | | | | |
| - OUTBREAKS | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - CASES | 55 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| GIARDIASIS | 236 | 2 | - | - | 1 | 2 | 3 | - | - | - | - | - | - | 2 | - | - |
| GONOCOCCAL INFECTNS | 2465 | 4 | 10 | - | 1 | 37 | 10 | 50 | 6 | - | - | 37 | - | 34 | 3 | 8 |
| H-FLU (<30 YRS OLD)* | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| HANTAVIRUS INFECTNS. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| H U S | 3 | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| HEPATITIS: | | | | | | | | | | | | | | | | |
| - TYPE A | 71 | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - | 2 | 3 | - |
| - TYPE B | 67 | - | 2 | - | - | - | - | - | - | - | - | - | - | 3 | - | - |
| - TYPE C | 4 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| - TYPE D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - OTHER VIRAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| KAWASAKI SYNDROME | 25 | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| LEGIONELLOSIS | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LEPROSY | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LEPTOSPIROSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| LISTERIOSIS | 6 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| LYME DISEASE | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MALARIA | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

* Reports limited to patients less than 30 years of age beginning January, 1999.

(provisional data, report generated 01/18/2005)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: DECEMBER (WEEK 48 - 52), 2004

| D I S E A S E | STATE TOTAL | SANTA CRUZ | SHASTA | SIERRA | SISKIYOU | SOLANO | SONOMA | STAN-ISLAUS | SUTTER | TEHAMA | TRINITY | TULARE | TUOLUMNE | VENTURA | YOLO | YUBA |
|----------------------|-------------|------------|--------|--------|----------|--------|--------|-------------|--------|--------|---------|--------|----------|---------|------|------|
| MEASLES: | | | | | | | | | | | | | | | | |
| TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - INDIGENOUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - IMPORTED | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MENINGITIS, VIRAL | 246 | - | 1 | - | - | - | 4 | 6 | - | - | - | 3 | - | 3 | 1 | - |
| MENIGOCOCCAL INFECT. | 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MUMPS | 9 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| N G U | 242 | 1 | - | - | - | 3 | 1 | - | - | - | - | - | - | 2 | - | - |
| PERTUSSIS | 55 | 2 | - | - | - | - | - | - | - | - | - | - | - | 3 | - | - |
| P I D | 67 | 2 | - | - | - | - | 1 | 5 | - | - | - | 5 | - | - | 1 | 2 |
| PLAGUE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| POLIOMYELITIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| PSITTACOSIS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Q FEVER | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RABIES: | | | | | | | | | | | | | | | | |
| - ANIMAL | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| - HUMAN | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RELAPSING FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REYE SYNDROME | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RHEUMATIC FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ROCKY MTN SPOT FVR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| RUBELLA, CONGENITAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SALMONELLOSIS | 401 | 4 | 1 | - | - | 1 | 6 | 11 | - | - | 1 | 2 | - | 7 | 2 | 1 |
| SHIGELLOSIS: | | | | | | | | | | | | | | | | |
| TOTAL | 137 | 3 | - | - | - | 2 | 1 | 1 | 3 | - | - | 1 | - | 3 | - | - |
| - GROUP A | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - GROUP B | 37 | 1 | - | - | - | 1 | - | - | 2 | - | - | - | - | 1 | - | - |
| - GROUP C | 4 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| - GROUP D | 73 | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - | 2 | - | - |
| - UNSPECIFIED | 22 | 1 | - | - | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| SYPHILIS: | | | | | | | | | | | | | | | | |
| TOTAL | 148 | - | - | - | - | - | 1 | - | - | - | - | - | - | 4 | 2 | - |
| - PRIMARY | 25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - SECONDARY | 40 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| - EARLY LATENT | 46 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | - |
| - LATE & LATE LTN. | 34 | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | - |
| - CONGENITAL | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TETANUS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOXIC SHOCK | 7 | - | - | - | - | - | - | 1 | - | - | - | - | - | 2 | - | - |
| TRICHINOSIS | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TUBERCULOSIS | 119 | - | - | - | - | 1 | - | - | - | - | - | - | - | 4 | - | - |
| TULAREMIA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHOID FEVER | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TYPHUS | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIBRIO INFECTIONS | 13 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| YELLOW FEVER | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(provisional data, report generated 01/18/2005)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, DECEMBER (WEEK 48 - 52), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|-----------------|------|------|------|
| ALL AGES | | | |
| Pneumonia | 472 | 782 | 450 |
| Influenza | - | 11 | - |
| All Causes | 5279 | 7886 | 5323 |
| AGE 65 AND OVER | | | |
| Pneumonia | 391 | 684 | 397 |
| Influenza | - | 9 | - |
| All Causes | 3666 | 5677 | 3720 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|-----------------|-------|-------|-------|
| ALL AGES | | | |
| Pneumonia | 7743 | 6011 | 5528 |
| Influenza | 36 | 21 | 7 |
| All Causes | 76068 | 66228 | 70527 |
| AGE 65 AND OVER | | | |
| Pneumonia | 6573 | 5245 | 4760 |
| Influenza | 26 | 13 | 6 |
| All Causes | 53117 | 46620 | 49664 |

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, DECEMBER (WEEK 48 - 52), 2004

DEATHS REPORTED FOR PERIOD

| | 2004 | 2003 | 2002 |
|---------------|------|------|------|
| BERKELEY | 83 | 71 | 103 |
| FRESNO | 430 | 553 | 610 |
| GLENDALE | 70 | 205 | 51 |
| LONG BEACH | 168 | 406 | 341 |
| LOS ANGELES | 1238 | 3502 | 1104 |
| PASADENA | 149 | 159 | 118 |
| SACRAMENTO | 726 | 1091 | 867 |
| SAN DIEGO | 772 | 778 | 784 |
| SAN FRANCISCO | 575 | * | 335 |
| SAN JOSE | 914 | 958 | 871 |
| SANTA CRUZ ** | 154 | 163 | 139 |

DEATHS REPORTED TO DATE

| | 2004 | 2003 | 2002 |
|---------------|-------|-------|-------|
| BERKELEY | 758 | 848 | 864 |
| FRESNO | 6057 | 5977 | 6026 |
| GLENDALE | 1441 | 1137 | 1110 |
| LONG BEACH | 3381 | 3753 | 3575 |
| LOS ANGELES | 27457 | 20231 | 21854 |
| PASADENA | 1407 | 1365 | 1294 |
| SACRAMENTO | 9886 | 10179 | 10128 |
| SAN DIEGO | 8589 | 8533 | 8440 |
| SAN FRANCISCO | 6383 | 3147 | 6138 |
| SAN JOSE | 9190 | 9346 | 9455 |
| SANTA CRUZ ** | 1519 | 1712 | 1643 |

Provisional Data

* No report.

Report Generated 01/24/2005

** Santa Cruz reports mortality for entire county.