

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - January 31, 1998**

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	36899 (35)	30911 (84)	212 (38)	158 (75)	37111 (35)	31069 (84)
Other Disease w/o PCP	35154 (34)	25733 (73)	345 (62)	196 (57)	35499 (34)	25929 (73)
KS Alone	5727 (5)	4165 (73)	0 (0)	0 (.)	5727 (5)	4165 (73)
No Diseases Listed	26784 (26)	5287 (20)	0 (0)	0 (.)	26784 (25)	5287 (20)
Total	104564 (100)	66096 (63)	557 (100)	354 (64)	105121 (100)	66450 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	386 (0)	White, Not Hispanic	65345 (62)	160 (29)	65505 (62)
5-12	171 (0)	Black, Not Hispanic	17077 (16)	172 (31)	17249 (16)
13-19	296 (0)	Hispanic	19451 (19)	204 (37)	19655 (19)
20-29	16578 (16)	Asian/Pacific Is.	2090 (2)	15 (3)	2105 (2)
30-39	47275 (45)	Am. Indian/Alaska Native	439 (0)	5 (1)	444 (0)
40-49	28091 (27)	Unknown	162 (0)	1 (0)	163 (0)
Over 49	12324 (12)				
Unknown	0 (0)	Total	104564 (100)	557 (100)	105121 (100)
Total	105121 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	75506 (77)	0 (0)	75506 (72)
Injecting drug use	7637 (8)	2690 (39)	10327 (10)
Men who have sex with men and inject drugs	8923 (9)	0 (0)	8923 (9)
Hemophilia/coagulation disorder	479 (0)	17 (0)	496 (0)
Heterosexual contact	1201 (1)	2896 (42)	4097 (4)
Receipt of blood, components, or tissue	889 (1)	635 (9)	1524 (1)
Risk not reported/Other	3017 (3)	623 (9)	3640 (3)
Total	97652 (100)	6861 (100)	104513 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	54 (16)	2 (1)	56 (9)
Mother with/at risk for HIV infection	187 (57)	228 (82)	415 (68)
Receipt of blood, components, or tissue	84 (26)	47 (17)	131 (22)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	329 (100)	279 (100)	608 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **51 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***45 duplicate cases were deleted during

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/org/ps/ooa/ooaindex.htm>

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - January 31, 1998**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis -----	Adult/Adolescent * Number of Cases -----	Pediatric * Number of Deaths -----	Total Case-Fatality Rate -----
Before 1983	304	289	95%
1983 Jan -June	296	286	97%
July-Dec	412	395	96%
1984 Jan -June	591	571	97%
July-Dec	815	783	96%
1985 Jan -June	1160	1120	97%
July-Dec	1423	1366	96%
1986 Jan -June	1834	1771	97%
July-Dec	2231	2130	95%
1987 Jan -June	2753	2628	95%
July-Dec	2887	2711	94%
1988 Jan -June	3254	3040	93%
July-Dec	3361	3072	91%
1989 Jan -June	3964	3558	90%
July-Dec	3904	3454	88%
1990 Jan -June	4502	3864	86%
July-Dec	4441	3758	85%
1991 Jan -June	5288	4301	81%
July-Dec	6122	4770	78%
1992 Jan -June	6547	4663	71%
July-Dec	6451	4263	66%
1993 Jan -June	6331	3687	58%
July-Dec	5582	2772	50%
1994 Jan -June	5482	2276	42%
July-Dec	4772	1588	33%
1995 Jan -June	4958	1236	25%
July-Dec	4214	826	20%
1996 Jan -June	3943	587	15%
July-Dec	2998	346	12%
1997 Jan -June	2592	232	9%
July-Dec	1676	107	6%
1998 Jan - Jan 31	33	0	0%
----- Totals	----- 105121	----- 66450	----- 63%

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - January 31, 1998**

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000	COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,142	3,245	63.1%	369.10	Orange	4,882	2,746	56.2%	179.97
<i>Berkeley</i>	490	328	66.9%	467.11	Placer	123	68	55.3%	56.31
Alpine	0	0	0.0%	0.00	Plumas	5	3	60.0%	22.91
Amador	29	17	58.6%	87.32	Riverside	3,454	1,835	53.1%	222.63
Butte	169	115	68.0%	82.91	Sacramento	2,540	1,625	64.0%	208.87
Calaveras	13	7	53.8%	29.70	San Benito	25	11	44.0%	56.37
Colusa	12	11	91.7%	62.38	San Bernardino	2,376	1,371	57.7%	133.53
Contra Costa	1,959	1,270	64.8%	215.37	San Diego	9,171	5,485	59.8%	336.43
Del Norte	19	10	52.6%	61.57	San Francisco	22,424	15,340	68.4%	2,954.51
El Dorado	133	86	64.7%	84.47	San Joaquin	638	398	62.4%	113.61
Fresno	933	592	63.5%	112.73	San Luis Obispo	397	184	46.3%	171.66
Glenn	9	6	66.7%	31.57	San Mateo	1,680	1,073	63.9%	236.29
Humboldt	170	102	60.0%	129.16	Santa Barbara	592	420	70.9%	148.77
Imperial	96	47	49.0%	71.66	Santa Clara	2,756	1,660	60.2%	169.10
Inyo	11	7	63.6%	56.38	Santa Cruz	434	267	61.5%	180.11
Kern	815	402	49.3%	119.91	Shasta	114	85	74.6%	64.13
Kings	124	56	45.2%	109.78	Sierra	4	4	100.0%	119.40
Lake	104	55	52.9%	169.38	Siskiyou	31	16	51.6%	66.01
Lassen	35	13	37.1%	130.33	Solano	974	547	56.2%	234.53
Los Angeles	37,384	23,940	64.0%	387.94	Sonoma	1,510	953	63.1%	343.10
<i>Long Beach</i>	3,296	2,074	62.9%	752.86	Stanislaus	459	276	60.1%	101.36
<i>Pasadena</i>	581	379	65.2%	432.29	Sutter	45	27	60.0%	56.66
Madera	78	43	55.1%	69.18	Tehama	22	11	50.0%	37.35
Marin	1,336	712	53.3%	553.51	Trinity	11	8	72.7%	77.64
Mariposa	11	3	27.3%	61.81	Tulare	198	140	70.7%	52.24
Mendocino	155	106	68.4%	170.82	Tuolumne	47	30	63.8%	83.87
Merced	115	70	60.9%	53.63	Ventura	689	440	63.9%	93.55
Modoc	1	1	100.0%	9.23	Yolo	143	88	61.5%	90.09
Mono	2	1	50.0%	18.48	Yuba	46	28	60.9%	65.93
Monterey	680	392	57.6%	178.73	Unknown	11	5	45.5%	
Napa	173	108	62.4%	143.50					
Nevada	107	60	56.1%	111.11					
					TOTAL	105,616	66,621	63.1%	313.98

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - January 31, 1998**

***Cumulative AIDS Cases in California
by County, as of January 31, 1998***



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - February 27, 1998**

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37000 (35)	30981 (84)	211 (38)	159 (75)	37211 (35)	31140 (84)
Other Disease w/o PCP	35303 (34)	25791 (73)	348 (62)	196 (56)	35651 (34)	25987 (73)
KS Alone	5736 (5)	4171 (73)	0 (0)	0 (.)	5736 (5)	4171 (73)
No Diseases Listed	27018 (26)	5323 (20)	0 (0)	0 (.)	27018 (26)	5323 (20)
Total	105057 (100)	66266 (63)	559 (100)	355 (64)	105616 (100)	66621 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	386 (0)	White, Not Hispanic	65572 (62)	161 (29)	65733 (62)
5-12	173 (0)	Black, Not Hispanic	17188 (16)	172 (31)	17360 (16)
13-19	299 (0)	Hispanic	19593 (19)	205 (37)	19798 (19)
20-29	16658 (16)	Asian/Pacific Is.	2106 (2)	15 (3)	2121 (2)
30-39	47488 (45)	Am. Indian/Alaska Native	439 (0)	5 (1)	444 (0)
40-49	28241 (27)	Unknown	159 (0)	1 (0)	160 (0)
Over 49	12371 (12)				
Unknown	0 (0)	Total	105057 (100)	559 (100)	105616 (100)
Total	105616 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	75775 (77)	0 (0)	75775 (72)
Injecting drug use	7680 (8)	2708 (39)	10388 (10)
Men who have sex with men and inject drugs	8993 (9)	0 (0)	8993 (9)
Hemophilia/coagulation disorder	483 (0)	17 (0)	500 (0)
Heterosexual contact	1217 (1)	2919 (42)	4136 (4)
Receipt of blood, components, or tissue	895 (1)	639 (9)	1534 (1)
Risk not reported/Other	3040 (3)	638 (9)	3678 (4)
Total	98083 (100)	6921 (100)	105004 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	55 (17)	2 (1)	57 (9)
Mother with/at risk for HIV infection	190 (57)	228 (82)	418 (68)
Receipt of blood, components, or tissue	84 (25)	47 (17)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	333 (100)	279 (100)	612 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**53 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***40 duplicate cases were deleted during the month of February.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/org/ps/oa/oaindex.htm>

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - February 27, 1998**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	305	290	95%
1983 Jan -June	297	287	97%
July-Dec	412	395	96%
1984 Jan -June	592	572	97%
July-Dec	814	782	96%
1985 Jan -June	1161	1121	97%
July-Dec	1424	1367	96%
1986 Jan -June	1834	1771	97%
July-Dec	2229	2129	96%
1987 Jan -June	2755	2629	95%
July-Dec	2887	2709	94%
1988 Jan -June	3256	3043	93%
July-Dec	3367	3080	91%
1989 Jan -June	3977	3570	90%
July-Dec	3918	3468	89%
1990 Jan -June	4513	3874	86%
July-Dec	4448	3767	85%
1991 Jan -June	5292	4303	81%
July-Dec	6109	4764	78%
1992 Jan -June	6524	4649	71%
July-Dec	6441	4263	66%
1993 Jan -June	6331	3694	58%
July-Dec	5589	2779	50%
1994 Jan -June	5484	2291	42%
July-Dec	4781	1602	34%
1995 Jan -June	4973	1249	25%
July-Dec	4235	838	20%
1996 Jan -June	3963	601	15%
July-Dec	3035	358	12%
1997 Jan -June	2650	243	9%
July-Dec	1887	131	7%
1998 Jan -Feb 27	133	2	2%
-----	-----	-----	-----
Totals	105616	66621	63%

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - February 27, 1998**

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000	COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,142	3,245	63.1%	369.10	Orange	4,882	2,746	56.2%	179.97
<i>Berkeley</i>	490	328	66.9%	467.11	Placer	123	68	55.3%	56.31
Alpine	0	0	0.0%	0.00	Plumas	5	3	60.0%	22.91
Amador	29	17	58.6%	87.32	Riverside	3,454	1,835	53.1%	222.63
Butte	169	115	68.0%	82.91	Sacramento	2,540	1,625	64.0%	208.87
Calaveras	13	7	53.8%	29.70	San Benito	25	11	44.0%	56.37
Colusa	12	11	91.7%	62.38	San Bernardino	2,376	1,371	57.7%	133.53
Contra Costa	1,959	1,270	64.8%	215.37	San Diego	9,171	5,485	59.8%	336.43
Del Norte	19	10	52.6%	61.57	San Francisco	22,424	15,340	68.4%	2,954.51
El Dorado	133	86	64.7%	84.47	San Joaquin	638	398	62.4%	113.61
Fresno	933	592	63.5%	112.73	San Luis Obispo	397	184	46.3%	171.66
Glenn	9	6	66.7%	31.57	San Mateo	1,680	1,073	63.9%	236.29
Humboldt	170	102	60.0%	129.16	Santa Barbara	592	420	70.9%	148.77
Imperial	96	47	49.0%	71.66	Santa Clara	2,756	1,660	60.2%	169.10
Inyo	11	7	63.6%	56.38	Santa Cruz	434	267	61.5%	180.11
Kern	815	402	49.3%	119.91	Shasta	114	85	74.6%	64.13
Kings	124	56	45.2%	109.78	Sierra	4	4	100.0%	119.40
Lake	104	55	52.9%	169.38	Siskiyou	31	16	51.6%	66.01
Lassen	35	13	37.1%	130.33	Solano	974	547	56.2%	234.53
Los Angeles	37,384	23,940	64.0%	387.94	Sonoma	1,510	953	63.1%	343.10
<i>Long Beach</i>	3,296	2,074	62.9%	752.86	Stanislaus	459	276	60.1%	101.36
<i>Pasadena</i>	581	379	65.2%	432.29	Sutter	45	27	60.0%	56.66
Madera	78	43	55.1%	69.18	Tehama	22	11	50.0%	37.35
Marin	1,336	712	53.3%	553.51	Trinity	11	8	72.7%	77.64
Mariposa	11	3	27.3%	61.81	Tulare	198	140	70.7%	52.24
Mendocino	155	106	68.4%	170.82	Tuolumne	47	30	63.8%	83.87
Merced	115	70	60.9%	53.63	Ventura	689	440	63.9%	93.55
Modoc	1	1	100.0%	9.23	Yolo	143	88	61.5%	90.09
Mono	2	1	50.0%	18.48	Yuba	46	28	60.9%	65.93
Monterey	680	392	57.6%	178.73	Unknown	11	5	45.5%	
Napa	173	108	62.4%	143.50					
Nevada	107	60	56.1%	111.11					
					TOTAL	105,616	66,621	63.1%	313.98

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - February 27, 1998**

***Cumulative AIDS Cases in California
by County, as of February 28, 1998***



**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - March 31, 1998**

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37082 (35)	31059 (84)	214 (38)	161 (75)	37296 (35)	31220 (84)
Other Disease w/o PCP	35377 (34)	25836 (73)	348 (62)	196 (56)	35725 (34)	26032 (73)
KS Alone	5725 (5)	4164 (73)	0 (0)	0 (.)	5725 (5)	4164 (73)
No Diseases Listed	27139 (26)	5349 (20)	0 (0)	0 (.)	27139 (26)	5349 (20)
Total	105323 (100)	66408 (63)	562 (100)	357 (64)	105885 (100)	66765 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent * Cases (%)	Pediatric * Cases (%)	Total Cases (%)
Under 5	389 (0)	White, Not Hispanic	65714 (62)	161 (29)	65875 (62)
5-12	173 (0)	Black, Not Hispanic	17239 (16)	174 (31)	17413 (16)
13-19	303 (0)	Hispanic	19659 (19)	206 (37)	19865 (19)
20-29	16709 (16)	Asian/Pacific Is.	2114 (2)	15 (3)	2129 (2)
30-39	47606 (45)	Am. Indian/Alaska Native	440 (0)	5 (1)	445 (0)
40-49	28309 (27)	Unknown	157 (0)	1 (0)	158 (0)
Over 49	12396 (12)	-----	-----	-----	-----
Unknown	0 (0)	Total	105323 (100)	562 (100)	105885 (100)
Total	105885 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	75878 (77)	0 (0)	75878 (72)
Injecting drug use	7704 (8)	2715 (39)	10419 (10)
Men who have sex with men and inject drugs	9065 (9)	0 (0)	9065 (9)
Hemophilia/coagulation disorder	486 (0)	17 (0)	503 (0)
Heterosexual contact	1227 (1)	2949 (42)	4176 (4)
Receipt of blood, components, or tissue	896 (1)	644 (9)	1540 (1)
Risk not reported/Other	3049 (3)	640 (9)	3689 (4)
Total	98305 (100)	6965 (100)	105270 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	55 (16)	2 (1)	57 (9)
Mother with/at risk for HIV infection	192 (57)	229 (82)	421 (68)
Receipt of blood, components, or tissue	84 (25)	47 (17)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	335 (100)	280 (100)	615 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**53 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***215 duplicate cases were deleted during then month of March.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - March 31, 1998**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	305	290	95%
1983 Jan -June	297	287	97%
July-Dec	412	395	96%
1984 Jan -June	592	573	97%
July-Dec	812	780	96%
1985 Jan -June	1160	1120	97%
July-Dec	1421	1366	96%
1986 Jan -June	1834	1772	97%
July-Dec	2230	2131	96%
1987 Jan -June	2754	2630	95%
July-Dec	2887	2714	94%
1988 Jan -June	3255	3045	94%
July-Dec	3373	3090	92%
1989 Jan -June	3979	3571	90%
July-Dec	3947	3493	88%
1990 Jan -June	4507	3873	86%
July-Dec	4447	3774	85%
1991 Jan -June	5281	4299	81%
July-Dec	6078	4752	78%
1992 Jan -June	6512	4659	72%
July-Dec	6412	4262	66%
1993 Jan -June	6320	3707	59%
July-Dec	5578	2782	50%
1994 Jan -June	5476	2300	42%
July-Dec	4772	1616	34%
1995 Jan -June	4965	1258	25%
July-Dec	4235	840	20%
1996 Jan -June	3963	606	15%
July-Dec	3036	367	12%
1997 Jan -June	2693	248	9%
July-Dec	1998	155	8%
1998 Jan -Mar 31	353	10	3%
-----	-----	-----	-----
Totals	105884	66765	63%

AIDS CASES & CUMULATIVE INCIDENCE
1981 through March 31, 1998


COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,142	3,245	63.1%	369.10
<i>Berkeley</i>	490	328	66.9%	467.11
Alpine	0	0	0.0%	0.00
Amador	30	17	56.7%	90.33
Butte	171	115	67.3%	83.89
Calaveras	13	7	53.8%	29.70
Colusa	12	11	91.7%	62.38
Contra Costa	1,969	1,274	64.7%	216.47
Del Norte	19	10	52.6%	61.57
El Dorado	138	88	63.8%	87.65
Fresno	933	592	63.5%	112.73
Glenn	9	6	66.7%	31.57
Humboldt	172	103	59.9%	130.68
Imperial	96	47	49.0%	71.66
Inyo	11	7	63.6%	56.38
Kern	832	409	49.2%	122.41
Kings	124	56	45.2%	109.78
Lake	104	55	52.9%	169.38
Lassen	35	13	37.1%	130.33
Los Angeles	37,386	23,935	64.0%	387.96
<i>Long Beach</i>	3,306	2,073	62.7%	755.14
<i>Pasadena</i>	581	379	65.2%	432.29
Madera	78	43	55.1%	69.18
Marin	1,341	714	53.2%	555.59
Mariposa	11	3	27.3%	61.81
Mendocino	155	106	68.4%	170.82
Merced	117	70	59.8%	54.56
Modoc	1	1	100.0%	9.23
Mono	2	1	50.0%	18.48
Monterey	686	393	57.3%	180.30
Napa	174	108	62.1%	144.33
Nevada	106	59	55.7%	110.07

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Orange	4,910	2,760	56.2%	181.00
Placer	123	68	55.3%	56.31
Plumas	5	3	60.0%	22.91
Riverside	3,490	1,847	52.9%	224.95
Sacramento	2,554	1,629	63.8%	210.02
San Benito	25	11	44.0%	56.37
San Bernardino	2,380	1,372	57.6%	133.75
San Diego	9,230	5,496	59.5%	338.59
San Francisco	22,460	15,413	68.6%	2,959.25
San Joaquin	643	398	61.9%	114.50
San Luis Obispo	400	190	47.5%	172.96
San Mateo	1,684	1,073	63.7%	236.85
Santa Barbara	586	418	71.3%	147.26
Santa Clara	2,772	1,666	60.1%	170.08
Santa Cruz	434	267	61.5%	180.11
Shasta	114	85	74.6%	64.13
Sierra	4	4	100.0%	119.40
Siskiyou	31	16	51.6%	66.01
Solano	981	550	56.1%	236.22
Sonoma	1,510	955	63.2%	343.10
Stanislaus	462	276	59.7%	102.02
Sutter	48	28	58.3%	60.44
Tehama	22	11	50.0%	37.35
Trinity	11	8	72.7%	77.64
Tulare	198	140	70.7%	52.24
Tuolumne	47	30	63.8%	83.87
Ventura	692	441	63.7%	93.95
Yolo	143	88	61.5%	90.09
Yuba	48	29	60.4%	68.79
Unknown	11	5	45.5%	
TOTAL	105,885	66,765	63.1%	314.78



Cumulative AIDS Cases in California by County, as of March 31, 1998

Total Number of Cases = 105,885
(Including 11 Cases of Unknown County)

Numerals indicate cumulative numbers of cases;
shadings, cumulative incidence per 100,000



City Cases:
Berkeley--460
Long Beach--3,306
Pasadena--581



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report – April 30, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37176 (35)	31141 (84)	215 (38)	161 (75)	37391 (35)	31302 (84)
Other Disease w/o PCP	35484 (34)	25909 (73)	350 (62)	196 (56)	35834 (34)	26105 (73)
KS Alone	5740 (5)	4170 (73)	0 (0)	0 (.)	5740 (5)	4170 (73)
No Diseases Listed	27340 (26)	5423 (20)	0 (0)	0 (.)	27340 (26)	5423 (20)
Total	105740 (100)	66643 (63)	565 (100)	357 (63)	106305 (100)	67000 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	390 (0)	White, Not Hispanic	65921 (62)	160 (28)	66081 (62)
5-12	175 (0)	Black, Not Hispanic	17318 (16)	175 (31)	17493 (16)
13-19	305 (0)	Hispanic	19776 (19)	209 (37)	19985 (19)
20-29	16763 (16)	Asian/Pacific Is.	2127 (2)	15 (3)	2142 (2)
30-39	47786 (45)	Am. Indian/Alaska Native	441 (0)	5 (1)	446 (0)
40-49	28440 (27)	Unknown	157 (0)	1 (0)	158 (0)
Over 49	12446 (12)				
Unknown	0 (0)	Total	105740 (100)	565 (100)	106305 (100)
Total	106305 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	76153 (77)	0 (0)	76153 (72)
Injecting drug use	7736 (8)	2728 (39)	10464 (10)
Men who have sex with men and inject drugs	9099 (9)	0 (0)	9099 (9)
Hemophilia/coagulation disorder	489 (0)	17 (0)	506 (0)
Heterosexual contact	1235 (1)	2970 (42)	4205 (4)
Receipt of blood, components, or tissue	897 (1)	645 (9)	1542 (1)
Risk not reported/Other	3076 (3)	641 (9)	3717 (4)
Total	98685 (100)	7001 (100)	105686 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	55 (16)	2 (1)	57 (9)
Mother with/at risk for HIV infection	194 (58)	231 (82)	425 (69)
Receipt of blood, components, or tissue	84 (25)	47 (17)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	337 (100)	282 (100)	619 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**54 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***33 duplicate cases were deleted during the month of April.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – April 30, 1998**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	305	290	95%
1983 Jan -June	297	287	97%
July-Dec	413	395	96%
1984 Jan -June	592	573	97%
July-Dec	812	780	96%
1985 Jan -June	1160	1120	97%
July-Dec	1422	1366	96%
1986 Jan -June	1834	1772	97%
July-Dec	2231	2131	96%
1987 Jan -June	2756	2632	96%
July-Dec	2888	2714	94%
1988 Jan -June	3255	3045	94%
July-Dec	3374	3091	92%
1989 Jan -June	3978	3570	90%
July-Dec	3948	3494	89%
1990 Jan -June	4509	3877	86%
July-Dec	4448	3775	85%
1991 Jan -June	5281	4303	81%
July-Dec	6084	4760	78%
1992 Jan -June	6506	4665	72%
July-Dec	6414	4271	67%
1993 Jan -June	6322	3727	59%
July-Dec	5586	2821	51%
1994 Jan -June	5484	2335	43%
July-Dec	4772	1635	34%
1995 Jan -June	4972	1272	26%
July-Dec	4243	846	20%
1996 Jan -June	3974	618	16%
July-Dec	3049	374	12%
1997 Jan -June	2730	257	9%
July-Dec	2068	173	8%
1998 Jan -Apr 31	597	31	5%
-----	-----	-----	-----
Totals	106304	67000	63%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through April 30, 1998

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,149	3,251	63.1%	369.61
<i>Berkeley</i>	490	329	67.1%	467.11
Alpine	0	0	0.0%	0.00
Amador	30	17	56.7%	90.33
Butte	171	115	67.3%	83.89
Calaveras	13	8	61.5%	29.70
Colusa	12	11	91.7%	62.38
Contra Costa	1,978	1,278	64.6%	217.46
Del Norte	19	10	52.6%	61.57
El Dorado	137	88	64.2%	87.01
Fresno	932	591	63.4%	112.61
Glenn	9	6	66.7%	31.57
Humboldt	170	103	60.6%	129.16
Imperial	96	48	50.0%	71.66
Inyo	11	7	63.6%	56.38
Kern	842	410	48.7%	123.88
Kings	124	56	45.2%	109.78
Lake	106	57	53.8%	172.64
Lassen	35	13	37.1%	130.33
Los Angeles	37,507	23,990	64.0%	389.22
<i>Long Beach</i>	3,322	2,077	62.5%	758.79
<i>Pasadena</i>	581	379	65.2%	432.29
Madera	77	43	55.8%	68.29
Marin	1,342	718	53.5%	556.00
Mariposa	11	3	27.3%	61.81
Mendocino	155	106	68.4%	170.82
Merced	117	70	59.8%	54.56
Modoc	1	1	100.0%	9.23
Mono	2	1	50.0%	18.48
Monterey	691	393	56.9%	181.62
Napa	177	109	61.6%	146.81
Nevada	109	60	55.0%	113.18

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Orange	4,936	2,763	56.0%	181.96
Placer	123	68	55.3%	56.31
Plumas	5	3	60.0%	22.91
Riverside	3,524	1,847	52.4%	227.14
Sacramento	2,553	1,629	63.8%	209.94
San Benito	25	11	44.0%	56.37
San Bernardino	2,321	1,329	57.3%	130.44
San Diego	9,275	5,508	59.4%	340.24
San Francisco	22,548	15,531	68.9%	2,970.85
San Joaquin	648	403	62.2%	115.39
San Luis Obispo	400	190	47.5%	172.96
San Mateo	1,689	1,073	63.5%	237.55
Santa Barbara	591	418	70.7%	148.52
Santa Clara	2,790	1,673	60.0%	171.18
Santa Cruz	436	267	61.2%	180.94
Shasta	114	85	74.6%	64.13
Sierra	4	4	100.0%	119.40
Siskiyou	31	16	51.6%	66.01
Solano	989	550	55.6%	238.14
Sonoma	1,519	960	63.2%	345.15
Stanislaus	464	277	59.7%	102.46
Sutter	48	28	58.3%	60.44
Tehama	22	11	50.0%	37.35
Trinity	11	8	72.7%	77.64
Tulare	202	142	70.3%	53.29
Tuolumne	47	30	63.8%	83.87
Ventura	697	443	63.6%	94.63
Yolo	143	88	61.5%	90.09
Yuba	48	29	60.4%	68.79
Unknown	79	53	67.1%	
TOTAL	106,305	67,000	63.0%	316.03

Cumulative AIDS Cases in California by County, as of April 30, 1998



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report – May 30, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37286 (35)	31243 (84)	215 (38)	161 (75)	37501 (35)	31404 (84)
Other Disease w/o PCP	35625 (34)	26024 (73)	350 (62)	196 (56)	35975 (34)	26220 (73)
KS Alone	5750 (5)	4185 (73)	0 (0)	0 (.)	5750 (5)	4185 (73)
No Diseases Listed	27601 (26)	5513 (20)	0 (0)	0 (.)	27601 (26)	5513 (20)
Total	106262 (100)	66965 (63)	565 (100)	357 (63)	106827 (100)	67322 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	390 (0)	White, Not Hispanic	66177 (62)	160 (28)	66337 (62)
5-12	175 (0)	Black, Not Hispanic	17436 (16)	175 (31)	17611 (16)
13-19	305 (0)	Hispanic	19905 (19)	209 (37)	20114 (19)
20-29	16830 (16)	Asian/Pacific Is.	2146 (2)	15 (3)	2161 (2)
30-39	48036 (45)	Am. Indian/Alaska Native	442 (0)	5 (1)	447 (0)
40-49	28571 (27)	Unknown	156 (0)	1 (0)	157 (0)
Over 49	12520 (12)				
Unknown	0 (0)	Total	106262 (100)	565 (100)	106827 (100)
Total	106827 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	76448 (77)	0 (0)	76448 (72)
Injecting drug use	7786 (8)	2752 (39)	10538 (10)
Men who have sex with men and inject drugs	9158 (9)	0 (0)	9158 (9)
Hemophilia/coagulation disorder	489 (0)	17 (0)	506 (0)
Heterosexual contact	1254 (1)	3010 (43)	4264 (4)
Receipt of blood, components, or tissue	894 (1)	646 (9)	1540 (1)
Risk not reported/Other	3101 (3)	653 (9)	3754 (4)
Total	99130 (100)	7078 (100)	106208 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	55 (16)	2 (1)	57 (9)
Mother with/at risk for HIV infection	194 (58)	231 (82)	425 (69)
Receipt of blood, components, or tissue	84 (25)	47 (17)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	337 (100)	282 (100)	619 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**54 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***30 duplicate cases were deleted during the month of May.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report – May 30, 1998

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	305	290	95%
1983 Jan -June	297	287	97%
July-Dec	413	395	96%
1984 Jan -June	592	573	97%
July-Dec	812	780	96%
1985 Jan -June	1161	1120	96%
July-Dec	1422	1366	96%
1986 Jan -June	1834	1772	97%
July-Dec	2231	2132	96%
1987 Jan -June	2755	2633	96%
July-Dec	2887	2716	94%
1988 Jan -June	3254	3046	94%
July-Dec	3374	3093	92%
1989 Jan -June	3979	3573	90%
July-Dec	3951	3496	88%
1990 Jan -June	4510	3884	86%
July-Dec	4448	3781	85%
1991 Jan -June	5287	4313	82%
July-Dec	6087	4769	78%
1992 Jan -June	6502	4686	72%
July-Dec	6415	4297	67%
1993 Jan -June	6316	3748	59%
July-Dec	5589	2851	51%
1994 Jan -June	5490	2358	43%
July-Dec	4777	1667	35%
1995 Jan -June	4981	1293	26%
July-Dec	4256	870	20%
1996 Jan -June	3981	632	16%
July-Dec	3066	383	12%
1997 Jan -June	2759	271	10%
July-Dec	2149	190	9%
1998 Jan -May 30	946	57	6%


Totals	106826	67322	63%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through May 30, 1998

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000	COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,211	3,282	63.0%	374.06	Orange	4,955	2,772	55.9%	182.66
<i>Berkeley</i>	490	329	67.1%	467.11	Placer	122	67	54.9%	55.85
Alpine	0	0	0.0%	0.00	Plumas	6	3	50.0%	27.49
Amador	30	17	56.7%	90.33	Riverside	3,565	1,848	51.8%	229.78
Butte	170	115	67.6%	83.40	Sacramento	2,563	1,630	63.6%	210.76
Calaveras	13	8	61.5%	29.70	San Benito	25	11	44.0%	56.37
Colusa	12	11	91.7%	62.38	San Bernardino	2,396	1,381	57.6%	134.65
Contra Costa	1,979	1,280	64.7%	217.57	San Diego	9,324	5,524	59.2%	342.04
Del Norte	19	10	52.6%	61.57	San Francisco	22,654	15,707	69.3%	2,984.82
El Dorado	137	88	64.2%	87.01	San Joaquin	654	404	61.8%	116.46
Fresno	932	591	63.4%	112.61	San Luis Obispo	404	191	47.3%	174.69
Glenn	9	6	66.7%	31.57	San Mateo	1,693	1,073	63.4%	238.11
Humboldt	170	103	60.6%	129.16	Santa Barbara	591	418	70.7%	148.52
Imperial	97	48	49.5%	72.40	Santa Clara	2,803	1,683	60.0%	171.98
Inyo	11	7	63.6%	56.38	Santa Cruz	440	269	61.1%	182.60
Kern	843	410	48.6%	124.03	Shasta	114	85	74.6%	64.13
Kings	124	56	45.2%	109.78	Sierra	4	4	100.0%	119.40
Lake	106	57	53.8%	172.64	Siskiyou	32	16	50.0%	68.14
Lassen	35	13	37.1%	130.33	Solano	993	552	55.6%	239.10
Los Angeles	37,683	24,048	63.8%	391.04	Sonoma	1,521	963	63.3%	345.60
<i>Long Beach</i>	3,340	2,084	62.4%	762.91	Stanislaus	466	277	59.4%	102.90
<i>Pasadena</i>	581	377	64.9%	432.29	Sutter	48	28	58.3%	60.44
Madera	77	43	55.8%	68.29	Tehama	22	11	50.0%	37.35
Marin	1,341	718	53.5%	555.59	Trinity	11	8	72.7%	77.64
Mariposa	11	3	27.3%	61.81	Tulare	206	144	69.9%	54.35
Mendocino	155	106	68.4%	170.82	Tuolumne	47	30	63.8%	83.87
Merced	117	70	59.8%	54.56	Ventura	702	443	63.1%	95.31
Modoc	1	1	100.0%	9.23	Yolo	143	91	63.6%	90.09
Mono	2	1	50.0%	18.48	Yuba	48	29	60.4%	68.79
Monterey	693	394	56.9%	182.14	Unknown	11	5	45.5%	
Napa	177	109	61.6%	146.81					
Nevada	109	60	55.0%	113.18					
					TOTAL	106,827	67,322	63.0%	317.58

Cumulative AIDS Cases in California by County, as of May 30 1998



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch 

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report – June 30, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37458 (35)	31341 (84)	216 (38)	161 (75)	37674 (35)	31502 (84)
Other Disease w/o PCP	35781 (33)	26076 (73)	351 (62)	196 (56)	36132 (34)	26272 (73)
KS Alone	5766 (5)	4182 (73)	0 (0)	0 (.)	5766 (5)	4182 (73)
No Diseases Listed	27843 (26)	5537 (20)	0 (0)	0 (.)	27843 (26)	5537 (20)
Total	106848 (100)	67136 (63)	567 (100)	357 (63)	107415 (100)	67493 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	392 (0)	White, Not Hispanic	66467 (62)	160 (28)	66627 (62)
5-12	175 (0)	Black, Not Hispanic	17558 (16)	176 (31)	17734 (17)
13-19	308 (0)	Hispanic	20060 (19)	210 (37)	20270 (19)
20-29	16928 (16)	Asian/Pacific Is.	2160 (2)	15 (3)	2175 (2)
30-39	48298 (45)	Am. Indian/Alaska Native	445 (0)	5 (1)	450 (0)
40-49	28728 (27)	Unknown	158 (0)	1 (0)	159 (0)
Over 49	12586 (12)	Total	106848 (100)	567 (100)	107415 (100)
Unknown	0 (0)				
Total	107415 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	76767 (77)	0 (0)	76767 (72)
Injecting drug use	7836 (8)	2778 (39)	10614 (10)
Men who have sex with men and inject drugs	9230 (9)	0 (0)	9230 (9)
Hemophilia/coagulation disorder	488 (0)	17 (0)	505 (0)
Heterosexual contact	1268 (1)	3041 (43)	4309 (4)
Receipt of blood, components, or tissue	897 (1)	647 (9)	1544 (1)
Risk not reported/Other	3163 (3)	662 (9)	3825 (4)
Total	99649 (100)	7145 (100)	106794 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	55 (16)	2 (1)	57 (9)
Mother with/at risk for HIV infection	195 (58)	232 (82)	427 (69)
Receipt of blood, components, or tissue	84 (25)	47 (17)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	338 (100)	283 (100)	621 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **54 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***15 duplicate cases were deleted during

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report – June 30, 1998

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	305	290	95%
1983 Jan -June	296	286	97%
July-Dec	413	395	96%
1984 Jan -June	594	575	97%
July-Dec	812	780	96%
1985 Jan -June	1161	1120	96%
July-Dec	1422	1368	96%
1986 Jan -June	1834	1772	97%
July-Dec	2231	2132	96%
1987 Jan -June	2760	2639	96%
July-Dec	2896	2723	94%
1988 Jan -June	3266	3057	94%
July-Dec	3404	3119	92%
1989 Jan -June	4025	3616	90%
July-Dec	3994	3537	89%
1990 Jan -June	4520	3888	86%
July-Dec	4447	3775	85%
1991 Jan -June	5283	4306	82%
July-Dec	6045	4738	78%
1992 Jan -June	6455	4644	72%
July-Dec	6383	4278	67%
1993 Jan -June	6317	3754	59%
July-Dec	5595	2861	51%
1994 Jan -June	5496	2363	43%
July-Dec	4785	1678	35%
1995 Jan -June	4994	1300	26%
July-Dec	4271	888	21%
1996 Jan -June	3999	649	16%
July-Dec	3073	389	13%
1997 Jan -June	2800	278	10%
July-Dec	2217	205	9%
1998 Jan -Jun 30	1321	90	7%
-----	-----	-----	-----
Totals	107414	67493	63%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through June 30, 1998

COUNTY	Incidence				COUNTY	Incidence			
	AIDS Cases	Deaths	Mortality Rate	per 100,000		AIDS Cases	Deaths	Mortality Rate	per 100,000
Alameda	5,246	3,294	62.8%	376.57	Orange	4,999	2,789	55.8%	184.28
<i>Berkeley</i>	490	329	67.1%	467.11	Placer	126	68	54.0%	57.68
Alpine	0	0	0.0%	0.00	Plumas	6	3	50.0%	27.49
Amador	32	17	53.1%	96.36	Riverside	3,597	1,861	51.7%	231.84
Butte	174	115	66.1%	85.37	Sacramento	2,573	1,632	63.4%	211.59
Calaveras	13	8	61.5%	29.70	San Benito	26	11	42.3%	58.63
Colusa	12	11	91.7%	62.38	San Bernardino	2,437	1,386	56.9%	136.95
Contra Costa	1,993	1,283	64.4%	219.11	San Diego	9,373	5,545	59.2%	343.84
Del Norte	19	10	52.6%	61.57	San Francisco	22,732	15,733	69.2%	2,995.09
El Dorado	137	88	64.2%	87.01	San Joaquin	656	404	61.6%	116.82
Fresno	932	591	63.4%	112.61	San Luis Obispo	405	192	47.4%	175.12
Glenn	9	6	66.7%	31.57	San Mateo	1,701	1,073	63.1%	239.24
Humboldt	171	103	60.2%	129.92	Santa Barbara	591	418	70.7%	148.52
Imperial	98	49	50.0%	73.15	Santa Clara	2,821	1,684	59.7%	173.08
Inyo	11	7	63.6%	56.38	Santa Cruz	442	270	61.1%	183.43
Kern	855	411	48.1%	125.79	Shasta	117	86	73.5%	65.82
Kings	125	56	44.8%	110.66	Sierra	4	4	100.0%	119.40
Lake	107	57	53.3%	174.27	Siskiyou	32	16	50.0%	68.14
Lassen	35	13	37.1%	130.33	Solano	993	552	55.6%	239.10
Los Angeles	37,880	24,098	63.6%	393.09	Sonoma	1,529	967	63.2%	347.42
<i>Long Beach</i>	3,353	2,086	62.2%	765.87	Stanislaus	467	278	59.5%	103.12
<i>Pasadena</i>	594	378	63.6%	441.96	Sutter	49	28	57.1%	61.69
Madera	77	43	55.8%	68.29	Tehama	22	11	50.0%	37.35
Marin	1,343	719	53.5%	556.41	Trinity	11	8	72.7%	77.64
Mariposa	11	3	27.3%	61.81	Tulare	208	148	71.2%	54.87
Mendocino	155	106	68.4%	170.82	Tuolumne	49	31	63.3%	87.44
Merced	118	70	59.3%	55.03	Ventura	708	445	62.9%	96.13
Modoc	1	1	100.0%	9.23	Yolo	143	91	63.6%	90.09
Mono	2	1	50.0%	18.48	Yuba	49	29	59.2%	70.23
Monterey	693	396	57.1%	182.14	Unknown	13	5	38.5%	
Napa	177	109	61.6%	146.81					
Nevada	110	60	54.5%	114.22					
					TOTAL	107,415	67,493	62.8%	319.33

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report - July 31, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37541 (35)	31415 (84)	216 (38)	161 (75)	37757 (35)	31576 (84)
Other Disease w/o PCP	35930 (33)	26158 (73)	352 (62)	196 (56)	36282 (34)	26354 (73)
KS Alone	5760 (5)	4171 (72)	0 (0)	0 (.)	5760 (5)	4171 (72)
No Diseases Listed	28029 (26)	5569 (20)	0 (0)	0 (.)	28029 (26)	5569 (20)
Total	107260 (100)	67313 (63)	568 (100)	357 (63)	107828 (100)	67670 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	392 (0)	White, Not Hispanic	66665 (62)	161 (28)	66826 (62)
5-12	176 (0)	Black, Not Hispanic	17655 (16)	176 (31)	17831 (17)
13-19	308 (0)	Hispanic	20167 (19)	210 (37)	20377 (19)
20-29	16980 (16)	Asian/Pacific Is.	2172 (2)	15 (3)	2187 (2)
30-39	48477 (45)	Am. Indian/Alaska Native	443 (0)	5 (1)	448 (0)
40-49	28869 (27)	Unknown	158 (0)	1 (0)	159 (0)
Over 49	12626 (12)				
Unknown	0 (0)	Total	107260 (100)	568 (100)	107828 (100)
Total	107828 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	76998 (77)	0 (0)	76998 (72)
Injecting drug use	7878 (8)	2793 (39)	10671 (10)
Men who have sex with men and inject drugs	9290 (9)	0 (0)	9290 (9)
Hemophilia/coagulation disorder	495 (0)	17 (0)	512 (0)
Heterosexual contact	1286 (1)	3062 (43)	4348 (4)
Receipt of blood, components, or tissue	900 (1)	647 (9)	1547 (1)
Risk not reported/Other	3172 (3)	669 (9)	3841 (4)
Total	100019 (100)	7188 (100)	107207 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	54 (16)	3 (1)	57 (9)
Mother with/at risk for HIV infection	195 (58)	232 (82)	427 (69)
Receipt of blood, components, or tissue	84 (25)	47 (17)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	337 (100)	284 (100)	621 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **53 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3;and as pediatric cases in table 4.
 ***** duplicate cases were deleted during

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - July 31, 1998**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	291	95%
1983 Jan -June	295	285	97%
July-Dec	413	395	96%
1984 Jan -June	594	575	97%
July-Dec	812	780	96%
1985 Jan -June	1161	1120	96%
July-Dec	1419	1366	96%
1986 Jan -June	1837	1775	97%
July-Dec	2230	2132	96%
1987 Jan -June	2760	2639	96%
July-Dec	2902	2729	94%
1988 Jan -June	3269	3063	94%
July-Dec	3409	3124	92%
1989 Jan -June	4038	3629	90%
July-Dec	4005	3549	89%
1990 Jan -June	4520	3887	86%
July-Dec	4458	3789	85%
1991 Jan -June	5276	4299	81%
July-Dec	6030	4729	78%
1992 Jan -June	6447	4639	72%
July-Dec	6367	4275	67%
1993 Jan -June	6321	3767	60%
July-Dec	5591	2874	51%
1994 Jan -June	5500	2374	43%
July-Dec	4789	1691	35%
1995 Jan -June	5008	1313	26%
July-Dec	4279	894	21%
1996 Jan -June	4011	660	16%
July-Dec	3100	398	13%
1997 Jan -June	2820	291	10%
July-Dec	2262	213	9%
1998 Jan -June	1578	125	8%
July-Jul 31	21	0	0%
-----	-----	-----	-----
Totals	107828	67670	63%


**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - July 31, 1998**


COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,289	3,317	62.7%	379.66
Berkeley	490	329	67.1%	467.11
Alpine	0	0	0.0%	0.00
Amador	32	17	53.1%	96.36
Butte	174	115	66.1%	85.37
Calaveras	13	8	61.5%	29.70
Colusa	12	11	91.7%	62.38
Contra Costa	1,995	1,284	64.4%	219.33
Del Norte	19	10	52.6%	61.57
El Dorado	137	88	64.2%	87.01
Fresno	951	599	63.0%	114.91
Glenn	9	6	66.7%	31.57
Humboldt	171	103	60.2%	129.92
Imperial	98	49	50.0%	73.15
Inyo	11	7	63.6%	56.38
Kern	863	412	47.7%	126.97
Kings	125	56	44.8%	110.66
Lake	110	58	52.7%	179.15
Lassen	37	13	35.1%	137.78
Los Angeles	37,985	24,148	63.6%	394.18
Long Beach	3,353	2,086	62.2%	765.87
Pasadena	594	378	63.6%	441.96
Madera	77	43	55.8%	68.29
Marin	1,351	726	53.7%	559.73
Mariposa	11	3	27.3%	61.81
Mendocino	156	106	67.9%	171.92
Merced	118	70	59.3%	55.03
Modoc	1	1	100.0%	9.23
Mono	2	1	50.0%	18.48
Monterey	697	397	57.0%	183.19
Napa	177	109	61.6%	146.81
Nevada	109	60	55.0%	113.18

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Orange	5,018	2,807	55.9%	184.98
Placer	125	68	54.4%	57.22
Plumas	6	3	50.0%	27.49
Riverside	3,628	1,872	51.6%	233.84
Sacramento	2,601	1,635	62.9%	213.89
San Benito	26	11	42.3%	58.63
San Bernardino	2,448	1,393	56.9%	137.57
San Diego	9,400	5,549	59.0%	344.83
San Francisco	22,775	15,763	69.2%	3,000.76
San Joaquin	661	406	61.4%	117.71
San Luis Obispo	408	193	47.3%	176.42
San Mateo	1,714	1,073	62.6%	241.07
Santa Barbara	601	419	69.7%	151.03
Santa Clara	2,819	1,684	59.7%	172.96
Santa Cruz	445	270	60.7%	184.68
Shasta	117	86	73.5%	65.82
Sierra	4	4	100.0%	119.40
Siskiyou	32	16	50.0%	68.14
Solano	1,007	556	55.2%	242.48
Sonoma	1,535	969	63.1%	348.79
Stanislaus	470	278	59.1%	103.78
Sutter	49	28	57.1%	61.69
Tehama	22	11	50.0%	37.35
Trinity	11	8	72.7%	77.64
Tulare	208	148	71.2%	54.87
Tuolumne	49	31	63.3%	87.44
Ventura	712	447	62.8%	96.67
Yolo	145	92	63.4%	91.35
Yuba	49	29	59.2%	70.23
Unknown	13	4	30.8%	
TOTAL	107,828	67,670	62.8%	320.56

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report - July 31, 1998**

***Cumulative AIDS Cases in California
by County, as of July 31, 1998***



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch 

Acquired Immunodeficiency Syndrome (AIDS) HIV-AIDS Reporting System Surveillance Report – August 31, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37652 (35)	31472 (84)	216 (38)	162 (75)	37868 (35)	31634 (84)
Other Disease w/o PCP	36069 (33)	26220 (73)	353 (62)	196 (56)	36422 (34)	26416 (73)
KS Alone	5762 (5)	4168 (72)	0 (0)	0 (.)	5762 (5)	4168 (72)
No Diseases Listed	28260 (26)	5605 (20)	0 (0)	0 (.)	28260 (26)	5605 (20)
Total	107743 (100)	67465 (63)	569 (100)	358 (63)	108312 (100)	67823 (63)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	392 (0)	White, Not Hispanic	66875 (62)	162 (28)	67037 (62)
5-12	177 (0)	Black, Not Hispanic	17780 (17)	176 (31)	17956 (17)
13-19	308 (0)	Hispanic	20295 (19)	210 (37)	20505 (19)
20-29	17026 (16)	Asian/Pacific Is.	2186 (2)	15 (3)	2201 (2)
30-39	48704 (45)	Am. Indian/Alaska Native	447 (0)	5 (1)	452 (0)
40-49	29014 (27)	Unknown	160 (0)	1 (0)	161 (0)
Over 49	12691 (12)				
Unknown	0 (0)	Total	107743 (100)	569 (100)	108312 (100)
Total	108312 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	77257 (77)	0 (0)	77257 (72)
Injecting drug use	7934 (8)	2800 (39)	10734 (10)
Men who have sex with men and inject drugs	9343 (9)	0 (0)	9343 (9)
Hemophilia/coagulation disorder	496 (0)	17 (0)	513 (0)
Heterosexual contact	1304 (1)	3088 (43)	4392 (4)
Receipt of blood, components, or tissue	901 (1)	650 (9)	1551 (1)
Risk not reported/Other	3219 (3)	680 (9)	3899 (4)
Total	100454 (100)	7235 (100)	107689 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	55 (16)	3 (1)	58 (9)
Mother with/at risk for HIV infection	195 (58)	233 (82)	428 (69)
Receipt of blood, components, or tissue	84 (25)	47 (16)	131 (21)
Risk not reported/Other	4 (1)	2 (1)	6 (1)
Total	338 (100)	285 (100)	623 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **54 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***29 duplicate cases were deleted during the month of August.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

**Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – August 31, 1998**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1983	306	291	95%
1983 Jan -June	295	285	97%
July-Dec	413	395	96%
1984 Jan -June	594	575	97%
July-Dec	812	780	96%
1985 Jan -June	1163	1122	96%
July-Dec	1419	1366	96%
1986 Jan -June	1837	1775	97%
July-Dec	2230	2132	96%
1987 Jan -June	2759	2639	96%
July-Dec	2900	2729	94%
1988 Jan -June	3270	3065	94%
July-Dec	3412	3128	92%
1989 Jan -June	4047	3639	90%
July-Dec	4029	3569	89%
1990 Jan -June	4522	3890	86%
July-Dec	4468	3796	85%
1991 Jan -June	5276	4300	82%
July-Dec	6016	4717	78%
1992 Jan -June	6437	4634	72%
July-Dec	6352	4266	67%
1993 Jan -June	6322	3778	60%
July-Dec	5595	2881	51%
1994 Jan -June	5507	2385	43%
July-Dec	4792	1699	35%
1995 Jan -June	5016	1326	26%
July-Dec	4284	905	21%
1996 Jan -June	4019	671	17%
July-Dec	3118	407	13%
1997 Jan -June	2835	299	11%
July-Dec	2305	221	10%
1998 Jan -June	1801	153	8%
July-Aug 31	161	5	3%
-----	-----	-----	-----
Totals	108312	67823	63%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through August 31, 1998


COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000	COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,362	3,323	62.0%	384.90	Orange	5,025	2,814	56.0%	185.24
<i>Berkeley</i>	491	332	67.6%	468.06	Placer	125	68	54.4%	57.22
Alpine	0	0	0.0%	0.00	Plumas	6	3	50.0%	27.49
Amador	32	17	53.1%	96.36	Riverside	3,624	1,870	51.6%	233.58
Butte	174	115	66.1%	85.37	Sacramento	2,599	1,635	62.9%	213.73
Calaveras	13	8	61.5%	29.70	San Benito	26	11	42.3%	58.63
Colusa	12	11	91.7%	62.38	San Bernardino	2,465	1,398	56.7%	138.53
Contra Costa	2,005	1,286	64.1%	220.43	San Diego	9,451	5,569	58.9%	346.70
Del Norte	19	10	52.6%	61.57	San Francisco	22,850	15,806	69.2%	3,010.64
El Dorado	138	88	63.8%	87.65	San Joaquin	662	408	61.6%	117.89
Fresno	962	604	62.8%	116.24	San Luis Obispo	408	193	47.3%	176.42
Glenn	9	6	66.7%	31.57	San Mateo	1,726	1,074	62.2%	242.76
Humboldt	173	103	59.5%	131.44	Santa Barbara	601	420	69.9%	151.03
Imperial	98	49	50.0%	73.15	Santa Clara	2,840	1,690	59.5%	174.25
Inyo	11	7	63.6%	56.38	Santa Cruz	445	271	60.9%	184.68
Kern	881	413	46.9%	129.62	Shasta	117	86	73.5%	65.82
Kings	124	55	44.4%	109.78	Sierra	4	4	100.0%	119.40
Lake	113	58	51.3%	184.04	Siskiyou	32	17	53.1%	68.14
Lassen	38	14	36.8%	141.50	Solano	1,021	560	54.8%	245.85
Los Angeles	38,124	24,182	63.4%	395.62	Sonoma	1,541	973	63.1%	350.15
<i>Long Beach</i>	3,363	2,089	62.1%	768.16	Stanislaus	474	278	58.6%	104.67
<i>Pasadena</i>	598	382	63.9%	444.94	Sutter	49	28	57.1%	61.69
Madera	81	45	55.6%	71.84	Tehama	22	11	50.0%	37.35
Marin	1,357	727	53.6%	562.21	Trinity	11	8	72.7%	77.64
Mariposa	11	3	27.3%	61.81	Tulare	212	149	70.3%	55.93
Mendocino	156	106	67.9%	171.92	Tuolumne	49	31	63.3%	87.44
Merced	119	72	60.5%	55.50	Ventura	716	450	62.8%	97.21
Modoc	1	1	100.0%	9.23	Yolo	145	92	63.4%	91.35
Mono	2	1	50.0%	18.48	Yuba	50	30	60.0%	71.66
Monterey	699	399	57.1%	183.72	Unknown	16	4	25.0%	
Napa	177	109	61.6%	146.81					
Nevada	109	60	55.0%	113.18					
					TOTAL	108,312	67,823	62.6%	321.99

Cumulative AIDS Cases in California by County, as of August 31, 1998


Total Number of Cases = 108,312
(Including 16 Cases of Unknown County)


Numerals indicate cumulative numbers of cases;
shadings, cumulative incidence per 100,000

Incidence per 100,000



City Cases:
Berkeley--491
Long Beach--3,363
Pasadena--598



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch 

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – September 30, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37744 (35)	31502 (83)	216 (38)	162 (75)	37960 (35)	31664 (83)
Other Disease w/o PCP	36219 (33)	26289 (73)	354 (62)	196 (55)	36573 (34)	26485 (72)
KS Alone	5770 (5)	4172 (72)	0 (0)	0 (.)	5770 (5)	4172 (72)
No Diseases Listed	28511 (26)	5632 (20)	0 (0)	0 (.)	28511 (26)	5632 (20)
Total	108244 (100)	67595 (62)	570 (100)	358 (63)	108814 (100)	67953 (62)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	393 (0)	White, Not Hispanic	67124 (62)	163 (29)	67287 (62)
5-12	177 (0)	Black, Not Hispanic	17880 (17)	176 (31)	18056 (17)
13-19	309 (0)	Hispanic	20421 (19)	210 (37)	20631 (19)
20-29	17100 (16)	Asian/Pacific Is.	2205 (2)	15 (3)	2220 (2)
30-39	48919 (45)	Am. Indian/Alaska Native	451 (0)	5 (1)	456 (0)
40-49	29173 (27)	Unknown	163 (0)	1 (0)	164 (0)
Over 49	12743 (12)				
Unknown	0 (0)	Total	108244 (100)	570 (100)	108814 (100)
Total	108814 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	77586 (77)	0 (0)	77586 (72)
Injecting drug use	7982 (8)	2823 (39)	10805 (10)
Men who have sex with men and inject drugs	9396 (9)	0 (0)	9396 (9)
Hemophilia/coagulation disorder	500 (0)	17 (0)	517 (0)
Heterosexual contact	1309 (1)	3115 (43)	4424 (4)
Receipt of blood, components, or tissue	904 (1)	651 (9)	1555 (1)
Risk not reported/Other	3227 (3)	678 (9)	3905 (4)
Total	100904 (100)	7284 (100)	108188 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	55 (16)	3 (1)	58 (9)
Mother with/at risk for HIV infection	195 (58)	234 (82)	429 (69)
Receipt of blood, components, or tissue	84 (25)	47 (16)	131 (21)
Risk not reported/Other	5 (1)	3 (1)	8 (1)
Total	339 (100)	287 (100)	626 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **56 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***73 duplicate cases were deleted during the month of September

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – September 30, 1998

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	291	95%
1983 Jan -June	295	285	97%
July-Dec	413	395	96%
1984 Jan -June	594	575	97%
July-Dec	813	781	96%
1985 Jan -June	1163	1122	96%
July-Dec	1419	1367	96%
1986 Jan -June	1836	1774	97%
July-Dec	2231	2133	96%
1987 Jan -June	2761	2641	96%
July-Dec	2901	2728	94%
1988 Jan -June	3270	3065	94%
July-Dec	3414	3132	92%
1989 Jan -June	4045	3638	90%
July-Dec	4029	3571	89%
1990 Jan -June	4524	3892	86%
July-Dec	4470	3797	85%
1991 Jan -June	5271	4297	82%
July-Dec	6019	4722	78%
1992 Jan -June	6440	4640	72%
July-Dec	6351	4269	67%
1993 Jan -June	6325	3784	60%
July-Dec	5597	2886	52%
1994 Jan -June	5515	2394	43%
July-Dec	4797	1709	36%
1995 Jan -June	5023	1331	26%
July-Dec	4294	910	21%
1996 Jan -June	4031	682	17%
July-Dec	3143	413	13%
1997 Jan -June	2850	310	11%
July-Dec	2344	232	10%
1998 Jan -June	1942	170	9%
July-Oct 1	388	17	4%
----- Totals	----- 108814	----- 67953	----- 62%


Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – September 30, 1998

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000	COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,353	3,317	62.0%	384.25	Orange	5,034	2,814	55.9%	185.57
<i>Berkeley</i>	495	328	66.3%	471.88	Placer	125	68	54.4%	57.22
Alpine	0	0	0.0%	0.00	Plumas	6	3	50.0%	27.49
Amador	32	17	53.1%	96.36	Riverside	3,649	1,883	51.6%	235.20
Butte	175	115	65.7%	85.86	Sacramento	2,636	1,638	62.1%	216.77
Calaveras	13	8	61.5%	29.70	San Benito	26	11	42.3%	58.63
Colusa	12	11	91.7%	62.38	San Bernardino	2,472	1,400	56.6%	138.92
Contra Costa	2,005	1,287	64.2%	220.43	San Diego	9,482	5,583	58.9%	347.84
Del Norte	19	10	52.6%	61.57	San Francisco	22,998	15,826	68.8%	3,030.14
El Dorado	138	88	63.8%	87.65	San Joaquin	667	409	61.3%	118.78
Fresno	961	604	62.9%	116.12	San Luis Obispo	408	193	47.3%	176.42
Glenn	9	6	66.7%	31.57	San Mateo	1,735	1,074	61.9%	244.02
Humboldt	173	102	59.0%	131.44	Santa Barbara	604	421	69.7%	151.79
Imperial	98	49	50.0%	73.15	Santa Clara	2,849	1,695	59.5%	174.80
Inyo	11	7	63.6%	56.38	Santa Cruz	445	271	60.9%	184.68
Kern	878	412	46.9%	129.18	Shasta	116	86	74.1%	65.25
Kings	126	57	45.2%	111.55	Sierra	4	4	100.0%	119.40
Lake	113	58	51.3%	184.04	Siskiyou	32	17	53.1%	68.14
Lassen	38	14	36.8%	141.50	Solano	1,029	560	54.4%	247.77
Los Angeles	38,325	24,244	63.3%	397.71	Sonoma	1,543	974	63.1%	350.60
<i>Long Beach</i>	3,388	2,095	61.8%	773.87	Stanislaus	476	281	59.0%	105.11
<i>Pasadena</i>	606	384	63.4%	450.89	Sutter	49	28	57.1%	61.69
Madera	81	45	55.6%	71.84	Tehama	22	11	50.0%	37.35
Marin	1,362	727	53.4%	564.29	Trinity	11	8	72.7%	77.64
Mariposa	12	3	25.0%	67.43	Tulare	214	151	70.6%	56.46
Mendocino	156	106	67.9%	171.92	Tuolumne	49	31	63.3%	87.44
Merced	119	72	60.5%	55.50	Ventura	717	452	63.0%	97.35
Modoc	1	1	100.0%	9.23	Yolo	145	92	63.4%	91.35
Mono	2	1	50.0%	18.48	Yuba	50	30	60.0%	71.66
Monterey	700	401	57.3%	183.98	Unknown	19	5	26.3%	
Napa	180	110	61.1%	149.30					
Nevada	110	62	56.4%	114.22					
					TOTAL	108,814	67,953	62.4%	323.49

Acquired Immunodeficiency Syndrome (AIDS)
 HIV-AIDS Reporting System
 Surveillance Report – September 30, 1998

**Cumulative AIDS Cases in California
 by County, as of September 30, 1998**



California Department of Health Services
 Office of AIDS
 HIV/AIDS Epidemiology Branch 

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report – October 31, 1998

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37866 (35)	31582 (83)	217 (38)	162 (75)	38083 (35)	31744 (83)
Other Disease w/o PCP	36364 (33)	26361 (72)	353 (62)	196 (56)	36717 (34)	26557 (72)
KS Alone	5772 (5)	4166 (72)	0 (0)	0 (.)	5772 (5)	4166 (72)
No Diseases Listed	28673 (26)	5677 (20)	0 (0)	0 (.)	28673 (26)	5677 (20)
Total	108675 (100)	67786 (62)	570 (100)	358 (63)	109245 (100)	68144 (62)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	393 (0)	White, Not Hispanic	67329 (62)	163 (29)	67492 (62)
5-12	177 (0)	Black, Not Hispanic	17968 (17)	176 (31)	18144 (17)
13-19	313 (0)	Hispanic	20543 (19)	210 (37)	20753 (19)
20-29	17166 (16)	Asian/Pacific Is.	2219 (2)	15 (3)	2234 (2)
30-39	49109 (45)	Am. Indian/Alaska Native	452 (0)	5 (1)	457 (0)
40-49	29280 (27)	Unknown	164 (0)	1 (0)	165 (0)
Over 49	12807 (12)				
Unknown	0 (0)	Total	108675 (100)	570 (100)	109245 (100)
Total	109245 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	77805 (77)	0 (0)	77805 (72)
Injecting drug use	8026 (8)	2842 (39)	10868 (10)
Men who have sex with men and inject drugs	9472 (9)	0 (0)	9472 (9)
Hemophilia/coagulation disorder	501 (0)	17 (0)	518 (0)
Heterosexual contact	1320 (1)	3136 (43)	4456 (4)
Receipt of blood, components, or tissue	909 (1)	650 (9)	1559 (1)
Risk not reported/Other	3250 (3)	690 (9)	3940 (4)
Total	101283 (100)	7335 (100)	108618 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	56 (16)	3 (1)	59 (9)
Mother with/at risk for HIV infection	195 (57)	234 (82)	429 (68)
Receipt of blood, components, or tissue	84 (25)	47 (16)	131 (21)
Risk not reported/Other	5 (1)	3 (1)	8 (1)
Total	340 (100)	287 (100)	627 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**57 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***37 duplicate cases were deleted during of October.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – October 31, 1998

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	291	95%
1983 Jan -June	295	285	97%
July-Dec	413	395	96%
1984 Jan -June	594	575	97%
July-Dec	814	782	96%
1985 Jan -June	1163	1122	96%
July-Dec	1420	1368	96%
1986 Jan -June	1837	1775	97%
July-Dec	2229	2133	96%
1987 Jan -June	2761	2640	96%
July-Dec	2900	2729	94%
1988 Jan -June	3280	3077	94%
July-Dec	3419	3139	92%
1989 Jan -June	4055	3653	90%
July-Dec	4053	3595	89%
1990 Jan -June	4533	3904	86%
July-Dec	4481	3807	85%
1991 Jan -June	5268	4294	82%
July-Dec	6002	4713	79%
1992 Jan -June	6413	4622	72%
July-Dec	6337	4261	67%
1993 Jan -June	6325	3797	60%
July-Dec	5602	2898	52%
1994 Jan -June	5516	2410	44%
July-Dec	4800	1721	36%
1995 Jan -June	5019	1345	27%
July-Dec	4301	927	22%
1996 Jan -June	4034	694	17%
July-Dec	3150	417	13%
1997 Jan -June	2875	322	11%
July-Dec	2370	241	10%
1998 Jan -June	2005	176	9%
July-Oct 31	675	36	5%
----- Totals	----- 109245	----- 68144	----- 62%

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System


Surveillance Report – October 31, 1998

--

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence Per 100,000	COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,353	3,317	62.0%	384.25	Orange	5,034	2,814	55.9%	185.57
<i>Berkeley</i>	495	328	66.3%	471.88	Placer	125	68	54.4%	57.22
Alpine	0	0	0.0%	0.00	Plumas	6	3	50.0%	27.49
Amador	32	17	53.1%	96.36	Riverside	3,649	1,883	51.6%	235.20
Butte	175	115	65.7%	85.86	Sacramento	2,636	1,638	62.1%	216.77
Calaveras	13	8	61.5%	29.70	San Benito	26	11	42.3%	58.63
Colusa	12	11	91.7%	62.38	San Bernardino	2,472	1,400	56.6%	138.92
Contra Costa	2,005	1,287	64.2%	220.43	San Diego	9,482	5,583	58.9%	347.84
Del Norte	19	10	52.6%	61.57	San Francisco	22,998	15,826	68.8%	3,030.14
El Dorado	138	88	63.8%	87.65	San Joaquin	667	409	61.3%	118.78
Fresno	961	604	62.9%	116.12	San Luis Obispo	408	193	47.3%	176.42
Glenn	9	6	66.7%	31.57	San Mateo	1,735	1,074	61.9%	244.02
Humboldt	173	102	59.0%	131.44	Santa Barbara	604	421	69.7%	151.79
Imperial	98	49	50.0%	73.15	Santa Clara	2,849	1,695	59.5%	174.80
Inyo	11	7	63.6%	56.38	Santa Cruz	445	271	60.9%	184.68
Kern	878	412	46.9%	129.18	Shasta	116	86	74.1%	65.25
Kings	126	57	45.2%	111.55	Sierra	4	4	100.0%	119.40
Lake	113	58	51.3%	184.04	Siskiyou	32	17	53.1%	68.14
Lassen	38	14	36.8%	141.50	Solano	1,029	560	54.4%	247.77
Los Angeles	38,325	24,244	63.3%	397.71	Sonoma	1,543	974	63.1%	350.60
<i>Long Beach</i>	3,388	2,095	61.8%	773.87	Stanislaus	476	281	59.0%	105.11
<i>Pasadena</i>	606	384	63.4%	450.89	Sutter	49	28	57.1%	61.69
Madera	81	45	55.6%	71.84	Tehama	22	11	50.0%	37.35
Marin	1,362	727	53.4%	564.29	Trinity	11	8	72.7%	77.64
Mariposa	12	3	25.0%	67.43	Tulare	214	151	70.6%	56.46
Mendocino	156	106	67.9%	171.92	Tuolumne	49	31	63.3%	87.44
Merced	119	72	60.5%	55.50	Ventura	717	452	63.0%	97.35
Modoc	1	1	100.0%	9.23	Yolo	145	92	63.4%	91.35
Mono	2	1	50.0%	18.48	Yuba	50	30	60.0%	71.66
Monterey	700	401	57.3%	183.98	Unknown	19	5	26.3%	
Napa	180	110	61.1%	149.30					
Nevada	110	62	56.4%	114.22					
					TOTAL	108,814	67,953	62.4%	323.49

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – October 31, 1998

**Cumulative AIDS Cases in California
by County, as of October 31, 1998**



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – November 30, 1998

Adult/Adolescent *	Pediatric *		Total			
1. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	37960 (35)	31648 (83)	218 (38)	163 (75)	38178 (35)	31811 (83)
Other Disease w/o PCP	36534 (33)	26421 (72)	353 (62)	196 (56)	36887 (34)	26617 (72)
KS Alone	5774 (5)	4161 (72)	0 (0)	0 (.)	5774 (5)	4161 (72)
No Diseases Listed	28816 (26)	5713 (20)	0 (0)	0 (.)	28816 (26)	5713 (20)
Total	109084 (100)	67943 (62)	571 (100)	359 (63)	109655 (100)	68302 (62)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	393 (0)	White, Not Hispanic	67497 (62)	163 (29)	67660 (62)
5-12	178 (0)	Black, Not Hispanic	18064 (17)	176 (31)	18240 (17)
13-19	315 (0)	Hispanic	20677 (19)	211 (37)	20888 (19)
20-29	17236 (16)	Asian/Pacific Is.	2225 (2)	15 (3)	2240 (2)
30-39	49293 (45)	Am. Indian/Alaska Native	456 (0)	5 (1)	461 (0)
40-49	29394 (27)	Unknown	165 (0)	1 (0)	166 (0)
Over 49	12846 (12)				
Unknown	0 (0)	Total	109084 (100)	571 (100)	109655 (100)
Total	109655 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	77999 (77)	0 (0)	77999 (72)
Injecting drug use	8062 (8)	2863 (39)	10925 (10)
Men who have sex with men and inject drugs	9548 (9)	0 (0)	9548 (9)
Hemophilia/coagulation disorder	500 (0)	17 (0)	517 (0)
Heterosexual contact	1329 (1)	3163 (43)	4492 (4)
Receipt of blood, components, or tissue	913 (1)	649 (9)	1562 (1)
Risk not reported/Other	3288 (3)	694 (9)	3982 (4)
Total	101639 (100)	7386 (100)	109025 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	57 (17)	3 (1)	60 (10)
Mother with/at risk for HIV infection	195 (57)	235 (82)	430 (68)
Receipt of blood, components, or tissue	85 (25)	48 (17)	133 (21)
Risk not reported/Other	5 (1)	2 (1)	7 (1)
Total	342 (100)	288 (100)	630 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **59 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***51 duplicate cases were deleted during

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – November 30, 1998

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	291	95%
1983 Jan -June	294	284	97%
July-Dec	414	396	96%
1984 Jan -June	594	575	97%
July-Dec	816	784	96%
1985 Jan -June	1163	1123	97%
July-Dec	1420	1368	96%
1986 Jan -June	1838	1776	97%
July-Dec	2231	2134	96%
1987 Jan -June	2763	2641	96%
July-Dec	2904	2734	94%
1988 Jan -June	3285	3082	94%
July-Dec	3435	3153	92%
1989 Jan -June	4074	3677	90%
July-Dec	4084	3627	89%
1990 Jan -June	4540	3910	86%
July-Dec	4484	3808	85%
1991 Jan -June	5272	4300	82%
July-Dec	5972	4686	78%
1992 Jan -June	6379	4594	72%
July-Dec	6306	4237	67%
1993 Jan -June	6321	3808	60%
July-Dec	5601	2908	52%
1994 Jan -June	5513	2424	44%
July-Dec	4800	1731	36%
1995 Jan -June	5028	1357	27%
July-Dec	4306	940	22%
1996 Jan -June	4038	703	17%
July-Dec	3159	424	13%
1997 Jan -June	2900	327	11%
July-Dec	2402	250	10%
1998 Jan -June	2073	201	10%
July-Dec 2	940	49	5%
-----	-----	-----	-----
Totals	109655	68302	62%

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System


Surveillance Report – November 30, 1998

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,394	3,321	61.6%	387.19
Berkeley	495	330	66.7%	471.88
Alpine	0	0	0.0%	0.00
Amador	33	19	57.6%	99.37
Butte	175	115	65.7%	85.86
Calaveras	13	8	61.5%	29.70
Colusa	12	11	91.7%	62.38
Contra Costa	2,022	1,301	64.3%	222.30
Del Norte	19	10	52.6%	61.57
El Dorado	138	88	63.8%	87.65
Fresno	970	609	62.8%	117.20
Glenn	9	6	66.7%	31.57
Humboldt	174	103	59.2%	132.20
Imperial	101	49	48.5%	75.39
Inyo	11	7	63.6%	56.38
Kern	888	412	46.4%	130.65
Kings	152	55	36.2%	134.56
Lake	113	58	51.3%	184.04
Lassen	38	14	36.8%	141.50
Los Angeles	38,648	24,389	63.1%	401.06
Long Beach	3,427	2,107	61.5%	782.78
Pasadena	607	383	63.1%	451.64
Madera	81	45	55.6%	71.84
Marin	1,366	728	53.3%	565.94
Mariposa	12	3	25.0%	67.43
Mendocino	157	108	68.8%	173.02
Merced	121	73	60.3%	56.43
Modoc	1	1	100.0%	9.23
Mono	2	2	100.0%	18.48
Monterey	705	403	57.2%	185.30
Napa	183	111	60.7%	151.79
Nevada	111	62	55.9%	115.26

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Orange	5,085	2,830	55.7%	187.45
Placer	125	68	54.4%	57.22
Plumas	6	3	50.0%	27.49
Riverside	3,713	1,900	51.2%	239.32
Sacramento	2,663	1,652	62.0%	218.99
San Benito	27	14	51.9%	60.88
San Bernardino	2,496	1,407	56.4%	140.27
San Diego	9,586	5,620	58.6%	351.65
San Francisco	23,047	15,875	68.9%	3,036.60
San Joaquin	674	412	61.1%	120.02
San Luis Obispo	410	193	47.1%	177.28
San Mateo	1,741	1,074	61.7%	244.87
Santa Barbara	603	420	69.7%	151.54
Santa Clara	2,872	1,710	59.5%	176.21
Santa Cruz	444	270	60.8%	184.26
Shasta	116	86	74.1%	65.25
Sierra	4	4	100.0%	119.40
Siskiyou	32	17	53.1%	68.14
Solano	1,035	563	54.4%	249.22
Sonoma	1,551	976	62.9%	352.42
Stanislaus	483	283	58.6%	106.66
Sutter	49	28	57.1%	61.69
Tehama	22	11	50.0%	37.35
Trinity	11	8	72.7%	77.64
Tulare	216	152	70.4%	56.98
Tuolumne	52	32	61.5%	92.80
Ventura	727	454	62.4%	98.71
Yolo	146	92	63.0%	91.98
Yuba	50	31	62.0%	71.66
Unknown	20	6	30.0%	
TOTAL	109,655	68,302	62.3%	325.99

Acquired Immunodeficiency Syndrome (AIDS)
HIV/AIDS Reporting System
Surveillance Report – November 30, 1998

**Cumulative AIDS Cases in California
by County, as of November 30, 1998**



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

<http://www.dhs.ca.gov/aids>

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – December 31, 1998

1. Disease Category *	Pediatric *		Total		Cases (%)	Deaths (%)
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)		
PCP	38050 (35)	31721 (83)	218 (38)	164 (75)	38268 (35)	31885 (83)
Other Disease w/o PCP	36689 (33)	26495 (72)	354 (62)	196 (55)	37043 (34)	26691 (72)
KS Alone	5774 (5)	4156 (72)	0 (0)	0 (.)	5774 (5)	4156 (72)
No Diseases Listed	29035 (27)	5733 (20)	0 (0)	0 (.)	29035 (26)	5733 (20)
Total	109548 (100)	68105 (62)	572 (100)	360 (63)	110120 (100)	68465 (62)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	393 (0)	White, Not Hispanic	67689 (62)	163 (28)	67852 (62)
5-12	179 (0)	Black, Not Hispanic	18190 (17)	176 (31)	18366 (17)
13-19	316 (0)	Hispanic	20810 (19)	212 (37)	21022 (19)
20-29	17294 (16)	Asian/Pacific Is.	2234 (2)	15 (3)	2249 (2)
30-39	49519 (45)	Am. Indian/Alaska Native	460 (0)	5 (1)	465 (0)
40-49	29517 (27)	Unknown	165 (0)	1 (0)	166 (0)
Over 49	12902 (12)				
Unknown	0 (0)	Total	109548 (100)	572 (100)	110120 (100)
Total	110120 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	78197 (77)	0 (0)	78197 (71)
Injecting drug use	8108 (8)	2884 (39)	10992 (10)
Men who have sex with men and inject drugs	9612 (9)	0 (0)	9612 (9)
Hemophilia/coagulation disorder	501 (0)	17 (0)	518 (0)
Heterosexual contact	1341 (1)	3183 (43)	4524 (4)
Receipt of blood, components, or tissue	914 (1)	650 (9)	1564 (1)
Risk not reported/Other	3368 (3)	715 (10)	4083 (4)
Total	102041 (100)	7449 (100)	109490 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	57 (17)	3 (1)	60 (10)
Mother with/at risk for HIV infection	196 (57)	235 (82)	431 (68)
Receipt of blood, components, or tissue	84 (25)	48 (17)	132 (21)
Risk not reported/Other	5 (1)	2 (1)	7 (1)
Total	342 (100)	288 (100)	630 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**58 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***27 duplicate cases were deleted during

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – December 31, 1998

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	291	95%
1983 Jan -June	294	284	97%
July-Dec	414	396	96%
1984 Jan -June	595	575	97%
July-Dec	815	784	96%
1985 Jan -June	1163	1123	97%
July-Dec	1421	1370	96%
1986 Jan -June	1838	1777	97%
July-Dec	2233	2137	96%
1987 Jan -June	2767	2646	96%
July-Dec	2904	2735	94%
1988 Jan -June	3290	3089	94%
July-Dec	3442	3170	92%
1989 Jan -June	4092	3698	90%
July-Dec	4105	3647	89%
1990 Jan -June	4541	3906	86%
July-Dec	4484	3808	85%
1991 Jan -June	5272	4302	82%
July-Dec	5953	4673	78%
1992 Jan -June	6366	4580	72%
July-Dec	6291	4236	67%
1993 Jan -June	6320	3812	60%
July-Dec	5598	2915	52%
1994 Jan -June	5523	2439	44%
July-Dec	4801	1741	36%
1995 Jan -June	5031	1365	27%
July-Dec	4312	949	22%
1996 Jan -June	4055	714	18%
July-Dec	3165	432	14%
1997 Jan -June	2929	333	11%
July-Dec	2448	255	10%
1998 Jan -June	2165	218	10%
July-Dec	1187	65	5%
1999 Jan -Jan 5	0	0	----
-----	-----	-----	-----
Totals	110120	68465	62%


Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – December 31, 1998

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Alameda	5,421	3,325	61.3%	389.13
<i>Berkeley</i>	504	332	65.9%	480.46
Alpine	0	0	0.0%	0.00
Amador	33	19	57.6%	99.37
Butte	175	115	65.7%	85.86
Calaveras	13	8	61.5%	29.70
Colusa	12	11	91.7%	62.38
Contra Costa	2,022	1,303	64.4%	222.30
Del Norte	19	10	52.6%	61.57
El Dorado	138	88	63.8%	87.65
Fresno	987	616	62.4%	119.26
Glenn	9	6	66.7%	31.57
Humboldt	174	103	59.2%	132.20
Imperial	101	49	48.5%	75.39
Inyo	11	7	63.6%	56.38
Kern	888	412	46.4%	130.65
Kings	163	56	34.4%	144.30
Lake	113	58	51.3%	184.04
Lassen	38	14	36.8%	141.50
Los Angeles	38,860	24,432	62.9%	403.26
<i>Long Beach</i>	3,441	2,109	61.3%	785.98
<i>Pasadena</i>	611	383	62.7%	454.61
Madera	81	45	55.6%	71.84
Marin	1,371	736	53.7%	568.01
Mariposa	12	3	25.0%	67.43
Mendocino	157	108	68.8%	173.02
Merced	122	73	59.8%	56.90
Modoc	1	1	100.0%	9.23
Mono	2	2	100.0%	18.48
Monterey	708	404	57.1%	186.08
Napa	183	111	60.7%	151.79
Nevada	114	62	54.4%	118.37

COUNTY	AIDS Cases	Deaths	Mortality Rate	Incidence per 100,000
Orange	5,121	2,838	55.4%	188.78
Placer	125	68	54.4%	57.22
Plumas	6	3	50.0%	27.49
Riverside	3,713	1,900	51.2%	239.32
Sacramento	2,672	1,662	62.2%	219.73
San Benito	28	14	50.0%	63.14
San Bernardino	2,503	1,416	56.6%	140.66
San Diego	9,624	5,640	58.6%	353.04
San Francisco	23,087	15,903	68.9%	3,041.87
San Joaquin	675	413	61.2%	120.20
San Luis Obispo	410	193	47.1%	177.28
San Mateo	1,750	1,076	61.5%	246.13
Santa Barbara	603	420	69.7%	151.54
Santa Clara	2,885	1,715	59.4%	177.01
Santa Cruz	446	271	60.8%	185.09
Shasta	116	86	74.1%	65.25
Sierra	4	4	100.0%	119.40
Siskiyou	32	17	53.1%	68.14
Solano	1,049	564	53.8%	252.59
Sonoma	1,552	982	63.3%	352.65
Stanislaus	491	283	57.6%	108.42
Sutter	49	30	61.2%	61.69
Tehama	22	11	50.0%	37.35
Trinity	11	8	72.7%	77.64
Tulare	219	152	69.4%	57.78
Tuolumne	52	32	61.5%	92.80
Ventura	730	458	62.7%	99.11
Yolo	146	92	63.0%	91.98
Yuba	50	31	62.0%	71.66
Unknown	21	6	28.6%	
TOTAL	110,120	68,465	62.2%	327.37

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report – December 31, 1998

Cumulative AIDS Cases in California by County, as of December 31, 1998



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch
<http://www.dhs.ca.gov/aids>