

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – January 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41015 (33)	33667 (82)	229 (37)	171 (75)	41244 (33)	33838 (82)
Other Disease w/o PCP	41256 (33)	29118 (71)	387 (63)	211 (55)	41643 (34)	29329 (70)
KS Alone	6023 (5)	4317 (72)	0 (0)	0 (.)	6023 (5)	4317 (72)
No Diseases Listed	35208 (29)	8007 (23)	0 (0)	0 (.)	35208 (28)	8007 (23)
Total	123502 (100)	75109 (61)	616 (100)	382 (62)	124118 (100)	75491 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	419 (0)	White, Not Hispanic	73685 (60)	170 (28)	73855 (60)
5-12	197 (0)	Black, Not Hispanic	21345 (17)	187 (30)	21532 (17)
13-19	388 (0)	Hispanic	25079 (20)	233 (38)	25312 (20)
20-29	19030 (15)	Asian/Pacific Is.	2654 (2)	19 (3)	2673 (2)
30-39	55568 (45)	Am. Indian/Alaska Native	555 (0)	6 (1)	561 (0)
40-49	33696 (27)	Unknown	184 (0)	1 (0)	185 (0)
Over 49	14820 (12)				
Unknown	0 (0)	Total	123502 (100)	616 (100)	124118 (100)
Total	124118 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	85882 (75)	0 (0)	85882 (70)
Injecting drug use	9384 (8)	3481 (38)	12865 (10)
Men who have sex with men and inject drugs	11215 (10)	0 (0)	11215 (9)
Hemophilia/coagulation disorder	533 (0)	21 (0)	554 (0)
Heterosexual contact	1924 (2)	4060 (44)	5984 (5)
Receipt of blood, components, or tissue	943 (1)	683 (7)	1626 (1)
Risk not reported/Other	4341 (4)	957 (10)	5298 (4)
Total	114222 (100)	9202 (100)	123424 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	59 (16)	3 (1)	62 (9)
Mother with/at risk for HIV infection	221 (59)	255 (80)	476 (69)
Receipt of blood, components, or tissue	85 (23)	50 (16)	135 (19)
Risk not reported/Other	10 (3)	11 (3)	21 (3)
Total	375 (100)	319 (100)	694 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**78 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***29 duplicate cases were deleted during the month of January.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – January 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1983	306	294	96%
1983 Jan -June	297	288	97%
July-Dec	411	399	97%
1984 Jan -June	598	576	96%
July-Dec	818	792	97%
1985 Jan -June	1176	1135	97%
July-Dec	1413	1365	97%
1986 Jan -June	1864	1799	97%
July-Dec	2232	2161	97%
1987 Jan -June	2836	2720	96%
July-Dec	2930	2775	95%
1988 Jan -June	3356	3157	94%
July-Dec	3471	3230	93%
1989 Jan -June	4218	3827	91%
July-Dec	4099	3692	90%
1990 Jan -June	4598	4015	87%
July-Dec	4487	3927	88%
1991 Jan -June	5301	4448	84%
July-Dec	5860	4842	83%
1992 Jan -June	6306	4823	76%
July-Dec	6129	4502	73%
1993 Jan -June	6363	4214	66%
July-Dec	5567	3304	59%
1994 Jan -June	5600	2909	52%
July-Dec	4806	2176	45%
1995 Jan -June	5182	1824	35%
July-Dec	4402	1312	30%
1996 Jan -June	4204	1059	25%
July-Dec	3320	743	22%
1997 Jan -June	3186	600	19%
July-Dec	2706	488	18%
1998 Jan -June	2585	453	18%
July-Dec	2363	361	15%
1999 Jan -June	2443	366	15%
July-Dec	2060	244	12%
2000 Jan -June	2023	221	11%
July-Dec	1839	206	11%
2001 Jan -June	1678	173	10%
July-Dec	1072	71	7%
2002 Jan - Jan 31	13	0	0%
-----	-----	-----	-----
Totals	124118	75491	61%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through January 31, 2002

COUNTY	Total Living		Deceased		Incidence	COUNTY	Total Living		Deceased		Incidence
	Cases	Cases	Number	Percent	per 100,000*		Cases	Cases	Number	Percent	per 100,000*
Alameda	6,143	2,485	3,658	60%	422.40	Orange	5,977	2,796	3,181	53%	211.32
<i>Berkeley</i>	559	203	356	64%	510.50	Placer	142	61	81	57%	60.58
Alpine	0	0	0	0%	0.00	Plumas	6	1	5	83%	29.48
Amador	40	20	20	50%	116.28	Riverside	4,501	2,319	2,182	48%	295.55
Butte	212	86	126	59%	103.92	Sacramento	3,084	1,246	1,838	60%	254.98
Calaveras	15	7	8	53%	38.96	San Benito	34	17	17	50%	68.27
Colusa	12	0	12	100%	64.00	San Bernardino	2,874	1,290	1,584	55%	170.13
Contra Costa	2,238	811	1,427	64%	240.65	San Diego	11,086	4,815	6,271	57%	380.77
Del Norte	25	12	13	52%	89.29	San Francisco	24,962	7,974	16,988	68%	3,114.80
El Dorado	156	61	95	61%	102.03	San Joaquin	799	339	460	58%	141.02
Fresno	1,175	470	705	60%	145.96	San Luis Obispo	476	260	216	45%	194.13
Glenn	11	5	6	55%	40.59	San Mateo	1,908	728	1,180	62%	261.37
Humboldt	199	78	121	61%	155.96	Santa Barbara	676	213	463	68%	163.21
Imperial	110	54	56	51%	75.71	Santa Clara	3,272	1,378	1,894	58%	188.40
Inyo	12	5	7	58%	65.93	Santa Cruz	531	226	305	57%	208.24
Kern	1,151	646	505	44%	174.69	Shasta	129	36	93	72%	77.25
Kings	166	105	61	37%	126.52	Sierra	4	0	4	100%	127.39
Lake	140	65	75	54%	251.35	Siskiyou	38	19	19	50%	85.97
Lassen	47	29	18	38%	138.44	Solano	1,286	642	644	50%	322.31
Los Angeles	43,661	16,522	27,139	62%	441.72	Sonoma	1,672	629	1,043	62%	371.47
<i>Long Beach</i>	4,054	1,652	2,402	59%	885.93	Stanislaus	565	243	322	57%	128.00
<i>Pasadena</i>	672	239	433	64%	466.99	Sutter	58	16	42	72%	74.45
Madera	104	48	56	54%	88.81	Tehama	26	14	12	46%	46.26
Marin	1,507	684	823	55%	603.52	Trinity	12	3	9	75%	91.95
Mariposa	12	8	4	33%	74.30	Tulare	259	90	169	65%	70.38
Mendocino	187	68	119	64%	213.47	Tuolumne	60	24	36	60%	113.21
Merced	148	57	91	61%	70.44	Ventura	852	345	507	60%	112.62
Modoc	1	0	1	100%	10.20	Yolo	168	70	98	58%	103.13
Mono	5	2	3	60%	45.87	Yuba	55	19	36	65%	90.61
Monterey	799	353	446	56%	200.10	Unknown	6	1	5	83%	
Napa	199	71	128	64%	156.69						
Nevada	125	61	64	51%	137.21						
						TOTAL	124,118	48,627	75,491	61%	361.48

*State of California, Department of Finance, City/County Population Estimates for January 1, 2000

Cumulative AIDS Cases in California by County, as of January 31, 2002



*The number in the county equals the number of AIDS cases.
The shadings show the incidence rate per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – February 28, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41074 (33)	33693 (82)	230 (37)	171 (74)	41304 (33)	33864 (82)
Other Disease w/o PCP	41370 (33)	29167 (71)	388 (63)	211 (54)	41758 (34)	29378 (70)
KS Alone	6030 (5)	4323 (72)	0 (0)	0 (.)	6030 (5)	4323 (72)
No Diseases Listed	35406 (29)	8043 (23)	0 (0)	0 (.)	35406 (28)	8043 (23)
Total	123880 (100)	75226 (61)	618 (100)	382 (62)	124498 (100)	75608 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	421 (0)	White, Not Hispanic	73834 (60)	170 (28)	74004 (59)
5-12	197 (0)	Black, Not Hispanic	21450 (17)	188 (30)	21638 (17)
13-19	389 (0)	Hispanic	25186 (20)	234 (38)	25420 (20)
20-29	19079 (15)	Asian/Pacific Is.	2669 (2)	19 (3)	2688 (2)
30-39	55720 (45)	Am. Indian/Alaska Native	554 (0)	6 (1)	560 (0)
40-49	33817 (27)	Unknown	187 (0)	1 (0)	188 (0)
Over 49	14875 (12)				
Unknown	0 (0)	Total	123880 (100)	618 (100)	124498 (100)
Total	124498 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	86060 (75)	0 (0)	86060 (70)
Injecting drug use	9429 (8)	3498 (38)	12927 (10)
Men who have sex with men and inject drugs	11249 (10)	0 (0)	11249 (9)
Hemophilia/coagulation disorder	536 (0)	21 (0)	557 (0)
Heterosexual contact	1948 (2)	4075 (44)	6023 (5)
Receipt of blood, components, or tissue	943 (1)	687 (7)	1630 (1)
Risk not reported/Other	4391 (4)	964 (10)	5355 (4)
Total	114556 (100)	9245 (100)	123801 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	60 (16)	3 (1)	63 (9)
Mother with/at risk for HIV infection	223 (59)	255 (80)	478 (69)
Receipt of blood, components, or tissue	85 (22)	50 (16)	135 (19)
Risk not reported/Other	10 (3)	11 (3)	21 (3)
Total	378 (100)	319 (100)	697 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**79 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***25 duplicate cases were deleted during the month of February.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – February 28, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1983	306	294	96%
1983 Jan -June	297	288	97%
July-Dec	411	399	97%
1984 Jan -June	598	576	96%
July-Dec	818	792	97%
1985 Jan -June	1176	1135	97%
July-Dec	1413	1365	97%
1986 Jan -June	1864	1799	97%
July-Dec	2232	2161	97%
1987 Jan -June	2837	2721	96%
July-Dec	2930	2775	95%
1988 Jan -June	3355	3157	94%
July-Dec	3471	3230	93%
1989 Jan -June	4218	3827	91%
July-Dec	4099	3693	90%
1990 Jan -June	4598	4017	87%
July-Dec	4486	3926	88%
1991 Jan -June	5301	4451	84%
July-Dec	5862	4844	83%
1992 Jan -June	6307	4825	77%
July-Dec	6129	4508	74%
1993 Jan -June	6363	4217	66%
July-Dec	5568	3307	59%
1994 Jan -June	5605	2912	52%
July-Dec	4808	2178	45%
1995 Jan -June	5180	1832	35%
July-Dec	4404	1316	30%
1996 Jan -June	4209	1063	25%
July-Dec	3324	752	23%
1997 Jan -June	3190	600	19%
July-Dec	2705	492	18%
1998 Jan -June	2586	457	18%
July-Dec	2381	361	15%
1999 Jan -June	2461	377	15%
July-Dec	2071	250	12%
2000 Jan -June	2031	225	11%
July-Dec	1849	209	11%
2001 Jan -June	1710	178	10%
July-Dec	1263	94	7%
2002 Jan -Feb 28	82	5	6%
-----	-----	-----	-----
Totals	124498	75608	61%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through February 28, 2002

COUNTY	Total Living		Deceased		Incidence	COUNTY	Total Living		Deceased		Incidence
	Cases	Cases	Number	Percent	per 100,000*		Cases	Cases	Number	Percent	per 100,000*
Alameda	6,169	2,507	3,662	59%	424.19	Orange	5,977	2,796	3,181	53%	211.32
<i>Berkeley</i>	568	212	356	63%	518.72	Placer	142	61	81	57%	60.58
Alpine	0	0	0	0%	0.00	Plumas	6	1	5	83%	29.48
Amador	40	20	20	50%	116.28	Riverside	4,535	2,352	2,183	48%	297.79
Butte	212	86	126	59%	103.92	Sacramento	3,093	1,254	1,839	59%	255.73
Calaveras	15	7	8	53%	38.96	San Benito	34	17	17	50%	68.27
Colusa	12	0	12	100%	64.00	San Bernardino	2,878	1,293	1,585	55%	170.37
Contra Costa	2,260	823	1,437	64%	243.01	San Diego	11,129	4,846	6,283	56%	382.24
Del Norte	25	12	13	52%	89.29	San Francisco	24,961	7,973	16,988	68%	3,114.67
El Dorado	159	62	97	61%	103.99	San Joaquin	799	339	460	58%	141.02
Fresno	1,175	470	705	60%	145.96	San Luis Obispo	482	266	216	45%	196.57
Glenn	12	6	6	50%	44.28	San Mateo	1,909	727	1,182	62%	261.51
Humboldt	199	78	121	61%	155.96	Santa Barbara	676	213	463	68%	163.21
Imperial	110	54	56	51%	75.71	Santa Clara	3,288	1,384	1,904	58%	189.32
Inyo	12	5	7	58%	65.93	Santa Cruz	531	226	305	57%	208.24
Kern	1,175	667	508	43%	178.33	Shasta	129	36	93	72%	77.25
Kings	166	105	61	37%	126.52	Sierra	4	0	4	100%	127.39
Lake	140	65	75	54%	251.35	Siskiyou	38	19	19	50%	85.97
Lassen	47	29	18	38%	138.44	Solano	1,294	648	646	50%	324.31
Los Angeles	43,821	16,620	27,201	62%	443.34	Sonoma	1,676	632	1,044	62%	372.36
<i>Long Beach</i>	4,072	1,666	2,406	59%	889.86	Stanislaus	570	248	322	56%	129.13
<i>Pasadena</i>	673	240	433	64%	467.69	Sutter	58	16	42	72%	74.45
Madera	106	48	58	55%	90.52	Tehama	26	14	12	46%	46.26
Marin	1,513	688	825	55%	605.93	Trinity	12	3	9	75%	91.95
Mariposa	12	7	5	42%	74.30	Tulare	259	90	169	65%	70.38
Mendocino	186	68	118	63%	212.33	Tuolumne	60	24	36	60%	113.21
Merced	149	57	92	62%	70.92	Ventura	856	349	507	59%	113.15
Modoc	1	0	1	100%	10.20	Yolo	168	70	98	58%	103.13
Mono	5	2	3	60%	45.87	Yuba	58	21	37	64%	95.55
Monterey	800	354	446	56%	200.35	Unknown	5	0	5	100%	
Napa	199	71	128	64%	156.69						
Nevada	125	61	64	51%	137.21						
						TOTAL	124,498	48,890	75,608	61%	362.58

*State of California, Department of Finance, City/County Population Estimates for January 1, 2000

Cumulative AIDS Cases in California by County, as of February 28, 2002



*The number in the county equals the number of AIDS cases.

**The shadings show the incidence rate per 100,000 populaton.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – March 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41148 (33)	33717 (82)	230 (37)	171 (74)	41378 (33)	33888 (82)
Other Disease w/o PCP	41496 (33)	29210 (70)	390 (63)	211 (54)	41886 (34)	29421 (70)
KS Alone	6037 (5)	4326 (72)	0 (0)	0 (.)	6037 (5)	4326 (72)
No Diseases Listed	35559 (29)	8084 (23)	0 (0)	0 (.)	35559 (28)	8084 (23)
Total	124240 (100)	75337 (61)	620 (100)	382 (62)	124860 (100)	75719 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	422 (0)	White, Not Hispanic	73975 (60)	170 (27)	74145 (59)
5-12	198 (0)	Black, Not Hispanic	21525 (17)	189 (30)	21714 (17)
13-19	392 (0)	Hispanic	25311 (20)	235 (38)	25546 (20)
20-29	19122 (15)	Asian/Pacific Is.	2688 (2)	19 (3)	2707 (2)
30-39	55859 (45)	Am. Indian/Alaska Native	554 (0)	6 (1)	560 (0)
40-49	33933 (27)	Unknown	187 (0)	1 (0)	188 (0)
Over 49	14934 (12)	Total	124240 (100)	620 (100)	124860 (100)
Unknown	0 (0)				
Total	124860 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	86247 (75)	0 (0)	86247 (69)
Injecting drug use	9443 (8)	3508 (38)	12951 (10)
Men who have sex with men and inject drugs	11295 (10)	0 (0)	11295 (9)
Hemophilia/coagulation disorder	537 (0)	21 (0)	558 (0)
Heterosexual contact	1965 (2)	4091 (44)	6056 (5)
Receipt of blood, components, or tissue	943 (1)	689 (7)	1632 (1)
Risk not reported/Other	4434 (4)	988 (11)	5422 (4)
Total	114864 (100)	9297 (100)	124161 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	60 (16)	3 (1)	63 (9)
Mother with/at risk for HIV infection	223 (59)	256 (80)	479 (69)
Receipt of blood, components, or tissue	85 (22)	50 (16)	135 (19)
Risk not reported/Other	10 (3)	12 (4)	22 (3)
Total	378 (100)	321 (100)	699 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **79 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***31 duplicate cases were deleted during the month of March.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – March 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.


Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	294	96%
1983 Jan -June	297	288	97%
July-Dec	411	399	97%
1984 Jan -June	598	576	96%
July-Dec	818	792	97%
1985 Jan -June	1176	1135	97%
July-Dec	1413	1365	97%
1986 Jan -June	1864	1799	97%
July-Dec	2232	2161	97%
1987 Jan -June	2837	2721	96%
July-Dec	2930	2776	95%
1988 Jan -June	3355	3158	94%
July-Dec	3470	3230	93%
1989 Jan -June	4218	3828	91%
July-Dec	4099	3693	90%
1990 Jan -June	4597	4016	87%
July-Dec	4485	3928	88%
1991 Jan -June	5302	4452	84%
July-Dec	5865	4847	83%
1992 Jan -June	6310	4828	77%
July-Dec	6127	4511	74%
1993 Jan -June	6367	4219	66%
July-Dec	5568	3309	59%
1994 Jan -June	5603	2914	52%
July-Dec	4810	2186	45%
1995 Jan -June	5182	1839	35%
July-Dec	4409	1321	30%
1996 Jan -June	4211	1069	25%
July-Dec	3325	756	23%
1997 Jan -June	3190	608	19%
July-Dec	2708	496	18%
1998 Jan -June	2587	459	18%
July-Dec	2388	365	15%
1999 Jan -June	2468	379	15%
July-Dec	2080	253	12%
2000 Jan -June	2036	227	11%
July-Dec	1855	215	12%
2001 Jan -June	1739	183	11%
July-Dec	1403	116	8%
2002 Jan - Mar 31	221	8	4%
-----	-----	-----	-----
Totals	124860	75719	61%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through March 31, 2002

COUNTY	Total Living		Deceased		Incidence	COUNTY	Total Living		Deceased		Incidence
	Cases	Cases	Number	Percent	per 100,000*		Cases	Cases	Number	Percent	per 100,000*
Alameda	6,179	2,509	3,670	59%	424.88	Orange	6,013	2,821	3,192	53%	212.59
<i>Berkeley</i>	568	211	357	63%	518.72	Placer	145	62	83	57%	61.86
Alpine	0	0	0	0%	0.00	Plumas	6	1	5	83%	29.48
Amador	40	20	20	50%	116.28	Riverside	4,542	2,359	2,183	48%	298.25
Butte	212	86	126	59%	103.92	Sacramento	3,103	1,265	1,838	59%	256.55
Calaveras	15	7	8	53%	38.96	San Benito	34	17	17	50%	68.27
Colusa	12	0	12	100%	64.00	San Bernardino	2,878	1,293	1,585	55%	170.37
Contra Costa	2,266	819	1,447	64%	243.66	San Diego	11,162	4,868	6,294	56%	383.38
Del Norte	27	14	13	48%	96.43	San Francisco	25,029	8,018	17,011	68%	3,123.16
El Dorado	159	62	97	61%	103.99	San Joaquin	799	339	460	58%	141.02
Fresno	1,175	470	705	60%	145.96	San Luis Obispo	482	266	216	45%	196.57
Glenn	12	6	6	50%	44.28	San Mateo	1,910	728	1,182	62%	261.64
Humboldt	199	78	121	61%	155.96	Santa Barbara	675	212	463	69%	162.96
Imperial	111	55	56	50%	76.39	Santa Clara	3,297	1,391	1,906	58%	189.84
Inyo	12	5	7	58%	65.93	Santa Cruz	532	227	305	57%	208.63
Kern	1,198	688	510	43%	181.82	Shasta	129	36	93	72%	77.25
Kings	166	105	61	37%	126.52	Sierra	4	0	4	100%	127.39
Lake	140	64	76	54%	251.35	Siskiyou	38	19	19	50%	85.97
Lassen	47	29	18	38%	138.44	Solano	1,299	652	647	50%	325.56
Los Angeles	43,947	16,712	27,235	62%	444.61	Sonoma	1,676	633	1,043	62%	372.36
<i>Long Beach</i>	4,091	1,685	2,406	59%	894.01	Stanislaus	573	251	322	56%	129.81
<i>Pasadena</i>	674	239	435	65%	468.38	Sutter	58	16	42	72%	74.45
Madera	106	48	58	55%	90.52	Tehama	26	14	12	46%	46.26
Marin	1,515	690	825	54%	606.73	Trinity	12	3	9	75%	91.95
Mariposa	12	7	5	42%	74.30	Tulare	259	90	169	65%	70.38
Mendocino	186	68	118	63%	212.33	Tuolumne	60	24	36	60%	113.21
Merced	153	61	92	60%	72.82	Ventura	861	352	509	59%	113.81
Modoc	1	0	1	100%	10.20	Yolo	174	70	104	60%	106.81
Mono	5	2	3	60%	45.87	Yuba	58	21	37	64%	95.55
Monterey	801	355	446	56%	200.60	Unknown	6	1	5	83%	
Napa	199	71	128	64%	156.69						
Nevada	125	61	64	51%	137.21						
						TOTAL	124,860	49,141	75,719	61%	363.64

*State of California, Department of Finance, City/County Population Estimates for January 1, 2000

Cumulative AIDS Cases in California by County, as of March 31, 2002



*The number in the county equals the number of AIDS cases.

**The shadings show the incidence rate per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – April 30, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41233 (33)	33772 (82)	230 (37)	171 (74)	41463 (33)	33943 (82)
Other Disease w/o PCP	41632 (33)	29293 (70)	390 (63)	211 (54)	42022 (34)	29504 (70)
KS Alone	6036 (5)	4336 (72)	0 (0)	0 (.)	6036 (5)	4336 (72)
No Diseases Listed	35665 (29)	8192 (23)	0 (0)	0 (.)	35665 (28)	8192 (23)
Total	124566 (100)	75593 (61)	620 (100)	382 (62)	125186 (100)	75975 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	422 (0)	White, Not Hispanic	74129 (60)	170 (27)	74299 (59)
5-12	198 (0)	Black, Not Hispanic	21596 (17)	189 (30)	21785 (17)
13-19	394 (0)	Hispanic	25401 (20)	235 (38)	25636 (20)
20-29	19151 (15)	Asian/Pacific Is.	2696 (2)	19 (3)	2715 (2)
30-39	55966 (45)	Am. Indian/Alaska Native	556 (0)	6 (1)	562 (0)
40-49	34055 (27)	Unknown	188 (0)	1 (0)	189 (0)
Over 49	15000 (12)				
Unknown	0 (0)	Total	124566 (100)	620 (100)	125186 (100)
Total	125186 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	86441 (75)	0 (0)	86441 (69)
Injecting drug use	9474 (8)	3518 (38)	12992 (10)
Men who have sex with men and inject drugs	11329 (10)	0 (0)	11329 (9)
Hemophilia/coagulation disorder	537 (0)	21 (0)	558 (0)
Heterosexual contact	1971 (2)	4102 (44)	6073 (5)
Receipt of blood, components, or tissue	945 (1)	688 (7)	1633 (1)
Risk not reported/Other	4458 (4)	1002 (11)	5460 (4)
Total	115155 (100)	9331 (100)	124486 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	60 (16)	3 (1)	63 (9)
Mother with/at risk for HIV infection	224 (59)	256 (80)	480 (69)
Receipt of blood, components, or tissue	86 (23)	50 (16)	136 (19)
Risk not reported/Other	9 (2)	12 (4)	21 (3)
Total	379 (100)	321 (100)	700 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **80 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***41 duplicate cases were deleted during the month of April.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – April 30, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	294	96%
1983 Jan -June	296	288	97%
July-Dec	411	399	97%
1984 Jan -June	599	577	96%
July-Dec	818	792	97%
1985 Jan -June	1176	1135	97%
July-Dec	1413	1365	97%
1986 Jan -June	1864	1798	96%
July-Dec	2231	2160	97%
1987 Jan -June	2838	2721	96%
July-Dec	2933	2780	95%
1988 Jan -June	3356	3160	94%
July-Dec	3469	3230	93%
1989 Jan -June	4219	3833	91%
July-Dec	4099	3693	90%
1990 Jan -June	4597	4017	87%
July-Dec	4486	3929	88%
1991 Jan -June	5302	4455	84%
July-Dec	5865	4854	83%
1992 Jan -June	6309	4833	77%
July-Dec	6127	4520	74%
1993 Jan -June	6367	4229	66%
July-Dec	5567	3320	60%
1994 Jan -June	5604	2923	52%
July-Dec	4809	2202	46%
1995 Jan -June	5180	1848	36%
July-Dec	4406	1342	30%
1996 Jan -June	4214	1084	26%
July-Dec	3329	770	23%
1997 Jan -June	3190	615	19%
July-Dec	2708	512	19%
1998 Jan -June	2592	470	18%
July-Dec	2391	376	16%
1999 Jan -June	2470	388	16%
July-Dec	2089	263	13%
2000 Jan -June	2042	244	12%
July-Dec	1865	224	12%
2001 Jan -June	1778	187	11%
July-Dec	1476	129	9%
2002 Jan - Apr 30	395	16	4%
----- Totals	----- 125186	----- 75975	----- 61%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through April 30, 2002

COUNTY	Total Living		Deceased		Incidence	COUNTY	Total Living		Deceased		Incidence
	Cases	Cases	Number	Percent	per 100,000*		Cases	Cases	Number	Percent	per 100,000*
Alameda	6,206	2,530	3,676	59%	429.86	Orange	6,013	2,821	3,192	53%	211.26
<i>Berkeley</i>	573	216	357	62%	557.70	Placer	145	62	83	57%	58.37
Alpine	0	0	0	0%	0.00	Plumas	6	1	5	83%	28.81
Amador	41	21	20	49%	116.81	Riverside	4,572	2,387	2,185	48%	295.85
Butte	211	85	126	60%	103.85	Sacramento	3,106	1,254	1,852	60%	253.86
Calaveras	15	7	8	53%	36.99	San Benito	34	17	17	50%	63.87
Colusa	12	0	12	100%	63.82	San Bernardino	2,878	1,293	1,585	55%	168.36
Contra Costa	2,271	823	1,448	64%	239.35	San Diego	11,201	4,862	6,339	57%	398.07
Del Norte	27	14	13	48%	98.16	San Francisco	25,056	8,029	17,027	68%	3,225.82
El Dorado	159	62	97	61%	101.73	San Joaquin	798	338	460	58%	141.59
Fresno	1,194	485	709	59%	149.36	San Luis Obispo	485	268	217	45%	196.61
Glenn	12	6	6	50%	45.36	San Mateo	1,913	729	1,184	62%	270.52
Humboldt	199	78	121	61%	157.29	Santa Barbara	675	212	463	69%	169.03
Imperial	111	55	56	50%	77.97	Santa Clara	3,305	1,396	1,909	58%	196.42
Inyo	12	5	7	58%	66.87	Santa Cruz	534	224	310	58%	208.92
Kern	1,213	701	512	42%	183.33	Shasta	129	36	93	72%	79.02
Kings	178	111	67	38%	137.49	Sierra	4	0	4	100%	112.52
Lake	140	64	76	54%	240.10	Siskiyou	38	19	19	50%	85.78
Lassen	47	29	18	38%	138.94	Solano	1,307	655	652	50%	331.27
Los Angeles	44,050	16,685	27,365	62%	462.74	Sonoma	1,681	634	1,047	62%	366.54
<i>Long Beach</i>	4,113	1,702	2,411	59%	891.18	Stanislaus	575	253	322	56%	128.64
<i>Pasadena</i>	676	239	437	65%	504.72	Sutter	58	16	42	72%	73.48
Madera	106	48	58	55%	86.10	Tehama	26	14	12	46%	46.40
Marin	1,519	694	825	54%	614.26	Trinity	12	3	9	75%	92.15
Mariposa	12	7	5	42%	70.05	Tulare	263	93	170	65%	71.46
Mendocino	186	68	118	63%	215.61	Tuolumne	60	24	36	60%	110.09
Merced	156	64	92	59%	74.09	Ventura	862	347	515	60%	114.45
Modoc	1	0	1	100%	10.58	Yolo	175	71	104	59%	103.76
Mono	5	2	3	60%	38.90	Yuba	58	21	37	64%	96.32
Monterey	801	355	446	56%	199.37	Unknown	7	2	5	71%	
Napa	201	70	131	65%	161.73						
Nevada	125	61	64	51%	135.82						
						TOTAL	125,186	49,211	75,975	61%	369.59



*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of April 30, 2002

*Total Number of Cases = 125,186
Including 7 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,113
Pasadena --676

**Incidence per 100,000 population



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

*The number in the county equals the number of AIDS cases.
**The shadings show the incidence rate per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – May 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41295 (33)	33826 (82)	230 (37)	171 (74)	41525 (33)	33997 (82)
Other Disease w/o PCP	41758 (33)	29388 (70)	390 (63)	211 (54)	42148 (34)	29599 (70)
KS Alone	6037 (5)	4346 (72)	0 (0)	0 (.)	6037 (5)	4346 (72)
No Diseases Listed	35826 (29)	8274 (23)	0 (0)	0 (.)	35826 (29)	8274 (23)
Total	124916 (100)	75834 (61)	620 (100)	382 (62)	125536 (100)	76216 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	422 (0)	White, Not Hispanic	74268 (59)	170 (27)	74438 (59)
5-12	198 (0)	Black, Not Hispanic	21680 (17)	189 (30)	21869 (17)
13-19	396 (0)	Hispanic	25513 (20)	235 (38)	25748 (21)
20-29	19185 (15)	Asian/Pacific Is.	2710 (2)	19 (3)	2729 (2)
30-39	56108 (45)	Am. Indian/Alaska Native	555 (0)	6 (1)	561 (0)
40-49	34179 (27)	Unknown	190 (0)	1 (0)	191 (0)
Over 49	15048 (12)				
Unknown	0 (0)	Total	124916 (100)	620 (100)	125536 (100)
Total	125536 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	86616 (75)	0 (0)	86616 (69)
Injecting drug use	9492 (8)	3553 (38)	13045 (10)
Men who have sex with men and inject drugs	11378 (10)	0 (0)	11378 (9)
Hemophilia/coagulation disorder	538 (0)	21 (0)	559 (0)
Heterosexual contact	1995 (2)	4127 (44)	6122 (5)
Receipt of blood, components, or tissue	947 (1)	688 (7)	1635 (1)
Risk not reported/Other	4472 (4)	1009 (11)	5481 (4)
Total	115438 (100)	9398 (100)	124836 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	60 (16)	3 (1)	63 (9)
Mother with/at risk for HIV infection	224 (59)	256 (80)	480 (69)
Receipt of blood, components, or tissue	86 (23)	50 (16)	136 (19)
Risk not reported/Other	9 (2)	12 (4)	21 (3)
Total	379 (100)	321 (100)	700 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**80 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***4 duplicate cases were deleted during the month of May.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – May 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1983	306	294	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	598	576	96%
July-Dec	818	792	97%
1985 Jan -June	1177	1135	96%
July-Dec	1413	1365	97%
1986 Jan -June	1864	1798	96%
July-Dec	2231	2160	97%
1987 Jan -June	2838	2721	96%
July-Dec	2932	2779	95%
1988 Jan -June	3356	3161	94%
July-Dec	3471	3232	93%
1989 Jan -June	4219	3835	91%
July-Dec	4099	3696	90%
1990 Jan -June	4598	4021	87%
July-Dec	4486	3930	88%
1991 Jan -June	5301	4457	84%
July-Dec	5864	4861	83%
1992 Jan -June	6309	4839	77%
July-Dec	6129	4528	74%
1993 Jan -June	6368	4233	66%
July-Dec	5566	3327	60%
1994 Jan -June	5605	2935	52%
July-Dec	4810	2213	46%
1995 Jan -June	5187	1866	36%
July-Dec	4406	1358	31%
1996 Jan -June	4216	1102	26%
July-Dec	3333	783	23%
1997 Jan -June	3192	629	20%
July-Dec	2710	519	19%
1998 Jan -June	2596	475	18%
July-Dec	2395	385	16%
1999 Jan -June	2477	395	16%
July-Dec	2097	272	13%
2000 Jan -June	2047	249	12%
July-Dec	1883	231	12%
2001 Jan -June	1797	196	11%
July-Dec	1529	145	9%
2002 Jan -May 31	605	34	6%
-----	-----	-----	-----
Totals	125536	76216	61%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through May 31, 2002

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,219	2,532	3,687	59%	430.76
<i>Berkeley</i>	573	216	357	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	41	21	20	49%	116.81
Butte	211	85	126	60%	103.85
Calaveras	15	7	8	53%	36.99
Colusa	12	0	12	100%	63.82
Contra Costa	2,275	824	1,451	64%	239.77
Del Norte	27	14	13	48%	98.16
El Dorado	159	62	97	61%	101.73
Fresno	1,194	485	709	59%	149.36
Glenn	13	7	6	46%	49.14
Humboldt	199	78	121	61%	157.29
Imperial	111	55	56	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,213	701	512	42%	183.33
Kings	178	111	67	38%	137.49
Lake	140	64	76	54%	240.10
Lassen	47	29	18	38%	138.94
Los Angeles	44,178	16,666	27,512	62%	464.09
<i>Long Beach</i>	4,145	1,732	2,413	58%	898.12
<i>Pasadena</i>	673	236	437	65%	502.48
Madera	127	69	58	46%	103.16
Marin	1,524	693	831	55%	616.28
Mariposa	12	7	5	42%	70.05
Mendocino	187	69	118	63%	216.77
Merced	156	64	92	59%	74.09
Modoc	1	0	1	100%	10.58
Mono	5	2	3	60%	38.90
Monterey	807	360	447	55%	200.87
Napa	201	70	131	65%	161.73
Nevada	125	61	64	51%	135.82

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,035	2,825	3,210	53%	212.03
Placer	145	62	83	57%	58.37
Plumas	6	1	5	83%	28.81
Riverside	4,572	2,387	2,185	48%	295.85
Sacramento	3,119	1,264	1,855	59%	254.92
San Benito	34	17	17	50%	63.87
San Bernardino	2,914	1,318	1,596	55%	170.47
San Diego	11,241	4,892	6,349	56%	399.49
San Francisco	25,096	8,046	17,050	68%	3,230.97
San Joaquin	798	338	460	58%	141.59
San Luis Obispo	485	268	217	45%	196.61
San Mateo	1,913	729	1,184	62%	270.52
Santa Barbara	682	219	463	68%	170.78
Santa Clara	3,311	1,397	1,914	58%	196.78
Santa Cruz	534	224	310	58%	208.92
Shasta	129	36	93	72%	79.02
Sierra	4	0	4	100%	112.52
Siskiyou	38	19	19	50%	85.78
Solano	1,310	657	653	50%	332.03
Sonoma	1,681	634	1,047	62%	366.54
Stanislaus	579	255	324	56%	129.53
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	263	93	170	65%	71.46
Tuolumne	60	24	36	60%	110.09
Ventura	863	347	516	60%	114.58
Yolo	175	71	104	59%	103.76
Yuba	58	21	37	64%	96.32
Unknown	6	2	4	67%	
TOTAL	125,536	49,320	76,216	61%	370.62



*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of May 31, 2002

*Total Number of Cases = 125,536
Including 6 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,145
Pasadena --673

**Incidence per 100,000 population



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – June 30, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41360 (33)	33874 (82)	230 (37)	171 (74)	41590 (33)	34045 (82)
Other Disease w/o PCP	41866 (33)	29471 (70)	390 (63)	212 (54)	42256 (34)	29683 (70)
KS Alone	6036 (5)	4349 (72)	0 (0)	0 (.)	6036 (5)	4349 (72)
No Diseases Listed	35966 (29)	8370 (23)	0 (0)	0 (.)	35966 (29)	8370 (23)
Total	125228 (100)	76064 (61)	620 (100)	383 (62)	125848 (100)	76447 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	422 (0)	White, Not Hispanic	74403 (59)	170 (27)	74573 (59)
5-12	198 (0)	Black, Not Hispanic	21746 (17)	189 (30)	21935 (17)
13-19	399 (0)	Hispanic	25605 (20)	235 (38)	25840 (21)
20-29	19230 (15)	Asian/Pacific Is.	2724 (2)	19 (3)	2743 (2)
30-39	56210 (45)	Am. Indian/Alaska Native	558 (0)	6 (1)	564 (0)
40-49	34282 (27)	Unknown	192 (0)	1 (0)	193 (0)
Over 49	15107 (12)				
Unknown	0 (0)	Total	125228 (100)	620 (100)	125848 (100)
Total	125848 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	86768 (75)	0 (0)	86768 (69)
Injecting drug use	9518 (8)	3566 (38)	13084 (10)
Men who have sex with men and inject drugs	11408 (10)	0 (0)	11408 (9)
Hemophilia/coagulation disorder	538 (0)	21 (0)	559 (0)
Heterosexual contact	2010 (2)	4149 (44)	6159 (5)
Receipt of blood, components, or tissue	948 (1)	688 (7)	1636 (1)
Risk not reported/Other	4511 (4)	1020 (11)	5531 (4)
Total	115701 (100)	9444 (100)	125145 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	61 (16)	3 (1)	64 (9)
Mother with/at risk for HIV infection	224 (59)	256 (79)	480 (68)
Receipt of blood, components, or tissue	86 (23)	50 (15)	136 (19)
Risk not reported/Other	9 (2)	14 (4)	23 (3)
Total	380 (100)	323 (100)	703 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**83 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***14 duplicate cases were deleted during the month of June.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – June 30, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	294	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	598	576	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1135	96%
July-Dec	1413	1365	97%
1986 Jan -June	1864	1798	96%
July-Dec	2231	2160	97%
1987 Jan -June	2839	2721	96%
July-Dec	2932	2781	95%
1988 Jan -June	3356	3161	94%
July-Dec	3471	3233	93%
1989 Jan -June	4219	3837	91%
July-Dec	4100	3696	90%
1990 Jan -June	4598	4024	88%
July-Dec	4486	3932	88%
1991 Jan -June	5302	4458	84%
July-Dec	5864	4862	83%
1992 Jan -June	6309	4844	77%
July-Dec	6129	4537	74%
1993 Jan -June	6368	4240	67%
July-Dec	5566	3339	60%
1994 Jan -June	5606	2944	53%
July-Dec	4811	2219	46%
1995 Jan -June	5188	1880	36%
July-Dec	4408	1367	31%
1996 Jan -June	4221	1117	26%
July-Dec	3333	793	24%
1997 Jan -June	3194	637	20%
July-Dec	2712	533	20%
1998 Jan -June	2596	493	19%
July-Dec	2397	394	16%
1999 Jan -June	2478	407	16%
July-Dec	2110	283	13%
2000 Jan -June	2056	256	12%
July-Dec	1886	236	13%
2001 Jan -June	1815	205	11%
July-Dec	1574	153	10%
2002 Jan -June	808	56	7%
-----	-----	-----	-----
Totals	125848	76447	61%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through June 30, 2002

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,232	2,540	3,692	59%	431.66
<i>Berkeley</i>	573	216	357	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	41	21	20	49%	116.81
Butte	211	85	126	60%	103.85
Calaveras	15	7	8	53%	36.99
Colusa	12	0	12	100%	63.82
Contra Costa	2,288	832	1,456	64%	241.14
Del Norte	27	14	13	48%	98.16
El Dorado	159	62	97	61%	101.73
Fresno	1,194	485	709	59%	149.36
Glenn	13	7	6	46%	49.14
Humboldt	199	78	121	61%	157.29
Imperial	111	55	56	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,205	693	512	42%	182.12
Kings	176	109	67	38%	135.95
Lake	140	64	76	54%	240.10
Lassen	47	29	18	38%	138.94
Los Angeles	44,320	16,673	27,647	62%	465.58
<i>Long Beach</i>	4,167	1,739	2,428	58%	902.88
<i>Pasadena</i>	673	230	443	66%	502.48
Madera	131	73	58	44%	106.41
Marin	1,530	697	833	54%	618.71
Mariposa	12	7	5	42%	70.05
Mendocino	187	69	118	63%	216.77
Merced	159	65	94	59%	75.52
Modoc	1	0	1	100%	10.58
Mono	5	2	3	60%	38.90
Monterey	815	363	452	55%	202.86
Napa	201	70	131	65%	161.73
Nevada	125	61	64	51%	135.82

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,069	2,843	3,226	53%	213.23
Placer	145	62	83	57%	58.37
Plumas	6	1	5	83%	28.81
Riverside	4,572	2,387	2,185	48%	295.85
Sacramento	3,122	1,262	1,860	60%	255.17
San Benito	34	17	17	50%	63.87
San Bernardino	2,920	1,307	1,613	55%	170.82
San Diego	11,241	4,892	6,349	56%	399.49
San Francisco	25,131	8,072	17,059	68%	3,235.47
San Joaquin	822	344	478	58%	145.85
San Luis Obispo	485	268	217	45%	196.61
San Mateo	1,919	734	1,185	62%	271.37
Santa Barbara	685	223	462	67%	171.53
Santa Clara	3,319	1,402	1,917	58%	197.26
Santa Cruz	538	228	310	58%	210.48
Shasta	129	36	93	72%	79.02
Sierra	4	0	4	100%	112.52
Siskiyou	38	19	19	50%	85.78
Solano	1,312	658	654	50%	332.54
Sonoma	1,684	631	1,053	63%	367.19
Stanislaus	579	255	324	56%	129.53
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	263	93	170	65%	71.46
Tuolumne	60	24	36	60%	110.09
Ventura	867	349	518	60%	115.11
Yolo	177	72	105	59%	104.94
Yuba	58	21	37	64%	96.32
Unknown	5	2	3	60%	
TOTAL	125,848	49,401	76,447	61%	371.54



*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of June 30, 2002

*Total Number of Cases = 125,848
Including 5 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,167
Pasadena --673

**Incidence per 100,000 population



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – July 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41432 (33)	33894 (82)	232 (37)	173 (75)	41664 (33)	34067 (82)
Other Disease w/o PCP	41987 (33)	29504 (70)	389 (63)	213 (55)	42376 (34)	29717 (70)
KS Alone	6040 (5)	4350 (72)	0 (0)	0 (.)	6040 (5)	4350 (72)
No Diseases Listed	36199 (29)	8396 (23)	0 (0)	0 (.)	36199 (29)	8396 (23)
Total	125658 (100)	76144 (61)	621 (100)	386 (62)	126279 (100)	76530 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	423 (0)	White, Not Hispanic	74568 (59)	170 (27)	74738 (59)
5-12	198 (0)	Black, Not Hispanic	21856 (17)	189 (30)	22045 (17)
13-19	400 (0)	Hispanic	25744 (20)	236 (38)	25980 (21)
20-29	19283 (15)	Asian/Pacific Is.	2735 (2)	19 (3)	2754 (2)
30-39	56391 (45)	Am. Indian/Alaska Native	563 (0)	6 (1)	569 (0)
40-49	34419 (27)	Unknown	192 (0)	1 (0)	193 (0)
Over 49	15165 (12)				
Unknown	0 (0)	Total	125658 (100)	621 (100)	126279 (100)
Total	126279 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	86981 (75)	0 (0)	86981 (69)
Injecting drug use	9568 (8)	3577 (38)	13145 (10)
Men who have sex with men and inject drugs	11440 (10)	0 (0)	11440 (9)
Hemophilia/coagulation disorder	540 (0)	21 (0)	561 (0)
Heterosexual contact	2037 (2)	4168 (44)	6205 (5)
Receipt of blood, components, or tissue	950 (1)	689 (7)	1639 (1)
Risk not reported/Other	4566 (4)	1036 (11)	5602 (4)
Total	116082 (100)	9491 (100)	125573 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	61 (16)	3 (1)	64 (9)
Mother with/at risk for HIV infection	224 (59)	257 (79)	481 (68)
Receipt of blood, components, or tissue	86 (23)	50 (15)	136 (19)
Risk not reported/Other	9 (2)	14 (4)	23 (3)
Total	380 (100)	324 (100)	704 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).
 **83 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.
 ***29 duplicate cases were deleted during the month of July.

AIDS CASES & CUMULATIVE INCIDENCE 1981 through July 31, 2002

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,248	2,556	3,692	59%	432.76
<i>Berkeley</i>	573	216	357	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	41	21	20	49%	116.81
Butte	211	85	126	60%	103.85
Calaveras	15	7	8	53%	36.99
Colusa	12	0	12	100%	63.82
Contra Costa	2,287	831	1,456	64%	241.04
Del Norte	28	15	13	46%	101.79
El Dorado	159	62	97	61%	101.73
Fresno	1,191	482	709	60%	148.99
Glenn	13	7	6	46%	49.14
Humboldt	202	81	121	60%	159.66
Imperial	112	56	56	50%	78.67
Inyo	12	5	7	58%	66.87
Kern	1,250	738	512	41%	188.92
Kings	176	109	67	38%	135.95
Lake	140	64	76	54%	240.10
Lassen	47	28	19	40%	138.94
Los Angeles	44,496	16,814	27,682	62%	467.43
<i>Long Beach</i>	4,188	1,758	2,430	58%	907.43
<i>Pasadena</i>	673	230	443	66%	502.48
Madera	134	76	58	43%	108.85
Marin	1,535	701	834	54%	620.73
Mariposa	12	7	5	42%	70.05
Mendocino	187	68	119	64%	216.77
Merced	159	64	95	60%	75.52
Modoc	1	0	1	100%	10.58
Mono	5	2	3	60%	38.90
Monterey	815	363	452	55%	202.86
Napa	200	69	131	66%	160.93
Nevada	125	61	64	51%	135.82

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,083	2,857	3,226	53%	213.72
Placer	144	62	82	57%	57.97
Plumas	6	1	5	83%	28.81
Riverside	4,592	2,398	2,194	48%	297.14
Sacramento	3,130	1,267	1,863	60%	255.82
San Benito	35	18	17	49%	65.75
San Bernardino	2,938	1,319	1,619	55%	171.87
San Diego	11,240	4,891	6,349	56%	399.46
San Francisco	25,170	8,101	17,069	68%	3,240.50
San Joaquin	842	363	479	57%	149.40
San Luis Obispo	496	275	221	45%	201.07
San Mateo	1,932	747	1,185	61%	273.21
Santa Barbara	690	224	466	68%	172.78
Santa Clara	3,339	1,417	1,922	58%	198.44
Santa Cruz	538	228	310	58%	210.48
Shasta	129	36	93	72%	79.02
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,312	658	654	50%	332.54
Sonoma	1,689	635	1,054	62%	368.28
Stanislaus	586	262	324	55%	131.10
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	264	94	170	64%	71.74
Tuolumne	60	24	36	60%	110.09
Ventura	872	352	520	60%	115.77
Yolo	177	72	105	59%	104.94
Yuba	58	21	37	64%	96.32
Unknown	3	1	2	67%	
TOTAL	126,279	49,749	76,530	61%	372.82

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report for California – July 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.



Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	294	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	597	575	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1135	96%
July-Dec	1413	1365	97%
1986 Jan -June	1865	1798	96%
July-Dec	2231	2160	97%
1987 Jan -June	2840	2722	96%
July-Dec	2932	2782	95%
1988 Jan -June	3356	3161	94%
July-Dec	3471	3233	93%
1989 Jan -June	4220	3839	91%
July-Dec	4099	3696	90%
1990 Jan -June	4598	4024	88%
July-Dec	4487	3933	88%
1991 Jan -June	5301	4458	84%
July-Dec	5863	4863	83%
1992 Jan -June	6309	4846	77%
July-Dec	6130	4540	74%
1993 Jan -June	6369	4245	67%
July-Dec	5567	3340	60%
1994 Jan -June	5607	2944	53%
July-Dec	4812	2221	46%
1995 Jan -June	5189	1885	36%
July-Dec	4407	1372	31%
1996 Jan -June	4223	1119	26%
July-Dec	3340	797	24%
1997 Jan -June	3200	640	20%
July-Dec	2714	537	20%
1998 Jan -June	2598	495	19%
July-Dec	2401	395	16%
1999 Jan -June	2485	410	16%
July-Dec	2129	286	13%
2000 Jan -June	2066	259	13%
July-Dec	1900	239	13%
2001 Jan -June	1843	211	11%
July-Dec	1627	162	10%
2002 Jan -June	1065	68	6%
July-Jul 31	11	0	0%
----- Totals	----- 126279	----- 76530	----- 61%

Cumulative AIDS Cases in California by County, as of July 31, 2002

*Total Number of Cases = 126,279
Including 3 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,188
Pasadena --673

**Incidence per 100,000 population



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS)

HIV-AIDS Reporting System

Surveillance Report for California – August 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41499 (33)	33948 (82)	232 (37)	173 (75)	41731 (33)	34121 (82)
Other Disease w/o PCP	42092 (33)	29606 (70)	391 (63)	213 (54)	42483 (34)	29819 (70)
KS Alone	6052 (5)	4382 (72)	0 (0)	0 (.)	6052 (5)	4382 (72)
No Diseases Listed	36406 (29)	8464 (23)	0 (0)	0 (.)	36406 (29)	8464 (23)
Total	126049 (100)	76400 (61)	623 (100)	386 (62)	126672 (100)	76786 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	423 (0)	White, Not Hispanic	74710 (59)	170 (27)	74880 (59)
5-12	200 (0)	Black, Not Hispanic	21947 (17)	190 (30)	22137 (17)
13-19	401 (0)	Hispanic	25884 (21)	237 (38)	26121 (21)
20-29	19325 (15)	Asian/Pacific Is.	2751 (2)	19 (3)	2770 (2)
30-39	56562 (45)	Am. Indian/Alaska Native	567 (0)	6 (1)	573 (0)
40-49	34532 (27)	Unknown	190 (0)	1 (0)	191 (0)
Over 49	15229 (12)				
Unknown	0 (0)	Total	126049 (100)	623 (100)	126672 (100)
Total	126672 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	87186 (75)	0 (0)	87186 (69)
Injecting drug use	9601 (8)	3588 (38)	13189 (10)
Men who have sex with men and inject drugs	11472 (10)	0 (0)	11472 (9)
Hemophilia/coagulation disorder	539 (0)	21 (0)	560 (0)
Heterosexual contact	2055 (2)	4183 (44)	6238 (5)
Receipt of blood, components, or tissue	952 (1)	690 (7)	1642 (1)
Risk not reported/Other	4626 (4)	1051 (11)	5677 (5)
Total	116431 (100)	9533 (100)	125964 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	61 (16)	3 (1)	64 (9)
Mother with/at risk for HIV infection	225 (59)	257 (79)	482 (68)
Receipt of blood, components, or tissue	88 (23)	50 (15)	138 (19)
Risk not reported/Other	9 (2)	15 (5)	24 (3)
Total	383 (100)	325 (100)	708 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**85 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***20 duplicate cases were deleted during the month of August.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS)
HIV-AIDS Reporting System
Surveillance Report for California – August 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	295	97%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	597	575	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1137	97%
July-Dec	1413	1365	97%
1986 Jan -June	1865	1798	96%
July-Dec	2231	2161	97%
1987 Jan -June	2840	2724	96%
July-Dec	2932	2784	95%
1988 Jan -June	3356	3166	94%
July-Dec	3471	3236	93%
1989 Jan -June	4222	3844	91%
July-Dec	4099	3701	90%
1990 Jan -June	4598	4033	88%
July-Dec	4488	3938	88%
1991 Jan -June	5302	4471	84%
July-Dec	5862	4875	83%
1992 Jan -June	6310	4866	77%
July-Dec	6130	4557	74%
1993 Jan -June	6370	4260	67%
July-Dec	5569	3353	60%
1994 Jan -June	5607	2956	53%
July-Dec	4813	2232	46%
1995 Jan -June	5190	1900	37%
July-Dec	4409	1378	31%
1996 Jan -June	4227	1130	27%
July-Dec	3342	803	24%
1997 Jan -June	3203	646	20%
July-Dec	2718	540	20%
1998 Jan -June	2599	500	19%
July-Dec	2405	401	17%
1999 Jan -June	2492	414	17%
July-Dec	2137	287	13%
2000 Jan -June	2092	264	13%
July-Dec	1924	242	13%
2001 Jan -June	1864	216	12%
July-Dec	1679	172	10%
2002 Jan -June	1243	85	7%
July-Aug 31	63	0	0%
-----	-----	-----	-----
Totals	126672	76786	61%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through August 31, 2002**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,259	2,557	3,702	59%	433.53
<i>Berkeley</i>	573	215	358	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	42	22	20	48%	119.66
Butte	211	85	126	60%	103.85
Calaveras	17	9	8	47%	41.92
Colusa	12	0	12	100%	63.82
Contra Costa	2,295	833	1,462	64%	241.88
Del Norte	28	15	13	46%	101.79
El Dorado	159	62	97	61%	101.73
Fresno	1,204	495	709	59%	150.61
Glenn	13	7	6	46%	49.14
Humboldt	203	80	123	61%	160.45
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,255	743	512	41%	189.68
Kings	181	108	73	40%	139.81
Lake	140	64	76	54%	240.10
Lassen	47	28	19	40%	138.94
Los Angeles	44,723	16,856	27,867	62%	469.81
<i>Long Beach</i>	4,216	1,778	2,438	58%	913.50
<i>Pasadena</i>	676	233	443	66%	504.72
Madera	139	80	59	42%	112.91
Marin	1,536	701	835	54%	621.14
Mariposa	12	6	6	50%	70.05
Mendocino	187	68	119	64%	216.77
Merced	159	64	95	60%	75.52
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	816	364	452	55%	203.11
Napa	200	69	131	66%	160.93
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,083	2,857	3,226	53%	213.72
Placer	144	62	82	57%	57.97
Plumas	7	2	5	71%	33.62
Riverside	4,616	2,421	2,195	48%	298.70
Sacramento	3,134	1,268	1,866	60%	256.15
San Benito	37	20	17	46%	69.50
San Bernardino	2,937	1,318	1,619	55%	171.81
San Diego	11,270	4,911	6,359	56%	400.52
San Francisco	25,190	8,098	17,092	68%	3,243.07
San Joaquin	850	370	480	56%	150.82
San Luis Obispo	496	275	221	45%	201.07
San Mateo	1,943	756	1,187	61%	274.76
Santa Barbara	690	224	466	68%	172.78
Santa Clara	3,349	1,423	1,926	58%	199.04
Santa Cruz	538	228	310	58%	210.48
Shasta	130	36	94	72%	79.63
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,310	656	654	50%	332.03
Sonoma	1,689	635	1,054	62%	368.28
Stanislaus	590	266	324	55%	131.99
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	264	94	170	64%	71.74
Tuolumne	60	24	36	60%	110.09
Ventura	872	352	520	60%	115.77
Yolo	177	72	105	59%	104.94
Yuba	59	22	37	63%	97.98
Unknown	3	1	2	67%	
TOTAL	126,672	49,886	76,786	61%	373.98



*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of August 31, 2002

*Total Number of Cases = 126,672
Including 3 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,216
Pasadena --676

**Incidence per 100,000 population



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – September 30, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41582 (33)	33991 (82)	232 (37)	173 (75)	41814 (33)	34164 (82)
Other Disease w/o PCP	42243 (33)	29673 (70)	390 (63)	212 (54)	42633 (34)	29885 (70)
KS Alone	6064 (5)	4389 (72)	0 (0)	0 (.)	6064 (5)	4389 (72)
No Diseases Listed	36656 (29)	8541 (23)	0 (0)	0 (.)	36656 (29)	8541 (23)
Total	126545 (100)	76594 (61)	622 (100)	385 (62)	127167 (100)	76979 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	423 (0)	White, Not Hispanic	74904 (59)	170 (27)	75074 (59)
5-12	199 (0)	Black, Not Hispanic	22055 (17)	189 (30)	22244 (17)
13-19	403 (0)	Hispanic	26053 (21)	237 (38)	26290 (21)
20-29	19372 (15)	Asian/Pacific Is.	2770 (2)	19 (3)	2789 (2)
30-39	56772 (45)	Am. Indian/Alaska Native	572 (0)	6 (1)	578 (0)
40-49	34706 (27)	Unknown	191 (0)	1 (0)	192 (0)
Over 49	15292 (12)				
Unknown	0 (0)	Total	126545 (100)	622 (100)	127167 (100)
Total	127167 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	87433 (75)	0 (0)	87433 (69)
Injecting drug use	9653 (8)	3599 (38)	13252 (10)
Men who have sex with men and inject drugs	11519 (10)	0 (0)	11519 (9)
Hemophilia/coagulation disorder	540 (0)	21 (0)	561 (0)
Heterosexual contact	2073 (2)	4218 (44)	6291 (5)
Receipt of blood, components, or tissue	955 (1)	692 (7)	1647 (1)
Risk not reported/Other	4690 (4)	1067 (11)	5757 (5)
Total	116863 (100)	9597 (100)	126460 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	61 (16)	3 (1)	64 (9)
Mother with/at risk for HIV infection	225 (59)	257 (79)	482 (68)
Receipt of blood, components, or tissue	88 (23)	50 (15)	138 (20)
Risk not reported/Other	9 (2)	14 (4)	23 (3)
Total	383 (100)	324 (100)	707 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**85 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***11 duplicate cases were deleted during

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS Only)
HIV-AIDS Reporting System
Surveillance Report for California – September 30, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	295	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	597	575	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1137	97%
July-Dec	1413	1365	97%
1986 Jan -June	1865	1798	96%
July-Dec	2231	2161	97%
1987 Jan -June	2840	2724	96%
July-Dec	2932	2784	95%
1988 Jan -June	3357	3168	94%
July-Dec	3470	3236	93%
1989 Jan -June	4222	3844	91%
July-Dec	4100	3703	90%
1990 Jan -June	4598	4038	88%
July-Dec	4488	3943	88%
1991 Jan -June	5304	4474	84%
July-Dec	5861	4883	83%
1992 Jan -June	6310	4873	77%
July-Dec	6131	4566	74%
1993 Jan -June	6369	4273	67%
July-Dec	5570	3365	60%
1994 Jan -June	5608	2971	53%
July-Dec	4812	2242	47%
1995 Jan -June	5193	1907	37%
July-Dec	4412	1387	31%
1996 Jan -June	4235	1139	27%
July-Dec	3347	806	24%
1997 Jan -June	3209	653	20%
July-Dec	2724	543	20%
1998 Jan -June	2602	504	19%
July-Dec	2410	408	17%
1999 Jan -June	2505	419	17%
July-Dec	2143	292	14%
2000 Jan -June	2124	270	13%
July-Dec	1931	247	13%
2001 Jan -June	1896	223	12%
July-Dec	1714	178	10%
2002 Jan -June	1400	99	7%
July-Sep 30	234	5	2%
----- Totals	----- 127167	----- 76979	----- 61%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through September 30, 2002**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,280	2,537	3,743	60%	434.98
<i>Berkeley</i>	573	215	358	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	42	22	20	48%	119.66
Butte	213	87	126	59%	104.84
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,296	834	1,462	64%	241.99
Del Norte	29	16	13	45%	105.43
El Dorado	159	62	97	61%	101.73
Fresno	1,203	494	709	59%	150.49
Glenn	13	7	6	46%	49.14
Humboldt	203	80	123	61%	160.45
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,255	743	512	41%	189.68
Kings	188	114	74	39%	145.22
Lake	140	64	76	54%	240.10
Lassen	48	29	19	40%	141.89
Los Angeles	44,883	16,975	27,908	62%	471.49
<i>Long Beach</i>	4,245	1,804	2,441	58%	919.78
<i>Pasadena</i>	676	233	443	66%	504.72
Madera	139	80	59	42%	112.91
Marin	1,538	703	835	54%	621.94
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	159	64	95	60%	75.52
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	816	364	452	55%	203.11
Napa	200	69	131	66%	160.93
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,147	2,896	3,251	53%	215.97
Placer	143	61	82	57%	57.57
Plumas	7	2	5	71%	33.62
Riverside	4,617	2,422	2,195	48%	298.76
Sacramento	3,156	1,284	1,872	59%	257.95
San Benito	37	20	17	46%	69.50
San Bernardino	2,962	1,343	1,619	55%	173.27
San Diego	11,332	4,965	6,367	56%	402.72
San Francisco	25,245	8,114	17,131	68%	3,250.15
San Joaquin	866	384	482	56%	153.66
San Luis Obispo	496	275	221	45%	201.07
San Mateo	1,951	741	1,210	62%	275.89
Santa Barbara	698	233	465	67%	174.79
Santa Clara	3,365	1,437	1,928	57%	199.99
Santa Cruz	538	228	310	58%	210.48
Shasta	130	36	94	72%	79.63
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,312	656	656	50%	332.54
Sonoma	1,695	641	1,054	62%	369.59
Stanislaus	592	268	324	55%	132.44
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	269	98	171	64%	73.09
Tuolumne	61	25	36	59%	111.92
Ventura	878	357	521	59%	116.57
Yolo	177	72	105	59%	104.94
Yuba	59	22	37	63%	97.98
Unknown	4	2	2	50%	
TOTAL	127,167	50,188	76,979	61%	375.44

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of September 30, 2002

*Total Number of Cases = 127,167
Including 4 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,245
Pasadena --676

**Incidence per 100,000 population

0 - 93
94 - 173
174 - 3250



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – October 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41632 (33)	34040 (82)	232 (37)	173 (75)	41864 (33)	34213 (82)
Other Disease w/o PCP	42365 (33)	29762 (70)	391 (63)	212 (54)	42756 (34)	29974 (70)
KS Alone	6069 (5)	4398 (72)	0 (0)	0 (.)	6069 (5)	4398 (72)
No Diseases Listed	36824 (29)	8601 (23)	0 (0)	0 (.)	36824 (29)	8601 (23)
Total	126890 (100)	76801 (61)	623 (100)	385 (62)	127513 (100)	77186 (61)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	424 (0)	White, Not Hispanic	75006 (59)	170 (27)	75176 (59)
5-12	199 (0)	Black, Not Hispanic	22152 (17)	190 (30)	22342 (18)
13-19	406 (0)	Hispanic	26182 (21)	237 (38)	26419 (21)
20-29	19416 (15)	Asian/Pacific Is.	2782 (2)	19 (3)	2801 (2)
30-39	56913 (45)	Am. Indian/Alaska Native	575 (0)	6 (1)	581 (0)
40-49	34803 (27)	Unknown	193 (0)	1 (0)	194 (0)
Over 49	15352 (12)				
Unknown	0 (0)	Total	126890 (100)	623 (100)	127513 (100)
Total	127513 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	87625 (75)	0 (0)	87625 (69)
Injecting drug use	9682 (8)	3615 (37)	13297 (10)
Men who have sex with men and inject drugs	11538 (10)	0 (0)	11538 (9)
Hemophilia/coagulation disorder	541 (0)	21 (0)	562 (0)
Heterosexual contact	2097 (2)	4244 (44)	6341 (5)
Receipt of blood, components, or tissue	957 (1)	692 (7)	1649 (1)
Risk not reported/Other	4717 (4)	1076 (11)	5793 (5)
Total	117157 (100)	9648 (100)	126805 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	61 (16)	3 (1)	64 (9)
Mother with/at risk for HIV infection	225 (59)	258 (79)	483 (68)
Receipt of blood, components, or tissue	88 (23)	50 (15)	138 (19)
Risk not reported/Other	9 (2)	14 (4)	23 (3)
Total	383 (100)	325 (100)	708 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**85 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***59 duplicate cases were deleted during the month of October.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – October 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
----- Before 1983	306	295	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	597	575	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1138	97%
July-Dec	1413	1365	97%
1986 Jan -June	1865	1798	96%
July-Dec	2231	2161	97%
1987 Jan -June	2840	2724	96%
July-Dec	2932	2785	95%
1988 Jan -June	3357	3168	94%
July-Dec	3470	3236	93%
1989 Jan -June	4223	3846	91%
July-Dec	4100	3703	90%
1990 Jan -June	4599	4040	88%
July-Dec	4488	3949	88%
1991 Jan -June	5304	4479	84%
July-Dec	5860	4890	83%
1992 Jan -June	6309	4882	77%
July-Dec	6131	4570	75%
1993 Jan -June	6369	4286	67%
July-Dec	5571	3379	61%
1994 Jan -June	5607	2983	53%
July-Dec	4811	2253	47%
1995 Jan -June	5194	1924	37%
July-Dec	4413	1398	32%
1996 Jan -June	4239	1151	27%
July-Dec	3352	809	24%
1997 Jan -June	3216	661	21%
July-Dec	2727	552	20%
1998 Jan -June	2605	508	20%
July-Dec	2414	412	17%
1999 Jan -June	2510	427	17%
July-Dec	2144	297	14%
2000 Jan -June	2130	276	13%
July-Dec	1958	250	13%
2001 Jan -June	1912	225	12%
July-Dec	1738	183	11%
2002 Jan -June	1523	112	7%
July-Oct 30	351	15	4%
----- Totals	127513	77186	61%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through October 31, 2002**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,294	2,548	3,746	60%	435.95
<i>Berkeley</i>	573	215	358	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	42	22	20	48%	119.66
Butte	215	89	126	59%	105.82
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,295	833	1,462	64%	241.88
Del Norte	29	16	13	45%	105.43
El Dorado	159	62	97	61%	101.73
Fresno	1,203	494	709	59%	150.49
Glenn	13	7	6	46%	49.14
Humboldt	203	80	123	61%	160.45
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,261	749	512	41%	190.59
Kings	188	114	74	39%	145.22
Lake	140	64	76	54%	240.10
Lassen	48	29	19	40%	141.89
Los Angeles	45,009	17,053	27,956	62%	472.82
<i>Long Beach</i>	4,284	1,835	2,449	57%	928.23
<i>Pasadena</i>	679	229	450	66%	506.96
Madera	142	83	59	42%	115.34
Marin	1,541	700	841	55%	623.16
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	160	65	95	59%	75.99
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	816	364	452	55%	203.11
Napa	201	70	131	65%	161.73
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,147	2,896	3,251	53%	215.97
Placer	143	61	82	57%	57.57
Plumas	7	2	5	71%	33.62
Riverside	4,617	2,422	2,195	48%	298.76
Sacramento	3,161	1,285	1,876	59%	258.36
San Benito	37	20	17	46%	69.50
San Bernardino	2,963	1,344	1,619	55%	173.33
San Diego	11,446	5,052	6,394	56%	406.78
San Francisco	25,275	8,042	17,233	68%	3,254.01
San Joaquin	871	388	483	55%	154.54
San Luis Obispo	503	279	224	45%	203.91
San Mateo	1,952	742	1,210	62%	276.03
Santa Barbara	704	238	466	66%	176.29
Santa Clara	3,376	1,444	1,932	57%	200.64
Santa Cruz	542	229	313	58%	212.05
Shasta	130	36	94	72%	79.63
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,312	654	658	50%	332.54
Sonoma	1,697	641	1,056	62%	370.03
Stanislaus	593	269	324	55%	132.66
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	269	98	171	64%	73.09
Tuolumne	61	25	36	59%	111.92
Ventura	881	359	522	59%	116.97
Yolo	177	72	105	59%	104.94
Yuba	59	22	37	63%	97.98
Unknown	5	3	2	40%	
TOTAL	127,513	50,327	77,186	61%	376.46

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of October 31, 2002

*Total Number of Cases = 127,513
Including 5 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,284
Pasadena --679

**Incidence per 100,000 population

0 - 93
94 - 173
174 - 3254



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – November 30, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41685 (33)	34063 (82)	233 (37)	173 (74)	41918 (33)	34236 (82)
Other Disease w/o PCP	42499 (33)	29810 (70)	390 (63)	212 (54)	42889 (34)	30022 (70)
KS Alone	6077 (5)	4401 (72)	0 (0)	0 (.)	6077 (5)	4401 (72)
No Diseases Listed	37031 (29)	8642 (23)	0 (0)	0 (.)	37031 (29)	8642 (23)
Total	127292 (100)	76916 (60)	623 (100)	385 (62)	127915 (100)	77301 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	424 (0)	White, Not Hispanic	75160 (59)	170 (27)	75330 (59)
5-12	199 (0)	Black, Not Hispanic	22248 (17)	190 (30)	22438 (18)
13-19	408 (0)	Hispanic	26320 (21)	237 (38)	26557 (21)
20-29	19466 (15)	Asian/Pacific Is.	2794 (2)	19 (3)	2813 (2)
30-39	57075 (45)	Am. Indian/Alaska Native	576 (0)	6 (1)	582 (0)
40-49	34937 (27)	Unknown	194 (0)	1 (0)	195 (0)
Over 49	15406 (12)				
Unknown	0 (0)	Total	127292 (100)	623 (100)	127915 (100)
Total	127915 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	87845 (75)	0 (0)	87845 (69)
Injecting drug use	9729 (8)	3629 (37)	13358 (11)
Men who have sex with men and inject drugs	11565 (10)	0 (0)	11565 (9)
Hemophilia/coagulation disorder	542 (0)	21 (0)	563 (0)
Heterosexual contact	2107 (2)	4264 (44)	6371 (5)
Receipt of blood, components, or tissue	959 (1)	694 (7)	1653 (1)
Risk not reported/Other	4756 (4)	1095 (11)	5851 (5)
Total	117503 (100)	9703 (100)	127206 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	63 (16)	3 (1)	66 (9)
Mother with/at risk for HIV infection	225 (59)	258 (79)	483 (68)
Receipt of blood, components, or tissue	87 (23)	50 (15)	137 (19)
Risk not reported/Other	9 (2)	14 (4)	23 (3)
Total	384 (100)	325 (100)	709 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**86 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***37 duplicate cases were deleted during the month of November.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – November 30, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	295	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	597	575	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1138	97%
July-Dec	1413	1366	97%
1986 Jan -June	1865	1798	96%
July-Dec	2231	2161	97%
1987 Jan -June	2840	2724	96%
July-Dec	2932	2785	95%
1988 Jan -June	3357	3168	94%
July-Dec	3470	3236	93%
1989 Jan -June	4223	3847	91%
July-Dec	4100	3703	90%
1990 Jan -June	4599	4040	88%
July-Dec	4488	3950	88%
1991 Jan -June	5306	4479	84%
July-Dec	5859	4891	83%
1992 Jan -June	6310	4884	77%
July-Dec	6132	4576	75%
1993 Jan -June	6371	4290	67%
July-Dec	5571	3383	61%
1994 Jan -June	5609	2996	53%
July-Dec	4812	2257	47%
1995 Jan -June	5197	1932	37%
July-Dec	4416	1403	32%
1996 Jan -June	4245	1156	27%
July-Dec	3355	814	24%
1997 Jan -June	3222	664	21%
July-Dec	2734	556	20%
1998 Jan -June	2611	510	20%
July-Dec	2417	415	17%
1999 Jan -June	2518	430	17%
July-Dec	2151	300	14%
2000 Jan -June	2151	278	13%
July-Dec	1972	254	13%
2001 Jan -June	1933	226	12%
July-Dec	1753	191	11%
2002 Jan -June	1597	121	8%
July-Nov 27	548	28	5%
----- Totals	----- 127915	----- 77301	----- 60%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through November 30, 2002**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,302	2,552	3,750	60%	436.50
<i>Berkeley</i>	573	215	358	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	42	22	20	48%	119.66
Butte	215	89	126	59%	105.82
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,306	840	1,466	64%	243.04
Del Norte	29	16	13	45%	105.43
El Dorado	159	62	97	61%	101.73
Fresno	1,203	494	709	59%	150.49
Glenn	13	7	6	46%	49.14
Humboldt	203	80	123	61%	160.45
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,275	763	512	40%	192.70
Kings	189	109	80	42%	145.99
Lake	143	66	77	54%	245.25
Lassen	48	28	20	42%	141.89
Los Angeles	45,151	17,168	27,983	62%	474.31
<i>Long Beach</i>	4,319	1,862	2,457	57%	935.82
<i>Pasadena</i>	681	231	450	66%	508.45
Madera	145	86	59	41%	117.78
Marin	1,546	703	843	55%	625.18
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	161	66	95	59%	76.46
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	817	365	452	55%	203.35
Napa	201	70	131	65%	161.73
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,172	2,920	3,252	53%	216.84
Placer	146	64	82	56%	58.78
Plumas	7	2	5	71%	33.62
Riverside	4,646	2,450	2,196	47%	300.64
Sacramento	3,160	1,271	1,889	60%	258.28
San Benito	37	20	17	46%	69.50
San Bernardino	2,963	1,344	1,619	55%	173.33
San Diego	11,495	5,084	6,411	56%	408.52
San Francisco	25,327	8,071	17,256	68%	3,260.71
San Joaquin	877	392	485	55%	155.61
San Luis Obispo	503	279	224	45%	203.91
San Mateo	1,971	755	1,216	62%	278.72
Santa Barbara	709	242	467	66%	177.54
Santa Clara	3,387	1,452	1,935	57%	201.30
Santa Cruz	542	229	313	58%	212.05
Shasta	130	36	94	72%	79.63
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,320	660	660	50%	334.57
Sonoma	1,700	644	1,056	62%	370.68
Stanislaus	593	269	324	55%	132.66
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	269	98	171	64%	73.09
Tuolumne	61	25	36	59%	111.92
Ventura	885	362	523	59%	117.50
Yolo	177	72	105	59%	104.94
Yuba	59	22	37	63%	97.98
Unknown	5	3	2	40%	
TOTAL	127,915	50,614	77,301	60%	377.65

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of November 30, 2002

*Total Number of Cases = 127,915
Including 5 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,319
Pasadena --681

**Incidence per 100,000 population

	0 - 93
	94 - 173
	174 - 3261



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – December 31, 2002

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41727 (33)	34075 (82)	234 (38)	173 (74)	41961 (33)	34248 (82)
Other Disease w/o PCP	42604 (33)	29848 (70)	390 (63)	212 (54)	42994 (34)	30060 (70)
KS Alone	6087 (5)	4402 (72)	0 (0)	0 (.)	6087 (5)	4402 (72)
No Diseases Listed	37154 (29)	8667 (23)	0 (0)	0 (.)	37154 (29)	8667 (23)
Total	127572 (100)	76992 (60)	624 (100)	385 (62)	128196 (100)	77377 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	425 (0)	White, Not Hispanic	75306 (59)	170 (27)	75476 (59)
5-12	199 (0)	Black, Not Hispanic	22286 (17)	191 (31)	22477 (18)
13-19	413 (0)	Hispanic	26404 (21)	237 (38)	26641 (21)
20-29	19500 (15)	Asian/Pacific Is.	2800 (2)	19 (3)	2819 (2)
30-39	57184 (45)	Am. Indian/Alaska Native	581 (0)	6 (1)	587 (0)
40-49	35028 (27)	Unknown	195 (0)	1 (0)	196 (0)
Over 49	15447 (12)				
Unknown	0 (0)	Total	127572 (100)	624 (100)	128196 (100)
Total	128196 (100)				

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	88005 (75)	0 (0)	88005 (69)
Injecting drug use	9756 (8)	3642 (37)	13398 (11)
Men who have sex with men and inject drugs	11592 (10)	0 (0)	11592 (9)
Hemophilia/coagulation disorder	543 (0)	21 (0)	564 (0)
Heterosexual contact	2120 (2)	4283 (44)	6403 (5)
Receipt of blood, components, or tissue	960 (1)	696 (7)	1656 (1)
Risk not reported/Other	4771 (4)	1098 (11)	5869 (5)
Total	117747 (100)	9740 (100)	127487 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	226 (59)	258 (79)	484 (68)
Receipt of blood, components, or tissue	87 (23)	51 (16)	138 (19)
Risk not reported/Other	9 (2)	13 (4)	22 (3)
Total	384 (100)	325 (100)	709 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**85 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***24 duplicate cases were deleted during the month of December.

For more information visit the Office of AIDS Website at <http://www.dhs.ca.gov/AIDS/>

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – December 31, 2002

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1983	306	295	96%
1983 Jan -June	296	289	98%
July-Dec	412	400	97%
1984 Jan -June	597	575	96%
July-Dec	818	792	97%
1985 Jan -June	1178	1138	97%
July-Dec	1414	1366	97%
1986 Jan -June	1865	1798	96%
July-Dec	2232	2161	97%
1987 Jan -June	2840	2724	96%
July-Dec	2932	2786	95%
1988 Jan -June	3357	3168	94%
July-Dec	3471	3236	93%
1989 Jan -June	4222	3846	91%
July-Dec	4099	3703	90%
1990 Jan -June	4601	4041	88%
July-Dec	4488	3951	88%
1991 Jan -June	5307	4480	84%
July-Dec	5860	4891	83%
1992 Jan -June	6312	4884	77%
July-Dec	6134	4578	75%
1993 Jan -June	6373	4293	67%
July-Dec	5572	3386	61%
1994 Jan -June	5609	2997	53%
July-Dec	4814	2255	47%
1995 Jan -June	5200	1937	37%
July-Dec	4419	1409	32%
1996 Jan -June	4248	1161	27%
July-Dec	3357	815	24%
1997 Jan -June	3224	671	21%
July-Dec	2737	557	20%
1998 Jan -June	2615	513	20%
July-Dec	2419	418	17%
1999 Jan -June	2521	432	17%
July-Dec	2161	302	14%
2000 Jan -June	2154	282	13%
July-Dec	1977	258	13%
2001 Jan -June	1946	230	12%
July-Dec	1777	195	11%
2002 Jan -June	1637	125	8%
July-Dec	695	39	6%
----- Totals	----- 128196	----- 77377	----- 60%

AIDS CASES & CUMULATIVE INCIDENCE
1981 through December 31, 2002

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,310	2,556	3,754	59%	437.06
<i>Berkeley</i>	573	215	358	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	42	22	20	48%	119.66
Butte	215	89	126	59%	105.82
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,325	854	1,471	63%	245.04
Del Norte	29	16	13	45%	105.43
El Dorado	162	62	100	62%	103.65
Fresno	1,232	521	711	58%	154.11
Glenn	13	7	6	46%	49.14
Humboldt	207	82	125	60%	163.61
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,286	772	514	40%	194.36
Kings	188	108	80	43%	145.22
Lake	143	66	77	54%	245.25
Lassen	48	28	20	42%	141.89
Los Angeles	45,159	17,177	27,982	62%	474.39
<i>Long Beach</i>	4,346	1,887	2,459	57%	941.67
<i>Pasadena</i>	681	231	450	66%	508.45
Madera	145	86	59	41%	117.78
Marin	1,551	705	846	55%	627.20
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	161	66	95	59%	76.46
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	816	364	452	55%	203.11
Napa	203	71	132	65%	163.34
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,226	2,971	3,255	52%	218.74
Placer	150	67	83	55%	60.39
Plumas	7	2	5	71%	33.62
Riverside	4,678	2,472	2,206	47%	302.71
Sacramento	3,170	1,277	1,893	60%	259.09
San Benito	38	21	17	45%	71.38
San Bernardino	2,964	1,345	1,619	55%	173.39
San Diego	11,520	5,102	6,418	56%	409.41
San Francisco	25,350	8,080	17,270	68%	3,263.67
San Joaquin	882	396	486	55%	156.49
San Luis Obispo	502	278	224	45%	203.50
San Mateo	1,981	764	1,217	61%	280.13
Santa Barbara	709	242	467	66%	177.54
Santa Clara	3,393	1,449	1,944	57%	201.65
Santa Cruz	542	229	313	58%	212.05
Shasta	130	36	94	72%	79.63
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,333	672	661	50%	337.86
Sonoma	1,701	644	1,057	62%	370.90
Stanislaus	594	270	324	55%	132.89
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	271	99	172	63%	73.64
Tuolumne	61	25	36	59%	111.92
Ventura	888	364	524	59%	117.90
Yolo	179	73	106	59%	106.13
Yuba	61	24	37	61%	101.30
Unknown	5	3	2	40%	
TOTAL	128,196	50,819	77,377	60%	378.48

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of December 31, 2002

*Total Number of Cases = 128,196
Including 5 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,346
Pasadena --681

**Incidence per 100,000 population

0 - 93
94 - 173
174 - 3264



California Department of Health Services
Office of AIDS
Epidemiology Branch

*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.