

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – January 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41758 (33)	34093 (82)	234 (38)	172 (74)	41992 (33)	34265 (82)
Other Disease w/o PCP	42661 (33)	29880 (70)	390 (63)	212 (54)	43051 (34)	30092 (70)
KS Alone	6094 (5)	4405 (72)	0 (0)	0 (.)	6094 (5)	4405 (72)
No Diseases Listed	37337 (29)	8699 (23)	0 (0)	0 (.)	37337 (29)	8699 (23)
Total	127850 (100)	77077 (60)	624 (100)	384 (62)	128474 (100)	77461 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	425 (0)	Hispanic - All Races	26458 (21)	237 (38)	26695 (21)
5-12	199 (0)	Not Hispanic - Am. Indian/Alaska Native	580 (0)	6 (1)	586 (0)
13-19	412 (0)	Asian	2 (0)	0 (0)	2 (0)
20-29	19546 (15)	Black or African American	22350 (17)	191 (31)	22541 (18)
30-39	57292 (45)	Native Hawaiian/Pacific Is.	0 (0)	0 (0)	0 (0)
40-49	35108 (27)	White	75454 (59)	170 (27)	75624 (59)
Over 49	15492 (12)	Legacy Asian/Pacific Is.	2811 (2)	19 (3)	2830 (2)
Unknown	0 (0)	Multi-race	0 (0)	0 (0)	0 (0)
Total	128474 (100)	Unknown	195 (0)	1 (0)	196 (0)
		Total	127850 (100)	624 (100)	128474 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	88160 (75)	0 (0)	88160 (69)
Injecting drug use	9781 (8)	3657 (37)	13438 (11)
Men who have sex with men and inject drugs	11628 (10)	0 (0)	11628 (9)
Hemophilia/coagulation disorder	543 (0)	21 (0)	564 (0)
Heterosexual contact	2138 (2)	4299 (44)	6437 (5)
Receipt of blood, components, or tissue	962 (1)	696 (7)	1658 (1)
Risk not reported/Other	4778 (4)	1104 (11)	5882 (5)
Total	117990 (100)	9777 (100)	127767 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	226 (59)	258 (79)	484 (68)
Receipt of blood, components, or tissue	86 (23)	51 (16)	137 (19)
Risk not reported/Other	8 (2)	13 (4)	21 (3)
Total	382 (100)	325 (100)	707 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**83 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***24 duplicate cases were deleted during the month of January.

Acquired Immunodeficiency Syndrome (AIDS Only)

HIV-AIDS Reporting System

Surveillance Report for California – January 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30040	28278	94%
1990 Jan -June	4601	4042	88%
July-Dec	4488	3954	88%
1991 Jan -June	5307	4480	84%
July-Dec	5859	4892	83%
1992 Jan -June	6311	4886	77%
July-Dec	6134	4582	75%
1993 Jan -June	6373	4297	67%
July-Dec	5572	3393	61%
1994 Jan -June	5613	3006	54%
July-Dec	4815	2258	47%
1995 Jan -June	5206	1937	37%
July-Dec	4421	1413	32%
1996 Jan -June	4251	1164	27%
July-Dec	3359	818	24%
1997 Jan -June	3226	673	21%
July-Dec	2737	559	20%
1998 Jan -June	2618	514	20%
July-Dec	2421	422	17%
1999 Jan -June	2522	435	17%
July-Dec	2164	303	14%
2000 Jan -June	2157	285	13%
July-Dec	1981	263	13%
2001 Jan -June	1958	233	12%
July-Dec	1789	196	11%
2002 Jan -June	1662	129	8%
July-Dec	880	48	5%
2003 Jan -Jan 31	9	1	11%
-----	-----	-----	-----
Totals	128474	77461	60%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through January 31, 2003**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,328	2,569	3,759	59%	438.31
<i>Berkeley</i>	573	215	358	62%	557.70
Alpine	0	0	0	0%	0.00
Amador	42	22	20	48%	119.66
Butte	215	89	126	59%	105.82
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,330	858	1,472	63%	245.57
Del Norte	29	16	13	45%	105.43
El Dorado	162	62	100	62%	103.65
Fresno	1,232	521	711	58%	154.11
Glenn	13	7	6	46%	49.14
Humboldt	207	82	125	60%	163.61
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,298	783	515	40%	196.18
Kings	188	108	80	43%	145.22
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	45,155	17,161	27,994	62%	474.35
<i>Long Beach</i>	4,343	1,884	2,459	57%	941.02
<i>Pasadena</i>	681	231	450	66%	508.45
Madera	145	86	59	41%	117.78
Marin	1,555	708	847	54%	628.82
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	161	66	95	59%	76.46
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	816	364	452	55%	203.11
Napa	204	72	132	65%	164.15
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,226	2,971	3,255	52%	218.74
Placer	151	68	83	55%	60.79
Plumas	7	2	5	71%	33.62
Riverside	4,698	2,491	2,207	47%	304.00
Sacramento	3,174	1,281	1,893	60%	259.42
San Benito	38	21	17	45%	71.38
San Bernardino	3,005	1,369	1,636	54%	175.79
San Diego	11,596	5,163	6,433	55%	412.11
San Francisco	25,425	8,131	17,294	68%	3,273.33
San Joaquin	881	395	486	55%	156.32
San Luis Obispo	506	278	228	45%	205.12
San Mateo	1,981	763	1,218	61%	280.13
Santa Barbara	709	242	467	66%	177.54
Santa Clara	3,400	1,456	1,944	57%	202.07
Santa Cruz	542	229	313	58%	212.05
Shasta	132	38	94	71%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	21	20	49%	92.55
Solano	1,331	670	661	50%	337.35
Sonoma	1,711	653	1,058	62%	373.08
Stanislaus	594	270	324	55%	132.89
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	271	99	172	63%	73.64
Tuolumne	61	25	36	59%	111.92
Ventura	890	365	525	59%	118.16
Yolo	180	74	106	59%	106.72
Yuba	61	24	37	61%	101.30
Unknown	6	4	2	33%	
TOTAL	128,474	51,013	77,461	60%	379.30

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of January 31, 2003

*Total Number of Cases = 128,474
Including 6 Cases with an Unknown County

City Cases:
Berkeley --573
Long Beach--4,343
Pasadena --681

**Incidence per 100,000 population

0 - 93
94 - 176
177 - 3273



California Department of Health Services
Office of AIDS
Epidemiology Branch

*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – February 28, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41859 (33)	34133 (82)	234 (38)	172 (74)	42093 (33)	34305 (81)
Other Disease w/o PCP	42890 (33)	29961 (70)	389 (62)	211 (54)	43279 (33)	30172 (70)
KS Alone	6116 (5)	4419 (72)	0 (0)	0 (.)	6116 (5)	4419 (72)
No Diseases Listed	37736 (29)	8762 (23)	0 (0)	0 (.)	37736 (29)	8762 (23)
Total	128601 (100)	77275 (60)	623 (100)	383 (61)	129224 (100)	77658 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	425 (0)	Hispanic - All Races	26707 (21)	238 (38)	26945 (21)
5-12	198 (0)	Not Hispanic - Am. Indian/Alaska Native	583 (0)	6 (1)	589 (0)
13-19	427 (0)	Asian	16 (0)	0 (0)	16 (0)
20-29	19704 (15)	Black or African American	22534 (18)	190 (30)	22724 (18)
30-39	57600 (45)	Native Hawaiian/Pacific Is.	2 (0)	0 (0)	2 (0)
40-49	35290 (27)	White	75740 (59)	169 (27)	75909 (59)
Over 49	15580 (12)	Legacy Asian/Pacific Is.	2821 (2)	19 (3)	2840 (2)
Unknown	0 (0)	Multi-race	3 (0)	0 (0)	3 (0)
		Unknown	195 (0)	1 (0)	196 (0)
Total	129224 (100)	Total	128601 (100)	623 (100)	129224 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	88570 (75)	0 (0)	88570 (69)
Injecting drug use	9846 (8)	3689 (37)	13535 (11)
Men who have sex with men and inject drugs	11680 (10)	0 (0)	11680 (9)
Hemophilia/coagulation disorder	542 (0)	21 (0)	563 (0)
Heterosexual contact	2173 (2)	4353 (44)	6526 (5)
Receipt of blood, components, or tissue	964 (1)	700 (7)	1664 (1)
Risk not reported/Other	4857 (4)	1121 (11)	5978 (5)
Total	118632 (100)	9884 (100)	128516 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	225 (58)	257 (80)	482 (68)
Receipt of blood, components, or tissue	86 (22)	51 (16)	137 (19)
Risk not reported/Other	12 (3)	12 (4)	24 (3)
Total	385 (100)	323 (100)	708 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**85 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***10 duplicate cases were deleted during the month of February.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – February 28, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30030	28271	94%
1990 Jan -June	4602	4044	88%
July-Dec	4489	3957	88%
1991 Jan -June	5313	4488	84%
July-Dec	5859	4895	84%
1992 Jan -June	6317	4896	78%
July-Dec	6135	4588	75%
1993 Jan -June	6375	4305	68%
July-Dec	5577	3403	61%
1994 Jan -June	5616	3019	54%
July-Dec	4817	2267	47%
1995 Jan -June	5214	1946	37%
July-Dec	4423	1421	32%
1996 Jan -June	4264	1173	28%
July-Dec	3370	826	25%
1997 Jan -June	3239	677	21%
July-Dec	2752	561	20%
1998 Jan -June	2629	519	20%
July-Dec	2428	426	18%
1999 Jan -June	2530	439	17%
July-Dec	2183	309	14%
2000 Jan -June	2183	290	13%
July-Dec	2005	268	13%
2001 Jan -June	2008	235	12%
July-Dec	1835	207	11%
2002 Jan -June	1770	147	8%
July-Dec	1203	77	6%
2003 Jan -Feb 28	58	4	7%
-----	-----	-----	-----
Totals	129224	77658	60%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through February 28, 2003**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,387	2,603	3,784	59%	442.39
<i>Berkeley</i>	576	211	365	63%	560.62
Alpine	0	0	0	0%	0.00
Amador	43	23	20	47%	122.51
Butte	215	89	126	59%	105.82
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,351	847	1,504	64%	247.78
Del Norte	29	16	13	45%	105.43
El Dorado	162	62	100	62%	103.65
Fresno	1,231	521	710	58%	153.99
Glenn	13	7	6	46%	49.14
Humboldt	207	82	125	60%	163.61
Imperial	111	56	55	50%	77.97
Inyo	12	5	7	58%	66.87
Kern	1,316	797	519	39%	198.90
Kings	189	109	80	42%	145.99
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	45,595	17,550	28,045	62%	478.97
<i>Long Beach</i>	4,403	1,940	2,463	56%	954.02
<i>Pasadena</i>	683	233	450	66%	509.95
Madera	145	86	59	41%	117.78
Marin	1,559	712	847	54%	630.44
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	162	65	97	60%	76.94
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	832	370	462	56%	207.09
Napa	204	72	132	65%	164.15
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,266	3,000	3,266	52%	220.15
Placer	151	68	83	55%	60.79
Plumas	7	2	5	71%	33.62
Riverside	4,697	2,491	2,206	47%	303.94
Sacramento	3,200	1,296	1,904	60%	261.54
San Benito	38	20	18	47%	71.38
San Bernardino	3,008	1,367	1,641	55%	175.96
San Diego	11,628	5,184	6,444	55%	413.24
San Francisco	25,469	8,155	17,314	68%	3,278.99
San Joaquin	884	396	488	55%	156.85
San Luis Obispo	504	276	228	45%	204.31
San Mateo	1,984	769	1,215	61%	280.56
Santa Barbara	713	244	469	66%	178.54
Santa Clara	3,411	1,462	1,949	57%	202.72
Santa Cruz	547	233	314	57%	214.00
Shasta	132	38	94	71%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,338	673	665	50%	339.13
Sonoma	1,717	657	1,060	62%	374.39
Stanislaus	595	271	324	54%	133.11
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	272	98	174	64%	73.91
Tuolumne	61	25	36	59%	111.92
Ventura	893	368	525	59%	118.56
Yolo	182	76	106	58%	107.91
Yuba	61	24	37	61%	101.30
Unknown	8	6	2	25%	
TOTAL	129,224	51,566	77,658	60%	381.51



*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of February 28, 2003

*Total Number of Cases = 129,224
Including 8 Cases with an Unknown County

City Cases:
Berkeley --576
Long Beach--4,403
Pasadena --683

**Incidence per 100,000 population



California Department of Health Services
Office of AIDS
Epidemiology Branch

*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – March 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	41933 (32)	34152 (81)	235 (38)	173 (74)	42168 (33)	34325 (81)
Other Disease w/o PCP	43020 (33)	29997 (70)	389 (62)	211 (54)	43409 (33)	30208 (70)
KS Alone	6122 (5)	4420 (72)	0 (0)	0 (.)	6122 (5)	4420 (72)
No Diseases Listed	37971 (29)	8782 (23)	0 (0)	0 (.)	37971 (29)	8782 (23)
Total	129046 (100)	77351 (60)	624 (100)	384 (62)	129670 (100)	77735 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	426 (0)	Hispanic - All Races	26876 (21)	239 (38)	27115 (21)
5-12	198 (0)	Not Hispanic - Am. Indian/Alaska Native	587 (0)	6 (1)	593 (0)
13-19	433 (0)	Asian	26 (0)	0 (0)	26 (0)
20-29	19755 (15)	Black or African American	22608 (18)	190 (30)	22798 (18)
30-39	57765 (45)	Native Hawaiian/Pacific Is.	2 (0)	0 (0)	2 (0)
40-49	35444 (27)	White	75921 (59)	169 (27)	76090 (59)
Over 49	15649 (12)	Legacy Asian/Pacific Is.	2821 (2)	19 (3)	2840 (2)
Unknown	0 (0)	Multi-race	7 (0)	0 (0)	7 (0)
		Unknown	198 (0)	1 (0)	199 (0)
Total	129670 (100)	Total	129046 (100)	624 (100)	129670 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	88821 (75)	0 (0)	88821 (69)
Injecting drug use	9881 (8)	3702 (37)	13583 (11)
Men who have sex with men and inject drugs	11719 (10)	0 (0)	11719 (9)
Hemophilia/coagulation disorder	545 (0)	21 (0)	566 (0)
Heterosexual contact	2195 (2)	4380 (44)	6575 (5)
Receipt of blood, components, or tissue	967 (1)	704 (7)	1671 (1)
Risk not reported/Other	4889 (4)	1136 (11)	6025 (5)
Total	119017 (100)	9943 (100)	128960 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	226 (58)	257 (80)	483 (68)
Receipt of blood, components, or tissue	87 (22)	51 (16)	138 (19)
Risk not reported/Other	12 (3)	12 (4)	24 (3)
Total	387 (100)	323 (100)	710 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**86 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***52 duplicate cases were deleted during the month of March.

Acquired Immunodeficiency Syndrome (AIDS Only)
AIDS Reporting Registry
Surveillance Report for California – March 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30032	28275	94%
1990 Jan -June	4603	4044	88%
July-Dec	4489	3958	88%
1991 Jan -June	5314	4489	84%
July-Dec	5861	4898	84%
1992 Jan -June	6318	4897	78%
July-Dec	6136	4588	75%
1993 Jan -June	6377	4305	68%
July-Dec	5578	3404	61%
1994 Jan -June	5619	3025	54%
July-Dec	4820	2268	47%
1995 Jan -June	5218	1950	37%
July-Dec	4424	1427	32%
1996 Jan -June	4276	1175	27%
July-Dec	3380	829	25%
1997 Jan -June	3247	683	21%
July-Dec	2755	563	20%
1998 Jan -June	2639	521	20%
July-Dec	2440	428	18%
1999 Jan -June	2537	439	17%
July-Dec	2196	312	14%
2000 Jan -June	2200	292	13%
July-Dec	2013	268	13%
2001 Jan -June	2032	238	12%
July-Dec	1864	208	11%
2002 Jan -June	1819	153	8%
July-Dec	1323	89	7%
2003 Jan -Mar 31	160	9	6%
----- Totals	----- 129670	----- 77735	----- 60%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through March 31, 2003

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,403	2,615	3,788	59%	443.50
<i>Berkeley</i>	576	211	365	63%	560.62
Alpine	0	0	0	0%	0.00
Amador	43	23	20	47%	122.51
Butte	215	89	126	59%	105.82
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,347	844	1,503	64%	247.36
Del Norte	29	16	13	45%	105.43
El Dorado	166	65	101	61%	106.21
Fresno	1,250	528	722	58%	156.37
Glenn	13	7	6	46%	49.14
Humboldt	210	85	125	60%	165.98
Imperial	115	59	56	49%	80.78
Inyo	12	5	7	58%	66.87
Kern	1,326	807	519	39%	200.41
Kings	192	112	80	42%	148.31
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	45,768	17,718	28,050	61%	480.79
<i>Long Beach</i>	4,437	1,971	2,466	56%	961.38
<i>Pasadena</i>	686	236	450	66%	512.18
Madera	145	86	59	41%	117.78
Marin	1,559	712	847	54%	630.44
Mariposa	12	6	6	50%	70.05
Mendocino	188	67	121	64%	217.93
Merced	164	67	97	59%	77.89
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	836	374	462	55%	208.08
Napa	205	73	132	64%	164.95
Nevada	125	61	64	51%	135.82

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,291	3,022	3,269	52%	221.02
Placer	151	68	83	55%	60.79
Plumas	7	2	5	71%	33.62
Riverside	4,740	2,525	2,215	47%	306.72
Sacramento	3,207	1,298	1,909	60%	262.12
San Benito	38	20	18	47%	71.38
San Bernardino	3,008	1,367	1,641	55%	175.96
San Diego	11,678	5,224	6,454	55%	415.02
San Francisco	25,498	8,167	17,331	68%	3,282.72
San Joaquin	892	401	491	55%	158.27
San Luis Obispo	519	293	226	44%	210.39
San Mateo	1,990	775	1,215	61%	281.41
Santa Barbara	713	244	469	66%	178.54
Santa Clara	3,420	1,469	1,951	57%	203.26
Santa Cruz	547	230	317	58%	214.00
Shasta	132	38	94	71%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,336	671	665	50%	338.62
Sonoma	1,728	664	1,064	62%	376.79
Stanislaus	595	271	324	54%	133.11
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	274	100	174	64%	74.45
Tuolumne	61	25	36	59%	111.92
Ventura	895	370	525	59%	118.83
Yolo	185	79	106	57%	109.69
Yuba	61	24	37	61%	101.30
Unknown	11	8	3	27%	
TOTAL	129,670	51,935	77,735	60%	382.83

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of March 31, 2003

*Total Number of Cases = 129,670
Including 11 Cases with an Unknown County

City Cases:
Berkeley --576
Long Beach--4,437
Pasadena --686

**Incidence per 100,000 population

0 - 93
94 - 176
177 - 3283



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

**Acquired Immunodeficiency Syndrome (AIDS Only)
AIDS Reporting Registry
Surveillance Report for California – April 30, 2003**

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42012 (32)	34216 (81)	235 (38)	173 (74)	42247 (32)	34389 (81)
Other Disease w/o PCP	43162 (33)	30096 (70)	391 (62)	212 (54)	43553 (33)	30308 (70)
KS Alone	6139 (5)	4421 (72)	0 (0)	0 (.)	6139 (5)	4421 (72)
No Diseases Listed	38182 (29)	8897 (23)	0 (0)	0 (.)	38182 (29)	8897 (23)
Total	129495 (100)	77630 (60)	626 (100)	385 (62)	130121 (100)	78015 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	426 (0)	Hispanic - All Races	27037 (21)	239 (38)	27276 (21)
5-12	200 (0)	Not Hispanic - Am. Indian/Alaska Native	590 (0)	6 (1)	596 (0)
13-19	441 (0)	Asian	37 (0)	0 (0)	37 (0)
20-29	19806 (15)	Black or African American	22704 (18)	192 (31)	22896 (18)
30-39	57954 (45)	Native Hawaiian/Pacific Is.	4 (0)	0 (0)	4 (0)
40-49	35590 (27)	White	76093 (59)	169 (27)	76262 (59)
Over 49	15704 (12)	Legacy Asian/Pacific Is.	2822 (2)	19 (3)	2841 (2)
Unknown	0 (0)	Multi-race	11 (0)	0 (0)	11 (0)
		Unknown	197 (0)	1 (0)	198 (0)
Total	130121 (100)	Total	129495 (100)	626 (100)	130121 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	89041 (75)	0 (0)	89041 (69)
Injecting drug use	9909 (8)	3726 (37)	13635 (11)
Men who have sex with men and inject drugs	11777 (10)	0 (0)	11777 (9)
Hemophilia/coagulation disorder	547 (0)	21 (0)	568 (0)
Heterosexual contact	2218 (2)	4411 (44)	6629 (5)
Receipt of blood, components, or tissue	969 (1)	706 (7)	1675 (1)
Risk not reported/Other	4946 (4)	1138 (11)	6084 (5)
Total	119407 (100)	10002 (100)	129409 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	227 (59)	258 (79)	485 (68)
Receipt of blood, components, or tissue	86 (22)	52 (16)	138 (19)
Risk not reported/Other	12 (3)	12 (4)	24 (3)
Total	387 (100)	325 (100)	712 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**86 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***19 duplicate cases were deleted during the month of April.

**Acquired Immunodeficiency Syndrome (AIDS Only)
AIDS Reporting Registry
Surveillance Report for California – April 30, 2003**

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30034	28282	94%
1990 Jan -June	4603	4046	88%
July-Dec	4490	3959	88%
1991 Jan -June	5314	4492	85%
July-Dec	5862	4903	84%
1992 Jan -June	6321	4905	78%
July-Dec	6137	4596	75%
1993 Jan -June	6379	4315	68%
July-Dec	5578	3423	61%
1994 Jan -June	5619	3037	54%
July-Dec	4824	2282	47%
1995 Jan -June	5222	1970	38%
July-Dec	4430	1447	33%
1996 Jan -June	4285	1192	28%
July-Dec	3389	839	25%
1997 Jan -June	3248	693	21%
July-Dec	2759	566	21%
1998 Jan -June	2644	529	20%
July-Dec	2450	436	18%
1999 Jan -June	2547	444	17%
July-Dec	2205	321	15%
2000 Jan -June	2208	303	14%
July-Dec	2030	278	14%
2001 Jan -June	2052	250	12%
July-Dec	1893	217	11%
2002 Jan -June	1866	165	9%
July-Dec	1464	108	7%
2003 Jan -Apr 30	268	17	6%
-----	-----	-----	-----
Totals	130121	78015	60%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through April 30, 2003

COUNTY	Total Living		Deceased		Incidence	COUNTY	Total Living		Deceased		Incidence
	Cases	Cases	Number	Percent	per 100,000*		Cases	Cases	Number	Percent	per 100,000*
Alameda	6,418	2,600	3,818	59%	444.54	Orange	6,290	3,021	3,269	52%	220.99
<i>Berkeley</i>	576	211	365	63%	560.62	Placer	153	69	84	55%	61.59
Alpine	0	0	0	0%	0.00	Plumas	7	2	5	71%	33.62
Amador	43	22	21	49%	122.51	Riverside	4,765	2,539	2,226	47%	308.34
Butte	215	89	126	59%	105.82	Sacramento	3,225	1,294	1,931	60%	263.59
Calaveras	18	10	8	44%	44.39	San Benito	38	20	18	47%	71.38
Colusa	12	0	12	100%	63.82	San Bernardino	3,027	1,323	1,704	56%	177.08
Contra Costa	2,355	847	1,508	64%	248.20	San Diego	11,679	5,225	6,454	55%	415.06
Del Norte	29	16	13	45%	105.43	San Francisco	25,527	8,173	17,354	68%	3,286.46
El Dorado	165	64	101	61%	105.57	San Joaquin	891	402	489	55%	158.09
Fresno	1,257	533	724	58%	157.24	San Luis Obispo	520	294	226	43%	210.80
Glenn	13	7	6	46%	49.14	San Mateo	1,998	783	1,215	61%	282.54
Humboldt	210	85	125	60%	165.98	Santa Barbara	714	244	470	66%	178.79
Imperial	115	59	56	49%	80.78	Santa Clara	3,424	1,470	1,954	57%	203.50
Inyo	12	5	7	58%	66.87	Santa Cruz	549	232	317	58%	214.79
Kern	1,326	807	519	39%	200.41	Shasta	132	38	94	71%	80.85
Kings	192	112	80	42%	148.31	Sierra	4	0	4	100%	112.52
Lake	143	66	77	54%	245.25	Siskiyou	41	20	21	51%	92.55
Lassen	49	29	20	41%	144.85	Solano	1,347	672	675	50%	341.41
Los Angeles	46,062	17,920	28,142	61%	483.88	Sonoma	1,728	664	1,064	62%	376.79
<i>Long Beach</i>	4,476	2,002	2,474	55%	969.83	Stanislaus	595	271	324	54%	133.11
<i>Pasadena</i>	688	238	450	65%	513.68	Sutter	58	16	42	72%	73.48
Madera	148	85	63	43%	120.22	Tehama	26	14	12	46%	46.40
Marin	1,561	706	855	55%	631.25	Trinity	12	3	9	75%	92.15
Mariposa	12	6	6	50%	70.05	Tulare	274	100	174	64%	74.45
Mendocino	188	67	121	64%	217.93	Tuolumne	62	26	36	58%	113.76
Merced	164	67	97	59%	77.89	Ventura	898	372	526	59%	119.23
Modoc	2	1	1	50%	21.17	Yolo	185	79	106	57%	109.69
Mono	5	2	3	60%	38.90	Yuba	61	24	37	61%	101.30
Monterey	834	367	467	56%	207.59	Unknown	13	10	3	23%	
Napa	205	73	132	64%	164.95						
Nevada	125	61	64	51%	135.82						
						TOTAL	130,121	52,106	78,015	60%	384.16

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of April 30, 2003

*Total Number of Cases = 130,121
Including 13 Cases with an Unknown County

City Cases:
Berkeley --576
Long Beach--4,476
Pasadena --688

**Incidence per 100,000 population

0 - 93
94 - 177
178 - 3286



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only) AIDS Reporting Registry Surveillance Report for California – May 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42143 (32)	34271 (81)	235 (37)	173 (74)	42378 (32)	34444 (81)
Other Disease w/o PCP	43382 (33)	30203 (70)	393 (63)	212 (54)	43775 (33)	30415 (69)
KS Alone	6160 (5)	4426 (72)	0 (0)	0 (.)	6160 (5)	4426 (72)
No Diseases Listed	38525 (30)	8979 (23)	0 (0)	0 (.)	38525 (29)	8979 (23)
Total	130210 (100)	77879 (60)	628 (100)	385 (61)	130838 (100)	78264 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	428 (0)	Hispanic - All Races	27282 (21)	240 (38)	27522 (21)
5-12	200 (0)	Not Hispanic - Am. Indian/Alaska Native	590 (0)	6 (1)	596 (0)
13-19	446 (0)	Asian	68 (0)	0 (0)	68 (0)
20-29	19899 (15)	Black or African American	22832 (18)	193 (31)	23025 (18)
30-39	58240 (45)	Native Hawaiian/Pacific Is.	4 (0)	0 (0)	4 (0)
40-49	35810 (27)	White	76397 (59)	169 (27)	76566 (59)
Over 49	15815 (12)	Legacy Asian/Pacific Is.	2819 (2)	19 (3)	2838 (2)
Unknown	0 (0)	Multi-race	23 (0)	0 (0)	23 (0)
		Unknown	195 (0)	1 (0)	196 (0)
Total	130838 (100)	Total	130210 (100)	628 (100)	130838 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	89453 (75)	0 (0)	89453 (69)
Injecting drug use	9971 (8)	3759 (37)	13730 (11)
Men who have sex with men and inject drugs	11847 (10)	0 (0)	11847 (9)
Hemophilia/coagulation disorder	547 (0)	21 (0)	568 (0)
Heterosexual contact	2245 (2)	4457 (44)	6702 (5)
Receipt of blood, components, or tissue	972 (1)	712 (7)	1684 (1)
Risk not reported/Other	4986 (4)	1153 (11)	6139 (5)
Total	120021 (100)	10102 (100)	130123 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	228 (58)	258 (79)	486 (68)
Receipt of blood, components, or tissue	88 (23)	52 (16)	140 (20)
Risk not reported/Other	12 (3)	12 (4)	24 (3)
Total	390 (100)	325 (100)	715 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**87 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***74 duplicate cases were deleted during the month of May.

Acquired Immunodeficiency Syndrome (AIDS Only) AIDS Reporting Registry Surveillance Report for California – May 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30043	28289	94%
1990 Jan -June	4606	4048	88%
July-Dec	4491	3961	88%
1991 Jan -June	5317	4495	85%
July-Dec	5866	4906	84%
1992 Jan -June	6325	4909	78%
July-Dec	6140	4600	75%
1993 Jan -June	6380	4323	68%
July-Dec	5580	3432	62%
1994 Jan -June	5622	3050	54%
July-Dec	4825	2294	48%
1995 Jan -June	5234	1986	38%
July-Dec	4437	1456	33%
1996 Jan -June	4296	1208	28%
July-Dec	3397	849	25%
1997 Jan -June	3255	699	21%
July-Dec	2768	574	21%
1998 Jan -June	2654	541	20%
July-Dec	2457	447	18%
1999 Jan -June	2561	447	17%
July-Dec	2210	325	15%
2000 Jan -June	2229	309	14%
July-Dec	2048	286	14%
2001 Jan -June	2082	263	13%
July-Dec	1930	225	12%
2002 Jan -June	1936	178	9%
July-Dec	1614	130	8%
2003 Jan -May 31	535	34	6%
----- Totals	----- 130838	----- 78264	----- 60%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through May 31, 2003

COUNTY	Total Living		Deceased		Incidence	COUNTY	Total Living		Deceased		Incidence
	Cases	Cases	Number	Percent	per 100,000*		Cases	Cases	Number	Percent	per 100,000*
Alameda	6,436	2,616	3,820	59%	445.79	Orange	6,331	3,034	3,297	52%	222.43
<i>Berkeley</i>	579	216	363	63%	563.54	Placer	160	76	84	53%	64.41
Alpine	0	0	0	0%	0.00	Plumas	7	2	5	71%	33.62
Amador	43	22	21	49%	122.51	Riverside	4,853	2,589	2,264	47%	314.03
Butte	223	97	126	57%	109.76	Sacramento	3,239	1,305	1,934	60%	264.73
Calaveras	18	10	8	44%	44.39	San Benito	39	21	18	46%	73.26
Colusa	12	0	12	100%	63.82	San Bernardino	3,053	1,329	1,724	56%	178.60
Contra Costa	2,382	868	1,514	64%	251.05	San Diego	11,760	5,252	6,508	55%	417.94
Del Norte	29	16	13	45%	105.43	San Francisco	25,594	8,226	17,368	68%	3,295.08
El Dorado	165	64	101	61%	105.57	San Joaquin	896	404	492	55%	158.98
Fresno	1,262	536	726	58%	157.87	San Luis Obispo	518	292	226	44%	209.99
Glenn	13	7	6	46%	49.14	San Mateo	1,998	783	1,215	61%	282.54
Humboldt	213	87	126	59%	168.36	Santa Barbara	714	245	469	66%	178.79
Imperial	115	59	56	49%	80.78	Santa Clara	3,437	1,470	1,967	57%	204.27
Inyo	12	5	7	58%	66.87	Santa Cruz	554	236	318	57%	216.74
Kern	1,349	830	519	38%	203.89	Shasta	132	38	94	71%	80.85
Kings	194	112	82	42%	149.85	Sierra	4	0	4	100%	112.52
Lake	143	66	77	54%	245.25	Siskiyou	41	20	21	51%	92.55
Lassen	49	29	20	41%	144.85	Solano	1,350	674	676	50%	342.17
Los Angeles	46,317	18,119	28,198	61%	486.56	Sonoma	1,741	677	1,064	61%	379.62
<i>Long Beach</i>	4,507	2,033	2,474	55%	976.55	Stanislaus	595	271	324	54%	133.11
<i>Pasadena</i>	688	238	450	65%	513.68	Sutter	58	16	42	72%	73.48
Madera	148	85	63	43%	120.22	Tehama	26	14	12	46%	46.40
Marin	1,563	707	856	55%	632.05	Trinity	12	3	9	75%	92.15
Mariposa	12	6	6	50%	70.05	Tulare	278	103	175	63%	75.54
Mendocino	189	68	121	64%	219.09	Tuolumne	62	26	36	58%	113.76
Merced	167	69	98	59%	79.31	Ventura	897	371	526	59%	119.09
Modoc	2	1	1	50%	21.17	Yolo	184	78	106	58%	109.10
Mono	5	2	3	60%	38.90	Yuba	61	24	37	61%	101.30
Monterey	839	370	469	56%	208.83	Unknown	14	10	4	29%	
Napa	205	73	132	64%	164.95						
Nevada	125	61	64	51%	135.82						
						TOTAL	130,838	52,574	78,264	60%	386.28

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of May 31, 2003

*Total Number of Cases = 130,838
Including 14 Cases with an Unknown County

City Cases:
Berkeley --579
Long Beach--4,507
Pasadena --688

**Incidence per 100,000 population

0 - 93
94 - 179
180 - 3295



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – June 30, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42219 (32)	34315 (81)	235 (37)	175 (74)	42454 (32)	34490 (81)
Other Disease w/o PCP	43521 (33)	30280 (70)	396 (63)	212 (54)	43917 (33)	30492 (69)
KS Alone	6183 (5)	4432 (72)	0 (0)	0 (.)	6183 (5)	4432 (72)
No Diseases Listed	38782 (30)	9087 (23)	0 (0)	0 (.)	38782 (30)	9087 (23)
Total	130705 (100)	78114 (60)	631 (100)	387 (61)	131336 (100)	78501 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	431 (0)	Hispanic - All Races	27475 (21)	242 (38)	27717 (21)
5-12	200 (0)	Not Hispanic - Am. Indian/Alaska Native	592 (0)	6 (1)	598 (0)
13-19	447 (0)	Asian	82 (0)	0 (0)	82 (0)
20-29	19968 (15)	Black or African American	22918 (18)	193 (31)	23111 (18)
30-39	58452 (45)	Native Hawaiian/Pacific Is.	5 (0)	0 (0)	5 (0)
40-49	35952 (27)	White	76559 (59)	170 (27)	76729 (58)
Over 49	15886 (12)	Legacy Asian/Pacific Is.	2817 (2)	19 (3)	2836 (2)
Unknown	0 (0)	Multi-race	63 (0)	0 (0)	63 (0)
Total	131336 (100)	Unknown	194 (0)	1 (0)	195 (0)
		Total	130705 (100)	631 (100)	131336 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	89726 (74)	0 (0)	89726 (69)
Injecting drug use	9999 (8)	3775 (37)	13774 (11)
Men who have sex with men and inject drugs	11910 (10)	0 (0)	11910 (9)
Hemophilia/coagulation disorder	548 (0)	21 (0)	569 (0)
Heterosexual contact	2268 (2)	4493 (44)	6761 (5)
Receipt of blood, components, or tissue	972 (1)	713 (7)	1685 (1)
Risk not reported/Other	5029 (4)	1164 (11)	6193 (5)
Total	120452 (100)	10166 (100)	130618 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	62 (16)	3 (1)	65 (9)
Mother with/at risk for HIV infection	230 (59)	259 (79)	489 (68)
Receipt of blood, components, or tissue	88 (22)	52 (16)	140 (19)
Risk not reported/Other	12 (3)	12 (4)	24 (3)
Total	392 (100)	326 (100)	718 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**87 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***101 duplicate cases were deleted during the month of June.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – June 30, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30045	28292	94%
1990 Jan -June	4608	4049	88%
July-Dec	4489	3962	88%
1991 Jan -June	5318	4500	85%
July-Dec	5866	4912	84%
1992 Jan -June	6328	4918	78%
July-Dec	6141	4603	75%
1993 Jan -June	6384	4333	68%
July-Dec	5579	3437	62%
1994 Jan -June	5623	3065	55%
July-Dec	4825	2302	48%
1995 Jan -June	5241	1997	38%
July-Dec	4441	1473	33%
1996 Jan -June	4294	1223	28%
July-Dec	3397	865	25%
1997 Jan -June	3264	709	22%
July-Dec	2770	580	21%
1998 Jan -June	2658	553	21%
July-Dec	2457	458	19%
1999 Jan -June	2574	456	18%
July-Dec	2216	339	15%
2000 Jan -June	2236	319	14%
July-Dec	2060	296	14%
2001 Jan -June	2089	269	13%
July-Dec	1958	231	12%
2002 Jan -June	1982	182	9%
July-Dec	1693	137	8%
2003 Jan -Jun 30	800	41	5%
-----	-----	-----	-----
Totals	131336	78501	60%

AIDS CASES & CUMULATIVE INCIDENCE
1981 through June 30, 2003

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,469	2,644	3,825	59%	448.07
<i>Berkeley</i>	579	216	363	63%	563.54
Alpine	0	0	0	0%	0.00
Amador	43	22	21	49%	122.51
Butte	226	99	127	56%	111.24
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,386	875	1,511	63%	251.47
Del Norte	29	16	13	45%	105.43
El Dorado	165	64	101	61%	105.57
Fresno	1,272	546	726	57%	159.12
Glenn	13	7	6	46%	49.14
Humboldt	214	87	127	59%	169.15
Imperial	129	72	57	44%	90.61
Inyo	12	5	7	58%	66.87
Kern	1,362	842	520	38%	205.85
Kings	195	113	82	42%	150.62
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	46,514	18,152	28,362	61%	488.63
<i>Long Beach</i>	4,534	2,042	2,492	55%	982.40
<i>Pasadena</i>	689	237	452	66%	514.42
Madera	148	85	63	43%	120.22
Marin	1,566	708	858	55%	633.27
Mariposa	12	6	6	50%	70.05
Mendocino	190	69	121	64%	220.25
Merced	168	70	98	58%	79.79
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	840	369	471	56%	209.08
Napa	205	73	132	64%	164.95
Nevada	125	61	64	51%	135.82

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,362	3,062	3,300	52%	223.52
Placer	160	75	85	53%	64.41
Plumas	7	2	5	71%	33.62
Riverside	4,864	2,593	2,271	47%	314.74
Sacramento	3,250	1,315	1,935	60%	265.63
San Benito	40	22	18	45%	75.14
San Bernardino	3,064	1,336	1,728	56%	179.24
San Diego	11,813	5,299	6,514	55%	419.82
San Francisco	25,647	8,260	17,387	68%	3,301.91
San Joaquin	903	411	492	54%	160.22
San Luis Obispo	518	292	226	44%	209.99
San Mateo	2,000	776	1,224	61%	282.82
Santa Barbara	714	245	469	66%	178.79
Santa Clara	3,446	1,476	1,970	57%	204.80
Santa Cruz	558	240	318	57%	218.31
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	40	20	20	50%	90.29
Solano	1,360	682	678	50%	344.70
Sonoma	1,749	683	1,066	61%	381.37
Stanislaus	598	274	324	54%	133.78
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	280	105	175	63%	76.08
Tuolumne	62	26	36	58%	113.76
Ventura	898	367	531	59%	119.23
Yolo	185	79	106	57%	109.69
Yuba	61	24	37	61%	101.30
Unknown	13	9	4	31%	
TOTAL	131,336	52,835	78,501	60%	387.75

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of June 30, 2003

*Total Number of Cases = 131,336
Including 13 Cases with an Unknown County

City Cases:
Berkeley --579
Long Beach--4,534
Pasadena --689

**Incidence per 100,000 population

0 - 91
92 - 179
180 - 3302



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – July 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42294 (32)	34333 (81)	236 (37)	175 (74)	42530 (32)	34508 (81)
Other Disease w/o PCP	43648 (33)	30311 (69)	398 (63)	212 (53)	44046 (33)	30523 (69)
KS Alone	6189 (5)	4435 (72)	0 (0)	0 (.)	6189 (5)	4435 (72)
No Diseases Listed	38936 (30)	9108 (23)	0 (0)	0 (.)	38936 (30)	9108 (23)
Total	131067 (100)	78187 (60)	634 (100)	387 (61)	131701 (100)	78574 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	434 (0)	Hispanic - All Races	27593 (21)	244 (38)	27837 (21)
5-12	200 (0)	Not Hispanic - Am. Indian/Alaska Native	594 (0)	6 (1)	600 (0)
13-19	453 (0)	Asian	96 (0)	0 (0)	96 (0)
20-29	20018 (15)	Black or African American	22993 (18)	194 (31)	23187 (18)
30-39	58591 (44)	Native Hawaiian/Pacific Is.	6 (0)	0 (0)	6 (0)
40-49	36063 (27)	White	76707 (59)	170 (27)	76877 (58)
Over 49	15942 (12)	Legacy Asian/Pacific Is.	2817 (2)	19 (3)	2836 (2)
Unknown	0 (0)	Multi-race	64 (0)	0 (0)	64 (0)
		Unknown	197 (0)	1 (0)	198 (0)
Total	131701 (100)	Total	131067 (100)	634 (100)	131701 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	89948 (74)	0 (0)	89948 (69)
Injecting drug use	10025 (8)	3783 (37)	13808 (11)
Men who have sex with men and inject drugs	11941 (10)	0 (0)	11941 (9)
Hemophilia/coagulation disorder	548 (0)	21 (0)	569 (0)
Heterosexual contact	2277 (2)	4516 (44)	6793 (5)
Receipt of blood, components, or tissue	974 (1)	714 (7)	1688 (1)
Risk not reported/Other	5051 (4)	1177 (12)	6228 (5)
Total	120764 (100)	10211 (100)	130975 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	63 (16)	3 (1)	66 (9)
Mother with/at risk for HIV infection	232 (58)	263 (80)	495 (68)
Receipt of blood, components, or tissue	90 (23)	51 (16)	141 (19)
Risk not reported/Other	12 (3)	12 (4)	24 (3)
Total	397 (100)	329 (100)	726 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**92 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***45 duplicate cases were deleted during the month of July.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – July 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30048	28293	94%
1990 Jan -June	4609	4049	88%
July-Dec	4489	3962	88%
1991 Jan -June	5319	4500	85%
July-Dec	5864	4913	84%
1992 Jan -June	6327	4922	78%
July-Dec	6141	4605	75%
1993 Jan -June	6384	4333	68%
July-Dec	5581	3437	62%
1994 Jan -June	5624	3067	55%
July-Dec	4825	2303	48%
1995 Jan -June	5240	1999	38%
July-Dec	4444	1473	33%
1996 Jan -June	4300	1227	29%
July-Dec	3394	869	26%
1997 Jan -June	3268	713	22%
July-Dec	2770	581	21%
1998 Jan -June	2658	554	21%
July-Dec	2464	460	19%
1999 Jan -June	2582	458	18%
July-Dec	2224	341	15%
2000 Jan -June	2240	320	14%
July-Dec	2068	297	14%
2001 Jan -June	2096	274	13%
July-Dec	1980	235	12%
2002 Jan -June	1987	184	9%
July-Dec	1765	144	8%
2003 Jan -June	1007	61	6%
July-July 31	3	0	0%
----- Totals	----- 131701	----- 78574	----- 60%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through July 31, 2003

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,488	2,660	3,828	59%	449.39
<i>Berkeley</i>	579	216	363	63%	563.54
Alpine	0	0	0	0%	0.00
Amador	43	22	21	49%	122.51
Butte	226	99	127	56%	111.24
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,390	878	1,512	63%	251.89
Del Norte	29	16	13	45%	105.43
El Dorado	169	67	102	60%	108.13
Fresno	1,273	547	726	57%	159.24
Glenn	13	7	6	46%	49.14
Humboldt	214	87	127	59%	169.15
Imperial	129	72	57	44%	90.61
Inyo	12	5	7	58%	66.87
Kern	1,365	845	520	38%	206.30
Kings	195	113	82	42%	150.62
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	46,695	18,320	28,375	61%	490.53
<i>Long Beach</i>	4,557	2,063	2,494	55%	987.39
<i>Pasadena</i>	692	241	451	65%	516.66
Madera	149	86	63	42%	121.03
Marin	1,566	708	858	55%	633.27
Mariposa	12	6	6	50%	70.05
Mendocino	193	71	122	63%	223.73
Merced	168	70	98	58%	79.79
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	842	370	472	56%	209.58
Napa	205	73	132	64%	164.95
Nevada	125	61	64	51%	135.82

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,385	3,074	3,311	52%	224.33
Placer	160	75	85	53%	64.41
Plumas	7	2	5	71%	33.62
Riverside	4,890	2,616	2,274	47%	316.43
Sacramento	3,250	1,315	1,935	60%	265.63
San Benito	39	21	18	46%	73.26
San Bernardino	3,063	1,336	1,727	56%	179.18
San Diego	11,833	5,310	6,523	55%	420.53
San Francisco	25,682	8,281	17,401	68%	3,306.41
San Joaquin	903	410	493	55%	160.22
San Luis Obispo	532	302	230	43%	215.66
San Mateo	2,007	778	1,229	61%	283.81
Santa Barbara	714	245	469	66%	178.79
Santa Clara	3,459	1,487	1,972	57%	205.58
Santa Cruz	560	241	319	57%	219.09
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	40	20	20	50%	90.29
Solano	1,360	680	680	50%	344.70
Sonoma	1,757	691	1,066	61%	383.11
Stanislaus	599	275	324	54%	134.01
Sutter	58	16	42	72%	73.48
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	282	106	176	62%	76.63
Tuolumne	62	26	36	58%	113.76
Ventura	898	367	531	59%	119.23
Yolo	186	78	108	58%	110.28
Yuba	61	24	37	61%	101.30
Unknown	10	7	3	30%	
TOTAL	131,701	53,127	78,574	60%	388.82

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000


Cumulative AIDS Cases in California by County, as of July 31, 2003

*Total Number of Cases = 131,701
Including 10 Cases with an Unknown County

City Cases:
Berkeley --579
Long Beach--4,557
Pasadena --692

**Incidence per 100,000 population

0 - 91
92 - 179
180 - 3306



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – August 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42380 (32)	34357 (81)	236 (37)	175 (74)	42616 (32)	34532 (81)
Other Disease w/o PCP	43762 (33)	30342 (69)	399 (63)	212 (53)	44161 (33)	30554 (69)
KS Alone	6203 (5)	4437 (72)	0 (0)	0 (.)	6203 (5)	4437 (72)
No Diseases Listed	39150 (30)	9140 (23)	1 (0)	0 (0)	39151 (30)	9140 (23)
Total	131495 (100)	78276 (60)	636 (100)	387 (61)	132131 (100)	78663 (60)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	435 (0)	Hispanic - All Races	27760 (21)	244 (38)	28004 (21)
5-12	201 (0)	Not Hispanic - Am. Indian/Alaska Native	595 (0)	6 (1)	601 (0)
13-19	457 (0)	Asian	105 (0)	0 (0)	105 (0)
20-29	20064 (15)	Black or African American	23082 (18)	196 (31)	23278 (18)
30-39	58746 (44)	Native Hawaiian/Pacific Is.	7 (0)	0 (0)	7 (0)
40-49	36219 (27)	White	76868 (58)	170 (27)	77038 (58)
Over 49	16009 (12)	Legacy Asian/Pacific Is.	2814 (2)	19 (3)	2833 (2)
Unknown	0 (0)	Multi-race	64 (0)	0 (0)	64 (0)
		Unknown	200 (0)	1 (0)	201 (0)
Total	132131 (100)	Total	131495 (100)	636 (100)	132131 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	90203 (74)	0 (0)	90203 (69)
Injecting drug use	10053 (8)	3789 (37)	13842 (11)
Men who have sex with men and inject drugs	11981 (10)	0 (0)	11981 (9)
Hemophilia/coagulation disorder	549 (0)	21 (0)	570 (0)
Heterosexual contact	2294 (2)	4532 (44)	6826 (5)
Receipt of blood, components, or tissue	977 (1)	714 (7)	1691 (1)
Risk not reported/Other	5094 (4)	1194 (12)	6288 (5)
Total	121151 (100)	10250 (100)	131401 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	63 (16)	3 (1)	66 (9)
Mother with/at risk for HIV infection	233 (59)	266 (80)	499 (68)
Receipt of blood, components, or tissue	90 (23)	52 (16)	142 (19)
Risk not reported/Other	12 (3)	11 (3)	23 (3)
Total	398 (100)	332 (100)	730 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**94 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***112 duplicate cases were deleted during the month of August.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – August 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30047	28296	94%
1990 Jan -June	4611	4049	88%
July-Dec	4489	3963	88%
1991 Jan -June	5320	4502	85%
July-Dec	5866	4916	84%
1992 Jan -June	6327	4926	78%
July-Dec	6141	4608	75%
1993 Jan -June	6384	4338	68%
July-Dec	5581	3439	62%
1994 Jan -June	5622	3070	55%
July-Dec	4826	2306	48%
1995 Jan -June	5240	2001	38%
July-Dec	4445	1478	33%
1996 Jan -June	4298	1228	29%
July-Dec	3400	873	26%
1997 Jan -June	3269	717	22%
July-Dec	2773	583	21%
1998 Jan -June	2669	554	21%
July-Dec	2466	460	19%
1999 Jan -June	2580	457	18%
July-Dec	2233	343	15%
2000 Jan -June	2247	323	14%
July-Dec	2073	299	14%
2001 Jan -June	2116	275	13%
July-Dec	1992	236	12%
2002 Jan -June	2024	192	9%
July-Dec	1808	155	9%
2003 Jan -June	1230	75	6%
July-Aug 31	54	1	2%
----- Totals	----- 132131	----- 78663	----- 60%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through August 31, 2003

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,488	2,654	3,834	59%	449.39
<i>Berkeley</i>	579	210	369	64%	563.54
Alpine	0	0	0	0%	0.00
Amador	43	22	21	49%	122.51
Butte	226	99	127	56%	111.24
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,400	886	1,514	63%	252.95
Del Norte	29	16	13	45%	105.43
El Dorado	169	67	102	60%	108.13
Fresno	1,284	554	730	57%	160.62
Glenn	13	7	6	46%	49.14
Humboldt	214	87	127	59%	169.15
Imperial	130	72	58	45%	91.32
Inyo	12	5	7	58%	66.87
Kern	1,373	853	520	38%	207.51
Kings	195	113	82	42%	150.62
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	46,935	18,519	28,416	61%	493.05
<i>Long Beach</i>	4,581	2,082	2,499	55%	992.59
<i>Pasadena</i>	694	242	452	65%	518.16
Madera	149	86	63	42%	121.03
Marin	1,571	707	864	55%	635.29
Mariposa	12	6	6	50%	70.05
Mendocino	193	71	122	63%	223.73
Merced	169	70	99	59%	80.26
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	843	371	472	56%	209.83
Napa	205	73	132	64%	164.95
Nevada	124	59	65	52%	134.73

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,385	3,074	3,311	52%	224.33
Placer	160	75	85	53%	64.41
Plumas	7	2	5	71%	33.62
Riverside	4,917	2,642	2,275	46%	318.17
Sacramento	3,250	1,315	1,935	60%	265.63
San Benito	39	21	18	46%	73.26
San Bernardino	3,065	1,342	1,723	56%	179.30
San Diego	11,883	5,347	6,536	55%	422.31
San Francisco	25,741	8,329	17,412	68%	3,314.01
San Joaquin	911	415	496	54%	161.64
San Luis Obispo	532	302	230	43%	215.66
San Mateo	2,007	778	1,229	61%	283.81
Santa Barbara	714	245	469	66%	178.79
Santa Clara	3,458	1,483	1,975	57%	205.52
Santa Cruz	563	244	319	57%	220.26
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,355	676	679	50%	343.44
Sonoma	1,758	691	1,067	61%	383.33
Stanislaus	599	275	324	54%	134.01
Sutter	59	17	42	71%	74.75
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	285	109	176	62%	77.44
Tuolumne	62	26	36	58%	113.76
Ventura	902	371	531	59%	119.76
Yolo	189	81	108	57%	112.06
Yuba	61	24	37	61%	101.30
Unknown	8	6	2	25%	
TOTAL	132,131	53,468	78,663	60%	390.09

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of August 31, 2003


*Total Number of Cases = 132,131
Including 8 Cases with an Unknown County

City Cases:
Berkeley --579
Long Beach--4,581
Pasadena --694

**Incidence per 100,000 population

0 - 93
94 - 179
180 - 3314

Grouped by equal areas



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – September 30, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42481 (32)	34383 (81)	237 (37)	176 (74)	42718 (32)	34559 (81)
Other Disease w/o PCP	43884 (33)	30383 (69)	399 (63)	212 (53)	44283 (33)	30595 (69)
KS Alone	6210 (5)	4440 (71)	0 (0)	0 (.)	6210 (5)	4440 (71)
No Diseases Listed	39379 (30)	9177 (23)	1 (0)	0 (0)	39380 (30)	9177 (23)
Total	131954 (100)	78383 (59)	637 (100)	388 (61)	132591 (100)	78771 (59)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	436 (0)	Hispanic - All Races	27934 (21)	244 (38)	28178 (21)
5-12	201 (0)	Not Hispanic - Am. Indian/Alaska Native	598 (0)	6 (1)	604 (0)
13-19	463 (0)	Asian	121 (0)	0 (0)	121 (0)
20-29	20133 (15)	Black or African American	23174 (18)	196 (31)	23370 (18)
30-39	58920 (44)	Native Hawaiian/Pacific Is.	8 (0)	0 (0)	8 (0)
40-49	36368 (27)	White	77042 (58)	171 (27)	77213 (58)
Over 49	16070 (12)	Legacy Asian/Pacific Is.	2810 (2)	19 (3)	2829 (2)
Unknown	0 (0)	Multi-race	67 (0)	0 (0)	67 (0)
		Unknown	200 (0)	1 (0)	201 (0)
Total	132591 (100)	Total	131954 (100)	637 (100)	132591 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	90440 (74)	0 (0)	90440 (69)
Injecting drug use	10097 (8)	3802 (37)	13899 (11)
Men who have sex with men and inject drugs	12026 (10)	0 (0)	12026 (9)
Hemophilia/coagulation disorder	553 (0)	21 (0)	574 (0)
Heterosexual contact	2315 (2)	4566 (44)	6881 (5)
Receipt of blood, components, or tissue	978 (1)	714 (7)	1692 (1)
Risk not reported/Other	5137 (4)	1210 (12)	6347 (5)
Total	121546 (100)	10313 (100)	131859 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	63 (16)	3 (1)	66 (9)
Mother with/at risk for HIV infection	233 (59)	268 (80)	501 (68)
Receipt of blood, components, or tissue	90 (23)	52 (16)	142 (19)
Risk not reported/Other	12 (3)	11 (3)	23 (3)
Total	398 (100)	334 (100)	732 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**95 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***105 duplicate cases were deleted during the month of September.

Acquired Immunodeficiency Syndrome (AIDS Only)
AIDS Reporting Registry
Surveillance Report for California – September 30, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30045	28296	94%
1990 Jan -June	4612	4050	88%
July-Dec	4489	3964	88%
1991 Jan -June	5321	4504	85%
July-Dec	5867	4916	84%
1992 Jan -June	6328	4929	78%
July-Dec	6144	4614	75%
1993 Jan -June	6384	4342	68%
July-Dec	5583	3442	62%
1994 Jan -June	5625	3073	55%
July-Dec	4826	2312	48%
1995 Jan -June	5241	2003	38%
July-Dec	4452	1482	33%
1996 Jan -June	4308	1234	29%
July-Dec	3401	875	26%
1997 Jan -June	3272	721	22%
July-Dec	2774	587	21%
1998 Jan -June	2673	556	21%
July-Dec	2472	462	19%
1999 Jan -June	2583	458	18%
July-Dec	2234	343	15%
2000 Jan -June	2255	325	14%
July-Dec	2081	301	14%
2001 Jan -June	2123	280	13%
July-Dec	2004	241	12%
2002 Jan -June	2057	196	10%
July-Dec	1868	162	9%
2003 Jan -June	1389	95	7%
July-Sep 30	180	8	4%
----- Totals	----- 132591	----- 78771	----- 59%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through September 30, 2003

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,527	2,678	3,849	59%	452.09
<i>Berkeley</i>	582	211	371	64%	566.46
Alpine	0	0	0	0%	0.00
Amador	43	22	21	49%	122.51
Butte	226	99	127	56%	111.24
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,396	882	1,514	63%	252.53
Del Norte	29	16	13	45%	105.43
El Dorado	169	66	103	61%	108.13
Fresno	1,289	558	731	57%	161.24
Glenn	13	7	6	46%	49.14
Humboldt	220	93	127	58%	173.89
Imperial	133	74	59	44%	93.42
Inyo	12	5	7	58%	66.87
Kern	1,374	854	520	38%	207.66
Kings	190	109	81	43%	146.76
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	47,111	18,668	28,443	60%	494.90
<i>Long Beach</i>	4,609	2,105	2,504	54%	998.65
<i>Pasadena</i>	695	243	452	65%	518.90
Madera	149	86	63	42%	121.03
Marin	1,571	707	864	55%	635.29
Mariposa	12	6	6	50%	70.05
Mendocino	194	72	122	63%	224.89
Merced	170	70	100	59%	80.74
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	842	370	472	56%	209.58
Napa	208	74	134	64%	167.37
Nevada	123	57	66	54%	133.65

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,384	3,073	3,311	52%	224.29
Placer	162	77	85	52%	65.22
Plumas	7	2	5	71%	33.62
Riverside	4,939	2,659	2,280	46%	319.60
Sacramento	3,281	1,343	1,938	59%	268.17
San Benito	39	21	18	46%	73.26
San Bernardino	3,101	1,373	1,728	56%	181.41
San Diego	11,901	5,360	6,541	55%	422.95
San Francisco	25,792	8,362	17,430	68%	3,320.57
San Joaquin	918	419	499	54%	162.88
San Luis Obispo	530	300	230	43%	214.85
San Mateo	2,034	799	1,235	61%	287.63
Santa Barbara	714	245	469	66%	178.79
Santa Clara	3,467	1,490	1,977	57%	206.05
Santa Cruz	561	240	321	57%	219.48
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,372	689	683	50%	347.74
Sonoma	1,769	700	1,069	60%	385.73
Stanislaus	602	278	324	54%	134.68
Sutter	59	17	42	71%	74.75
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	285	108	177	62%	77.44
Tuolumne	62	26	36	58%	113.76
Ventura	906	372	534	59%	120.29
Yolo	189	81	108	57%	112.06
Yuba	61	24	37	61%	101.30
Unknown	11	8	3	27%	
TOTAL	132,591	53,820	78,771	59%	391.45

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of September 30, 2003


*Total Number of Cases = 132,591
Including 11 Cases with an Unknown County

City Cases:
Berkeley --582
Long Beach--4,609
Pasadena --695

**Incidence per 100,000 population

	0 - 93
	94 - 181
	182 - 3321

Grouped by equal areas



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – October 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42551 (32)	34395 (81)	237 (37)	176 (74)	42788 (32)	34571 (81)
Other Disease w/o PCP	44020 (33)	30419 (69)	399 (63)	212 (53)	44419 (33)	30631 (69)
KS Alone	6224 (5)	4442 (71)	0 (0)	0 (.)	6224 (5)	4442 (71)
No Diseases Listed	39556 (30)	9214 (23)	1 (0)	0 (0)	39557 (30)	9214 (23)
Total	132351 (100)	78470 (59)	637 (100)	388 (61)	132988 (100)	78858 (59)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	436 (0)	Hispanic - All Races	28075 (21)	244 (38)	28319 (21)
5-12	201 (0)	Not Hispanic - Am. Indian/Alaska Native	599 (0)	6 (1)	605 (0)
13-19	462 (0)	Asian	130 (0)	0 (0)	130 (0)
20-29	20171 (15)	Black or African American	23257 (18)	196 (31)	23453 (18)
30-39	59079 (44)	Native Hawaiian/Pacific Is.	11 (0)	0 (0)	11 (0)
40-49	36495 (27)	White	77195 (58)	171 (27)	77366 (58)
Over 49	16144 (12)	Legacy Asian/Pacific Is.	2808 (2)	19 (3)	2827 (2)
Unknown	0 (0)	Multi-race	76 (0)	0 (0)	76 (0)
Total	132988 (100)	Unknown	200 (0)	1 (0)	201 (0)
		Total	132351 (100)	637 (100)	132988 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	90690 (74)	0 (0)	90690 (69)
Injecting drug use	10116 (8)	3828 (37)	13944 (11)
Men who have sex with men and inject drugs	12065 (10)	0 (0)	12065 (9)
Hemophilia/coagulation disorder	553 (0)	20 (0)	573 (0)
Heterosexual contact	2327 (2)	4590 (44)	6917 (5)
Receipt of blood, components, or tissue	977 (1)	714 (7)	1691 (1)
Risk not reported/Other	5161 (4)	1216 (12)	6377 (5)
Total	121889 (100)	10368 (100)	132257 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	63 (16)	3 (1)	66 (9)
Mother with/at risk for HIV infection	233 (59)	267 (80)	500 (68)
Receipt of blood, components, or tissue	90 (23)	52 (16)	142 (19)
Risk not reported/Other	12 (3)	11 (3)	23 (3)
Total	398 (100)	333 (100)	731 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**94 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***182 duplicate cases were deleted during the month of October.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – October 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30041	28288	94%
1990 Jan -June	4615	4051	88%
July-Dec	4490	3965	88%
1991 Jan -June	5324	4504	85%
July-Dec	5866	4916	84%
1992 Jan -June	6325	4930	78%
July-Dec	6144	4615	75%
1993 Jan -June	6380	4341	68%
July-Dec	5585	3444	62%
1994 Jan -June	5629	3077	55%
July-Dec	4822	2312	48%
1995 Jan -June	5240	2009	38%
July-Dec	4449	1489	33%
1996 Jan -June	4309	1235	29%
July-Dec	3404	879	26%
1997 Jan -June	3268	725	22%
July-Dec	2772	592	21%
1998 Jan -June	2678	560	21%
July-Dec	2471	461	19%
1999 Jan -June	2587	460	18%
July-Dec	2233	349	16%
2000 Jan -June	2256	326	14%
July-Dec	2087	307	15%
2001 Jan -June	2134	285	13%
July-Dec	2007	244	12%
2002 Jan -June	2078	199	10%
July-Dec	1900	173	9%
2003 Jan -June	1511	107	7%
July-Oct 31	383	15	4%
----- Totals	----- 132988	----- 78858	----- 59%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through October 31, 2003**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,554	2,699	3,855	59%	453.96
<i>Berkeley</i>	582	210	372	64%	566.46
Alpine	0	0	0	0%	0.00
Amador	43	22	21	49%	122.51
Butte	226	99	127	56%	111.24
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,416	899	1,517	63%	254.63
Del Norte	29	16	13	45%	105.43
El Dorado	169	66	103	61%	108.13
Fresno	1,303	570	733	56%	163.00
Glenn	13	7	6	46%	49.14
Humboldt	220	93	127	58%	173.89
Imperial	133	74	59	44%	93.42
Inyo	12	5	7	58%	66.87
Kern	1,351	836	515	38%	204.19
Kings	190	109	81	43%	146.76
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	47,275	18,810	28,465	60%	496.62
<i>Long Beach</i>	4,618	2,115	2,503	54%	1,000.60
<i>Pasadena</i>	695	243	452	65%	518.90
Madera	151	88	63	42%	122.66
Marin	1,575	710	865	55%	636.91
Mariposa	12	6	6	50%	70.05
Mendocino	194	72	122	63%	224.89
Merced	170	69	101	59%	80.74
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	845	373	472	56%	210.32
Napa	208	73	135	65%	167.37
Nevada	123	57	66	54%	133.65

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,408	3,094	3,314	52%	225.14
Placer	162	77	85	52%	65.22
Plumas	7	2	5	71%	33.62
Riverside	4,953	2,673	2,280	46%	320.50
Sacramento	3,281	1,336	1,945	59%	268.17
San Benito	39	21	18	46%	73.26
San Bernardino	3,102	1,372	1,730	56%	181.46
San Diego	11,950	5,397	6,553	55%	424.69
San Francisco	25,841	8,388	17,453	68%	3,326.88
San Joaquin	929	430	499	54%	164.83
San Luis Obispo	531	298	233	44%	215.26
San Mateo	2,034	799	1,235	61%	287.63
Santa Barbara	714	245	469	66%	178.79
Santa Clara	3,478	1,498	1,980	57%	206.71
Santa Cruz	560	240	320	57%	219.09
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,380	693	687	50%	349.77
Sonoma	1,786	717	1,069	60%	389.43
Stanislaus	602	277	325	54%	134.68
Sutter	59	17	42	71%	74.75
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	285	108	177	62%	77.44
Tuolumne	62	26	36	58%	113.76
Ventura	902	370	532	59%	119.76
Yolo	193	85	108	56%	114.43
Yuba	62	24	38	61%	102.96
Unknown	12	9	3	25%	
TOTAL	132,988	54,130	78,858	59%	392.62

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of October 31, 2003


*Total Number of Cases = 132,988
Including 12 Cases with an Unknown County

City Cases:
Berkeley --582
Long Beach--4,618
Pasadena --695

**Incidence per 100,000 population

	0 - 93
	94 - 181
	182 - 3327

Grouped by equal areas



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – November 30, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42622 (32)	34415 (81)	237 (37)	176 (74)	42859 (32)	34591 (81)
Other Disease w/o PCP	44151 (33)	30457 (69)	399 (63)	212 (53)	44550 (33)	30669 (69)
KS Alone	6238 (5)	4445 (71)	0 (0)	0 (.)	6238 (5)	4445 (71)
No Diseases Listed	39827 (30)	9238 (23)	1 (0)	0 (0)	39828 (30)	9238 (23)
Total	132838 (100)	78555 (59)	637 (100)	388 (61)	133475 (100)	78943 (59)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	436 (0)	Hispanic - All Races	28243 (21)	244 (38)	28487 (21)
5-12	201 (0)	Not Hispanic - Am. Indian/Alaska Native	599 (0)	6 (1)	605 (0)
13-19	468 (0)	Asian	147 (0)	0 (0)	147 (0)
20-29	20220 (15)	Black or African American	23341 (18)	196 (31)	23537 (18)
30-39	59282 (44)	Native Hawaiian/Pacific Is.	11 (0)	0 (0)	11 (0)
40-49	36659 (27)	White	77399 (58)	171 (27)	77570 (58)
Over 49	16209 (12)	Legacy Asian/Pacific Is.	2808 (2)	19 (3)	2827 (2)
Unknown	0 (0)	Multi-race	91 (0)	0 (0)	91 (0)
Total	133475 (100)	Unknown	199 (0)	1 (0)	200 (0)
		Total	132838 (100)	637 (100)	133475 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		Total (%)
	Males (%)	Females (%)	
Men who have sex with men	90991 (74)	0 (0)	90991 (69)
Injecting drug use	10138 (8)	3841 (37)	13979 (11)
Men who have sex with men and inject drugs	12106 (10)	0 (0)	12106 (9)
Hemophilia/coagulation disorder	554 (0)	20 (0)	574 (0)
Heterosexual contact	2335 (2)	4612 (44)	6947 (5)
Receipt of blood, components, or tissue	977 (1)	717 (7)	1694 (1)
Risk not reported/Other	5210 (4)	1241 (12)	6451 (5)
Total	122311 (100)	10431 (100)	132742 (100)

	Pediatric Transmission Modes		Total (%)
	Males (%)	Females (%)	
Hemophilia/coagulation disorder	63 (16)	3 (1)	66 (9)
Mother with/at risk for HIV infection	234 (59)	267 (80)	501 (68)
Receipt of blood, components, or tissue	90 (23)	52 (16)	142 (19)
Risk not reported/Other	13 (3)	11 (3)	24 (3)
Total	400 (100)	333 (100)	733 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**96 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***88 duplicate cases were deleted during the month of November.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – November 30, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1990	30044	28290	94%
1990 Jan -June	4615	4052	88%
July-Dec	4489	3965	88%
1991 Jan -June	5324	4502	85%
July-Dec	5866	4916	84%
1992 Jan -June	6325	4930	78%
July-Dec	6147	4617	75%
1993 Jan -June	6380	4344	68%
July-Dec	5583	3441	62%
1994 Jan -June	5629	3080	55%
July-Dec	4822	2315	48%
1995 Jan -June	5244	2011	38%
July-Dec	4453	1497	34%
1996 Jan -June	4314	1240	29%
July-Dec	3405	882	26%
1997 Jan -June	3274	730	22%
July-Dec	2777	594	21%
1998 Jan -June	2684	564	21%
July-Dec	2475	461	19%
1999 Jan -June	2601	460	18%
July-Dec	2243	354	16%
2000 Jan -June	2277	329	14%
July-Dec	2096	309	15%
2001 Jan -June	2147	289	13%
July-Dec	2022	253	13%
2002 Jan -June	2105	200	10%
July-Dec	1937	180	9%
2003 Jan -June	1589	115	7%
July-Nov 30	608	23	4%
----- Totals	133475	78943	59%

AIDS CASES & CUMULATIVE INCIDENCE 1981 through November 30, 2003

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Alameda	6,568	2,711	3,857	59%	454.93
<i>Berkeley</i>	582	210	372	64%	566.46
Alpine	0	0	0	0%	0.00
Amador	43	22	21	49%	122.51
Butte	226	99	127	56%	111.24
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,420	903	1,517	63%	255.05
Del Norte	29	16	13	45%	105.43
El Dorado	169	66	103	61%	108.13
Fresno	1,306	573	733	56%	163.37
Glenn	13	7	6	46%	49.14
Humboldt	220	93	127	58%	173.89
Imperial	131	72	59	45%	92.02
Inyo	12	5	7	58%	66.87
Kern	1,363	847	516	38%	206.00
Kings	190	109	81	43%	146.76
Lake	143	66	77	54%	245.25
Lassen	49	29	20	41%	144.85
Los Angeles	47,559	19,064	28,495	60%	499.60
<i>Long Beach</i>	4,650	2,139	2,511	54%	1,007.54
<i>Pasadena</i>	697	244	453	65%	520.40
Madera	151	88	63	42%	122.66
Marin	1,572	707	865	55%	635.69
Mariposa	12	6	6	50%	70.05
Mendocino	194	72	122	63%	224.89
Merced	171	70	101	59%	81.21
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	846	374	472	56%	210.57
Napa	208	73	135	65%	167.37
Nevada	123	57	66	54%	133.65

COUNTY	Total Living		Deceased		Incidence per 100,000*
	Cases	Cases	Number	Percent	
Orange	6,444	3,118	3,326	52%	226.40
Placer	162	77	85	52%	65.22
Plumas	7	2	5	71%	33.62
Riverside	4,981	2,693	2,288	46%	322.31
Sacramento	3,272	1,328	1,944	59%	267.43
San Benito	39	21	18	46%	73.26
San Bernardino	3,102	1,371	1,731	56%	181.46
San Diego	11,992	5,430	6,562	55%	426.18
San Francisco	25,876	8,410	17,466	67%	3,331.39
San Joaquin	929	430	499	54%	164.83
San Luis Obispo	531	298	233	44%	215.26
San Mateo	2,056	816	1,240	60%	290.74
Santa Barbara	714	245	469	66%	178.79
Santa Clara	3,486	1,504	1,982	57%	207.18
Santa Cruz	565	245	320	57%	221.05
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,375	691	684	50%	348.51
Sonoma	1,791	717	1,074	60%	390.52
Stanislaus	602	277	325	54%	134.68
Sutter	59	17	42	71%	74.75
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	286	109	177	62%	77.71
Tuolumne	62	26	36	58%	113.76
Ventura	908	376	532	59%	120.55
Yolo	195	86	109	56%	115.62
Yuba	62	24	38	61%	102.96
Unknown	9	6	3	33%	
TOTAL	133,475	54,532	78,943	59%	394.06

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of November 30, 2003


*Total Number of Cases = 133,475
Including 9 Cases with an Unknown County

City Cases:
Berkeley --582
Long Beach--4,650
Pasadena --697

**Incidence per 100,000 population

0 - 93
94 - 181
182 - 3331

Grouped by equal areas



*The number in the county equals the number of AIDS Cases.

**The shadings show the incidence per 100,000 population.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – December 31, 2003

1. Disease Category	Adult/Adolescent *		Pediatric *		Total***	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42679 (32)	34450 (81)	238 (37)	176 (74)	42917 (32)	34626 (81)
Other Disease w/o PCP	44279 (33)	30502 (69)	400 (63)	212 (53)	44679 (33)	30714 (69)
KS Alone	6249 (5)	4447 (71)	0 (0)	0 (.)	6249 (5)	4447 (71)
No Diseases Listed	40012 (30)	9286 (23)	1 (0)	0 (0)	40013 (30)	9286 (23)
Total	133219 (100)	78685 (59)	639 (100)	388 (61)	133858 (100)	79073 (59)

2. Age *	Cases (%)	3. Race/Ethnicity	Adult/Adolescent *	Pediatric *	Total
			Cases (%)	Cases (%)	Cases (%)
Under 5	437 (0)	Hispanic - All Races	28404 (21)	245 (38)	28649 (21)
5-12	202 (0)	Not Hispanic - Am. Indian/Alaska Native	601 (0)	6 (1)	607 (0)
13-19	476 (0)	Asian	165 (0)	0 (0)	165 (0)
20-29	20273 (15)	Black or African American	23399 (18)	197 (31)	23596 (18)
30-39	59419 (44)	Native Hawaiian/Pacific Is.	14 (0)	0 (0)	14 (0)
40-49	36765 (27)	White	77531 (58)	171 (27)	77702 (58)
Over 49	16286 (12)	Legacy Asian/Pacific Is.	2805 (2)	18 (3)	2823 (2)
Unknown	0 (0)	Multi-race	97 (0)	1 (0)	98 (0)
Total	133858 (100)	Unknown	203 (0)	1 (0)	204 (0)
		Total	133219 (100)	639 (100)	133858 (100)

4. Exposure Category	Adult/Adolescent Transmission Modes**		
	Males (%)	Females (%)	Total (%)
Men who have sex with men	91186 (74)	0 (0)	91186 (68)
Injecting drug use	10160 (8)	3856 (37)	14016 (11)
Men who have sex with men and inject drugs	12147 (10)	0 (0)	12147 (9)
Hemophilia/coagulation disorder	552 (0)	20 (0)	572 (0)
Heterosexual contact	2350 (2)	4645 (44)	6995 (5)
Receipt of blood, components, or tissue	979 (1)	717 (7)	1696 (1)
Risk not reported/Other	5258 (4)	1251 (12)	6509 (5)
Total	122632 (100)	10489 (100)	133121 (100)

	Pediatric Transmission Modes		
	Males (%)	Females (%)	Total (%)
Hemophilia/coagulation disorder	64 (16)	3 (1)	67 (9)
Mother with/at risk for HIV infection	235 (58)	268 (80)	503 (68)
Receipt of blood, components, or tissue	90 (22)	52 (16)	142 (19)
Risk not reported/Other	14 (3)	11 (3)	25 (3)
Total	403 (100)	334 (100)	737 (100)

* Classification at time of AIDS dx if patient met the AIDS case definition (otherwise age at first HIV report).

**98 patients were diagnosed with AIDS as adults but have evidence of being HIV infected as children. They are counted as adults/adolescent cases in tables 1, 2, and 3; and as pediatric cases in table 4.

***187 duplicate cases were deleted during the month of December.

Acquired Immunodeficiency Syndrome (AIDS Only)

AIDS Reporting Registry

Surveillance Report for California – December 31, 2003

5. Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis.

Half-Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1990	30039	28282	94%
1990 Jan -June	4613	4051	88%
July-Dec	4488	3965	88%
1991 Jan -June	5324	4504	85%
July-Dec	5861	4913	84%
1992 Jan -June	6323	4931	78%
July-Dec	6145	4619	75%
1993 Jan -June	6372	4344	68%
July-Dec	5581	3439	62%
1994 Jan -June	5630	3084	55%
July-Dec	4828	2324	48%
1995 Jan -June	5244	2018	38%
July-Dec	4458	1504	34%
1996 Jan -June	4308	1251	29%
July-Dec	3405	887	26%
1997 Jan -June	3273	736	22%
July-Dec	2775	597	22%
1998 Jan -June	2683	565	21%
July-Dec	2475	466	19%
1999 Jan -June	2604	466	18%
July-Dec	2241	358	16%
2000 Jan -June	2286	338	15%
July-Dec	2102	313	15%
2001 Jan -June	2160	299	14%
July-Dec	2022	256	13%
2002 Jan -June	2123	212	10%
July-Dec	1970	187	9%
2003 Jan -June	1665	125	8%
July-Dec	860	39	5%
-----	-----	-----	-----
Totals	133858	79073	59%

**AIDS CASES & CUMULATIVE INCIDENCE
1981 through December 31, 2003**

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Alameda	6,554	2,705	3,849	59%	453.96
<i>Berkeley</i>	584	213	371	64%	568.41
Alpine	0	0	0	0%	0.00
Amador	44	23	21	48%	125.36
Butte	229	102	127	55%	112.71
Calaveras	18	10	8	44%	44.39
Colusa	12	0	12	100%	63.82
Contra Costa	2,425	902	1,523	63%	255.58
Del Norte	29	16	13	45%	105.43
El Dorado	170	67	103	61%	108.77
Fresno	1,311	566	745	57%	164.00
Glenn	13	7	6	46%	49.14
Humboldt	223	95	128	57%	176.26
Imperial	131	72	59	45%	92.02
Inyo	12	5	7	58%	66.87
Kern	1,367	848	519	38%	206.61
Kings	195	113	82	42%	150.62
Lake	142	66	76	54%	243.53
Lassen	50	30	20	40%	147.81
Los Angeles	47,673	19,144	28,529	60%	500.80
<i>Long Beach</i>	4,673	2,162	2,511	54%	1,012.52
<i>Pasadena</i>	701	247	454	65%	523.38
Madera	151	88	63	42%	122.66
Marin	1,567	701	866	55%	633.67
Mariposa	12	6	6	50%	70.05
Mendocino	194	72	122	63%	224.89
Merced	170	68	102	60%	80.74
Modoc	2	1	1	50%	21.17
Mono	5	2	3	60%	38.90
Monterey	849	377	472	56%	211.32
Napa	209	73	136	65%	168.17
Nevada	123	57	66	54%	133.65

COUNTY	Total Cases	Living Cases	Deceased		Incidence per 100,000*
			Number	Percent	
Orange	6,466	3,140	3,326	51%	227.17
Placer	162	77	85	52%	65.22
Plumas	8	3	5	63%	38.42
Riverside	4,997	2,708	2,289	46%	323.35
Sacramento	3,268	1,327	1,941	59%	267.10
San Benito	39	20	19	49%	73.26
San Bernardino	3,155	1,414	1,741	55%	184.56
San Diego	12,035	5,453	6,582	55%	427.71
San Francisco	25,929	8,424	17,505	68%	3,338.21
San Joaquin	958	457	501	52%	169.98
San Luis Obispo	524	291	233	44%	212.42
San Mateo	2,058	818	1,240	60%	291.02
Santa Barbara	715	246	469	66%	179.04
Santa Clara	3,489	1,508	1,981	57%	207.36
Santa Cruz	564	244	320	57%	220.66
Shasta	132	36	96	73%	80.85
Sierra	4	0	4	100%	112.52
Siskiyou	41	20	21	51%	92.55
Solano	1,378	691	687	50%	349.27
Sonoma	1,795	721	1,074	60%	391.40
Stanislaus	611	284	327	54%	136.69
Sutter	59	17	42	71%	74.75
Tehama	26	14	12	46%	46.40
Trinity	12	3	9	75%	92.15
Tulare	292	112	180	62%	79.34
Tuolumne	64	28	36	56%	117.43
Ventura	918	385	533	58%	121.88
Yolo	203	94	109	54%	120.36
Yuba	62	24	38	61%	102.96
Unknown	14	10	4	29%	
TOTAL	133,858	54,785	79,073	59%	395.19

*State of California, Department of Finance, City/County Population Estimates for April 1, 2000

Cumulative AIDS Cases in California by County, as of December 31 2003


*Total Number of Cases = 133,858
Including 14 Cases with an Unknown County

City Cases:
Berkeley --584
Long Beach--4,673
Pasadena --701

**Incidence per 100,000 population

0 - 93
94 - 185
186 - 3338

Grouped by equal areas



California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch

*The number in the county equals the number of AIDS Cases.
**The shadings show the incidence per 100,000 population.