

HIV/AIDS

Surveillance Supplemental Report

=====**Volume 8, Number 2**=====

AIDS Cases by State and Metropolitan Area of Residence, 2000

Table 1. Area of residence at AIDS diagnosis among adults and adolescents ranked by number and rate of AIDS cases, and estimated AIDS prevalence. 4

Table 2a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, and estimated AIDS prevalence 5

Table 2b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, and estimated AIDS prevalence 6

Table 3a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, and estimated AIDS prevalence, by race/ethnicity 7

Table 3b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, and estimated AIDS prevalence, by race/ethnicity. 10

Table 4a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates of AIDS incidence, and prevalence, by exposure category. 13

Table 4b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by estimates of AIDS incidence, and prevalence, by exposure category 16

Table 5. Metropolitan area of residence at AIDS diagnosis among adults and adolescents ranked by number and rate of AIDS cases, and estimated AIDS prevalence 18

Table 6a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, and estimated AIDS prevalence 20

Table 6b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, and estimated AIDS prevalence 22

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, and estimated AIDS prevalence, by race/ethnicity. 24

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, and estimated AIDS prevalence, by race/ethnicity. . . . 30

Table 8a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates of AIDS incidence, and prevalence, by exposure category. 36

Table 8b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by estimates of AIDS incidence, and prevalence, by exposure category. 40



DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
Atlanta, Georgia 30333



The *HIV/AIDS Surveillance Supplemental Report* is published by the Surveillance Branch, of the Division of HIV/AIDS Prevention, National Center for HIV, STD, and TB Prevention, Centers for Disease Control and Prevention (CDC). This report describes AIDS cases reported in 2000, cumulative AIDS cases reported through 2000, AIDS rates (cases reported per 100,000 population) in 2000, and estimated AIDS prevalence at the end of 2000, by sex, race/ethnicity, and exposure category for states and metropolitan areas over 500,000 population. States and metropolitan areas are ranked in descending order of morbidity. All data in this report are provisional.

Suggested Citation: Centers for Disease Control and Prevention. AIDS Cases by State and Metropolitan Area of Residence, 2000, *HIV/AIDS Surveillance Supplemental Report*, 2002;8 (No. 2):[inclusive page numbers].

Single copies of the *HIV/AIDS Surveillance Supplemental Report* are available from the CDC National Prevention Information Network (NPIN), P.O. Box 6003, Rockville, MD 20849-6003; telephone 1-800-458-5231 or 1-301-562-1098.

The *HIV/AIDS Surveillance Supplemental Report* is accessible via Internet:
<http://www.cdc.gov/hiv/stats/hasrsupp.htm>

Copyright information

All material contained in this report is in the public domain and may be used and reprinted without special permission; citation of source is appreciated.

Federal Recycling Program



Printed on Recycled Paper

Commentary

In the United States, the HIV/AIDS epidemic was first detected in a few large cities in 1981, and has since spread throughout the country. All states and large cities have been affected, as well as many smaller cities, towns, and communities. Public health planners, policy makers, and legislators need to know the extent of the epidemic within their jurisdiction for program planning, resource allocation, and evaluation of prevention and care services. To best direct scarce resources toward those communities in greatest need, health planners frequently prioritize need by comparing the magnitude and impact of the epidemic in one area with that in another.

This report presents the number of AIDS cases reported in 2000 and cumulatively through 2000, AIDS rates (cases reported per 100,000 population) for 2000, and estimates of AIDS prevalence at the end of 2000, for each state (table 1) and metropolitan statistical area (MSA) over 500,000 population (table 5) in the United States. Data are stratified by sex (tables 2 and 6), race/ethnicity (tables 3 and 7), and exposure category (tables 4 and 8) for states and MSAs. Estimates of incidence (tables 4 and 8) and prevalence (tables 1 through 8) are based on reported AIDS cases (or deaths) which have been statistically adjusted for reporting delays. Exposure category for cases initially reported without risk was statistically redistributed for presentation in tables 4 and 8.

Areas are ranked in descending order of the number of AIDS cases in all tables (see technical notes); however, the numbers also should be considered in the context of the population size of each state or metropolitan area. Tables 1 and 5 include AIDS rates (cases reported per 100,000 population) to allow for

such comparisons. Ranking states by AIDS rates shifts the order of the states, moving some of the smaller jurisdictions such as Puerto Rico, the U.S. Virgin Islands, and Delaware considerably up the list. Readers are cautioned to interpret values in the context of population size.

Highlighted findings:

- New York, California, Florida, New Jersey and Texas ranked the highest in total AIDS cases reported in 2000 in most of the states tables.
 - New York ranked first in cumulative AIDS cases, AIDS cases reported in 2000, in persons living with AIDS, among non-Hispanic black men and women.
 - Puerto Rico ranked third in number of AIDS cases reported in Hispanic men and second in Hispanic women.
 - Hawaii ranked high in number of cases in Asian/Pacific Islander men and women.
 - Arizona, Oklahoma and Washington ranked high in American Indian/Alaska Native men and women.
 - Among metropolitan areas, New York City, Los Angeles, San Francisco and Washington, DC, ranked the highest in most strata.
-

Table 1. Area of residence at AIDS diagnosis among adults and adolescents ranked by number and rate of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States

Area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS rate (per 100,000) reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	Rate	Rank	No.	Rank
Alabama	6,196	25	478	22	13.1	22	3,173	24
Alaska	472	47	23	48	4.7	44	221	47
Arizona	7,389	23	441	24	10.7	27	3,395	23
Arkansas	2,939	34	194	34	8.9	34	1,658	31
California	119,021	2	4,688	3	17.3	18	47,057	2
Colorado	7,066	24	339	28	9.7	32	3,044	25
Connecticut	11,387	15	610	19	21.9	11	5,992	14
Delaware	2,558	35	221	30	34.4	6	1,240	35
District of Columbia	12,930	12	872	12	179.7	1	6,751	12
Florida	78,830	3	4,894	2	36.6	5	36,387	3
Georgia	22,608	9	1,224	10	18.5	13	10,680	7
Guam	46	54	13	51	12.9	23	26	54
Hawaii	2,445	36	114	39	11.4	26	999	38
Idaho	495	46	22	49	2.1	51	229	46
Illinois	24,732	6	1,750	6	17.4	16	10,360	9
Indiana	6,097	26	382	26	7.7	36	2,716	26
Iowa	1,307	41	94	41	3.9	47	592	41
Kansas	2,354	37	126	38	5.8	41	1,003	37
Kentucky	3,317	33	208	32	6.2	40	1,782	30
Louisiana	12,493	14	658	18	18.2	14	5,643	15
Maine	947	44	40	44	3.8	48	462	45
Maryland	21,380	10	1,453	8	33.7	7	10,495	8
Massachusetts	16,045	11	1,189	11	22.6	10	7,469	11
Michigan	11,207	17	758	16	9.4	33	4,911	16
Minnesota	3,739	31	185	35	4.6	45	1,652	32
Mississippi	4,406	28	429	25	18.7	12	2,165	27
Missouri	9,154	21	453	23	9.9	30	4,367	21
Montana	323	50	16	50	2.1	51	178	50
Nebraska	1,084	42	77	42	5.5	42	491	42
Nevada	4,386	29	282	29	17.4	16	2,135	28
New Hampshire	871	45	30	47	3	49	487	44
New Jersey	41,317	5	1,869	5	27.2	8	15,470	5
New Mexico	2,037	38	144	37	9.9	30	981	39
New York	139,634	1	6,195	1	39.8	3	56,503	1
North Carolina	10,295	18	670	17	10.1	29	4,677	20
North Dakota	106	53	3	54	0.6	54	44	53
Ohio	11,253	16	588	20	6.3	39	4,737	19
Oklahoma	3,762	30	353	27	12.5	24	1,560	34
Oregon	4,781	27	207	33	7.3	37	2,117	29
Pacific Islands	4	55	0	—	0	—	2	55
Pennsylvania	24,243	8	1,653	7	16.2	19	12,131	6
Puerto Rico	24,491	7	1,345	9	44.5	2	9,448	10
Rhode Island	2,031	39	101	40	11.6	25	930	40
South Carolina	9,428	20	789	15	24	9	4,821	18
South Dakota	162	52	8	53	1.3	53	80	51
Tennessee	8,513	22	836	14	17.9	15	4,862	17
Texas	53,537	4	2,638	4	15.9	20	24,555	4
Utah	1,952	40	148	36	8.6	35	1,007	36
Vermont	397	49	37	45	7.3	37	206	49
Virgin Islands	466	48	34	46	42.4	3	218	48
Virginia	12,899	13	866	13	14.9	21	6,127	13
Washington	9,443	19	496	21	10.3	28	4,354	22
West Virginia	1,068	43	61	43	4	46	488	43
Wisconsin	3,547	32	211	31	4.8	43	1,567	33
Wyoming	184	51	11	52	2.7	50	76	52

¹Data are adjusted for delays in reporting cases and deaths.

Table 2a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States

Area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Alabama	5,149	26	365	24	2,544	25
Alaska	408	47	17	49	188	47
Arizona	6,756	23	378	22	3,022	23
Arkansas	2,502	34	148	34	1,369	32
California	110,332	1	4,060	2	42,244	1
Colorado	6,576	24	305	26	2,782	24
Connecticut	8,474	18	382	21	4,240	15
Delaware	1,975	37	156	33	893	38
District of Columbia	10,580	13	640	14	5,192	12
Florida	61,492	3	3,450	3	27,010	3
Georgia	18,924	9	899	10	8,543	7
Guam	41	54	11	51	21	54
Hawaii	2,290	35	100	39	913	35
Idaho	440	46	21	48	196	46
Illinois	21,154	6	1,336	5	8,458	8
Indiana	5,476	25	317	25	2,375	26
Iowa	1,167	41	79	40	517	41
Kansas	2,118	36	103	38	862	39
Kentucky	2,891	33	167	31	1,504	30
Louisiana	10,551	14	471	19	4,495	14
Maine	842	44	33	44	393	45
Maryland	16,230	10	1,002	8	7,465	9
Massachusetts	12,791	11	863	11	5,544	11
Michigan	9,405	16	564	15	3,946	18
Minnesota	3,364	31	148	34	1,405	31
Mississippi	3,494	29	292	28	1,606	29
Missouri	8,325	19	372	23	3,858	20
Montana	289	50	16	50	159	49
Nebraska	943	42	56	42	411	43
Nevada	3,869	28	233	29	1,836	28
New Hampshire	733	45	24	46	395	44
New Jersey	29,913	5	1,263	6	10,583	5
New Mexico	1,901	38	134	36	904	37
New York	107,384	2	4,283	1	41,057	2
North Carolina	8,270	20	483	18	3,622	21
North Dakota	96	53	2	54	38	53
Ohio	10,026	15	486	17	4,048	16
Oklahoma	3,382	30	297	27	1,364	33
Oregon	4,451	27	187	30	1,933	27
Pacific Islands	2	55	0	—	1	55
Pennsylvania	19,885	7	1,205	7	9,314	6
Puerto Rico	18,930	8	966	9	6,951	10
Rhode Island	1,566	40	77	41	693	40
South Carolina	7,323	21	556	16	3,586	22
South Dakota	139	52	7	53	67	52
Tennessee	7,256	22	641	13	3,994	17
Texas	47,548	4	2,099	4	20,670	4
Utah	1,778	39	132	37	910	36
Vermont	356	48	33	44	178	48
Virgin Islands	339	49	23	47	151	50
Virginia	10,797	12	651	12	4,919	13
Washington	8,739	17	422	20	3,892	19
West Virginia	931	43	47	43	412	42
Wisconsin	3,110	32	157	32	1,330	34
Wyoming	163	51	10	52	68	51

¹Data are adjusted for delays in reporting cases and deaths.

Table 2b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States

Area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1,047	21	113	21	629	21
Alaska	64	47	6	46	33	47
Arizona	633	25	63	27	373	25
Arkansas	437	31	46	31	290	29
California	8,689	4	628	3	4,813	4
Colorado	490	29	34	34	262	31
Connecticut	2,913	12	228	14	1,752	12
Delaware	583	27	65	25	346	26
District of Columbia	2,350	13	232	13	1,560	13
Florida	17,338	2	1,444	2	9,377	2
Georgia	3,684	9	325	11	2,137	9
Guam	5	54	2	49	5	54
Hawaii	155	39	14	41	85	40
Idaho	55	48	1	50	32	48
Illinois	3,578	10	414	8	1,901	11
Indiana	621	26	65	25	342	27
Iowa	140	41	15	40	74	44
Kansas	236	37	23	36	141	37
Kentucky	426	33	41	32	278	30
Louisiana	1,942	17	187	18	1,148	16
Maine	105	46	7	45	68	45
Maryland	5,150	7	451	6	3,030	6
Massachusetts	3,254	11	326	10	1,925	10
Michigan	1,802	18	194	17	965	18
Minnesota	375	35	37	33	247	32
Mississippi	912	22	137	20	559	22
Missouri	829	23	81	23	509	23
Montana	34	50	0	—	18	50
Nebraska	141	40	21	37	80	41
Nevada	517	28	49	30	298	28
New Hampshire	138	42	6	46	92	39
New Jersey	11,404	3	606	4	4,888	3
New Mexico	136	44	10	44	77	42
New York	32,249	1	1912	1	15,445	1
North Carolina	2,025	16	187	18	1,055	17
North Dakota	10	53	1	50	6	53
Ohio	1,227	20	102	22	689	20
Oklahoma	380	34	56	28	196	35
Oregon	330	36	20	38	184	36
Pacific Islands	2	55	0	—	1	55
Pennsylvania	4,358	8	448	7	2,818	7
Puerto Rico	5,561	6	379	9	2,496	8
Rhode Island	465	30	24	35	237	34
South Carolina	2,105	14	233	12	1,235	14
South Dakota	23	51	1	50	12	51
Tennessee	1,257	19	195	16	868	19
Texas	5,989	5	539	5	3,885	5
Utah	174	38	16	39	97	38
Vermont	41	49	4	48	28	49
Virgin Islands	127	45	11	43	67	46
Virginia	2,102	15	215	15	1,208	15
Washington	704	24	74	24	462	24
West Virginia	137	43	14	41	75	43
Wisconsin	437	31	54	29	237	33
Wyoming	21	52	1	50	8	52

¹Data are adjusted for delays in reporting cases and deaths.

Table 3a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States

Area of residence at AIDS diagnosis	White, not Hispanic						Black, not Hispanic					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	2,277	29	116	28	1,025	27	2,819	19	244	17	1,473	19
Alaska	267	47	9	48	110	48	31	45	0	—	16	46
Arizona	4,964	15	244	12	2,077	13	479	33	40	33	255	32
Arkansas	1,708	32	93	32	897	31	749	27	51	28	442	26
California	68,814	1	1,859	1	23,039	1	17,093	3	799	4	7,258	3
Colorado	4,943	16	184	18	1,960	16	656	29	46	31	342	29
Connecticut	3,341	22	150	22	1,536	22	3,118	17	116	22	1,506	17
Delaware	673	43	40	40	262	44	1,192	24	106	23	573	24
District of Columbia	2,671	24	155	21	1,032	26	7,488	10	455	10	3,892	10
Florida	27,679	3	1,239	2	11,423	2	23,269	2	1,643	2	10,638	2
Georgia	7,680	9	204	15	2,893	10	10,826	7	662	8	5,385	6
Guam	7	54	1	53	4	54	3	52	2	45	0	—
Hawaii	1,495	34	58	38	587	35	100	41	4	43	49	42
Idaho	391	45	16	46	164	45	5	50	1	47	4	50
Illinois	9,046	6	392	7	3,113	6	9,413	8	733	5	4,056	9
Indiana	4,019	19	198	17	1,653	19	1,276	23	99	24	602	23
Iowa	1,006	38	60	36	412	38	106	40	10	39	69	40
Kansas	1,631	33	62	35	607	34	325	34	24	34	160	34
Kentucky	2,088	30	100	29	1,021	28	746	28	58	26	434	27
Louisiana	5,243	13	143	24	1,955	17	5,015	12	319	15	2,375	13
Maine	785	40	31	43	357	40	27	46	1	47	19	45
Maryland	3,999	20	173	19	1,572	21	11,816	5	800	3	5,661	5
Massachusetts	7,813	8	456	5	2,924	9	2,611	20	194	19	1,247	21
Michigan	4,294	17	232	13	1,752	18	4,805	14	311	16	2,035	15
Minnesota	2,543	26	76	34	949	30	559	31	48	30	315	31
Mississippi	1,419	36	94	31	566	36	2,032	22	190	20	1,009	22
Missouri	5,504	12	172	20	2,329	12	2,525	21	180	21	1,379	20
Montana	259	48	13	47	141	47	7	48	0	—	6	48
Nebraska	711	42	33	42	284	43	145	39	10	39	73	38
Nevada	2,668	25	138	26	1,166	23	644	30	46	31	324	30
New Hampshire	643	44	19	45	332	42	38	44	3	44	24	44
New Jersey	9,302	5	276	10	2,969	8	15,332	4	732	6	5,304	7
New Mexico	1,073	37	59	37	484	37	80	43	9	41	44	43
New York	33,968	2	978	3	11,212	3	41,269	1	1,950	1	16,498	1
North Carolina	2,977	23	118	27	1,143	24	4,997	13	332	14	2,285	14
North Dakota	80	51	2	51	29	51	3	52	0	—	2	51
Ohio	6,517	11	260	11	2,367	11	3,166	16	197	18	1,478	18
Oklahoma	2,503	27	204	15	952	29	537	32	65	25	250	33
Oregon	3,929	21	146	23	1,617	20	207	36	19	35	118	36
Pacific Islands	0	—	0	—	0	—	0	—	0	—	0	—
Pennsylvania	8,535	7	399	6	3,361	5	9,229	9	679	7	4,719	8
Puerto Rico	35	53	2	51	12	53	1	54	0	—	0	—
Rhode Island	994	39	43	39	381	39	320	35	19	35	158	35
South Carolina	2,442	28	140	25	1,117	25	4,786	15	397	11	2,394	12
South Dakota	113	50	4	50	50	50	7	48	2	45	6	48
Tennessee	4,087	18	286	9	2,060	15	3,043	18	337	13	1,849	16
Texas	26,670	4	850	4	9,900	4	11,646	6	656	9	5,981	4
Utah	1,478	35	97	30	723	33	100	41	13	38	57	41
Vermont	317	46	30	44	153	46	21	47	1	47	15	47
Virgin Islands	42	52	0	—	19	52	195	37	17	37	75	37
Virginia	5,125	14	228	14	2,072	14	5,233	11	380	12	2,583	11
Washington	7,123	10	312	8	2,999	7	761	26	49	29	400	28
West Virginia	771	41	40	40	334	41	150	38	6	42	73	38
Wisconsin	2,042	31	87	33	760	32	818	25	57	27	443	25
Wyoming	141	49	8	49	58	49	5	50	0	—	2	51

¹Data are adjusted for delays in reporting cases and deaths.

Table 3a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Area of residence at AIDS diagnosis	Hispanic						Asian/Pacific Islander					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	45	42	5	40	39	40	6	36	0	—	6	31
Alaska	33	44	1	47	21	46	4	40	0	—	3	37
Arizona	1,113	11	73	11	585	11	33	14	1	26	16	20
Arkansas	33	44	4	42	22	45	2	42	0	—	1	43
California	21,571	2	1,276	2	10,647	2	2,236	1	96	1	1,023	1
Colorado	919	12	71	12	456	12	26	19	1	26	12	21
Connecticut	1,962	10	115	10	1,170	10	23	22	1	26	17	17
Delaware	102	35	10	33	53	36	1	46	0	—	1	43
District of Columbia	377	16	23	19	232	17	35	13	2	21	28	12
Florida	10,370	4	558	5	4,858	4	120	7	7	9	62	7
Georgia	375	17	26	18	234	16	26	19	3	14	17	17
Guam	0	—	0	—	0	—	31	16	8	8	17	17
Hawaii	113	32	4	42	61	34	572	3	34	3	211	3
Idaho	38	43	4	42	23	43	2	42	0	—	2	42
Illinois	2,543	7	196	7	1,208	8	128	6	9	6	66	5
Indiana	169	29	20	22	112	28	7	33	0	—	5	33
Iowa	49	40	9	35	34	42	5	39	0	—	3	37
Kansas	132	31	16	26	81	31	9	31	0	—	4	35
Kentucky	50	39	9	35	43	39	6	36	0	—	5	33
Louisiana	252	22	9	35	144	23	25	21	0	—	10	24
Maine	20	47	1	47	14	47	2	42	0	—	1	43
Maryland	363	18	23	19	208	19	32	15	4	11	18	16
Massachusetts	2,252	8	191	8	1,293	7	81	9	20	4	65	6
Michigan	269	21	15	28	141	25	17	26	3	14	12	21
Minnesota	188	28	20	22	107	30	18	24	1	26	10	24
Mississippi	32	46	5	40	23	43	7	33	3	14	4	35
Missouri	244	24	16	26	125	26	19	23	2	21	10	24
Montana	5	51	1	47	2	51	0	—	0	—	0	—
Nebraska	77	38	12	31	49	38	4	40	1	26	3	37
Nevada	489	15	46	15	304	15	46	12	2	21	26	13
New Hampshire	49	40	2	45	36	41	1	46	0	—	1	43
New Jersey	5,097	6	239	6	2,225	6	115	8	12	5	58	9
New Mexico	669	13	58	13	339	14	7	33	1	26	3	37
New York	31,172	1	1,304	1	12,840	1	754	2	40	2	351	2
North Carolina	206	27	28	17	150	22	18	24	1	26	9	28
North Dakota	3	52	0	—	2	51	1	46	0	—	1	43
Ohio	306	20	23	19	176	20	28	18	4	11	19	15
Oklahoma	112	33	8	38	52	37	15	27	2	21	10	24
Oregon	245	23	18	24	160	21	29	17	3	14	22	14
Pacific Islands	0	—	0	—	0	—	2	42	0	—	1	43
Pennsylvania	2,053	9	122	9	1,193	9	62	11	4	11	36	10
Puerto Rico	18,889	3	963	3	6,935	3	1	46	0	—	0	—
Rhode Island	233	25	12	31	142	24	9	31	3	14	9	28
South Carolina	80	37	15	28	65	33	6	36	1	26	3	37
South Dakota	2	53	0	—	2	51	0	—	0	—	0	—
Tennessee	105	34	14	30	70	32	13	28	3	14	12	21
Texas	8,996	5	578	4	4,651	5	148	4	7	9	87	4
Utah	169	29	18	24	109	29	12	29	0	—	9	28
Vermont	17	48	2	45	8	48	1	46	0	—	1	43
Virgin Islands	101	36	6	39	57	35	1	46	0	—	0	—
Virginia	360	19	33	16	220	18	63	10	9	6	35	11
Washington	569	14	50	14	352	13	141	5	3	14	61	8
West Virginia	9	50	1	47	4	50	0	—	0	—	0	—
Wisconsin	216	26	10	33	114	27	11	30	2	21	6	31
Wyoming	11	49	0	—	5	49	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 3a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Area of residence at AIDS diagnosis	American Indian/Alaska Native					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Alabama	2	46	0	—	0	—
Alaska	73	5	7	4	38	6
Arizona	160	3	20	1	87	3
Arkansas	5	41	0	—	3	37
California	455	1	20	1	205	1
Colorado	32	13	3	11	12	16
Connecticut	17	22	0	—	7	24
Delaware	7	36	0	—	4	32
District of Columbia	3	45	0	—	0	—
Florida	53	11	3	11	28	9
Georgia	14	27	3	11	11	18
Guam	0	—	0	—	0	—
Hawaii	10	28	0	—	5	27
Idaho	4	42	0	—	3	37
Illinois	23	15	6	7	14	14
Indiana	4	42	0	—	2	42
Iowa	1	48	0	—	0	—
Kansas	20	18	1	20	9	19
Kentucky	1	48	0	—	1	45
Louisiana	8	32	0	—	5	27
Maine	7	36	0	—	1	45
Maryland	18	21	2	17	4	32
Massachusetts	16	24	0	—	7	24
Michigan	20	18	3	11	5	27
Minnesota	56	10	3	11	24	11
Mississippi	4	42	0	—	3	37
Missouri	30	14	1	20	14	14
Montana	16	24	1	20	8	21
Nebraska	6	38	0	—	2	42
Nevada	22	16	1	20	15	13
New Hampshire	2	46	0	—	2	42
New Jersey	16	24	1	20	8	21
New Mexico	72	6	7	4	35	8
New York	60	8	4	8	36	7
North Carolina	59	9	4	8	27	10
North Dakota	9	30	0	—	4	32
Ohio	8	32	1	20	8	21
Oklahoma	212	2	18	3	99	2
Oregon	41	12	1	20	16	12
Pacific Islands	0	—	0	—	0	—
Pennsylvania	6	38	1	20	3	37
Puerto Rico	0	—	0	—	0	—
Rhode Island	10	28	0	—	4	32
South Carolina	8	32	2	17	5	27
South Dakota	17	22	1	20	9	19
Tennessee	8	32	1	20	4	32
Texas	72	6	7	4	41	5
Utah	19	20	4	8	12	16
Vermont	0	—	0	—	0	—
Virgin Islands	0	—	0	—	0	—
Virginia	9	30	0	—	5	27
Washington	135	4	3	11	70	4
West Virginia	0	—	0	—	0	—
Wisconsin	22	16	1	20	7	24
Wyoming	6	38	2	17	3	37

¹Data are adjusted for delays in reporting cases and deaths.

Table 3b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States

Area of residence at AIDS diagnosis	White, not Hispanic						Black, not Hispanic					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	254	25	21	25	133	27	783	19	91	19	489	19
Alaska	28	47	2	46	14	48	8	44	1	42	4	45
Arizona	393	15	34	14	223	16	84	34	9	34	57	33
Arkansas	192	29	14	30	122	28	236	25	30	24	160	24
California	3,163	2	151	3	1,592	3	3,162	6	266	9	1,791	7
Colorado	263	23	17	27	140	24	111	32	8	36	62	32
Connecticut	827	9	68	9	484	8	1,308	16	81	20	729	17
Delaware	92	41	9	33	55	39	462	22	52	22	273	23
District of Columbia	99	38	5	41	63	37	2,205	10	217	10	1,457	9
Florida	3,139	3	231	1	1,717	2	12,487	2	1,067	2	6,568	2
Georgia	542	11	32	19	278	11	3,072	7	282	8	1,809	6
Guam	0	—	0	—	0	—	0	—	0	—	0	—
Hawaii	63	44	5	41	38	44	7	46	0	—	8	43
Idaho	47	45	1	47	26	45	3	48	0	—	3	47
Illinois	887	8	71	8	420	9	2,254	9	288	7	1,241	10
Indiana	353	20	33	16	175	20	244	24	28	26	155	25
Iowa	109	35	8	35	52	40	26	41	6	38	20	40
Kansas	141	34	10	32	79	34	81	36	12	32	50	34
Kentucky	219	28	22	23	140	24	192	27	18	30	126	27
Louisiana	365	19	18	26	187	19	1,538	14	166	13	938	12
Maine	98	39	7	38	64	36	2	49	0	—	2	48
Maryland	615	10	32	19	345	10	4,460	4	413	3	2,630	4
Massachusetts	1,224	6	110	5	673	6	1,222	17	119	17	734	15
Michigan	384	17	33	16	191	18	1,357	15	153	14	731	16
Minnesota	167	33	9	33	95	30	147	31	19	29	115	29
Mississippi	168	32	16	28	89	32	727	20	118	18	456	20
Missouri	368	18	28	21	206	17	441	23	51	23	288	22
Montana	25	48	0	—	15	47	2	49	0	—	1	51
Nebraska	73	43	7	38	41	42	44	37	9	34	25	37
Nevada	252	26	23	22	146	23	206	26	21	27	117	28
New Hampshire	106	36	5	41	66	35	12	43	0	—	11	42
New Jersey	2,230	4	95	6	908	5	7,509	3	412	4	3,138	3
New Mexico	74	42	3	44	39	43	14	42	1	42	7	44
New York	4,847	1	217	2	2,234	1	17,362	1	1,114	1	8,383	1
North Carolina	286	22	35	13	147	22	1,692	12	146	16	875	14
North Dakota	8	51	1	47	4	51	1	53	0	—	1	51
Ohio	473	12	34	14	253	12	662	21	61	21	379	21
Oklahoma	228	27	33	16	116	29	96	33	16	31	45	35
Oregon	261	24	11	31	135	26	35	39	4	41	23	39
Pacific Islands	0	—	0	—	0	—	0	—	0	—	0	—
Pennsylvania	1,039	7	95	6	608	7	2,611	8	292	6	1,730	8
Puerto Rico	3	53	0	—	0	—	4	47	0	—	2	48
Rhode Island	192	29	6	40	93	31	161	30	11	33	72	31
South Carolina	305	21	22	23	175	20	1,778	11	208	11	1,044	11
South Dakota	17	50	0	—	9	49	2	49	1	42	2	48
Tennessee	392	16	46	10	249	14	845	18	147	15	600	18
Texas	1,751	5	130	4	1,014	4	3,228	5	321	5	2,181	5
Utah	105	37	8	35	58	38	34	40	6	38	17	41
Vermont	33	46	3	44	24	46	8	44	1	42	4	45
Virgin Islands	7	52	0	—	4	51	84	34	7	37	37	36
Virginia	460	13	39	11	225	15	1,554	13	168	12	924	13
Washington	434	14	38	12	252	13	163	29	20	28	135	26
West Virginia	93	40	8	35	48	41	43	38	6	38	25	37
Wisconsin	185	31	15	29	86	33	188	28	30	24	113	30
Wyoming	18	49	1	47	7	50	2	49	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 3b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Area of residence at AIDS diagnosis	Hispanic						Asian/Pacific Islander					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	7	42	1	32	6	42	2	31	0	—	0	—
Alaska	3	46	0	—	1	47	2	31	0	—	1	30
Arizona	117	11	10	11	75	11	4	22	2	8	3	19
Arkansas	4	43	1	32	4	43	1	40	0	—	1	30
California	2,032	3	186	3	1,238	3	261	1	18	1	149	1
Colorado	99	13	7	15	52	13	3	25	0	—	2	24
Connecticut	764	8	79	8	533	7	4	22	0	—	2	24
Delaware	27	28	3	25	17	28	0	—	0	—	0	—
District of Columbia	36	22	9	13	31	21	8	12	1	15	6	12
Florida	1,676	4	141	4	1,069	4	25	5	4	4	14	7
Georgia	60	17	10	11	45	17	7	13	1	15	2	24
Guam	0	—	0	—	0	—	5	17	2	8	5	13
Hawaii	11	39	1	32	7	41	73	3	8	2	32	3
Idaho	4	43	0	—	3	44	0	—	0	—	0	—
Illinois	397	10	46	10	218	10	18	8	2	8	10	8
Indiana	19	32	3	25	9	37	3	25	1	15	1	30
Iowa	4	43	1	32	3	44	0	—	0	—	0	—
Kansas	11	39	0	—	8	40	1	40	1	15	1	30
Kentucky	13	37	0	—	11	34	2	31	1	15	1	30
Louisiana	34	24	2	30	19	26	2	31	1	15	1	30
Maine	3	46	0	—	1	47	1	40	0	—	1	30
Maryland	65	16	6	17	47	16	5	17	0	—	2	24
Massachusetts	788	7	93	5	501	8	12	11	3	7	10	8
Michigan	47	20	6	17	33	20	5	17	1	15	5	13
Minnesota	29	26	1	32	16	29	6	15	1	15	4	17
Mississippi	11	39	3	25	9	37	1	40	0	—	0	—
Missouri	12	38	1	32	9	37	3	25	0	—	3	19
Montana	3	46	0	—	2	46	0	—	0	—	0	—
Nebraska	15	34	4	22	11	34	2	31	0	—	1	30
Nevada	45	21	1	32	26	22	7	13	2	8	5	13
New Hampshire	20	31	1	32	15	31	0	—	0	—	0	—
New Jersey	1,611	5	93	5	808	5	39	4	4	4	23	4
New Mexico	31	25	4	22	20	24	2	31	1	15	1	30
New York	9,886	1	566	1	4,728	1	99	2	8	2	56	2
North Carolina	26	29	3	25	20	24	5	17	1	15	3	19
North Dakota	0	—	0	—	0	—	0	—	0	—	0	—
Ohio	86	14	6	17	52	13	3	25	1	15	3	19
Oklahoma	18	33	1	32	12	33	3	25	0	—	1	30
Oregon	23	30	3	25	16	29	5	17	1	15	5	13
Pacific Islands	0	—	0	—	0	—	2	31	0	—	1	30
Pennsylvania	690	9	58	9	468	9	13	10	2	8	9	10
Puerto Rico	5,551	2	379	2	2,491	2	0	—	0	—	0	—
Rhode Island	101	12	5	21	65	12	2	31	1	15	2	24
South Carolina	15	34	1	32	11	34	6	15	2	8	4	17
South Dakota	0	—	0	—	0	—	0	—	0	—	0	—
Tennessee	15	34	1	32	14	32	4	22	0	—	3	19
Texas	985	6	83	7	664	6	21	6	4	4	20	5
Utah	28	27	2	30	19	26	3	25	0	—	1	30
Vermont	0	—	0	—	0	—	0	—	0	—	0	—
Virgin Islands	35	23	4	22	25	23	0	—	0	—	0	—
Virginia	72	15	6	17	52	13	15	9	2	8	8	11
Washington	55	18	7	15	37	18	20	7	1	15	17	6
West Virginia	1	49	0	—	1	47	0	—	0	—	1	30
Wisconsin	52	19	9	13	34	19	2	31	0	—	2	24
Wyoming	0	—	0	—	0	—	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 3b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Area of residence at AIDS diagnosis	American Indian/Alaska Native					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1	37	0	—	1	32
Alaska	23	6	3	8	14	6
Arizona	35	2	8	1	15	5
Arkansas	4	21	1	12	3	20
California	62	1	6	5	35	1
Colorado	14	10	2	9	5	12
Connecticut	5	20	0	—	2	23
Delaware	2	32	1	12	1	32
District of Columbia	2	32	0	—	2	23
Florida	11	12	1	12	9	8
Georgia	2	32	0	—	1	32
Guam	0	—	0	—	0	—
Hawaii	1	37	0	—	0	—
Idaho	1	37	0	—	0	—
Illinois	22	7	7	3	12	7
Indiana	2	32	0	—	2	23
Iowa	1	37	0	—	0	—
Kansas	2	32	0	—	2	23
Kentucky	0	—	0	—	0	—
Louisiana	1	37	0	—	0	—
Maine	0	—	0	—	0	—
Maryland	4	21	0	—	5	12
Massachusetts	3	29	1	12	2	23
Michigan	9	14	1	12	5	12
Minnesota	26	5	7	3	16	4
Mississippi	4	21	0	—	3	20
Missouri	3	29	0	—	1	32
Montana	4	21	0	—	0	—
Nebraska	7	16	1	12	2	23
Nevada	7	16	2	9	4	18
New Hampshire	0	—	0	—	0	—
New Jersey	7	16	1	12	5	12
New Mexico	15	9	1	12	9	8
New York	14	10	5	7	9	8
North Carolina	16	8	2	9	9	8
North Dakota	1	37	0	—	1	32
Ohio	3	29	0	—	2	23
Oklahoma	35	2	6	5	22	2
Oregon	6	19	1	12	4	18
Pacific Islands	0	—	0	—	0	—
Pennsylvania	4	21	1	12	2	23
Puerto Rico	0	—	0	—	0	—
Rhode Island	9	14	1	12	5	12
South Carolina	1	37	0	—	1	32
South Dakota	4	21	0	—	1	32
Tennessee	1	37	1	12	1	32
Texas	4	21	1	12	5	12
Utah	4	21	0	—	2	23
Vermont	0	—	0	—	0	—
Virgin Islands	0	—	0	—	0	—
Virginia	1	37	0	—	0	—
Washington	31	4	8	1	21	3
West Virginia	0	—	0	—	0	—
Wisconsin	10	13	0	—	3	20
Wyoming	1	37	0	—	1	32

¹Data are adjusted for delays in reporting cases and deaths.

Table 4a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States

Area of residence at AIDS diagnosis	Men who have sex with men (MSM)						Injection drug use (IDU)					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	3,269	26	230	25	1,589	24	740	22	51	24	374	22
Alaska	293	47	11	49	126	46	48	48	0	—	30	48
Arizona	4,912	20	301	18	2,142	19	718	23	50	25	346	25
Arkansas	1,688	35	115	32	892	34	333	35	22	35	210	31
California	86,414	1	3,310	1	32,013	1	9,449	5	611	4	4,347	4
Colorado	5,051	19	235	24	2,053	20	492	29	26	33	254	27
Connecticut	2,854	27	132	30	1,259	28	4,324	11	214	11	2,256	9
Delaware	874	39	71	38	351	39	806	21	64	21	389	21
District of Columbia	6,749	12	437	13	2,951	10	2,436	13	146	13	1,357	13
Florida	37,041	3	2,105	2	15,941	3	10,992	3	665	2	4,555	3
Georgia	12,092	6	592	7	5,196	5	3,544	12	196	12	1,600	12
Guam	32	54	8	50	17	54	3	54	1	51	1	54
Hawaii	1,919	34	87	37	740	35	128	43	8	42	65	43
Idaho	307	46	15	46	124	47	40	49	3	48	22	49
Illinois	13,654	5	855	5	5,077	6	4,879	9	376	9	2,059	11
Indiana	4,121	24	250	23	1,730	23	535	27	37	30	256	26
Iowa	843	40	58	40	332	40	131	42	11	40	77	41
Kansas	1,567	36	68	39	607	38	168	38	16	39	83	40
Kentucky	2,045	33	136	29	1,023	30	354	33	21	36	209	32
Louisiana	6,542	15	268	21	2,553	17	1,891	16	129	15	932	14
Maine	642	43	21	45	274	43	105	44	9	41	68	42
Maryland	6,922	11	372	15	2,754	14	6,783	6	551	7	3,382	7
Massachusetts	6,632	14	478	8	2,524	18	4,487	10	372	10	2,174	10
Michigan	6,190	17	454	10	2,625	16	1,889	17	112	18	699	17
Minnesota	2,614	29	105	35	1,039	29	277	36	17	38	137	37
Mississippi	2,194	32	180	28	946	31	391	32	46	26	193	34
Missouri	6,409	16	283	19	2,881	13	689	24	54	23	363	24
Montana	194	49	15	46	110	48	36	50	0	—	14	50
Nebraska	658	42	40	41	271	44	80	45	7	43	38	45
Nevada	2,806	28	184	27	1,348	27	549	26	40	28	239	29
New Hampshire	464	45	15	46	240	45	152	40	5	45	95	38
New Jersey	9,944	8	452	11	3,656	8	15,218	2	623	3	4,802	2
New Mexico	1,470	37	108	34	682	36	163	39	19	37	95	38
New York	46,346	2	1,996	3	16,582	2	49,604	1	2,211	1	18,249	1
North Carolina	4,389	21	268	21	1,789	22	2,100	14	121	16	902	16
North Dakota	57	53	1	54	19	53	9	53	1	51	5	53
Ohio	7,670	9	407	14	2,920	11	1,034	19	77	20	515	20
Oklahoma	2,376	30	214	26	922	32	344	34	42	27	162	35
Oregon	3,386	25	128	31	1,394	26	409	31	33	31	217	30
Pacific Islands	2	55	0	—	1	55	0	—	0	—	0	—
Pennsylvania	10,752	7	597	6	4,117	7	6,331	7	583	5	3,587	5
Puerto Rico	4,178	22	280	20	1,565	25	10,563	4	581	6	3,584	6
Rhode Island	751	41	25	43	296	41	525	28	38	29	253	28
South Carolina	4,140	23	302	17	1,947	21	1,500	18	118	17	696	18
South Dakota	95	52	4	53	46	51	12	52	2	49	7	52
Tennessee	5,053	18	464	9	2,666	15	973	20	105	19	587	19
Texas	33,698	4	1,560	4	13,631	4	5,969	8	423	8	3,019	8
Utah	1,282	38	94	36	621	37	263	37	25	34	153	36
Vermont	242	48	25	43	110	48	58	47	5	45	31	47
Virgin Islands	150	50	7	51	62	50	75	46	7	43	33	46
Virginia	7,153	10	444	12	3,016	9	1,897	15	130	14	930	15
Washington	6,745	13	348	16	2,900	12	676	25	55	22	367	23
West Virginia	632	44	35	42	282	42	134	41	5	45	60	44
Wisconsin	2,239	31	111	33	895	33	420	30	29	32	202	33
Wyoming	105	51	7	51	37	52	25	51	2	49	14	50

¹Data are adjusted for delays in reporting cases and deaths and for unreported risk.

Table 4a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Area of residence at AIDS diagnosis	MSM and IDU						Hemophilia/coagulation disorder					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	582	23	44	16	264	23	65	26	*	*	15	31
Alaska	26	48	0	—	7	51	9	49	*	*	4	46
Arizona	847	14	54	9	343	15	75	22	*	*	22	28
Arkansas	280	31	9	37	147	30	33	38	*	*	13	34
California	11,467	1	380	1	4,133	1	557	2	*	*	173	2
Colorado	812	16	51	12	334	16	76	21	*	*	24	25
Connecticut	433	28	11	34	181	28	62	28	*	*	24	25
Delaware	172	37	12	32	70	38	8	51	*	*	3	50
District of Columbia	696	19	18	27	281	21	21	42	*	*	13	34
Florida	4,469	4	204	4	1,638	3	282	3	*	*	103	3
Georgia	1,484	9	52	11	665	6	108	15	*	*	39	14
Guam	1	54	0	—	0	—	3	52	*	*	2	52
Hawaii	171	38	5	40	70	38	17	43	*	*	6	42
Idaho	40	45	3	44	26	44	17	43	*	*	3	50
Illinois	1,507	8	92	5	630	8	214	7	*	*	64	8
Indiana	459	27	25	25	191	26	90	17	*	*	34	17
Iowa	91	42	7	39	44	41	41	34	*	*	17	30
Kansas	231	34	12	32	105	34	47	31	*	*	10	39
Kentucky	223	35	11	34	102	35	81	18	*	*	33	18
Louisiana	1,205	10	38	19	509	10	91	16	*	*	33	18
Maine	38	46	3	44	17	47	24	39	*	*	10	39
Maryland	1,098	11	53	10	450	11	81	18	*	*	31	20
Massachusetts	689	20	36	22	273	22	185	10	*	*	74	7
Michigan	819	15	45	14	306	18	205	8	*	*	64	8
Minnesota	267	32	10	36	113	33	74	23	*	*	23	27
Mississippi	343	30	17	28	145	31	60	29	*	*	30	21
Missouri	860	13	37	21	406	13	153	11	*	*	43	13
Montana	34	47	1	48	24	46	9	49	*	*	4	46
Nebraska	108	40	5	40	50	40	37	35	*	*	11	38
Nevada	406	29	14	31	178	29	12	45	*	*	4	46
New Hampshire	47	44	2	46	26	44	24	39	*	*	12	36
New Jersey	1,796	6	58	8	589	9	251	6	*	*	87	5
New Mexico	205	36	8	38	86	37	24	39	*	*	5	44
New York	5,466	2	213	3	1,622	4	629	1	*	*	293	1
North Carolina	659	21	38	19	297	19	117	12	*	*	37	15
North Dakota	10	52	0	—	3	52	11	46	*	*	5	44
Ohio	747	18	31	23	288	20	201	9	*	*	63	10
Oklahoma	497	25	41	18	188	27	46	32	*	*	14	33
Oregon	475	26	28	24	207	25	71	25	*	*	28	23
Pacific Islands	0	—	0	—	0	—	0	—	*	*	0	—
Pennsylvania	1,539	7	80	7	680	5	261	5	*	*	79	6
Puerto Rico	1,920	5	82	6	651	7	53	30	*	*	15	31
Rhode Island	106	41	4	43	38	42	34	37	*	*	10	39
South Carolina	555	24	22	26	239	24	63	27	*	*	29	22
South Dakota	10	52	0	—	2	53	11	46	*	*	4	46
Tennessee	627	22	44	16	307	17	109	14	*	*	44	12
Texas	5,377	3	230	2	2,277	2	282	3	*	*	96	4
Utah	162	39	16	29	90	36	43	33	*	*	19	29
Vermont	25	49	2	46	15	48	11	46	*	*	6	42
Virgin Islands	20	51	1	48	9	50	0	—	*	*	0	—
Virginia	787	17	47	13	348	14	111	13	*	*	50	11
Washington	998	12	45	14	415	12	80	20	*	*	37	15
West Virginia	71	43	5	40	35	43	37	35	*	*	12	36
Wisconsin	242	33	16	29	128	32	73	24	*	*	26	24
Wyoming	25	49	1	48	13	49	3	52	*	*	0	—

¹Data are adjusted for delays in reporting cases and deaths and for unreported risk.

Table 4a. Area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Area of residence at AIDS diagnosis	Heterosexual contact						Blood transfusion, components, or tissue					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	482	20	65	17	279	20	58	22	*	*	21	18
Alaska	23	48	8	40	19	46	10	44	*	*	0	—
Arizona	184	27	21	28	132	26	110	14	*	*	27	13
Arkansas	164	28	12	34	99	28	24	34	*	*	6	33
California	2,081	6	239	4	1,249	5	1,001	1	*	*	214	1
Colorado	140	30	18	31	98	29	36	29	*	*	14	25
Connecticut	829	13	65	17	499	15	43	25	*	*	14	25
Delaware	125	31	20	29	76	31	8	45	*	*	3	41
District of Columbia	772	15	120	12	566	11	48	23	*	*	21	18
Florida	7,966	1	781	1	4,338	1	651	2	*	*	163	3
Georgia	1,670	7	154	9	954	7	204	6	*	*	75	6
Guam	1	54	0	—	0	—	1	53	*	*	0	—
Hawaii	47	40	5	43	25	42	16	40	*	*	6	33
Idaho	31	45	1	47	17	47	7	46	*	*	3	41
Illinois	885	12	140	11	523	13	194	7	*	*	65	7
Indiana	233	23	24	25	139	24	64	19	*	*	16	23
Iowa	50	39	7	41	40	39	18	37	*	*	6	33
Kansas	82	37	11	35	48	37	32	30	*	*	8	29
Kentucky	193	26	14	32	128	27	30	31	*	*	8	29
Louisiana	727	16	65	17	427	16	155	11	*	*	34	11
Maine	33	44	4	45	22	44	7	46	*	*	1	49
Maryland	1,291	8	145	10	767	9	185	8	*	*	39	10
Massachusetts	646	17	93	15	418	17	116	13	*	*	27	13
Michigan	392	21	45	21	224	22	48	23	*	*	16	23
Minnesota	70	38	22	27	52	36	23	36	*	*	4	39
Mississippi	496	19	64	20	281	19	43	25	*	*	9	28
Missouri	220	24	39	22	134	25	60	21	*	*	24	15
Montana	14	49	0	—	5	51	6	48	*	*	2	46
Nebraska	47	40	7	41	32	40	14	41	*	*	7	31
Nevada	92	36	9	39	56	35	25	33	*	*	6	33
New Hampshire	29	46	2	46	15	48	18	37	*	*	7	31
New Jersey	2,501	3	251	3	1,292	4	273	5	*	*	79	5
New Mexico	47	40	10	37	32	40	13	42	*	*	4	39
New York	5,621	2	767	2	3,827	2	485	3	*	*	175	2
North Carolina	956	11	118	13	524	12	146	12	*	*	56	8
North Dakota	9	51	0	—	5	51	0	—	*	*	0	—
Ohio	391	22	38	23	228	21	81	16	*	*	21	18
Oklahoma	112	32	24	25	71	32	43	25	*	*	5	38
Oregon	102	34	14	32	68	34	38	28	*	*	13	27
Pacific Islands	0	—	0	—	0	—	0	—	*	*	0	—
Pennsylvania	1,222	9	167	7	814	8	157	10	*	*	30	12
Puerto Rico	2,439	4	217	6	1,104	6	84	15	*	*	18	22
Rhode Island	151	29	19	30	93	30	17	39	*	*	2	46
South Carolina	1,043	10	156	8	642	10	80	17	*	*	24	15
South Dakota	9	51	1	47	7	50	2	52	*	*	0	—
Tennessee	521	18	75	16	362	18	62	20	*	*	23	17
Texas	2,374	5	222	5	1,510	3	452	4	*	*	117	4
Utah	29	46	5	43	23	43	13	42	*	*	3	41
Vermont	11	50	1	47	8	49	6	48	*	*	2	46
Virgin Islands	96	35	11	35	46	38	4	50	*	*	1	49
Virginia	826	14	112	14	513	14	166	9	*	*	46	9
Washington	209	25	29	24	140	23	79	18	*	*	19	21
West Virginia	39	43	1	47	20	45	24	34	*	*	3	41
Wisconsin	110	33	10	37	69	33	30	31	*	*	6	33
Wyoming	2	53	0	—	0	—	4	50	*	*	3	41

¹Data are adjusted for delays in reporting cases and deaths and for unreported risk.

Table 4b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States

Area of residence at AIDS diagnosis	Injection drug use						Heterosexual contact					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Alabama	352	21	36	20	192	21	664	22	84	21	416	21
Alaska	22	47	2	44	12	47	39	47	5	45	20	48
Arizona	259	24	21	26	126	26	313	26	42	27	209	26
Arkansas	137	33	9	35	83	32	281	27	39	29	197	27
California	3,511	4	242	6	1,803	4	4,459	4	430	3	2,737	3
Colorado	169	30	16	30	90	29	277	28	20	34	161	30
Connecticut	1,609	11	119	11	891	9	1,293	14	131	19	839	13
Delaware	323	22	26	24	187	22	250	32	42	27	152	32
District of Columbia	1,289	12	98	12	752	12	1,062	17	165	14	778	15
Florida	5,560	3	343	2	2,425	2	11,112	2	1,195	2	6,602	2
Georgia	1,278	13	87	13	666	13	2,289	7	259	9	1,392	7
Guam	1	54	0	—	1	53	4	54	2	49	4	53
Hawaii	50	42	1	46	23	43	94	38	12	38	56	38
Idaho	15	49	0	—	7	49	36	48	1	50	24	47
Illinois	1,910	9	162	10	888	10	1,568	10	282	7	957	10
Indiana	178	29	21	26	84	30	396	25	49	25	238	25
Iowa	35	45	5	39	21	44	92	39	9	41	50	41
Kansas	67	38	5	39	34	39	153	37	18	35	101	37
Kentucky	140	32	11	33	84	30	271	29	32	32	186	28
Louisiana	680	17	61	17	371	16	1,163	16	133	18	731	16
Maine	36	44	2	44	21	44	65	46	5	45	46	43
Maryland	2,923	5	251	4	1,597	5	2,119	8	254	10	1,364	8
Massachusetts	1,706	10	172	9	930	8	1,389	12	194	12	906	12
Michigan	973	14	82	14	426	14	824	19	138	17	508	19
Minnesota	106	36	12	32	71	34	219	34	26	33	145	33
Mississippi	211	28	32	23	129	25	674	21	113	20	413	22
Missouri	227	27	20	28	130	24	566	23	69	23	368	23
Montana	7	52	0	—	5	50	24	49	0	—	13	50
Nebraska	49	43	11	33	27	41	82	41	12	38	50	41
Nevada	238	26	9	35	115	27	265	30	43	26	176	29
New Hampshire	56	39	1	46	36	38	70	45	5	45	51	40
New Jersey	6,146	2	281	3	2,244	3	4,951	3	372	4	2,471	4
New Mexico	52	41	3	43	25	42	74	43	7	43	43	45
New York	18,211	1	966	1	7,312	1	13,660	1	1,291	1	7,658	1
North Carolina	731	15	62	16	332	17	1,222	15	140	16	668	17
North Dakota	2	53	0	—	1	53	6	53	1	50	4	53
Ohio	396	19	36	20	212	20	787	20	77	22	449	20
Oklahoma	133	34	22	25	64	35	221	33	38	30	118	35
Oregon	109	35	5	39	58	36	194	36	14	36	116	36
Pacific Islands	0	—	0	—	0	—	1	55	0	—	0	—
Pennsylvania	2,347	7	251	4	1,434	7	2,020	9	283	6	1,359	9
Puerto Rico	2,185	8	179	8	856	11	3,373	5	276	8	1,617	6
Rhode Island	268	23	13	31	112	28	198	35	14	36	122	34
South Carolina	524	18	46	19	250	18	1,540	11	201	11	956	11
South Dakota	10	50	1	46	5	50	12	51	0	—	5	51
Tennessee	357	20	53	18	237	19	886	18	159	15	614	18
Texas	2,512	6	230	7	1,493	6	3,309	6	371	5	2,275	5
Utah	89	37	6	37	42	37	75	42	12	38	52	39
Vermont	19	48	1	46	10	48	22	50	3	48	18	49
Virgin Islands	34	46	5	39	19	46	92	39	7	43	46	43
Virginia	721	16	73	15	379	15	1,300	13	166	13	789	14
Washington	246	25	35	22	157	23	407	24	51	24	283	24
West Virginia	54	40	6	37	30	40	71	44	8	42	43	45
Wisconsin	155	31	17	29	77	33	259	31	38	30	153	31
Wyoming	8	51	0	—	3	52	10	52	1	50	5	51

¹Data are adjusted for delays in reporting cases and deaths and for unreported risk.

Table 4b. Area of residence at AIDS diagnosis among adult and adolescent women ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Area of residence at AIDS diagnosis	Blood transfusion, components, or tissue					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Alabama	39	24	*	*	18	18
Alaska	4	44	*	*	0	—
Arizona	70	15	*	*	34	12
Arkansas	22	30	*	*	10	27
California	737	1	*	*	227	1
Colorado	42	22	*	*	7	28
Connecticut	39	24	*	*	11	25
Delaware	16	35	*	*	7	28
District of Columbia	54	18	*	*	25	14
Florida	559	2	*	*	190	2
Georgia	170	7	*	*	68	6
Guam	0	—	*	*	0	—
Hawaii	12	39	*	*	7	28
Idaho	3	47	*	*	1	43
Illinois	142	8	*	*	40	10
Indiana	49	20	*	*	16	20
Iowa	13	37	*	*	3	40
Kansas	18	33	*	*	4	38
Kentucky	21	32	*	*	7	28
Louisiana	108	12	*	*	37	11
Maine	4	44	*	*	1	43
Maryland	174	6	*	*	49	7
Massachusetts	122	9	*	*	49	7
Michigan	41	23	*	*	19	16
Minnesota	17	34	*	*	6	35
Mississippi	37	26	*	*	13	23
Missouri	46	21	*	*	7	28
Montana	3	47	*	*	0	—
Nebraska	10	42	*	*	3	40
Nevada	16	35	*	*	5	36
New Hampshire	12	39	*	*	4	38
New Jersey	296	4	*	*	103	4
New Mexico	10	42	*	*	7	28
New York	409	3	*	*	177	3
North Carolina	98	14	*	*	47	9
North Dakota	2	51	*	*	1	43
Ohio	57	17	*	*	19	16
Oklahoma	30	28	*	*	11	25
Oregon	24	29	*	*	7	28
Pacific Islands	1	53	*	*	1	43
Pennsylvania	116	10	*	*	16	20
Puerto Rico	107	13	*	*	15	22
Rhode Island	4	44	*	*	1	43
South Carolina	59	16	*	*	21	15
South Dakota	2	51	*	*	1	43
Tennessee	37	26	*	*	12	24
Texas	278	5	*	*	90	5
Utah	11	41	*	*	3	40
Vermont	1	53	*	*	1	43
Virgin Islands	3	47	*	*	1	43
Virginia	115	11	*	*	31	13
Washington	51	19	*	*	17	19
West Virginia	13	37	*	*	1	43
Wisconsin	22	30	*	*	5	36
Wyoming	3	47	*	*	0	—

¹Data are adjusted for delays in reporting cases and deaths and for unreported risk.

Table 5. Metropolitan area of residence at AIDS diagnosis among adults and adolescents ranked by number and rate of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States

Metropolitan area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS rate (per 100,000) reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	Rate	Rank	No.	Rank
Akron, OH	586	96	30	99	5.3	99	265	96
Albany-Schenectady, NY	1,729	67	117	62	16.1	41	925	56
Albuquerque, NM	1,101	81	72	80	12.4	61	486	83
Allentown, PA	829	88	50	90	9.4	81	423	86
Ann Arbor, MI	398	100	35	97	7.3	92	197	100
Atlanta, GA	15,751	10	699	13	21.2	31	7,233	9
Austin, TX	3,856	38	181	41	17.8	39	1,769	40
Bakersfield, CA	1,025	84	86	73	16.9	40	568	82
Baltimore, MD	14,298	12	965	8	46.3	8	6,895	10
Baton Rouge, LA	1,889	62	143	54	29.4	17	911	58
Bergen-Passaic, NJ	5,396	30	209	38	18.5	38	1,998	34
Birmingham, AL	1,887	63	114	65	15.1	44	933	55
Boston, MA	14,112	13	1,017	7	20.4	34	6,598	11
Buffalo, NY	1,811	64	82	75	8.5	86	848	65
Charleston, SC	1,553	72	116	63	25.9	21	735	70
Charlotte, NC	2,098	55	125	60	10.3	77	912	57
Chicago, IL	21,415	6	1,512	4	22.8	26	8,761	7
Cincinnati, OH	1,897	61	74	78	5.6	98	784	67
Cleveland, OH	3,319	42	163	49	8.9	85	1,597	43
Colorado Springs, CO	453	98	24	100	5.8	97	201	99
Columbia, SC	2,021	57	153	51	34.7	13	1,097	52
Columbus, OH	2,214	54	116	63	9.3	82	766	68
Dallas, TX	12,353	15	652	15	23.4	24	5,626	15
Dayton, OH	996	86	64	83	8.2	89	413	88
Denver, CO	5,615	28	250	32	14.6	49	2,324	29
Detroit, MI	7,734	19	548	16	15.3	43	3,328	21
El Paso, TX	1,070	82	77	76	14.7	48	588	80
Fort Lauderdale, FL	12,669	14	853	10	63.5	3	5,799	13
Fort Wayne, IN	311	103	24	100	6	96	122	103
Fort Worth, TX	3,240	43	190	40	14	51	1,502	44
Fresno, CA	1,200	78	93	71	13.1	57	483	84
Gary, IN	730	93	58	85	11.3	67	318	95
Grand Rapids, MI	762	90	36	96	4.2	101	333	92
Greensboro, NC	1,661	70	95	69	9.2	83	691	72
Greenville, SC	1,501	74	119	61	15.1	44	744	69
Harrisburg, PA	1,014	85	71	81	13.5	55	574	81
Hartford, CT	3,962	34	234	36	24.7	23	2,106	33
Honolulu, HI	1,786	65	83	74	11.5	66	677	73
Houston, TX	18,948	7	683	14	20.8	33	8,037	8
Indianapolis, IN	2,874	48	161	50	12.4	61	1,296	47
Jacksonville, FL	4,408	33	285	29	31.9	16	2,201	31
Jersey City, NJ	6,478	25	219	37	43.1	9	2,303	30
Kansas City, MO	3,924	36	176	42	12.3	63	1,817	37
Knoxville, TN	726	95	45	91	7.8	91	357	89
Las Vegas, NV	3,592	40	249	33	19.7	36	1,787	38
Little Rock, AR	1,043	83	54	88	11.3	67	607	77
Los Angeles, CA	41,936	2	1,644	2	21.8	30	16,028	2
Louisville, KY	1,630	71	91	72	10.8	72	848	66
McAllen, TX	370	101	40	94	9.5	80	218	98
Memphis, TN	3,158	45	319	23	35.4	12	1,785	39

¹Data are adjusted for delays in reporting cases and deaths.

Table 5. Metropolitan area of residence at AIDS diagnosis among adults and adolescents ranked by number and rate of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States — continued

Metropolitan area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS caese reported in 2000		AIDS (rate per 100,000) reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	Rate	Rank	No.	Rank
Miami, FL	23,656	4	1,299	6	70.1	1	10,349	4
Middlesex, NJ	3,134	46	130	57	13.6	54	1,200	50
Milwaukee, WI	1,959	59	132	55	10.9	71	866	63
Minneapolis, MN	3,330	41	170	46	7.1	93	1,475	45
Mobile, AL	1,191	79	98	68	22.4	28	592	78
Monmouth-Ocean, NJ	2,815	49	128	59	13.9	52	1,052	53
Nashville, TN	2,722	50	326	22	32.3	15	1,670	42
Nassau-Suffolk, NY	6,535	24	240	35	10.7	74	2,774	26
New Haven, CT	6,440	26	309	25	22.2	29	3,378	20
New Orleans, LA	6,876	21	319	23	29.4	17	2,974	23
New York, NY	118,123	1	5,340	1	69.9	2	46,261	1
Newark, NJ	16,765	9	771	11	46.8	7	6,083	12
Norfolk, VA	3,727	39	268	31	21.1	32	1,845	36
Oakland, CA	7,988	18	271	30	13.9	52	3,156	22
Oklahoma City, OK	1,774	66	205	39	23.1	25	728	71
Omaha, NE	754	92	53	89	9.2	83	347	90
Orange County, CA	5,602	29	287	28	12.6	60	2,631	27
Orlando, FL	5,931	27	352	21	26.1	20	2,936	25
Philadelphia, PA	18,769	8	1,351	5	32.4	14	9,441	6
Phoenix, AZ	5,264	31	293	26	11.3	67	2,406	28
Pittsburgh, PA	2,351	52	104	67	5.2	100	902	60
Portland, OR	3,871	37	174	43	11.1	70	1,708	41
Providence, RI	1,906	60	95	69	11.9	64	871	62
Raleigh-Durham, NC	1,993	58	144	53	14.8	47	908	59
Richmond, VA	2,591	51	165	48	20.2	35	1,177	51
Riverside-San Bernardino, CA	6,872	22	394	20	15.7	42	3,389	19
Rochester, NY	2,321	53	75	77	8.4	87	1,247	49
Sacramento, CA	3,204	44	173	45	13.2	56	1,286	48
St. Louis, MO	4,690	32	246	34	11.6	65	2,187	32
Salt Lake City, UT	1,694	69	131	56	12.7	59	877	61
San Antonio, TX	3,935	35	166	47	13.1	57	1,877	35
San Diego, CA	10,541	16	439	19	19.3	37	4,610	16
San Francisco, CA	27,808	3	756	12	50.6	6	9,454	5
San Jose, CA	3,124	47	110	66	8	90	1,330	46
San Juan, PR	15,427	11	871	9	55.5	5	5,733	14
Sarasota, FL	1,444	75	129	58	25.2	22	654	76
Scranton, PA	429	99	19	102	3.6	102	177	101
Seattle, WA	6,644	23	288	27	14.4	50	2,971	24
Springfield, MA	1,729	67	147	52	29.2	19	860	64
Stockton, CA	756	91	37	95	8.4	87	327	94
Syracuse, NY	1,258	77	58	85	9.7	79	592	79
Tacoma, WA	830	87	57	87	10.1	78	417	87
Tampa-Saint Petersburg, FL	8,304	17	453	18	22.5	27	3,776	17
Toledo, OH	570	97	31	98	6.2	95	239	97
Tucson, AZ	1,510	73	73	79	10.5	75	676	74
Tulsa, OK	1,128	80	70	82	10.8	72	480	85
Vallejo, CA	1,374	76	62	84	14.9	46	664	75
Ventura, CA	814	89	42	93	7	94	333	93
Washington, D.C.	22,902	5	1,541	3	38.5	10	11,603	3
West Palm Beach, FL	7,462	20	541	17	56.6	4	3,544	18
Wichita, KS	728	94	45	91	10.4	76	339	91
Wilmington, DE	2,041	56	174	43	36.4	11	1,000	54
Youngstown, OH	367	102	18	103	3.6	102	170	102

¹Data are adjusted for delays in reporting cases and deaths.

Table 6a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States

Metropolitan area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Akron, OH	531	96	24	98	232	96
Albany-Schenectady, NY	1,374	71	81	65	683	63
Albuquerque, NM	1,032	78	68	76	452	83
Allentown, PA	609	95	38	90	293	90
Ann Arbor, MI	349	100	28	96	165	100
Atlanta, GA	13,682	9	550	12	6,063	9
Austin, TX	3,407	36	145	43	1,495	38
Bakersfield, CA	944	83	80	66	530	77
Baltimore, MD	10,560	14	649	9	4,757	12
Baton Rouge, LA	1,480	66	85	64	647	66
Bergen-Passaic, NJ	3,821	32	138	46	1,328	42
Birmingham, AL	1,621	62	94	57	772	54
Boston, MA	11,293	13	734	7	4,903	11
Buffalo, NY	1,481	65	60	79	657	65
Charleston, SC	1,270	72	93	61	572	74
Charlotte, NC	1,744	55	95	56	736	56
Chicago, IL	18,255	6	1,147	3	7,114	7
Cincinnati, OH	1,750	54	65	77	701	61
Cleveland, OH	2,865	43	126	48	1,325	43
Colorado Springs, CO	406	98	21	100	178	99
Columbia, SC	1,641	59	117	51	858	50
Columbus, OH	2,037	52	94	57	673	64
Dallas, TX	11,348	12	530	13	4,917	10
Dayton, OH	894	85	55	81	349	86
Denver, CO	5,273	24	226	27	2,146	28
Detroit, MI	6,323	19	400	16	2,600	21
El Paso, TX	969	81	69	74	531	76
Fort Lauderdale, FL	9,752	16	611	11	4,258	13
Fort Wayne, IN	277	103	17	101	107	103
Fort Worth, TX	2,800	45	150	40	1,234	45
Fresno, CA	1,021	79	69	74	386	85
Gary, IN	625	94	49	85	268	94
Grand Rapids, MI	684	89	26	97	282	93
Greensboro, NC	1,378	70	74	70	561	75
Greenville, SC	1,255	74	94	57	604	71
Harrisburg, PA	843	86	57	80	457	82
Hartford, CT	3,044	39	151	39	1,550	35
Honolulu, HI	1,681	58	74	70	625	69
Houston, TX	16,623	7	506	14	6,542	8
Indianapolis, IN	2,614	46	142	45	1,147	47
Jacksonville, FL	3,339	37	190	34	1,542	36
Jersey City, NJ	4,848	28	156	37	1,674	31
Kansas City, MO	3,627	34	145	43	1,628	33
Knoxville, TN	653	92	39	88	311	88
Las Vegas, NV	3,136	38	202	31	1,527	37
Little Rock, AR	922	84	46	86	528	78
Los Angeles, CA	38,978	2	1,416	2	14,400	2
Louisville, KY	1,434	68	73	72	721	57
McAllen, TX	334	101	37	93	192	98
Memphis, TN	2,576	47	217	28	1,390	41

¹Data are adjusted for delays in reporting cases and deaths.

Table 6a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States — continued

Metropolitan area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Miami, FL	18,259	5	901	6	7,642	5
Middlesex, NJ	2,287	49	87	62	808	52
Milwaukee, WI	1,698	57	87	62	714	58
Minneapolis, MN	3,001	41	134	47	1,251	44
Mobile, AL	967	82	76	69	467	81
Monmouth-Ocean, NJ	2,023	53	80	66	703	60
Nashville, TN	2,380	48	264	22	1,405	40
Nassau-Suffolk, NY	4,992	26	160	36	1,978	29
New Haven, CT	4,694	30	197	33	2,349	25
New Orleans, LA	5,881	22	236	26	2,402	22
New York, NY	89,835	1	3,683	1	33,161	1
Newark, NJ	11,522	11	496	15	3,932	16
Norfolk, VA	3,044	39	206	30	1,445	39
Oakland, CA	6,986	17	211	29	2,628	20
Oklahoma City, OK	1,627	60	176	35	646	68
Omaha, NE	658	91	38	90	287	92
Orange County, CA	5,143	25	252	25	2,342	26
Orlando, FL	4,903	27	273	21	2,378	23
Philadelphia, PA	15,322	8	960	5	7,168	6
Phoenix, AZ	4,832	29	254	23	2,158	27
Pittsburgh, PA	2,080	51	80	66	760	55
Portland, OR	3,632	33	154	38	1,573	34
Providence, RI	1,466	67	72	73	647	67
Raleigh-Durham, NC	1,622	61	106	53	699	62
Richmond, VA	2,138	50	119	50	935	49
Riverside-San Bernardino, CA	6,193	21	336	19	2,962	18
Rochester, NY	1,717	56	53	84	845	51
Sacramento, CA	2,901	42	150	40	1,122	48
St. Louis, MO	4,230	31	198	32	1,914	30
Salt Lake City, UT	1,543	64	117	51	790	53
San Antonio, TX	3,616	35	150	40	1,671	32
San Diego, CA	9,846	15	394	17	4,208	15
San Francisco, CA	26,664	3	683	8	8,842	4
San Jose, CA	2,858	44	94	57	1,180	46
San Juan, PR	11,965	10	623	10	4,257	14
Sarasota, FL	1,188	76	103	55	512	79
Scranton, PA	368	99	15	102	146	102
Seattle, WA	6,287	20	253	24	2,733	19
Springfield, MA	1,261	73	106	53	598	73
Stockton, CA	653	92	31	95	264	95
Syracuse, NY	1,065	77	42	87	469	80
Tacoma, WA	687	88	39	88	311	87
Tampa-Saint Petersburg, FL	6,911	18	336	19	2,978	17
Toledo, OH	484	97	22	99	197	97
Tucson, AZ	1,396	69	62	78	605	70
Tulsa, OK	1,021	79	55	81	420	84
Vallejo, CA	1,250	75	55	81	603	72
Ventura, CA	733	87	38	90	298	89
Washington, D.C.	18,843	4	1,139	4	8,932	3
West Palm Beach, FL	5,296	23	344	18	2,354	24
Wichita, KS	667	90	36	94	292	91
Wilmington, DE	1,549	63	122	49	708	59
Youngstown, OH	317	102	15	102	147	101

¹Data are adjusted for delays in reporting cases and deaths.

Table 6b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States

Metropolitan area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Akron, OH	55	98	6	94	34	97
Albany-Schenectady, NY	354	50	36	46	241	47
Albuquerque, NM	69	95	4	98	34	96
Allentown, PA	220	70	12	80	131	68
Ann Arbor, MI	49	100	7	91	31	99
Atlanta, GA	2,069	14	149	14	1,171	14
Austin, TX	449	42	36	46	275	37
Bakersfield, CA	81	91	6	94	39	94
Baltimore, MD	3,738	5	316	6	2,138	6
Baton Rouge, LA	409	46	58	31	264	42
Bergen-Passaic, NJ	1,575	17	71	26	670	20
Birmingham, AL	266	62	20	68	161	60
Boston, MA	2,819	11	283	7	1,695	7
Buffalo, NY	330	54	22	63	191	54
Charleston, SC	283	59	23	60	163	59
Charlotte, NC	354	50	30	53	176	57
Chicago, IL	3,160	8	365	5	1,647	8
Cincinnati, OH	147	77	9	83	84	78
Cleveland, OH	454	40	37	45	272	39
Colorado Springs, CO	47	101	3	101	22	102
Columbia, SC	380	47	36	46	239	48
Columbus, OH	177	74	22	63	93	76
Dallas, TX	1,005	24	122	16	709	19
Dayton, OH	102	87	9	83	64	82
Denver, CO	342	52	24	57	178	56
Detroit, MI	1,411	19	148	15	728	18
El Paso, TX	101	88	8	89	58	87
Fort Lauderdale, FL	2,917	10	242	10	1,541	10
Fort Wayne, IN	34	103	7	91	15	103
Fort Worth, TX	440	43	40	42	268	40
Fresno, CA	179	73	24	57	97	75
Gary, IN	105	84	9	83	50	90
Grand Rapids, MI	78	93	10	82	51	89
Greensboro, NC	283	59	21	67	130	69
Greenville, SC	246	67	25	56	141	66
Harrisburg, PA	171	75	14	78	117	73
Hartford, CT	918	27	83	21	556	26
Honolulu, HI	105	84	9	83	52	88
Houston, TX	2,325	12	177	13	1,495	11
Indianapolis, IN	260	65	19	70	148	63
Jacksonville, FL	1,069	22	95	20	659	21
Jersey City, NJ	1,630	16	63	27	630	22
Kansas City, MO	297	58	31	52	189	55
Knoxville, TN	73	94	6	94	46	92
Las Vegas, NV	456	39	47	36	260	44
Little Rock, AR	121	81	8	89	79	80
Los Angeles, CA	2,958	9	228	11	1,628	9
Louisville, KY	196	71	18	71	127	70
McAllen, TX	36	102	3	101	26	100
Memphis, TN	582	34	102	19	395	32

¹Data are adjusted for delays in reporting cases and deaths.

Table 6b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, United States — continued

Metropolitan area of residence at AIDS diagnosis	AIDS cases reported through 2000		AIDS cases reported in 2000		AIDS prevalence at the end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Miami, FL	5,397	2	398	3	2,707	2
Middlesex, NJ	847	28	43	40	392	33
Milwaukee, WI	261	64	45	38	152	61
Minneapolis, MN	329	55	36	46	224	51
Mobile, AL	224	69	22	63	126	71
Monmouth-Ocean, NJ	792	29	48	34	349	34
Nashville, TN	342	52	62	28	265	41
Nassau-Suffolk, NY	1,543	18	80	23	795	17
New Haven, CT	1,746	15	112	18	1,029	15
New Orleans, LA	995	26	83	21	572	24
New York, NY	28,288	1	1,657	1	13,100	1
Newark, NJ	5,243	3	275	8	2,151	5
Norfolk, VA	683	31	62	28	400	31
Oakland, CA	1,002	25	60	30	528	27
Oklahoma City, OK	147	77	29	54	82	79
Omaha, NE	96	89	15	76	60	85
Orange County, CA	459	38	35	50	289	36
Orlando, FL	1,028	23	79	24	559	25
Philadelphia, PA	3,447	7	391	4	2,273	4
Phoenix, AZ	432	45	39	43	248	45
Pittsburgh, PA	271	61	24	57	142	65
Portland, OR	239	68	20	68	134	67
Providence, RI	440	43	23	60	225	50
Raleigh-Durham, NC	371	48	38	44	209	52
Richmond, VA	453	41	46	37	243	46
Riverside-San Bernardino, CA	679	32	58	31	427	28
Rochester, NY	604	33	22	63	402	30
Sacramento, CA	303	57	23	60	165	58
St. Louis, MO	460	37	48	34	273	38
Salt Lake City, UT	151	76	14	78	87	77
San Antonio, TX	319	56	16	73	206	53
San Diego, CA	695	30	45	38	403	29
San Francisco, CA	1,144	21	73	25	612	23
San Jose, CA	266	62	16	73	150	62
San Juan, PR	3,462	6	248	9	1,476	12
Sarasota, FL	256	66	26	55	142	64
Scranton, PA	61	96	4	98	32	98
Seattle, WA	357	49	35	50	238	49
Springfield, MA	468	36	41	41	262	43
Stockton, CA	103	86	6	94	64	83
Syracuse, NY	193	72	16	73	123	72
Tacoma, WA	143	79	18	71	105	74
Tampa-Saint Petersburg, FL	1,393	20	117	17	798	16
Toledo, OH	86	90	9	83	41	93
Tucson, AZ	114	82	11	81	71	81
Tulsa, OK	107	83	15	76	60	86
Vallejo, CA	124	80	7	91	61	84
Ventura, CA	81	91	4	98	35	95
Washington, D.C.	4,059	4	402	2	2,671	3
West Palm Beach, FL	2,166	13	197	12	1,190	13
Wichita, KS	61	96	9	83	46	91
Wilmington, DE	492	35	52	33	292	35
Youngstown, OH	50	99	3	101	23	101

¹Data are adjusted for delays in reporting cases and deaths.

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States

Metropolitan area of residence at AIDS diagnosis	White, not Hispanic						Black, not Hispanic					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	355	91	16	88	158	90	170	82	8	87	69	82
Albany-Schenectady, NY	737	62	34	59	311	63	429	63	40	49	257	59
Albuquerque, NM	578	73	25	70	241	70	50	97	5	94	27	97
Allentown, PA	285	95	15	90	110	94	83	94	11	81	55	87
Ann Arbor, MI	254	98	20	79	107	96	81	95	6	90	48	93
Atlanta, GA	5,952	10	126	20	2,120	12	7,421	8	405	7	3,759	5
Austin, TX	2,012	32	84	32	827	32	761	45	19	73	343	44
Bakersfield, CA	430	89	25	70	200	81	241	77	26	66	166	69
Baltimore, MD	2,235	29	93	25	910	29	8,176	5	549	5	3,763	4
Baton Rouge, LA	561	75	13	93	208	79	907	38	71	31	435	39
Bergen-Passaic, NJ	1,479	42	41	52	464	48	1,543	27	65	35	500	34
Birmingham, AL	706	64	29	64	299	64	908	37	65	35	466	37
Boston, MA	7,105	7	407	4	2,687	6	2,328	18	170	15	1,126	17
Buffalo, NY	650	66	18	85	251	68	624	49	28	65	296	50
Charleston, SC	478	87	25	70	206	80	777	43	63	38	354	43
Charlotte, NC	616	69	25	70	235	72	1,088	32	68	33	476	36
Chicago, IL	7,240	6	300	7	2,399	9	8,481	3	647	3	3,525	6
Cincinnati, OH	1,163	51	29	64	432	52	561	56	31	60	249	60
Cleveland, OH	1,373	46	44	49	586	43	1,292	30	67	34	619	29
Colorado Springs, CO	307	94	15	90	131	92	50	97	4	96	21	99
Columbia, SC	499	80	20	79	217	76	1,125	31	95	26	630	28
Columbus, OH	1,527	41	61	40	463	49	471	61	31	60	189	66
Dallas, TX	7,585	5	270	8	2,877	5	2,507	16	176	14	1,350	13
Dayton, OH	623	68	32	61	212	77	257	73	21	71	130	73
Denver, CO	3,960	16	134	17	1,520	17	545	57	34	56	271	57
Detroit, MI	2,237	28	128	19	911	28	3,958	11	265	10	1,624	11
El Paso, TX	180	101	6	101	65	101	40	100	2	101	22	98
Fort Lauderdale, FL	5,515	11	302	6	2,173	10	3,370	12	241	11	1,577	12
Fort Wayne, IN	228	99	11	96	87	99	43	99	5	94	16	101
Fort Worth, TX	1,835	37	79	33	737	37	675	47	40	49	336	45
Fresno, CA	516	79	18	85	148	91	173	81	16	76	82	80
Gary, IN	273	96	13	93	106	97	300	70	29	63	136	72
Grand Rapids, MI	498	81	16	88	200	81	115	88	6	90	49	91
Greensboro, NC	536	76	23	76	182	88	807	40	45	44	355	42
Greenville, SC	629	67	35	58	292	66	601	52	56	40	292	51
Harrisburg, PA	485	84	30	63	227	74	258	72	22	70	170	68
Hartford, CT	1,029	53	56	43	466	47	1,065	33	40	49	506	33
Honolulu, HI	1,028	54	40	53	372	55	91	92	4	96	43	95
Houston, TX	9,414	4	171	14	3,017	4	4,689	10	215	13	2,252	10
Indianapolis, IN	1,883	35	87	28	799	33	679	46	49	42	320	47
Jacksonville, FL	1,625	40	73	35	704	38	1,622	25	108	24	787	23
Jersey City, NJ	1,636	39	31	62	497	45	1,649	23	65	35	566	31
Kansas City, MO	2,625	25	85	30	1,088	24	800	41	44	45	431	40
Knoxville, TN	518	78	28	68	243	69	120	86	9	84	57	86
Las Vegas, NV	2,078	31	117	24	944	26	579	54	41	48	289	53
Little Rock, AR	597	71	22	78	327	61	316	67	24	68	194	65
Los Angeles, CA	20,186	2	461	2	6,009	3	7,202	9	320	9	2,796	8
Louisville, KY	910	59	34	59	424	53	499	60	37	54	279	54
McAllen, TX	34	102	2	102	16	102	3	102	0	—	1	102
Memphis, TN	912	58	46	46	438	51	1,638	24	168	16	934	19
Miami, FL	3,889	17	118	23	1,522	16	7,476	7	480	6	3,158	7
Middlesex, NJ	1,087	52	29	64	335	60	763	44	40	49	274	56
Milwaukee, WI	941	56	40	53	319	62	610	51	44	45	319	48
Minneapolis, MN	2,264	27	69	37	850	31	530	59	44	45	291	52
Mobile, AL	418	90	19	83	188	86	542	58	56	40	276	55

¹Data are adjusted for delays in reporting cases and deaths.

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	White, not Hispanic						Black, not Hispanic					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	1,164	50	42	51	372	55	666	48	29	63	234	62
Nashville, TN	1,449	44	144	16	780	35	886	39	111	23	594	30
Nassau-Suffolk, NY	2,761	23	54	44	936	27	1,653	22	76	29	734	25
New Haven, CT	1,864	36	69	37	873	30	1,885	19	70	32	927	20
New Orleans, LA	3,125	22	79	33	1,145	23	2,544	15	149	18	1,150	16
New York, NY	26,222	1	769	1	8,245	1	35,224	1	1,682	1	13,463	1
Newark, NJ	1,973	34	60	41	611	41	8,096	6	355	8	2,670	9
Norfolk, VA	1,175	49	46	46	524	44	1,787	20	155	17	878	22
Oakland, CA	3,646	18	70	36	1,222	21	2,470	17	104	25	1,019	18
Oklahoma City, OK	1,247	48	122	21	454	50	255	74	38	53	128	74
Omaha, NE	487	83	19	83	195	84	128	84	10	83	63	85
Orange County, CA	3,591	20	133	18	1,421	19	223	78	11	81	122	76
Orlando, FL	2,710	24	91	27	1,219	22	1,418	28	122	21	727	26
Philadelphia, PA	5,321	12	253	9	2,140	11	8,453	4	619	4	4,165	3
Phoenix, AZ	3,646	18	165	15	1,516	18	355	66	30	62	196	64
Pittsburgh, PA	1,425	45	50	45	470	46	615	50	26	66	264	58
Portland, OR	3,199	21	122	21	1,319	20	185	79	14	78	106	79
Providence, RI	913	57	39	56	342	58	302	69	18	75	151	70
Raleigh-Durham, NC	578	73	20	79	200	81	995	35	75	30	461	38
Richmond, VA	701	65	24	74	283	67	1,395	29	92	27	632	27
Riverside-San Bernardino, CA	4,040	15	213	10	1,864	15	795	42	46	43	393	41
Rochester, NY	852	61	11	96	355	57	589	53	33	58	329	46
Sacramento, CA	2,079	30	87	28	776	36	459	62	32	59	188	67
St. Louis, MO	2,473	26	65	39	994	25	1,689	21	130	19	888	21
Salt Lake City, UT	1,276	47	85	30	626	40	95	91	13	80	53	89
San Antonio, TX	1,469	43	44	49	609	42	392	65	20	72	206	63
San Diego, CA	6,710	8	194	11	2,560	7	1,055	34	58	39	508	32
San Francisco, CA	19,899	3	426	3	6,058	2	3,106	13	125	20	1,264	15
San Jose, CA	1,766	38	36	57	644	39	253	75	6	90	126	75
San Juan, PR	31	103	2	102	10	103	0	—	0	—	0	—
Sarasota, FL	856	60	58	42	338	59	245	76	35	55	121	77
Scranton, PA	263	97	9	99	95	98	63	96	3	99	30	96
Seattle, WA	5,146	13	186	12	2,107	13	565	55	34	56	306	49
Springfield, MA	483	85	27	69	190	85	274	71	24	68	113	78
Stockton, CA	340	92	12	95	110	94	119	87	6	90	55	87
Syracuse, NY	593	72	18	85	233	73	309	68	15	77	149	71
Tacoma, WA	490	82	29	64	226	75	123	85	8	87	49	91
Tampa-Saint Petersburg, FL	4,739	14	182	13	1,959	14	1,559	26	121	22	738	24
Toledo, OH	330	93	9	99	119	93	137	83	9	84	66	83
Tucson, AZ	965	55	45	48	390	54	98	90	7	89	47	94
Tulsa, OK	736	63	40	53	295	65	177	80	14	78	79	81
Vallejo, CA	605	70	23	76	238	71	427	64	19	73	239	61
Ventura, CA	451	88	15	90	167	89	34	101	3	99	17	100
Washington, D.C.	6,433	9	338	5	2,430	8	11,467	2	722	2	5,923	2
West Palm Beach, FL	2,000	33	92	26	787	34	2,893	14	221	12	1,345	14
Wichita, KS	526	77	20	79	211	78	89	93	9	84	50	90
Wilmington, DE	479	86	24	74	184	87	984	36	90	28	478	35
Youngstown, OH	199	100	11	96	79	100	108	89	4	96	64	84

¹Data are adjusted for delays in reporting cases and deaths.

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	Hispanic						Asian/Pacific Islander					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	5	103	0	—	3	102	1	84	0	—	1	77
Albany-Schenectady, NY	202	48	7	64	113	48	4	61	0	—	2	66
Albuquerque, NM	364	36	32	30	164	37	4	61	1	32	2	66
Allentown, PA	241	45	12	49	128	46	0	—	0	—	0	—
Ann Arbor, MI	13	93	2	84	9	93	1	84	0	—	1	77
Atlanta, GA	281	41	16	42	164	37	18	31	2	18	11	25
Austin, TX	620	28	40	27	313	27	6	56	2	18	4	49
Bakersfield, CA	254	44	27	39	153	39	5	60	0	—	3	60
Baltimore, MD	119	61	5	70	70	61	16	35	1	32	10	27
Baton Rouge, LA	10	97	1	94	4	99	1	84	0	—	0	—
Bergen-Passaic, NJ	773	21	29	35	349	24	19	29	2	18	12	22
Birmingham, AL	6	101	0	—	5	97	1	84	0	—	1	77
Boston, MA	1,755	9	137	6	1,011	9	79	12	18	5	62	9
Buffalo, NY	191	51	12	49	98	52	6	56	2	18	5	45
Charleston, SC	12	95	3	77	9	93	2	75	1	32	2	66
Charlotte, NC	28	84	2	84	18	83	2	75	0	—	1	77
Chicago, IL	2,394	7	185	5	1,116	7	119	8	9	8	61	10
Cincinnati, OH	14	92	1	94	10	91	8	49	2	18	5	45
Cleveland, OH	192	50	13	48	112	49	7	53	2	18	6	41
Colorado Springs, CO	44	75	2	84	23	79	4	61	0	—	2	66
Columbia, SC	15	91	2	84	10	91	1	84	0	—	0	—
Columbus, OH	29	83	2	84	15	86	8	49	0	—	4	49
Dallas, TX	1,173	16	79	13	640	14	47	16	1	32	27	16
Dayton, OH	13	93	2	84	6	96	1	84	0	—	1	77
Denver, CO	723	24	55	22	340	25	18	31	1	32	6	41
Detroit, MI	117	62	6	68	58	63	8	49	1	32	5	45
El Paso, TX	745	23	61	17	442	21	2	75	0	—	1	77
Fort Lauderdale, FL	839	19	64	16	493	20	19	29	2	18	11	25
Fort Wayne, IN	6	101	1	94	4	99	0	—	0	—	0	—
Fort Worth, TX	273	42	28	38	151	41	11	41	2	18	6	41
Fresno, CA	309	37	30	34	145	43	14	37	3	13	8	35
Gary, IN	49	72	7	64	26	73	3	66	0	—	1	77
Grand Rapids, MI	60	69	3	77	29	70	6	56	1	32	4	49
Greensboro, NC	25	86	5	70	20	81	3	66	0	—	2	66
Greenville, SC	21	88	3	77	17	85	2	75	0	—	1	77
Harrisburg, PA	97	63	5	70	59	62	2	75	0	—	1	77
Hartford, CT	934	17	55	22	569	17	7	53	0	—	4	49
Honolulu, HI	84	65	3	77	41	67	469	4	27	3	164	4
Houston, TX	2,453	6	116	8	1,231	5	57	13	2	18	34	13
Indianapolis, IN	49	72	6	68	26	73	2	75	0	—	2	66
Jacksonville, FL	86	64	8	59	45	65	3	66	1	32	2	66
Jersey City, NJ	1,518	11	59	19	591	16	30	20	1	32	14	20
Kansas City, MO	163	56	15	44	92	53	9	44	0	—	4	49
Knoxville, TN	11	96	1	94	8	95	3	66	1	32	3	60
Las Vegas, NV	418	32	41	26	259	32	39	17	2	18	23	17
Little Rock, AR	7	99	0	—	5	97	0	—	0	—	0	—
Los Angeles, CA	10,613	3	596	3	5,170	2	759	1	31	2	333	1
Louisville, KY	21	88	2	84	14	88	3	66	0	—	3	60
McAllen, TX	297	40	35	29	175	36	0	—	0	—	0	—
Memphis, TN	22	87	3	77	15	86	2	75	0	—	3	60
Miami, FL	6,859	4	301	4	2,946	4	30	20	2	18	12	22
Middlesex, NJ	417	33	15	44	189	35	15	36	2	18	7	38
Milwaukee, WI	138	60	3	77	71	60	2	75	0	—	1	77
Minneapolis, MN	143	59	16	42	77	59	18	31	2	18	10	27
Mobile, AL	7	99	1	94	3	102	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	Hispanic						Asian/Pacific Islander					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	184	52	8	59	91	56	6	56	1	32	5	45
Nashville, TN	37	80	7	64	24	77	4	61	1	32	4	49
Nassau-Suffolk, NY	542	30	29	35	290	30	20	27	0	—	9	31
New Haven, CT	918	18	57	21	537	18	12	38	1	32	9	31
New Orleans, LA	183	53	8	59	92	53	20	27	0	—	9	31
New York, NY	27,518	1	1,186	1	11,014	1	713	2	37	1	326	2
Newark, NJ	1,400	13	76	14	632	15	26	22	3	13	10	27
Norfolk, VA	66	68	4	74	35	68	9	44	1	32	4	49
Oakland, CA	680	27	32	30	297	28	160	5	4	10	80	5
Oklahoma City, OK	55	70	5	70	29	70	11	41	1	32	6	41
Omaha, NE	40	79	9	55	28	72	1	84	0	—	0	—
Orange County, CA	1,221	15	103	10	734	12	87	11	5	9	52	11
Orlando, FL	746	22	60	18	421	22	22	24	0	—	8	35
Philadelphia, PA	1,487	12	84	12	827	11	51	14	4	10	31	15
Phoenix, AZ	717	25	54	24	384	23	22	24	0	—	12	22
Pittsburgh, PA	32	82	4	74	23	79	7	53	0	—	4	49
Portland, OR	193	49	15	44	116	47	24	23	2	18	18	18
Providence, RI	232	47	12	49	141	44	9	44	3	13	9	31
Raleigh-Durham, NC	41	77	10	54	33	69	3	66	0	—	3	60
Richmond, VA	36	81	3	77	18	83	3	66	0	—	0	—
Riverside-San Bernardino, CA	1,266	14	74	15	644	13	51	14	1	32	34	13
Rochester, NY	265	43	9	55	153	39	3	66	0	—	2	66
Sacramento, CA	301	38	23	40	131	45	34	19	4	10	15	19
St. Louis, MO	55	70	2	84	26	73	9	44	1	32	4	49
Salt Lake City, UT	146	58	15	44	92	53	10	43	0	—	7	38
San Antonio, TX	1,736	10	86	11	847	10	9	44	0	—	4	49
San Diego, CA	1,870	8	136	7	1,043	8	157	6	3	13	74	6
San Francisco, CA	2,841	5	104	9	1,179	6	708	3	25	4	295	3
San Jose, CA	704	26	39	28	340	25	126	7	13	6	68	7
San Juan, PR	11,929	2	620	2	4,243	3	1	84	0	—	0	—
Sarasota, FL	84	65	9	55	49	64	3	66	1	32	2	66
Scranton, PA	41	77	2	84	20	81	0	—	0	—	0	—
Seattle, WA	375	35	29	35	231	33	118	9	3	13	46	12
Springfield, MA	502	31	54	24	293	29	1	84	1	32	1	77
Stockton, CA	170	55	12	49	91	56	22	24	1	32	8	35
Syracuse, NY	160	57	8	59	84	58	1	84	0	—	1	77
Tacoma, WA	49	72	2	84	24	77	12	38	0	—	7	38
Tampa-Saint Petersburg, FL	587	29	31	32	266	31	17	34	1	32	10	27
Toledo, OH	16	90	4	74	11	89	1	84	0	—	1	77
Tucson, AZ	298	39	9	55	149	42	8	49	0	—	4	49
Tulsa, OK	28	84	0	—	11	89	2	75	0	—	2	66
Vallejo, CA	177	54	12	49	108	51	35	18	1	32	14	20
Ventura, CA	236	46	20	41	111	50	12	38	0	—	3	60
Washington, D.C.	826	20	59	19	504	19	97	10	13	6	63	8
West Palm Beach, FL	394	34	31	32	218	34	4	61	0	—	2	66
Wichita, KS	44	75	7	64	26	73	1	84	0	—	1	77
Wilmington, DE	81	67	8	59	43	66	1	84	0	—	1	77
Youngstown, OH	10	97	0	—	4	99	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	American Indian/Alaska Native					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Akron, OH	0	—	0	—	0	—
Albany-Schenectady, NY	1	70	0	—	0	—
Albuquerque, NM	36	10	5	4	18	12
Allentown, PA	0	—	0	—	0	—
Ann Arbor, MI	0	—	0	—	0	—
Atlanta, GA	9	27	1	16	7	21
Austin, TX	7	35	0	—	6	25
Bakersfield, CA	12	24	1	16	6	25
Baltimore, MD	14	22	1	16	4	29
Baton Rouge, LA	1	70	0	—	0	—
Bergen-Passaic, NJ	1	70	1	16	1	56
Birmingham, AL	0	—	0	—	0	—
Boston, MA	9	27	0	—	7	21
Buffalo, NY	1	70	0	—	1	56
Charleston, SC	1	70	1	16	1	56
Charlotte, NC	5	46	0	—	3	38
Chicago, IL	21	20	6	2	13	15
Cincinnati, OH	3	56	1	16	3	38
Cleveland, OH	1	70	0	—	2	49
Colorado Springs, CO	1	70	0	—	1	56
Columbia, SC	1	70	0	—	1	56
Columbus, OH	2	64	0	—	1	56
Dallas, TX	35	11	4	6	21	10
Dayton, OH	0	—	0	—	0	—
Denver, CO	27	15	2	13	8	20
Detroit, MI	3	56	0	—	1	56
El Paso, TX	1	70	0	—	0	—
Fort Lauderdale, FL	9	27	2	13	3	38
Fort Wayne, IN	0	—	0	—	0	—
Fort Worth, TX	3	56	0	—	1	56
Fresno, CA	7	35	1	16	1	56
Gary, IN	0	—	0	—	0	—
Grand Rapids, MI	5	46	0	—	0	—
Greensboro, NC	6	41	1	16	2	49
Greenville, SC	2	64	0	—	1	56
Harrisburg, PA	1	70	0	—	0	—
Hartford, CT	7	35	0	—	4	29
Honolulu, HI	9	27	0	—	4	29
Houston, TX	9	27	2	13	6	25
Indianapolis, IN	1	70	0	—	0	—
Jacksonville, FL	3	56	0	—	3	38
Jersey City, NJ	5	46	0	—	3	38
Kansas City, MO	28	14	0	—	12	16
Knoxville, TN	1	70	0	—	0	—
Las Vegas, NV	22	17	1	16	12	16
Little Rock, AR	0	—	0	—	0	—
Los Angeles, CA	104	2	6	2	53	1
Louisville, KY	1	70	0	—	1	56
McAllen, TX	0	—	0	—	0	—
Memphis, TN	2	64	0	—	0	—
Miami, FL	5	46	0	—	2	49
Middlesex, NJ	2	64	0	—	0	—
Milwaukee, WI	6	41	0	—	2	49
Minneapolis, MN	46	8	3	8	22	9

¹Data are adjusted for delays in reporting cases and deaths.

Table 7a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	American Indian/Alaska Native					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	1	70	0	—	1	56
Nashville, TN	4	53	1	16	3	38
Nassau-Suffolk, NY	7	35	1	16	4	29
New Haven, CT	5	46	0	—	1	56
New Orleans, LA	2	64	0	—	1	56
New York, NY	33	12	3	8	20	11
Newark, NJ	3	56	0	—	2	49
Norfolk, VA	4	53	0	—	3	38
Oakland, CA	22	17	1	16	7	21
Oklahoma City, OK	57	6	10	1	27	6
Omaha, NE	2	64	0	—	1	56
Orange County, CA	10	25	0	—	7	21
Orlando, FL	7	35	0	—	3	38
Philadelphia, PA	6	41	0	—	3	38
Phoenix, AZ	88	3	5	4	48	2
Pittsburgh, PA	1	70	0	—	0	—
Portland, OR	30	13	1	16	14	14
Providence, RI	10	25	0	—	4	29
Raleigh-Durham, NC	3	56	1	16	1	56
Richmond, VA	3	56	0	—	1	56
Riverside-San Bernardino, CA	40	9	1	16	26	7
Rochester, NY	6	41	0	—	4	29
Sacramento, CA	22	17	3	8	10	19
St. Louis, MO	3	56	0	—	0	—
Salt Lake City, UT	16	21	4	6	11	18
San Antonio, TX	5	46	0	—	4	29
San Diego, CA	54	7	3	8	23	8
San Francisco, CA	109	1	3	8	46	3
San Jose, CA	9	27	0	—	2	49
San Juan, PR	0	—	0	—	0	—
Sarasota, FL	0	—	0	—	1	56
Scranton, PA	1	70	1	16	1	56
Seattle, WA	82	4	1	16	43	4
Springfield, MA	0	—	0	—	0	—
Stockton, CA	1	70	0	—	0	—
Syracuse, NY	1	70	0	—	0	—
Tacoma, WA	13	23	0	—	6	25
Tampa-Saint Petersburg, FL	9	27	1	16	4	29
Toledo, OH	0	—	0	—	0	—
Tucson, AZ	24	16	1	16	15	13
Tulsa, OK	78	5	1	16	33	5
Vallejo, CA	6	41	0	—	3	38
Ventura, CA	0	—	0	—	0	—
Washington, D.C.	9	27	1	16	1	56
West Palm Beach, FL	5	46	0	—	2	49
Wichita, KS	7	35	0	—	4	29
Wilmington, DE	4	53	0	—	3	38
Youngstown, OH	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States

Metropolitan area of residence at AIDS diagnosis	White, not Hispanic						Black, not Hispanic					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	23	97	2	89	17	94	31	87	4	82	16	88
Albany-Schenectady, NY	133	42	8	45	87	38	163	52	20	45	116	46
Albuquerque, NM	38	88	0	—	20	90	6	101	0	—	2	101
Allentown, PA	68	65	5	62	37	65	40	79	3	86	29	77
Ann Arbor, MI	23	97	3	79	16	96	25	90	4	82	16	88
Atlanta, GA	275	23	7	52	136	24	1,745	10	134	10	998	10
Austin, TX	135	41	11	34	83	42	244	40	17	52	146	41
Bakersfield, CA	41	87	2	89	18	92	17	94	1	91	8	95
Baltimore, MD	365	17	20	18	233	11	3,352	5	294	4	1,892	4
Baton Rouge, LA	47	81	4	70	25	81	362	32	54	21	238	28
Bergen-Passaic, NJ	395	15	17	25	176	17	887	16	37	30	346	22
Birmingham, AL	69	64	2	89	29	76	196	46	18	50	131	45
Boston, MA	1,132	2	99	2	635	2	1,100	14	113	13	677	12
Buffalo, NY	81	58	3	79	39	64	193	47	14	58	116	46
Charleston, SC	43	84	2	89	24	83	235	42	21	43	137	44
Charlotte, NC	58	73	5	62	27	78	295	38	25	38	148	40
Chicago, IL	690	4	55	4	319	5	2,045	8	258	6	1,098	8
Cincinnati, OH	62	71	1	95	33	69	83	67	8	65	49	68
Cleveland, OH	94	53	5	62	62	47	291	39	27	37	171	38
Colorado Springs, CO	24	96	1	95	10	98	18	93	2	89	11	94
Columbia, SC	58	73	4	70	36	67	317	37	30	33	199	34
Columbus, OH	80	59	7	52	32	71	89	64	13	59	52	67
Dallas, TX	319	20	27	10	180	15	564	23	80	16	427	18
Dayton, OH	51	76	3	79	33	69	51	75	6	74	30	76
Denver, CO	170	38	11	34	90	36	88	66	5	78	47	69
Detroit, MI	192	33	16	26	89	37	1,187	12	129	11	616	14
El Paso, TX	18	101	3	79	10	98	8	99	0	—	6	98
Fort Lauderdale, FL	507	9	30	7	250	10	2,251	7	201	8	1,189	7
Fort Wayne, IN	20	99	4	70	7	100	13	96	2	89	8	95
Fort Worth, TX	181	35	16	26	111	33	228	43	22	40	140	43
Fresno, CA	49	79	7	52	32	71	83	67	12	60	41	73
Gary, IN	50	77	3	79	22	85	45	77	5	78	23	80
Grand Rapids, MI	32	95	2	89	17	94	31	87	7	70	23	80
Greensboro, NC	37	89	5	62	22	85	243	41	16	55	106	51
Greenville, SC	75	61	5	62	43	60	168	51	20	45	95	54
Harrisburg, PA	64	70	3	79	42	63	77	70	7	70	53	66
Hartford, CT	231	29	23	13	128	26	337	33	22	40	200	33
Honolulu, HI	34	94	3	79	21	87	7	100	0	—	7	97
Houston, TX	494	10	24	12	264	9	1,517	11	126	12	1,004	9
Indianapolis, IN	124	47	11	34	62	47	131	60	8	65	82	59
Jacksonville, FL	217	30	15	28	124	27	827	17	79	17	521	15
Jersey City, NJ	402	14	12	31	132	25	766	20	29	34	291	25
Kansas City, MO	140	39	10	38	84	41	147	56	20	45	97	52
Knoxville, TN	43	84	6	58	26	80	28	89	0	—	20	85
Las Vegas, NV	214	31	21	15	122	29	191	48	21	43	109	50
Little Rock, AR	37	89	0	—	18	92	83	67	8	65	60	63
Los Angeles, CA	730	3	35	6	346	4	1,121	13	91	15	621	13
Louisville, KY	70	62	8	45	43	60	123	61	9	63	81	60
McAllen, TX	2	102	0	—	1	102	1	103	0	—	0	—
Memphis, TN	66	67	6	58	43	60	513	26	95	14	348	21
Miami, FL	372	16	20	18	172	19	4,153	3	306	3	2,010	3
Middlesex, NJ	269	24	12	31	118	31	424	28	23	39	193	35
Milwaukee, WI	68	65	10	38	34	68	146	57	28	36	88	57
Minneapolis, MN	133	42	8	45	79	44	145	59	19	48	113	49
Mobile, AL	46	83	3	79	28	77	177	50	19	48	96	53

¹Data are adjusted for delays in reporting cases and deaths.

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	White, not Hispanic						Black, not Hispanic					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	333	18	21	15	141	22	398	29	22	40	174	37
Nashville, TN	123	48	20	18	86	39	211	45	41	27	171	38
Nassau-Suffolk, NY	588	6	22	14	270	7	786	18	46	24	423	19
New Haven, CT	466	11	28	9	270	7	907	15	50	22	490	16
New Orleans, LA	178	37	10	38	97	34	785	19	71	18	458	17
New York, NY	3,362	1	143	1	1,423	1	15,471	1	977	1	7,222	1
Newark, NJ	536	7	11	34	194	14	4,258	2	231	7	1,718	5
Norfolk, VA	128	45	6	58	61	49	531	25	56	19	319	24
Oakland, CA	247	27	8	45	120	30	621	22	44	25	334	23
Oklahoma City, OK	87	55	20	18	47	58	44	78	8	65	21	84
Omaha, NE	47	81	3	79	31	74	36	82	9	63	22	82
Orange County, CA	255	26	13	29	140	23	39	80	3	86	22	82
Orlando, FL	240	28	13	29	124	27	564	23	47	23	278	26
Philadelphia, PA	591	5	69	3	367	3	2,369	6	273	5	1,562	6
Phoenix, AZ	264	25	20	18	145	21	68	71	8	65	44	71
Pittsburgh, PA	118	50	7	52	52	55	148	55	17	52	86	58
Portland, OR	186	34	10	38	94	35	34	84	4	82	24	79
Providence, RI	180	36	5	62	86	39	151	54	11	61	69	62
Raleigh-Durham, NC	35	92	4	70	21	87	331	34	33	32	182	36
Richmond, VA	66	67	4	70	32	71	377	31	42	26	205	31
Riverside-San Bernardino, CA	291	22	19	23	173	18	217	44	29	34	146	41
Rochester, NY	139	40	4	70	81	43	327	35	16	55	234	30
Sacramento, CA	122	49	5	62	57	51	146	57	17	52	89	56
St. Louis, MO	133	42	12	31	64	46	320	36	36	31	204	32
Salt Lake City, UT	86	56	7	52	51	56	33	86	6	74	16	88
San Antonio, TX	97	52	4	70	58	50	67	72	3	86	47	69
San Diego, CA	313	21	10	38	157	20	180	49	15	57	114	48
San Francisco, CA	432	12	21	15	211	13	491	27	38	29	274	27
San Jose, CA	127	46	3	79	68	45	63	73	6	74	43	72
San Juan, PR	2	102	0	—	0	—	4	102	0	—	2	101
Sarasota, FL	89	54	7	52	48	57	152	53	18	50	81	60
Scranton, PA	48	80	4	70	25	81	11	97	0	—	6	98
Seattle, WA	214	31	19	23	112	32	95	63	11	61	90	55
Springfield, MA	110	51	9	43	55	52	123	61	5	78	60	63
Stockton, CA	50	77	1	95	24	83	34	84	1	91	25	78
Syracuse, NY	86	56	8	45	55	52	89	64	6	74	56	65
Tacoma, WA	70	62	8	45	55	52	49	76	7	70	32	74
Tampa-Saint Petersburg, FL	518	8	46	5	291	6	711	21	56	19	405	20
Toledo, OH	43	84	9	43	20	90	39	80	0	—	18	87
Tucson, AZ	65	69	6	58	37	65	15	95	1	91	13	93
Tulsa, OK	59	72	4	70	31	74	35	83	7	70	19	86
Vallejo, CA	54	75	1	95	21	87	54	74	5	78	32	74
Ventura, CA	35	92	1	95	16	96	11	97	0	—	5	100
Washington, D.C.	429	13	29	8	230	12	3,485	4	354	2	2,328	2
West Palm Beach, FL	321	19	25	11	178	16	1,746	9	164	9	948	11
Wichita, KS	36	91	5	62	27	78	19	92	4	82	15	91
Wilmington, DE	76	60	8	45	45	59	396	30	41	27	235	29
Youngstown, OH	20	99	2	89	7	100	24	91	1	91	15	91

¹Data are adjusted for delays in reporting cases and deaths.

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States—continued

Metropolitan area of residence at AIDS diagnosis	Hispanic						Asian/Pacific Islander					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	1	92	0	—	1	90	0	—	0	—	0	—
Albany-Schenectady, NY	57	39	8	26	37	35	0	—	0	—	0	—
Albuquerque, NM	17	60	3	44	7	66	1	51	1	17	1	39
Allentown, PA	112	27	4	39	65	28	0	—	0	—	0	—
Ann Arbor, MI	1	92	0	—	0	—	0	—	0	—	0	—
Atlanta, GA	43	43	7	29	33	39	5	22	1	17	2	31
Austin, TX	68	35	7	29	43	33	2	40	1	17	3	24
Bakersfield, CA	22	56	3	44	12	59	1	51	0	—	1	39
Baltimore, MD	17	60	2	50	9	64	1	51	0	—	0	—
Baton Rouge, LA	0	—	0	—	0	—	0	—	0	—	0	—
Bergen-Passaic, NJ	283	13	17	17	144	15	8	16	0	—	3	24
Birmingham, AL	1	92	0	—	1	90	0	—	0	—	0	—
Boston, MA	568	5	67	5	367	5	12	9	3	5	10	8
Buffalo, NY	51	40	4	39	31	40	1	51	0	—	1	39
Charleston, SC	4	79	0	—	2	84	0	—	0	—	0	—
Charlotte, NC	1	92	0	—	1	90	0	—	0	—	0	—
Chicago, IL	387	9	44	7	210	11	18	8	2	7	10	8
Cincinnati, OH	2	87	0	—	2	84	0	—	0	—	0	—
Cleveland, OH	66	36	4	39	37	35	1	51	1	17	1	39
Colorado Springs, CO	4	79	0	—	1	90	0	—	0	—	0	—
Columbia, SC	2	87	0	—	2	84	3	33	2	7	2	31
Columbus, OH	6	75	2	50	6	68	1	51	0	—	1	39
Dallas, TX	109	28	11	20	89	24	11	11	3	5	9	12
Dayton, OH	0	—	0	—	0	—	0	—	0	—	0	—
Denver, CO	70	34	6	34	35	37	3	33	0	—	1	39
Detroit, MI	24	52	1	58	16	49	4	26	1	17	4	20
El Paso, TX	75	33	5	35	42	34	0	—	0	—	0	—
Fort Lauderdale, FL	152	21	11	20	95	22	3	33	0	—	4	20
Fort Wayne, IN	1	92	1	58	0	—	0	—	0	—	0	—
Fort Worth, TX	29	47	2	50	15	50	1	51	0	—	1	39
Fresno, CA	45	41	4	39	23	45	2	40	1	17	1	39
Gary, IN	9	68	1	58	5	72	1	51	0	—	0	—
Grand Rapids, MI	11	66	1	58	10	63	1	51	0	—	1	39
Greensboro, NC	2	87	0	—	2	84	0	—	0	—	0	—
Greenville, SC	3	84	0	—	3	77	0	—	0	—	0	—
Harrisburg, PA	28	49	4	39	21	46	0	—	0	—	0	—
Hartford, CT	346	11	38	8	226	9	2	40	0	—	1	39
Honolulu, HI	8	71	1	58	4	76	55	4	5	2	20	5
Houston, TX	310	12	27	11	223	10	4	26	0	—	4	20
Indianapolis, IN	3	84	0	—	2	84	0	—	0	—	0	—
Jacksonville, FL	23	54	1	58	13	57	2	40	0	—	1	39
Jersey City, NJ	447	7	18	15	197	12	11	11	2	7	7	13
Kansas City, MO	7	74	0	—	6	68	1	51	1	17	1	39
Knoxville, TN	1	92	0	—	0	97	1	51	0	—	0	—
Las Vegas, NV	41	44	1	58	24	44	4	26	2	7	2	31
Little Rock, AR	0	—	0	—	0	—	0	—	0	—	0	—
Los Angeles, CA	1,023	3	95	3	625	3	63	3	5	2	23	4
Louisville, KY	1	92	0	—	2	84	2	40	1	17	1	39
McAllen, TX	33	46	3	44	25	43	0	—	0	—	0	—
Memphis, TN	2	87	0	—	3	77	0	—	0	—	0	—
Miami, FL	866	4	72	4	521	4	4	26	0	—	2	31
Middlesex, NJ	146	23	8	26	74	27	8	16	0	—	6	14
Milwaukee, WI	45	41	7	29	30	42	0	—	0	—	0	—
Minneapolis, MN	23	54	1	58	13	57	5	22	1	17	3	24
Mobile, AL	1	92	0	—	1	90	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States—continued

Metropolitan area of residence at AIDS diagnosis	Hispanic						Asian/Pacific Islander					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000		AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	61	37	5	35	34	38	0	—	0	—	0	—
Nashville, TN	5	77	1	58	5	72	3	33	0	—	3	24
Nassau-Suffolk, NY	161	17	11	20	98	21	3	33	0	—	1	39
New Haven, CT	364	10	34	9	265	7	1	51	0	—	1	39
New Orleans, LA	29	47	1	58	15	50	1	51	1	17	1	39
New York, NY	9,321	1	525	1	4,370	1	92	1	8	1	51	1
Newark, NJ	433	8	31	10	229	8	9	15	2	7	6	14
Norfolk, VA	20	57	0	—	18	47	4	26	0	—	2	31
Oakland, CA	95	31	7	29	49	32	30	6	0	—	19	6
Oklahoma City, OK	8	71	0	—	7	66	2	40	0	—	1	39
Omaha, NE	8	71	3	44	6	68	1	51	0	—	1	39
Orange County, CA	152	21	19	13	114	16	11	11	0	—	10	8
Orlando, FL	221	15	19	13	154	13	2	40	0	—	1	39
Philadelphia, PA	477	6	47	6	338	6	8	16	2	7	5	17
Phoenix, AZ	82	32	8	26	53	31	3	33	1	17	1	39
Pittsburgh, PA	3	84	0	—	3	77	2	40	0	—	0	—
Portland, OR	10	67	3	44	6	68	5	22	1	17	5	17
Providence, RI	98	29	5	35	63	29	2	40	1	17	2	31
Raleigh-Durham, NC	4	79	1	58	3	77	1	51	0	—	1	39
Richmond, VA	9	68	0	—	5	72	1	51	0	—	1	39
Riverside-San Bernardino, CA	160	18	9	23	103	17	8	16	1	17	3	24
Rochester, NY	136	25	2	50	86	25	0	—	0	—	0	—
Sacramento, CA	25	51	0	—	15	50	6	21	0	—	3	24
St. Louis, MO	5	77	0	—	3	77	2	40	0	—	2	31
Salt Lake City, UT	26	50	1	58	17	48	2	40	0	—	1	39
San Antonio, TX	155	20	9	23	102	19	0	—	0	—	0	—
San Diego, CA	164	16	18	15	103	17	35	5	2	7	28	3
San Francisco, CA	141	24	9	23	81	26	68	2	4	4	39	2
San Jose, CA	60	38	5	35	31	40	11	11	2	7	6	14
San Juan, PR	3,455	2	248	2	1,473	2	0	—	0	—	0	—
Sarasota, FL	15	63	1	58	14	54	0	—	0	—	0	—
Scranton, PA	2	87	0	—	1	90	0	—	0	—	0	—
Seattle, WA	19	58	2	50	14	54	12	9	0	—	10	8
Springfield, MA	234	14	27	11	147	14	0	—	0	—	0	—
Stockton, CA	14	65	2	50	9	64	5	22	2	7	5	17
Syracuse, NY	17	60	1	58	11	61	0	—	0	—	0	—
Tacoma, WA	15	63	2	50	12	59	4	26	1	17	4	20
Tampa-Saint Petersburg, FL	159	19	14	19	101	20	4	26	1	17	0	—
Toledo, OH	4	79	0	—	3	77	0	—	0	—	0	—
Tucson, AZ	24	52	0	—	14	54	1	51	1	17	1	39
Tulsa, OK	1	92	1	58	0	—	1	51	0	—	0	—
Vallejo, CA	9	68	1	58	5	72	7	20	0	—	3	24
Ventura, CA	35	45	3	44	15	50	0	—	0	—	0	—
Washington, D.C.	119	26	17	17	95	22	21	7	2	7	14	7
West Palm Beach, FL	96	30	7	29	61	30	3	33	1	17	2	31
Wichita, KS	4	79	0	—	3	77	0	—	0	—	0	—
Wilmington, DE	18	59	2	50	11	61	0	—	0	—	0	—
Youngstown, OH	6	75	0	—	1	90	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	American Indian/Alaska Native					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Akron, OH	0	—	0	—	0	—
Albany-Schenectady, NY	0	—	0	—	0	—
Albuquerque, NM	7	12	0	—	4	12
Allentown, PA	0	—	0	—	0	—
Ann Arbor, MI	0	—	0	—	0	—
Atlanta, GA	1	45	0	—	0	—
Austin, TX	0	—	0	—	0	—
Bakersfield, CA	0	—	0	—	0	—
Baltimore, MD	3	25	0	—	4	12
Baton Rouge, LA	0	—	0	—	0	—
Bergen-Passaic, NJ	2	31	0	—	1	30
Birmingham, AL	0	—	0	—	0	—
Boston, MA	2	31	1	12	2	23
Buffalo, NY	2	31	1	12	1	30
Charleston, SC	1	45	0	—	1	30
Charlotte, NC	0	—	0	—	0	—
Chicago, IL	20	2	6	2	9	5
Cincinnati, OH	0	—	0	—	0	—
Cleveland, OH	2	31	0	—	1	30
Colorado Springs, CO	1	45	0	—	0	—
Columbia, SC	0	—	0	—	0	—
Columbus, OH	1	45	0	—	1	30
Dallas, TX	2	31	1	12	3	17
Dayton, OH	0	—	0	—	0	—
Denver, CO	11	7	2	7	5	8
Detroit, MI	4	17	1	12	3	17
El Paso, TX	0	—	0	—	0	—
Fort Lauderdale, FL	4	17	0	—	3	17
Fort Wayne, IN	0	—	0	—	0	—
Fort Worth, TX	1	45	0	—	1	30
Fresno, CA	0	—	0	—	0	—
Gary, IN	0	—	0	—	0	—
Grand Rapids, MI	3	25	0	—	0	—
Greensboro, NC	1	45	0	—	0	—
Greenville, SC	0	—	0	—	0	—
Harrisburg, PA	2	31	0	—	1	30
Hartford, CT	1	45	0	—	1	30
Honolulu, HI	1	45	0	—	0	—
Houston, TX	0	—	0	—	0	—
Indianapolis, IN	2	31	0	—	2	23
Jacksonville, FL	0	—	0	—	0	—
Jersey City, NJ	1	45	1	12	1	30
Kansas City, MO	2	31	0	—	1	30
Knoxville, TN	0	—	0	—	0	—
Las Vegas, NV	6	14	2	7	3	17
Little Rock, AR	1	45	0	—	1	30
Los Angeles, CA	16	4	2	7	11	2
Louisville, KY	0	—	0	—	0	—
McAllen, TX	0	—	0	—	0	—
Memphis, TN	1	45	1	12	1	30
Miami, FL	2	31	0	—	1	30
Middlesex, NJ	0	—	0	—	0	—
Milwaukee, WI	2	31	0	—	0	—
Minneapolis, MN	23	1	7	1	15	1

¹Data are adjusted for delays in reporting cases and deaths.

Table 7b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by number of AIDS cases, reported through December 2000 and during 2000, and estimated¹ AIDS prevalence at the end of 2000, by race/ethnicity, United States — continued

Metropolitan area of residence at AIDS diagnosis	American Indian/Alaska Native					
	AIDS cases through 2000		AIDS cases in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	0	—	0	—	0	—
Nashville, TN	0	—	0	—	0	—
Nassau-Suffolk, NY	2	31	0	—	1	30
New Haven, CT	4	17	0	—	1	30
New Orleans, LA	1	45	0	—	0	—
New York, NY	8	11	3	3	6	7
Newark, NJ	3	25	0	—	2	23
Norfolk, VA	0	—	0	—	0	—
Oakland, CA	7	12	1	12	4	12
Oklahoma City, OK	6	14	1	12	5	8
Omaha, NE	4	17	0	—	0	—
Orange County, CA	1	45	0	—	1	30
Orlando, FL	1	45	0	—	1	30
Philadelphia, PA	2	31	0	—	1	30
Phoenix, AZ	15	5	2	7	4	12
Pittsburgh, PA	0	—	0	—	0	—
Portland, OR	4	17	2	7	4	12
Providence, RI	9	9	1	12	5	8
Raleigh-Durham, NC	0	—	0	—	1	30
Richmond, VA	0	—	0	—	0	—
Riverside-San Bernardino, CA	3	25	0	—	1	30
Rochester, NY	1	45	0	—	0	—
Sacramento, CA	3	25	0	—	0	—
St. Louis, MO	0	—	0	—	0	—
Salt Lake City, UT	4	17	0	—	2	23
San Antonio, TX	0	—	0	—	0	—
San Diego, CA	3	25	0	—	2	23
San Francisco, CA	12	6	1	12	7	6
San Jose, CA	5	16	0	—	2	23
San Juan, PR	0	—	0	—	0	—
Sarasota, FL	0	—	0	—	0	—
Scranton, PA	0	—	0	—	0	—
Seattle, WA	17	3	3	3	11	2
Springfield, MA	1	45	0	—	0	—
Stockton, CA	0	—	0	—	0	—
Syracuse, NY	1	45	1	12	1	30
Tacoma, WA	4	17	0	—	3	17
Tampa-Saint Petersburg, FL	1	45	0	—	1	30
Toledo, OH	0	—	0	—	0	—
Tucson, AZ	9	9	3	3	5	8
Tulsa, OK	11	7	3	3	10	4
Vallejo, CA	0	—	0	—	0	—
Ventura, CA	0	—	0	—	0	—
Washington, D.C.	4	17	0	—	3	17
West Palm Beach, FL	0	—	0	—	0	—
Wichita, KS	2	31	0	—	2	23
Wilmington, DE	2	31	1	12	1	30
Youngstown, OH	0	—	0	—	0	—

¹Data are adjusted for delays in reporting cases and deaths.

Table 8a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States

Metropolitan area of residence at AIDS diagnosis	Men who have sex with men (MSM)						Injection drug use (IDU)					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	431	92	24	91	183	92	40	100	3	99	23	97
Albany-Schenectady, NY	677	78	47	69	311	70	525	38	31	43	269	37
Albuquerque, NM	802	66	57	61	350	66	85	89	10	80	41	90
Allentown, PA	246	99	15	98	87	101	277	59	23	52	163	56
Ann Arbor, MI	268	98	24	91	118	98	36	102	4	96	20	102
Atlanta, GA	9,213	9	383	11	3,851	9	2,443	11	128	11	1,119	11
Austin, TX	2,353	33	108	39	971	33	558	35	31	43	254	40
Bakersfield, CA	489	88	47	69	228	83	254	64	19	63	164	55
Baltimore, MD	3,695	22	162	26	1,426	25	5,328	4	437	3	2,557	3
Baton Rouge, LA	686	77	27	86	257	78	504	41	39	35	246	41
Bergen-Passaic, NJ	1,331	51	48	68	486	56	1,907	15	65	21	592	19
Birmingham, AL	1,113	56	59	59	522	51	211	70	12	75	101	72
Boston, MA	5,964	13	416	10	2,284	13	3,766	8	303	6	1,832	7
Buffalo, NY	802	66	28	84	346	67	518	40	21	59	217	44
Charleston, SC	734	71	53	64	316	69	275	60	18	66	108	66
Charlotte, NC	859	62	50	65	310	71	520	39	29	45	234	43
Chicago, IL	11,968	6	736	4	4,372	6	4,172	6	315	5	1,672	8
Cincinnati, OH	1,407	50	56	62	552	47	127	81	8	86	61	82
Cleveland, OH	2,077	37	93	43	924	36	396	49	29	45	198	49
Colorado Springs, CO	284	97	14	99	116	99	45	97	0	—	22	99
Columbia, SC	1,009	59	67	52	486	56	323	56	27	48	179	51
Columbus, OH	1,637	45	85	45	492	55	197	73	9	83	88	76
Dallas, TX	9,316	8	504	6	3,927	8	738	29	47	30	362	25
Dayton, OH	698	75	49	67	261	77	62	94	5	95	28	95
Denver, CO	4,150	18	176	22	1,650	20	329	55	17	68	150	58
Detroit, MI	4,122	20	309	14	1,753	19	1,374	20	89	16	472	20
El Paso, TX	715	72	61	58	390	61	112	84	7	89	52	85
Fort Lauderdale, FL	6,255	12	431	9	2,667	12	1,523	19	91	15	644	18
Fort Wayne, IN	213	101	14	99	86	102	23	103	2	101	5	103
Fort Worth, TX	1,782	43	95	42	707	45	539	37	41	33	283	34
Fresno, CA	700	74	43	73	246	81	195	74	22	55	85	77
Gary, IN	406	94	36	79	164	93	107	86	9	83	50	86
Grand Rapids, MI	492	87	25	90	208	89	82	91	3	99	33	92
Greensboro, NC	784	69	45	71	304	74	339	53	16	71	129	65
Greenville, SC	785	68	62	57	376	63	211	70	19	63	104	68
Harrisburg, PA	471	90	31	81	222	86	245	65	22	55	167	53
Hartford, CT	934	60	43	73	400	60	1,700	17	94	14	926	13
Honolulu, HI	1,419	49	63	54	501	53	91	88	7	89	48	88
Houston, TX	12,017	5	378	12	4,306	7	1,691	18	73	18	790	15
Indianapolis, IN	2,066	39	115	36	888	41	211	70	17	68	99	73
Jacksonville, FL	2,077	37	121	34	904	40	578	34	35	36	259	39
Jersey City, NJ	1,877	42	70	51	704	46	2,383	12	73	18	705	17
Kansas City, MO	2,846	29	109	38	1,236	26	190	75	11	76	96	74
Knoxville, TN	505	86	30	82	228	83	77	92	9	83	47	89
Las Vegas, NV	2,258	34	160	27	1,120	29	460	46	34	40	193	50
Little Rock, AR	669	79	40	75	374	64	94	87	4	96	63	81
Los Angeles, CA	32,264	2	1,270	2	11,669	2	2,568	10	155	10	1,078	12
Louisville, KY	1,019	57	63	54	501	53	189	76	7	89	103	69
McAllen, TX	245	100	28	84	129	97	40	100	11	76	31	93
Memphis, TN	1,777	44	157	28	934	35	261	62	24	50	139	60
Miami, FL	10,748	7	495	7	4,439	5	3,714	9	205	9	1,430	9
Middlesex, NJ	840	64	35	80	310	71	1,049	21	40	34	336	30
Milwaukee, WI	1,271	53	63	54	513	52	233	68	18	66	103	69
Minneapolis, MN	2,391	32	98	41	957	34	222	69	16	71	102	71
Mobile, AL	585	82	44	72	271	75	135	80	11	76	71	80

¹Data are adjusted for delays in reporting cases and death and unreported risk.

Table 8a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Metropolitan area of residence at AIDS diagnosis	Men who have sex with men (MSM)						Injection drug use (IDU)					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	704	73	40	75	251	80	986	23	32	41	298	33
Nashville, TN	1,625	46	196	20	913	38	412	47	48	28	271	36
Nassau-Suffolk, NY	2,220	36	90	44	856	42	2,064	14	71	20	774	16
New Haven, CT	1,602	47	73	49	726	44	2,311	13	101	13	1,181	10
New Orleans, LA	4,029	21	146	29	1,519	24	798	27	55	26	385	23
New York, NY	39,470	1	1,707	1	13,564	1	41,219	1	1,909	1	14,689	1
Newark, NJ	3,098	26	146	29	1,119	30	6,381	3	256	7	1,911	6
Norfolk, VA	2,004	41	132	33	908	39	554	36	51	27	272	35
Oakland, CA	5,209	14	142	31	1,905	17	888	25	35	36	337	29
Oklahoma City, OK	1,170	54	135	32	444	58	150	79	20	61	76	79
Omaha, NE	475	89	29	83	198	90	55	95	4	96	22	99
Orange County, CA	4,150	18	214	18	1,860	18	494	43	42	32	262	38
Orlando, FL	3,231	25	174	23	1,581	21	969	24	77	17	458	21
Philadelphia, PA	8,026	11	448	8	3,092	11	5,124	5	482	2	2,802	2
Phoenix, AZ	3,568	23	201	19	1,551	22	469	45	32	41	215	45
Pittsburgh, PA	1,550	48	64	53	533	49	295	58	15	74	133	63
Portland, OR	2,858	27	117	35	1,178	28	264	61	22	55	149	59
Providence, RI	689	76	23	93	267	76	500	42	35	36	241	42
Raleigh-Durham, NC	880	61	58	60	372	65	404	48	24	50	161	57
Richmond, VA	1,279	52	79	48	527	50	473	44	27	48	214	46
Riverside-San Bernardino, CA	4,484	17	298	15	2,129	15	778	28	44	31	371	24
Rochester, NY	848	63	19	96	383	62	669	32	35	36	345	28
Sacramento, CA	2,021	40	102	40	733	43	321	57	23	52	132	64
St. Louis, MO	3,492	24	163	25	1,543	23	258	63	20	61	135	62
Salt Lake City, UT	1,116	55	82	46	535	48	235	67	23	52	138	61
San Antonio, TX	2,707	30	112	37	1,205	27	355	51	29	45	201	47
San Diego, CA	8,088	10	345	13	3,400	10	631	33	48	28	307	32
San Francisco, CA	21,003	3	545	5	6,687	3	1,784	16	111	12	853	14
San Jose, CA	2,248	35	80	47	921	37	242	66	16	71	105	67
San Juan, PR	2,848	28	190	21	1,028	32	6,459	2	349	4	2,101	4
Sarasota, FL	809	65	71	50	328	68	163	78	17	68	80	78
Scranton, PA	186	103	10	103	65	103	120	82	6	92	50	86
Seattle, WA	5,091	15	217	17	2,160	14	333	54	21	59	177	52
Springfield, MA	414	93	38	78	163	94	716	30	64	22	359	26
Stockton, CA	393	95	14	99	149	95	115	83	11	76	58	84
Syracuse, NY	532	83	22	95	224	85	375	50	19	63	165	54
Tacoma, WA	434	91	27	86	185	91	112	84	10	80	59	83
Tampa-Saint Petersburg, FL	4,682	16	245	16	1,957	16	1,029	22	60	23	447	22
Toledo, OH	382	96	16	97	142	96	41	99	6	92	24	96
Tucson, AZ	1,011	58	54	63	434	59	176	77	10	80	94	75
Tulsa, OK	758	70	39	77	305	73	83	90	8	86	35	91
Vallejo, CA	586	81	27	86	254	79	348	52	22	55	199	48
Ventura, CA	531	84	27	86	214	88	68	93	6	92	22	99
Washington, D.C.	12,382	4	781	3	5,210	4	3,779	7	250	8	2,077	5
West Palm Beach, FL	2,573	31	164	24	1,108	31	845	26	56	24	315	31
Wichita, KS	512	85	23	93	218	87	43	98	8	86	23	97
Wilmington, DE	616	80	50	65	243	82	706	31	56	24	349	27
Youngstown, OH	202	102	14	99	90	100	48	96	2	101	29	94

¹Data are adjusted for delays in reporting cases and death and unreported risk.

Table 8a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Metropolitan area of residence at AIDS diagnosis	MSM and IDU						Heterosexual contact					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	36	95	0	—	14	98	16	97	1	96	8	96
Albany-Schenectady, NY	89	82	8	52	37	80	77	60	11	58	55	56
Albuquerque, NM	119	67	2	91	42	77	21	93	5	76	15	92
Allentown, PA	28	100	4	81	11	101	44	77	2	90	21	81
Ann Arbor, MI	26	101	2	91	16	95	9	101	1	96	7	98
Atlanta, GA	1,077	10	31	18	502	6	902	10	73	14	526	10
Austin, TX	368	31	19	27	174	25	135	38	8	65	82	40
Bakersfield, CA	134	64	8	52	81	48	67	66	14	50	49	63
Baltimore, MD	754	13	38	13	297	14	773	12	90	10	430	13
Baton Rouge, LA	161	52	9	49	68	51	115	47	14	50	64	50
Bergen-Passaic, NJ	189	49	5	70	61	55	331	19	32	22	167	23
Birmingham, AL	151	55	7	56	61	55	128	42	20	36	76	43
Boston, MA	607	21	34	16	249	18	590	14	79	13	381	14
Buffalo, NY	92	80	6	62	34	84	64	69	13	54	50	61
Charleston, SC	106	74	5	70	51	65	145	36	23	31	91	35
Charlotte, NC	140	61	5	70	63	53	206	29	23	31	111	32
Chicago, IL	1,231	5	80	4	504	5	756	13	121	7	442	12
Cincinnati, OH	122	65	4	81	44	74	61	70	4	82	33	74
Cleveland, OH	248	42	10	42	102	43	125	44	13	54	80	41
Colorado Springs, CO	64	91	5	70	30	87	6	103	4	82	6	100
Columbia, SC	112	72	5	70	55	60	193	31	27	26	128	29
Columbus, OH	119	67	7	56	43	75	67	66	6	71	37	71
Dallas, TX	1,028	11	49	7	377	10	305	21	28	24	202	18
Dayton, OH	75	88	6	62	24	91	46	76	5	76	26	77
Denver, CO	642	18	41	10	247	19	107	51	11	58	69	48
Detroit, MI	555	23	32	17	189	24	248	25	35	20	138	26
El Paso, TX	80	85	6	62	43	75	47	75	6	71	30	75
Fort Lauderdale, FL	663	17	35	15	241	20	1,134	7	100	9	609	8
Fort Wayne, IN	20	103	1	98	7	103	9	101	0	—	4	103
Fort Worth, TX	367	32	20	26	174	25	89	54	18	37	51	60
Fresno, CA	100	76	10	42	45	72	19	96	2	90	6	100
Gary, IN	70	90	4	81	26	90	30	87	5	76	19	87
Grand Rapids, MI	50	94	2	91	12	100	41	78	2	90	21	81
Greensboro, NC	115	71	8	52	39	78	117	46	14	50	74	45
Greenville, SC	116	70	4	81	48	68	120	45	16	41	63	51
Harrisburg, PA	82	84	7	56	38	79	25	89	4	82	20	85
Hartford, CT	150	57	5	70	57	58	255	23	23	31	154	24
Honolulu, HI	117	69	5	70	48	68	36	83	3	87	19	87
Houston, TX	1,797	4	39	12	687	4	1,125	9	86	11	720	7
Indianapolis, IN	193	48	10	42	80	49	99	53	9	63	60	53
Jacksonville, FL	320	35	12	38	124	36	362	17	41	18	241	17
Jersey City, NJ	232	46	3	86	64	52	329	20	26	27	178	21
Kansas City, MO	469	25	23	23	221	22	74	62	16	41	50	61
Knoxville, TN	34	98	1	98	15	96	23	91	1	96	14	93
Las Vegas, NV	350	33	15	33	160	31	73	64	7	67	47	64
Little Rock, AR	97	79	3	86	51	65	50	74	2	90	34	73
Los Angeles, CA	2,952	3	87	3	956	3	840	11	86	11	477	11
Louisville, KY	121	66	5	70	47	70	85	57	6	71	56	55
McAllen, TX	25	102	2	91	10	102	25	89	5	76	21	81
Memphis, TN	259	38	11	41	115	37	274	22	46	16	185	20
Miami, FL	1,102	9	40	11	353	13	2,374	2	240	2	1,248	2
Middlesex, NJ	159	53	6	62	52	63	176	33	15	44	86	38
Milwaukee, WI	112	72	7	56	50	67	61	70	5	76	40	69
Minneapolis, MN	237	44	9	49	104	42	56	73	18	37	39	70
Mobile, AL	159	53	18	30	76	50	81	58	9	63	44	66

¹Data are adjusted for delays in reporting cases and death and for unreported risk.

Table 8a. Metropolitan area of residence at AIDS diagnosis among adult and adolescent men ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Metropolitan area of residence at AIDS diagnosis	MSM and IDU						Heterosexual contact					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	142	60	2	91	47	70	145	36	15	44	86	38
Nashville, TN	198	47	19	27	109	39	126	43	15	44	90	36
Nassau-Suffolk, NY	389	28	14	36	158	32	212	28	22	35	131	28
New Haven, CT	251	41	6	62	108	40	515	16	40	19	310	16
New Orleans, LA	642	18	18	30	268	16	337	18	29	23	196	19
New York, NY	4,276	1	174	1	1,156	2	4,712	1	671	1	3,143	1
Newark, NJ	695	16	25	21	228	21	1,157	6	117	8	557	9
Norfolk, VA	235	45	15	33	96	44	240	26	33	21	148	25
Oakland, CA	550	24	19	27	174	25	239	27	43	17	176	22
Oklahoma City, OK	254	40	23	23	92	45	37	82	11	58	26	77
Omaha, NE	74	89	3	86	35	82	30	87	5	76	19	87
Orange County, CA	371	30	10	42	145	33	86	56	8	65	52	59
Orlando, FL	388	29	26	20	171	28	251	24	25	28	132	27
Philadelphia, PA	1,143	8	60	5	483	8	1,128	8	152	4	742	5
Phoenix, AZ	609	20	38	13	250	17	130	41	15	44	99	33
Pittsburgh, PA	151	55	8	52	55	60	33	86	3	87	18	90
Portland, OR	393	27	21	25	163	30	74	62	10	62	54	57
Providence, RI	99	77	4	81	37	80	146	35	17	40	89	37
Raleigh-Durham, NC	139	62	7	56	53	62	168	34	28	24	92	34
Richmond, VA	179	50	7	56	63	53	192	32	25	28	112	31
Riverside-San Bernardino, CA	754	13	13	37	354	12	135	38	11	58	80	41
Rochester, NY	102	75	2	91	45	72	76	61	7	67	59	54
Sacramento, CA	417	26	25	21	168	29	112	49	12	56	70	47
St. Louis, MO	298	37	12	38	135	35	109	50	23	31	62	52
Salt Lake City, UT	148	58	16	32	83	47	21	93	4	82	17	91
San Antonio, TX	334	34	12	38	136	34	200	30	25	28	114	30
San Diego, CA	1,016	12	45	8	420	9	78	59	12	56	46	65
San Francisco, CA	3,717	2	98	2	1,201	1	131	40	15	44	72	46
San Jose, CA	248	42	5	70	90	46	67	66	7	67	36	72
San Juan, PR	1,166	6	50	6	362	11	1,575	3	144	6	735	6
Sarasota, FL	90	81	6	62	28	88	114	48	15	44	68	49
Scranton, PA	36	95	0	—	19	94	11	100	0	—	6	100
Seattle, WA	710	15	27	19	286	15	105	52	18	37	76	43
Springfield, MA	62	92	3	86	24	91	69	65	16	41	44	66
Stockton, CA	98	78	3	86	33	85	38	81	6	71	20	85
Syracuse, NY	79	87	1	98	23	93	59	72	7	67	44	66
Tacoma, WA	84	83	5	70	33	85	39	79	6	71	25	79
Tampa-Saint Petersburg, FL	589	22	15	33	203	23	565	15	53	15	334	15
Toledo, OH	35	97	2	91	15	96	15	99	1	96	8	96
Tucson, AZ	166	51	6	62	56	59	21	93	1	96	12	94
Tulsa, OK	138	63	10	42	52	63	36	83	3	87	21	81
Vallejo, CA	255	39	9	49	113	38	34	85	4	82	28	76
Ventura, CA	60	93	6	62	28	88	39	79	2	90	23	80
Washington, D.C.	1,163	7	45	8	496	7	1,436	4	199	3	1,008	3
West Palm Beach, FL	299	36	10	42	105	41	1,401	5	147	5	757	4
Wichita, KS	80	85	5	70	35	82	23	91	2	90	12	94
Wilmington, DE	143	59	10	42	60	57	89	54	14	50	54	57
Youngstown, OH	30	99	0	—	14	98	16	97	1	96	7	98

¹Data are adjusted for delays in reporting cases and death and for unreported risk.

Table 8b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States

Metropolitan area of residence at AIDS diagnosis	Injection drug use						Heterosexual contact					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Akron, OH	12	102	2	88	6	100	39	96	5	89	26	92
Albany-Schenectady, NY	182	41	17	39	106	41	174	59	26	44	130	49
Albuquerque, NM	24	95	1	95	10	97	40	94	4	94	21	99
Allentown, PA	101	59	6	68	66	50	121	71	8	80	62	73
Ann Arbor, MI	14	100	2	88	6	100	32	98	5	89	22	97
Atlanta, GA	835	15	51	16	427	14	1,189	13	113	14	712	14
Austin, TX	224	38	18	37	127	36	216	43	24	50	143	44
Bakersfield, CA	36	87	2	88	16	91	42	91	5	89	22	97
Baltimore, MD	2,432	3	204	3	1,313	2	1,301	12	148	12	804	12
Baton Rouge, LA	198	40	21	32	110	39	203	48	37	33	141	46
Bergen-Passaic, NJ	823	17	29	23	282	19	711	18	47	26	364	22
Birmingham, AL	81	66	4	79	47	65	177	58	17	59	109	58
Boston, MA	1,467	8	151	5	815	6	1,187	14	166	11	796	13
Buffalo, NY	138	48	2	88	67	48	192	52	24	50	123	51
Charleston, SC	75	72	6	68	38	74	204	47	18	57	122	52
Charlotte, NC	134	49	12	50	57	58	212	45	22	53	114	55
Chicago, IL	1,708	7	142	6	763	7	1,373	11	252	4	838	11
Cincinnati, OH	48	81	2	88	27	81	95	74	8	80	55	76
Cleveland, OH	159	46	16	41	91	44	293	35	27	43	174	36
Colorado Springs, CO	17	99	1	95	7	99	27	99	2	100	15	100
Columbia, SC	111	55	8	58	63	52	256	37	29	40	167	37
Columbus, OH	52	80	7	66	30	78	119	72	17	59	61	74
Dallas, TX	369	28	52	15	242	21	587	23	84	18	429	17
Dayton, OH	33	89	3	86	19	86	63	81	7	84	40	81
Denver, CO	117	54	9	56	58	57	198	49	17	59	111	57
Detroit, MI	833	16	70	10	361	16	581	24	98	15	348	23
El Paso, TX	26	93	2	88	14	93	66	80	6	86	35	85
Fort Lauderdale, FL	945	10	62	12	439	13	1,834	6	191	6	1,038	7
Fort Wayne, IN	13	101	1	95	4	102	20	102	6	86	11	101
Fort Worth, TX	275	34	23	28	153	33	147	66	22	53	106	60
Fresno, CA	95	61	17	39	49	63	79	77	9	78	43	80
Gary, IN	44	82	5	74	17	89	53	88	3	95	30	89
Grand Rapids, MI	33	89	4	79	18	88	46	89	8	80	32	87
Greensboro, NC	108	56	9	56	42	70	165	60	14	65	81	67
Greenville, SC	62	77	6	68	29	79	179	57	20	55	109	58
Harrisburg, PA	81	66	8	58	47	65	89	75	6	86	69	72
Hartford, CT	538	21	42	18	300	18	386	28	48	24	253	28
Honolulu, HI	35	88	1	95	11	94	62	83	9	78	37	84
Houston, TX	905	12	61	13	495	11	1,408	10	139	13	977	8
Indianapolis, IN	76	71	8	58	38	74	160	63	13	68	101	62
Jacksonville, FL	372	27	23	28	216	24	670	20	79	19	428	18
Jersey City, NJ	841	14	27	25	276	20	760	17	40	30	337	24
Kansas City, MO	91	63	5	74	54	59	196	50	29	40	132	47
Knoxville, TN	31	92	2	88	20	85	42	91	5	89	25	93
Las Vegas, NV	202	39	8	58	93	43	247	39	42	29	161	39
Little Rock, AR	42	83	1	95	26	82	74	78	7	84	51	77
Los Angeles, CA	885	13	64	11	459	12	1,780	7	182	7	1,056	5
Louisville, KY	65	75	3	86	39	72	128	69	16	63	86	66
McAllen, TX	7	103	0	—	3	103	27	99	2	100	23	95
Memphis, TN	118	53	14	44	59	55	463	26	98	15	329	25
Miami, FL	1,861	6	88	9	676	8	3,327	2	338	2	1,922	2
Middlesex, NJ	464	23	22	31	177	27	355	30	25	47	200	33
Milwaukee, WI	90	64	13	48	50	61	161	62	33	36	98	63
Minneapolis, MN	95	61	12	50	64	51	190	53	25	47	132	47
Mobile, AL	82	65	6	68	41	71	134	68	17	59	77	69

¹Data are adjusted for delays in reporting cases and death and for unreported risk.

Table 8b. Metropolitan area of residence at AIDS diagnosis among adult and adolescent women ranked by estimates¹ of AIDS incidence through December 2000 and during 2000, and prevalence at the end of 2000, by exposure category, United States — continued

Metropolitan area of residence at AIDS diagnosis	Injection drug use						Heterosexual contact					
	Incidence through 2000		Incidence in 2000		Prevalence at end of 2000		Incidence through 2000		Incidence in 2000		Prevalence at end of 2000	
	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank	No.	Rank
Monmouth-Ocean, NJ	422	25	21	32	158	31	348	32	33	36	178	35
Nashville, TN	149	47	30	22	113	38	190	53	38	31	147	42
Nassau-Suffolk, NY	799	18	39	19	350	17	702	19	59	22	418	19
New Haven, CT	941	11	60	14	504	10	791	16	63	20	509	16
New Orleans, LA	332	29	29	23	175	28	614	22	58	23	373	21
New York, NY	16,198	1	849	1	6,277	1	11,773	1	1,101	1	6,408	1
Newark, NJ	2,895	2	126	7	1,020	5	2,198	3	168	10	1,054	6
Norfolk, VA	236	37	21	32	130	35	435	27	46	27	263	27
Oakland, CA	455	24	18	37	207	26	498	25	48	24	302	26
Oklahoma City, OK	55	79	14	44	31	77	82	76	18	57	45	78
Omaha, NE	32	91	6	68	19	86	62	83	10	76	40	81
Orange County, CA	173	43	12	50	96	42	251	38	23	52	180	34
Orlando, FL	321	30	23	28	158	31	662	21	63	20	375	20
Philadelphia, PA	1,878	5	218	2	1,149	3	1,609	8	251	5	1,104	4
Phoenix, AZ	177	42	11	53	82	46	215	44	28	42	143	44
Pittsburgh, PA	124	52	10	55	63	52	123	70	16	63	75	71
Portland, OR	81	66	8	58	49	63	141	67	12	72	78	68
Providence, RI	258	35	13	48	109	40	183	56	13	68	113	56
Raleigh-Durham, NC	166	45	14	44	83	45	195	51	26	44	116	53
Richmond, VA	170	44	15	43	74	47	271	36	38	31	162	38
Riverside-San Bernardino, CA	297	32	24	27	174	29	339	33	34	34	227	30
Rochester, NY	379	26	14	44	232	22	222	40	12	72	160	40
Sacramento, CA	133	50	8	58	54	59	157	64	14	65	102	61
St. Louis, MO	125	51	11	53	62	54	320	34	43	28	206	32
Salt Lake City, UT	80	70	5	74	39	72	63	81	11	75	45	78
San Antonio, TX	100	60	7	66	59	55	207	46	12	72	144	43
San Diego, CA	283	33	20	36	150	34	354	31	32	38	232	29
San Francisco, CA	685	19	46	17	371	15	366	29	34	34	213	31
San Jose, CA	81	66	4	79	45	67	164	61	13	68	94	64
San Juan, PR	1,430	9	114	8	525	9	2,031	5	176	9	940	9
Sarasota, FL	105	58	8	58	50	61	151	65	20	55	91	65
Scranton, PA	40	85	4	79	23	83	18	103	1	103	9	103
Seattle, WA	108	56	16	41	67	48	219	42	25	47	158	41
Springfield, MA	247	36	21	32	126	37	220	41	26	44	128	50
Stockton, CA	64	76	4	79	38	74	40	94	3	95	24	94
Syracuse, NY	73	73	5	74	43	69	115	73	13	68	77	69
Tacoma, WA	67	74	8	58	44	68	74	78	14	65	57	75
Tampa-Saint Petersburg, FL	469	22	31	21	228	23	878	15	95	17	547	15
Toledo, OH	22	96	1	95	9	98	61	86	8	80	29	90
Tucson, AZ	57	78	6	68	29	79	42	91	3	95	31	88
Tulsa, OK	40	85	5	74	17	89	59	87	10	76	39	83
Vallejo, CA	42	83	4	79	22	84	62	83	3	95	35	85
Ventura, CA	25	94	1	95	11	94	45	90	3	95	23	95
Washington, D.C.	1,900	4	155	4	1,112	4	2,034	4	296	3	1,468	3
West Palm Beach, FL	577	20	35	20	216	24	1,506	9	177	8	921	10
Wichita, KS	21	97	4	79	16	91	38	97	5	89	28	91
Wilmington, DE	298	31	25	26	173	30	187	55	31	39	115	54
Youngstown, OH	21	97	1	95	11	94	25	101	2	100	11	101

¹Data are adjusted for delays in reporting cases and death and for unreported risk.

Technical Notes

AIDS cases are reported to CDC by all 50 states, the District of Columbia, U.S. dependencies and possessions, and independent nations in free association with the United States¹ by use of a uniform case definition and case surveillance report form. This supplemental report includes cases reported according to the CDC guidelines for AIDS case surveillance and the case definition in effect at the time of their report; all cases meet the 1993 expanded surveillance case definition (*MMWR* 1992;41 [RR-17]:1-190).

This report presents the number of AIDS cases reported during and through 2000, the AIDS rate (cases per 100,000 population) for 2000, and estimated AIDS prevalence at the end of 2000 in adults and adolescents, by area of residence at AIDS diagnosis. Rank refers to the number assigned to a State or MSA according to the magnitude of the above measure, without consideration for the distance between the values (1). The lowest rank was assigned to the highest value of the measure. Ties were resolved by assigning the smallest of the corresponding ranks using SAS rank procedure (2). Because rank indicates a relative position with a series, a rank value is influenced by fluctuations associated with the corresponding State or MSA as well as those of the other sites in the series. Values of 0 were not assigned a rank.

Tables 5-8 present data for metropolitan statistical areas (MSAs) with a census 2000 population of 500,000 or more. The MSAs are defined by the Office of Management and Budget and were most recently updated in June 1998. Information is available at www.census.gov/population/www/estimates/metro-def.html. The 6 New England states use New England County Metropolitan Area definitions instead of MSA.

Data in this report were compiled from cases reported to CDC through June 2001. Tables 1-3 and 5-7, present the number of AIDS cases reported to CDC either during 2000 or cumulatively from 1981 through 2000, and the AIDS rate (cases per 100,000 population) for adults and adolescents. AIDS prevalence was estimated by statistically adjusting data for delays in the reporting of cases and deaths. In tables 4 and 8,

incidence and prevalence estimates are presented for cases diagnosed through December 2000. These estimates are not actual counts of cases reported to the surveillance system, but are based on reported cases adjusted for reporting delays. Risk for cases initially reported without exposure information has been statistically redistributed among the exposure categories based on historical patterns of reclassification. These estimates were calculated using the best methods available, yet include some inherent uncertainty. Small numbers should be interpreted with caution because the inherent uncertainty in estimates is greater for small numbers.

AIDS rates presented in tables 1 and 5 were calculated using population denominators based on official postcensus estimates and census 2000 counts from the U.S. Bureau of Census. Denominators for Guam, Puerto Rico and the U.S. Virgin Islands were based on official postcensus estimates from the U.S. Bureau of the Census International Database.

Statistical estimates for AIDS cases in 2000 among persons exposed through hemophilia/coagulation disorders or receipt of blood transfusion, blood components, or tissue are not presented. The relatively small number of cases in these categories in recent years does not provide information that results in accurate annual estimates; only cumulative estimates are presented. In table 8, estimates are presented only for exposure categories that have large enough numbers at the MSA level.

References

1. Colton T. *Statistics in medicine*. First edition. 1974. Little, Brown and Company, Boston, MA. Page 14.
2. SAS Institute Inc., *SAS Online Documentation, Version 8*, Cary, NC: SAS Institute Inc. 1999

¹Data are presented for the 50 states, the District of Columbia, Guam, the U.S. Pacific Islands, Puerto Rico, and the U.S. Virgin Islands. The U.S. Pacific Islands include American Samoa, the Republic of Palau, the Republic of the Marshall Islands, the Commonwealth of the Northern Mariana Islands, and the Federated States of Micronesia.