

Table 1. Cases of sexually transmitted diseases reported by state health departments and rates per 100,000 civilian population: United States, 1941–2003

Year*	Syphilis												Chlamydia		Gonorrhea		Chancroid	
	All Stages		Primary and Secondary		Early Latent		Late and Late Latent†		Neurosyphilis		Congenital							
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate§	Cases	Rate	Cases	Rate	Cases	Rate
1941	485,560	368.2	68,231	51.7	109,018	82.6	202,984	153.9	NR	.	17,600	13.4	NR	.	193,468	146.7	3,384	2.5
1942	479,601	363.4	75,312	57.0	116,245	88.0	202,064	153.1	NR	.	16,918	12.8	NR	.	212,403	160.9	5,477	4.1
1943	575,593	447.0	82,204	63.8	149,390	116.0	251,958	195.7	NR	.	16,164	12.6	NR	.	275,070	213.6	8,354	6.4
1944	467,755	367.9	78,443	61.6	123,038	96.7	202,848	159.6	NR	.	13,578	10.7	NR	.	300,676	236.5	7,878	6.1
1945	359,114	282.3	77,007	60.5	101,719	79.9	142,187	111.8	NR	.	12,339	9.7	NR	.	287,181	225.8	5,515	4.3
1946	363,647	271.7	94,957	70.9	107,924	80.6	125,248	93.6	NR	.	12,106	9.0	NR	.	368,020	275.0	7,091	5.2
1947	355,592	252.3	93,545	66.4	104,124	73.9	122,089	86.6	NR	.	12,200	8.7	NR	.	380,666	270.0	9,515	6.7
1948	314,313	218.2	68,174	47.3	90,598	62.9	123,312	85.6	NR	.	13,931	9.7	NR	.	345,501	239.8	7,661	5.3
1949	256,463	175.3	41,942	28.7	75,045	51.3	116,397	79.5	NR	.	13,952	9.5	NR	.	317,950	217.3	6,707	4.6
1950	217,558	146.0	23,939	16.7	59,256	39.7	113,569	70.2	NR	.	13,377	9.0	NR	.	286,746	192.5	4,977	3.3
1951	174,924	116.1	14,485	9.6	43,316	28.7	98,311	65.2	NR	.	11,094	7.4	NR	.	254,470	168.9	4,233	2.8
1952	167,762	110.2	10,449	6.9	36,454	24.0	105,238	69.1	NR	.	8,553	5.6	NR	.	244,957	160.8	3,738	2.5
1953	148,573	95.9	8,637	5.6	28,295	18.3	98,870	63.8	NR	.	7,675	5.0	NR	.	238,340	153.9	3,338	2.2
1954	130,687	82.9	7,147	4.5	23,861	15.1	89,123	56.5	NR	.	6,676	4.2	NR	.	242,050	153.5	3,003	1.9
1955	122,392	76.2	6,454	4.0	20,054	12.5	86,526	53.8	NR	.	5,354	3.3	NR	.	236,197	147.0	2,649	1.7
1956	130,201	78.7	6,392	3.9	19,783	12.0	95,097	57.5	NR	.	5,491	3.3	NR	.	224,346	135.7	2,135	1.3
1957	123,758	73.5	6,576	3.9	17,796	10.6	91,309	54.2	NR	.	5,288	3.1	NR	.	214,496	127.4	1,637	1.0
1958	113,884	66.4	7,176	4.2	16,556	9.7	83,027	48.4	NR	.	4,866	2.8	NR	.	232,386	135.6	1,595	0.9
1959	120,824	69.2	9,799	5.6	17,025	9.8	86,740	49.7	NR	.	5,130	2.9	NR	.	240,254	137.6	1,537	0.9
1960	122,538	68.8	16,145	9.1	18,017	10.1	81,798	45.9	NR	.	4,416	2.5	NR	.	258,933	145.4	1,680	0.9
1961	124,658	68.8	19,851	11.0	19,486	10.8	79,304	43.8	NR	.	4,163	2.3	NR	.	264,158	145.8	1,438	0.8
1962	126,245	68.7	21,067	11.5	19,585	10.7	79,533	43.3	NR	.	4,070	2.2	NR	.	263,714	143.6	1,344	0.7
1963	124,137	66.6	22,251	11.9	18,235	9.8	78,076	41.9	NR	.	4,031	2.2	NR	.	278,289	149.2	1,220	0.7
1964	114,325	60.4	22,969	12.1	17,781	9.4	68,629	36.3	NR	.	3,516	1.9	NR	.	300,666	159.0	1,247	0.7
1965	112,842	58.9	23,338	12.2	17,458	9.1	67,317	35.1	NR	.	3,564	1.9	NR	.	324,925	169.6	982	0.5
1966	105,159	54.4	21,414	11.1	15,950	8.2	63,541	32.9	NR	.	3,170	1.6	NR	.	351,738	181.9	838	0.4
1967	102,581	52.5	21,053	10.8	15,554	8.0	61,975	31.7	NR	.	2,894	1.5	NR	.	404,836	207.3	784	0.4
1968	96,271	48.8	19,019	9.6	15,150	7.7	58,564	29.7	NR	.	2,381	1.2	NR	.	464,543	235.7	845	0.4
1969	92,162	46.3	19,130	9.6	15,402	7.7	54,587	27.4	NR	.	2,074	1.0	NR	.	534,872	268.6	1,104	0.6
1970	91,382	45.3	21,982	10.9	16,311	8.1	50,348	24.9	NR	.	1,953	1.0	NR	.	600,072	297.2	1,416	0.7
1971	95,997	46.9	23,783	11.6	19,417	9.5	49,993	24.4	NR	.	2,052	1.0	NR	.	670,268	327.2	1,320	0.6
1972	91,149	43.9	24,429	11.8	20,784	10.0	43,456	20.9	NR	.	1,758	0.8	NR	.	767,215	369.7	1,414	0.7
1973	87,469	41.7	24,825	11.8	23,584	11.3	37,054	17.7	NR	.	1,527	0.7	NR	.	842,621	402.0	1,165	0.6
1974	83,771	39.6	25,385	12.0	25,124	11.9	31,854	15.1	NR	.	1,138	0.5	NR	.	906,121	428.2	945	0.4
1975	80,356	37.6	25,561	12.0	26,569	12.4	27,096	12.7	NR	.	916	0.4	NR	.	999,937	467.7	700	0.3
1976	71,761	33.2	23,731	11.0	25,363	11.7	21,905	10.1	NR	.	626	0.3	NR	.	1001994	464.1	628	0.3
1977	64,621	29.6	20,399	9.4	21,329	9.8	22,313	10.2	NR	.	463	0.2	NR	.	1002219	459.5	455	0.2
1978	64,875	29.4	21,656	9.8	19,628	8.9	23,038	10.4	NR	.	434	0.2	NR	.	1013436	459.7	521	0.2
1979	67,049	30.1	24,874	11.2	20,459	9.2	21,301	9.6	NR	.	332	0.1	NR	.	1004058	450.3	840	0.4
1980	68,832	30.5	27,204	12.1	20,297	9.0	20,979	9.3	NR	.	277	0.1	NR	.	1004029	445.1	788	0.3
1981	72,799	32.0	31,266	13.7	21,033	9.2	20,168	8.9	NR	.	287	0.1	NR	.	990,864	435.2	850	0.4
1982	75,579	32.9	33,613	14.6	21,894	9.5	19,799	8.6	NR	.	259	0.1	NR	.	960,633	417.9	1,392	0.6
1983	74,637	32.1	32,698	14.1	23,738	10.2	17,896	7.7	NR	.	239	0.1	NR	.	900,435	387.6	847	0.4
1984	69,872	29.6	28,607	12.1	23,131	9.8	17,829	7.6	NR	.	305	0.1	7,594	6.5	878,556	372.5	665	0.3
1985	67,563	28.4	27,131	11.4	21,689	9.1	18,414	7.7	NR	.	329	0.1	25,848	17.4	911,419	383.0	2,067	0.9

Table 1. Cases of sexually transmitted diseases reported by state health departments and rates per 100,000 civilian population: United States, 1941–2003 (continued)

Year*	Syphilis												Chlamydia		Gonorrhea		Chancroid	
	All Stages		Primary and Secondary		Early Latent		Late and Late Latent†		Neurosyphilis		Congenital							
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate§	Cases	Rate	Cases	Rate	Cases	Rate
1986	67,779	28.2	27,667	11.5	21,656	9.0	18,046	7.5	NR	.	410	0.2	58,001	35.2	892,229	371.5	3,045	1.3
1987	87,286	36.0	35,585	14.7	28,233	11.7	22,988	9.5	NR	.	480	0.2	91,913	50.8	787,532	325.0	4,986	2.1
1988	104,546	42.8	40,474	16.6	35,968	14.7	27,363	11.2	NR	.	741	0.3	157,854	87.1	738,160	301.9	4,891	2.0
1989	115,089	46.6	45,826	18.6	45,394	18.4	22,032	8.9	NR	.	1,837	0.7	200,904	102.5	733,294	297.1	4,697	1.9
1990	135,590	54.3	50,578	20.3	55,397	22.2	25,750	10.3	NR	.	3,865	1.5	323,663	160.2	690,042	276.4	4,212	1.7
1991	128,719	50.9	42,950	17.0	53,855	21.3	27,490	10.9	NR	.	4,424	1.7	381,228	179.7	621,918	245.8	3,476	1.4
1992	114,730	44.7	34,009	13.3	49,929	19.5	26,725	10.4	NR	.	4,067	1.6	409,694	182.3	502,858	196.0	1,906	0.7
1993	102,612	39.5	26,527	10.2	41,919	16.1	30,746	11.8	NR	.	3,420	1.3	405,332	178.0	444,649	171.1	1,292	0.5
1994	82,713	31.4	20,641	7.8	32,017	12.2	27,603	10.5	NR	.	2,452	0.9	451,785	192.5	419,602	163.9	782	0.3
1995	69,357	26.0	16,543	6.2	26,657	10.0	24,296	9.1	NR	.	1,861	0.7	478,577	187.8	392,651	147.5	607	0.2
1996	53,238	19.8	11,405	4.2	20,187	7.5	20,366	7.6	NR	.	1,280	0.5	492,631	190.6	328,169	121.8	386	0.1
1997	46,714	17.1	8,556	3.1	16,631	6.1	20,447	7.5	193	0.1	1,080	0.4	537,904	205.5	327,665	120.2	246	0.1
1998	38,287	13.9	7,007	2.5	12,696	4.6	17,743	6.4	279	0.1	841	0.3	614,250	231.8	356,492	129.2	189	0.1
1999	35,379	12.7	6,617	2.4	11,534	4.1	16,653	6.0	341	0.1	575	0.2	662,647	247.2	360,813	129.3	110	0.0
2000	31,616	11.2	5,979	2.1	9,465	3.4	15,594	5.5	334	0.1	578	0.2	709,452	251.4	363,136	128.7	78	0.0
2001	32,278	11.3	6,103	2.1	8,701	3.0	16,976	5.9	324	0.1	498	0.2	783,242	274.5	361,705	126.8	38	0.0
2002	32,912	11.4	6,862	2.4	8,429	2.9	17,168	6.0	387	0.1	453	0.2	834,555	289.4	351,852	122.0	48	0.0
2003	34,270	11.9	7,177	2.5	8,361	2.9	18,319	6.4	541	0.2	413	0.1	877,478	304.3	335,104	116.2	54	0.0

*For 1941-1946, data were reported for the federal fiscal year ending June 30 of the year indicated. From 1947 to the present, data were reported for the calendar year ending December 31. For 1941-1958, data for Alaska and Hawaii were not included.

†Late and late latent syphilis includes cases of unknown duration, late syphilis with clinical manifestations, and neurosyphilis.

§For 1941-1994, rates include all cases of congenitally acquired syphilis per 100,000 population. As of 1995, rates of congenital syphilis <1 year of age per 100,000 population are reported. **For rates of congenital syphilis <1 year of age per 100,000 live births see Tables 39-44.** As of 1995, cases of congenital syphilis <1 year of age are obtained in hardcopy and electronic format based on case reporting form CDC 73.126.

Note: Adjustments to the number of cases reported from state health departments were made for hardcopy forms and for electronic data submissions through April 30, 2004 (see Appendix). The number of cases and the rates shown here supersede those published in previous reports. Cases and rates shown in this table exclude the outlying areas of Guam, Puerto Rico and Virgin Islands.

NR = No report

Table 2. Chlamydia — Reported cases and rates by state, ranked by rates: United States, 2003

<i>Rank</i> [*]	<i>State</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Alaska	3,900	605.8
2	Louisiana	20,970	467.8
3	Hawaii	5,480	440.2
4	Mississippi	12,193	424.6
5	Georgia	35,686	416.9
6	New Mexico	7,480	403.2
7	Illinois	48,294	383.3
8	Delaware	3,035	375.9
9	Ohio	42,522	372.3
10	South Carolina	14,623	356.0
11	Tennessee	20,380	351.5
12	South Dakota	2,608	342.7
13	California	117,428	334.4
14	Wisconsin	17,942	329.7
15	Missouri	18,570	327.4
16	Michigan	32,572	324.1
17	Texas	69,200	317.7
18	Alabama	14,209	316.7
19	Oklahoma	11,013	315.2
20	North Carolina	26,187	314.7
21	Maryland	16,831	308.4
	U.S. TOTAL [†]	877,478	304.3
22	Pennsylvania	37,291	302.3
23	New York	57,222	298.7
24	Arkansas	7,856	289.9
25	Colorado	13,039	289.3
26	Rhode Island	3,000	280.4
27	Montana	2,547	280.1
28	Indiana	17,075	277.2
29	Washington	16,797	276.8
30	Nebraska	4,739	274.1
31	Connecticut	9,393	271.4
32	Nevada	5,830	268.2
33	Kansas	7,249	266.9
34	Virginia	19,439	266.5
35	North Dakota	1,655	261.0
36	Florida	42,382	253.6
37	Arizona	12,819	234.9
38	Iowa	6,491	221.0
39	Oregon	7,688	218.3
40	Minnesota	10,714	213.4
41	Kentucky	7,981	195.0
42	Wyoming	960	192.5
43	New Jersey	16,169	188.2
44	Idaho	2,366	176.4
45	Massachusetts	11,301	175.8
46	Vermont	1,060	171.9
47	Utah	3,893	168.1
48	Maine	2,030	156.8
49	West Virginia	2,585	143.5
50	New Hampshire	1,616	126.7

* States were ranked in descending order by rate, number of cases, and alphabetically by state.

† Total includes cases reported by Washington, D.C., but excludes outlying areas (Guam with 554 cases and rate of 344.0, Puerto Rico with 2,746 cases and rate of 71.1, and Virgin Islands with 416 cases and rate of 378.1).

Table 3. Chlamydia — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	12,375	15,323	14,524	15,611	14,209	279.3	344.2	325.0	348.0	316.7
Alaska	1,886	2,569	2,744	3,806	3,900	301.9	409.3	433.1	591.2	605.8
Arizona	12,111	12,591	14,346	14,973	12,819	241.1	243.7	270.3	274.4	234.9
Arkansas	5,865	6,219	7,280	7,312	7,856	221.2	232.2	270.2	269.8	289.9
California	85,156	95,392	101,944	110,288	117,428	254.2	280.5	294.6	314.1	334.4
Colorado*	10,848	12,000	13,239	14,028	13,039	256.7	277.3	298.8	311.3	289.3
Connecticut	7,422	7,604	7,718	9,808	9,393	219.2	222.9	224.7	283.4	271.4
Delaware	2,761	2,856	2,793	2,649	3,035	356.3	363.1	350.6	328.1	375.9
Florida	31,410	33,390	37,625	42,058	42,382	199.3	208.0	229.8	251.6	253.6
Georgia	30,368	29,359	33,840	33,998	35,686	377.4	356.5	402.6	397.2	416.9
Hawaii	3,165	3,547	4,031	4,521	5,480	261.5	292.5	328.5	363.2	440.2
Idaho	1,778	1,907	2,023	2,503	2,366	139.4	146.7	153.2	186.6	176.4
Illinois	36,409	40,350	43,716	48,101	48,294	294.6	324.3	349.2	381.7	383.3
Indiana	11,734	14,063	15,258	17,100	17,075	194.1	230.8	249.0	277.6	277.2
Iowa	5,511	5,987	6,699	6,195	6,491	188.9	204.4	194.4	210.9	221.0
Kansas	6,093	6,056	6,050	6,784	7,249	227.5	224.9	223.9	249.8	266.9
Kentucky	7,378	8,063	8,881	8,756	7,981	183.6	199.1	218.3	213.9	195.0
Louisiana	16,635	17,846	17,840	18,442	20,970	372.9	399.3	399.1	411.4	467.8
Maine	1,220	1,474	1,338	1,805	2,030	96.3	115.4	104.2	139.4	156.8
Maryland	13,568	14,533	15,640	16,891	16,831	258.2	273.6	290.4	309.5	308.4
Massachusetts	8,776	10,967	10,402	10,914	11,301	138.9	172.4	162.5	169.8	175.8
Michigan	23,107	26,237	31,090	32,272	32,572	233.5	263.5	310.7	321.1	324.1
Minnesota	7,450	8,102	8,323	10,107	10,714	152.9	164.2	167.0	201.3	213.4
Mississippi	11,545	12,697	11,793	11,800	12,193	408.2	445.7	412.4	410.9	424.6
Missouri	13,355	13,448	13,949	16,181	18,570	240.1	239.9	247.4	285.2	327.4
Montana	1,584	1,469	1,919	2,475	2,547	176.5	162.6	212.0	272.1	280.1
Nebraska	3,616	3,791	3,206	4,779	4,739	212.1	221.3	186.4	276.4	274.1
Nevada	3,086	4,019	4,831	5,936	5,830	159.5	199.1	230.3	273.1	268.2
New Hampshire	976	1,130	1,383	1,557	1,616	79.9	91.1	109.8	122.1	126.7
New Jersey	12,424	10,814	16,312	14,164	16,169	148.6	128.2	191.7	164.9	188.2
New Mexico	5,017	5,204	6,254	7,417	7,480	277.5	285.7	341.6	399.8	403.2
New York†	26,766	31,494	46,393	51,123	57,222	336.8	165.8	243.1	266.9	298.7
North Carolina	21,812	21,985	22,101	24,726	26,187	274.4	272.0	269.3	297.2	314.7
North Dakota	947	909	1,062	1,256	1,655	147.0	141.8	166.8	198.1	261.0
Ohio	29,398	31,190	37,653	38,032	42,522	259.3	274.5	330.6	333.0	372.3
Oklahoma	8,195	9,331	10,478	10,804	11,013	238.4	270.1	302.0	309.2	315.2
Oregon	6,127	7,107	7,454	7,009	7,688	180.5	207.1	214.6	199.0	218.3
Pennsylvania	27,019	26,475	28,371	31,791	37,291	220.3	215.5	230.6	257.7	302.3
Rhode Island	2,345	2,632	2,912	2,832	3,000	225.4	250.5	274.8	264.7	280.4
South Carolina	18,499	9,950	15,329	14,314	14,623	465.4	247.3	377.4	348.5	356.0
South Dakota	1,544	1,834	1,821	2,215	2,608	205.8	242.7	240.1	291.0	342.7
Tennessee	14,216	15,069	15,560	16,042	20,380	252.1	264.2	270.6	276.7	351.5
Texas	62,958	68,814	69,752	69,521	69,200	306.2	328.4	326.4	319.2	317.7
Utah	2,219	2,190	3,004	3,540	3,893	100.7	97.6	131.8	152.8	168.1
Vermont	485	526	638	954	1,060	80.2	86.2	104.1	154.7	171.9
Virginia	13,735	15,352	18,337	18,518	19,439	196.2	216.0	254.8	253.9	266.5
Washington	11,964	13,066	13,631	14,934	16,797	204.8	221.0	227.4	246.1	276.8
West Virginia	1,820	2,144	2,346	2,464	2,585	100.5	118.6	130.3	136.7	143.5
Wisconsin	14,462	16,365	16,284	17,000	17,942	271.2	304.5	301.2	312.4	329.7
Wyoming	787	807	839	944	960	160.0	163.3	169.9	189.3	192.5
U.S. TOTAL[§]	662,647	709,452	783,242	834,555	877,478	247.2	251.4	274.5	289.4	304.3
Northeast	87,433	93,116	115,467	124,948	139,082	206.2	173.5	214.0	230.4	256.5
Midwest	153,626	168,332	184,111	200,022	210,431	239.7	261.0	284.0	307.1	323.0
South	275,860	286,136	307,405	317,211	327,738	278.2	284.5	301.5	306.9	317.1
West	145,728	161,868	176,259	192,374	200,227	233.4	255.0	272.9	293.0	305.0
Guam	497	525	431	550	554	303.9	338.0	272.2	341.5	344.0
Puerto Rico	1,445	2,695	2,748	2,999	2,746	37.2	70.6	71.6	77.7	71.1
Virgin Islands	136	131	131	207	416	120.5	120.6	119.7	188.1	378.1
OUTLYING AREAS	2,078	3,351	3,310	3,756	3,716	49.9	82.1	80.6	90.9	90.0
TOTAL	664,725	712,803	786,552	838,311	881,194	244.1	249.0	271.8	286.6	301.3

*The number of chlamydia cases occurring in the fourth quarter of 2000 for the State of Colorado was projected based on case counts from the first three quarters.

†New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. The number of chlamydia cases reported from 1999–2000 by the state of New York may be incomplete and the rate for New York State is underestimated. See Appendix (Reporting of Chlamydia Cases).

§Includes cases reported by Washington, D.C., and rates exclude population of states that did not report.

Table 4. Chlamydia — Women – Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	11,524	13,746	13,375	13,988	12,977	502.5	596.9	579.0	603.6	560.0
Alaska	1,456	1,863	1,981	2,576	2,665	483.3	614.6	647.0	829.2	857.8
Arizona	9,497	10,008	11,193	11,665	10,043	377.1	386.8	421.3	427.2	367.8
Arkansas	4,618	5,015	5,949	5,817	6,284	339.7	365.8	431.6	419.8	453.6
California	66,334	72,178	76,261	81,218	85,967	394.8	423.0	439.5	461.5	488.5
Colorado*	8,172	8,748	9,894	10,422	9,843	388.9	407.4	449.8	466.0	440.1
Connecticut	6,053	6,238	6,260	7,738	7,309	346.5	354.7	353.8	434.4	410.3
Delaware	2,268	2,271	2,125	2,034	2,155	568.8	561.2	518.8	490.1	519.3
Florida	25,957	27,562	30,647	33,902	34,581	321.5	335.4	365.9	396.9	404.8
Georgia	24,685	24,067	27,905	27,494	28,992	602.7	575.4	654.1	633.2	667.7
Hawaii	2,557	2,757	3,053	3,445	4,113	424.9	456.8	499.2	554.9	662.5
Idaho	1,308	1,435	1,469	1,862	1,762	205.4	221.4	223.0	278.2	263.3
Illinois	28,758	31,771	33,124	34,154	36,284	455.5	500.4	518.7	531.7	564.9
Indiana	9,410	10,935	11,668	13,151	13,118	305.2	352.4	374.1	419.7	418.6
Iowa	4,208	4,480	4,295	4,680	4,915	282.8	300.3	287.7	313.1	328.8
Kansas	5,034	4,973	4,977	5,653	5,989	371.2	365.2	364.4	412.0	436.5
Kentucky	5,891	6,466	7,081	7,043	6,353	286.5	312.3	340.6	336.8	303.8
Louisiana	13,247	14,099	14,416	14,758	17,046	575.3	611.2	625.3	638.8	737.8
Maine	991	1,143	1,040	1,337	1,452	152.3	174.3	157.7	201.3	218.6
Maryland	11,351	12,099	12,863	13,851	13,746	417.8	440.5	462.1	491.3	487.6
Massachusetts	6,959	8,452	7,897	8,177	8,429	212.5	256.4	238.3	245.9	253.5
Michigan	18,869	20,905	24,550	25,129	25,903	373.8	412.0	481.7	491.2	506.3
Minnesota	5,469	5,856	6,010	7,352	7,866	222.1	235.1	238.9	290.3	310.6
Mississippi	9,953	11,005	10,258	10,274	10,536	679.6	746.9	694.4	692.8	710.5
Missouri	11,515	11,525	11,854	13,253	14,750	402.6	400.2	409.5	455.3	506.7
Montana	1,192	1,097	1,466	1,840	1,865	264.6	242.0	322.7	403.2	408.7
Nebraska	2,903	3,018	2,521	3,609	3,435	335.4	347.4	289.2	412.1	392.3
Nevada	2,500	3,124	3,586	4,365	4,268	263.3	315.5	348.4	409.3	400.2
New Hampshire	769	889	1,042	1,168	1,196	123.8	141.0	162.9	180.4	184.7
New Jersey	11,123	9,486	14,352	12,183	13,813	258.4	218.5	327.8	275.9	312.8
New Mexico	4,177	4,171	4,891	5,918	5,973	454.7	450.4	525.4	627.6	633.5
New York†	23,896	26,928	38,297	41,202	43,907	571.4	273.6	387.8	415.9	443.2
North Carolina	18,416	18,625	18,628	20,384	21,807	453.3	451.8	445.2	480.9	514.5
North Dakota	680	663	716	826	1,087	210.8	206.5	224.6	260.1	342.3
Ohio	23,380	25,105	29,521	29,558	33,549	400.7	429.5	504.2	503.7	571.7
Oklahoma	6,737	7,715	8,600	8,764	8,990	385.2	439.2	488.0	494.1	506.8
Oregon	4,462	5,192	5,442	5,033	5,590	260.6	300.2	311.0	283.8	315.2
Pennsylvania	22,470	21,389	22,521	23,546	27,557	354.0	336.7	354.3	369.7	432.7
Rhode Island	1,769	1,969	2,197	2,057	2,232	327.2	360.7	399.3	370.6	402.2
South Carolina	16,669	8,721	13,528	12,468	12,745	814.9	421.4	647.8	590.4	603.5
South Dakota	1,194	1,308	1,311	1,608	1,864	315.5	343.6	343.3	419.7	486.6
Tennessee	11,084	11,648	12,105	12,625	14,669	382.5	398.1	410.7	424.9	493.7
Texas	52,071	56,817	57,611	57,438	57,549	502.6	538.6	535.8	524.4	525.4
Utah	1,618	1,610	2,119	2,494	2,787	147.1	143.9	186.5	216.0	241.3
Vermont	414	432	523	746	828	134.2	138.9	167.3	237.3	263.4
Virginia	11,556	12,976	15,177	15,102	15,535	323.7	358.5	414.0	406.8	418.4
Washington	8,880	9,583	10,159	11,003	12,341	302.6	322.8	337.6	361.2	405.2
West Virginia	1,585	1,790	1,969	2,072	2,102	170.1	192.8	212.9	224.0	227.3
Wisconsin	11,225	12,352	12,045	12,296	12,838	415.5	454.2	440.5	446.9	466.6
Wyoming	649	667	679	755	717	265.4	271.7	276.8	304.7	289.3
U.S. TOTAL§	539,894	569,658	623,958	652,858	685,017	395.1	396.3	429.6	445.0	466.9
Northeast	74,444	76,926	94,129	98,154	106,723	338.7	277.4	337.9	350.8	381.4
Midwest	122,645	132,891	142,592	151,269	161,598	374.9	404.1	431.7	455.9	487.0
South	230,003	237,408	255,044	260,839	268,762	453.8	462.3	490.3	495.0	510.0
West	112,802	122,433	132,193	142,596	147,934	360.7	385.2	408.8	434.0	450.3
Guam	432	430	347	463	446	562.1	566.5	448.1	587.4	565.8
Puerto Rico	1,147	2,226	2,313	2,665	2,378	56.7	112.5	116.1	133.1	118.7
Virgin Islands	113	108	116	188	352	219.1	190.3	199.4	317.5	594.5
OUTLYING AREAS	1,692	2,764	2,776	3,316	3,176	78.7	130.9	130.5	154.9	148.3
TOTAL	541,586	572,422	626,734	656,174	688,193	390.2	392.4	425.3	440.8	462.3

*The number of chlamydia cases occurring in the fourth quarter of 2000 for the State of Colorado was projected based on case counts from the first three quarters.

†New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. The number of chlamydia cases reported from 1999-2000 by the state of New York may be incomplete and the rate for New York State is underestimated. See Appendix (Reporting of Chlamydia Cases).

§Includes cases reported by Washington, D.C., and rates exclude population of states that did not report. Cases reported with unknown sex are not included in this table.

Table 5. Chlamydia — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	795	1,432	1,124	1,579	1,201	37.2	66.6	52.1	72.8	55.4
Alaska	430	706	763	1,230	1,235	132.9	217.5	233.0	369.2	370.7
Arizona	2,614	2,583	3,153	3,308	2,772	104.3	100.1	119.0	121.4	101.7
Arkansas	1,247	1,204	1,325	1,486	1,567	96.5	92.1	100.7	112.2	118.3
California	18,236	22,759	24,930	28,400	31,238	109.2	134.3	144.5	162.1	178.3
Colorado*	2,666	3,251	3,328	3,604	3,196	125.5	149.2	149.1	158.8	140.8
Connecticut	1,369	1,366	1,445	2,070	2,084	83.5	82.6	86.8	123.3	124.1
Delaware	493	585	668	615	880	131.0	153.2	172.6	156.7	224.3
Florida	5,341	5,828	6,967	8,156	7,801	69.5	74.4	87.1	99.8	95.5
Georgia	5,462	5,102	5,926	6,363	6,509	138.3	125.9	143.2	150.9	154.3
Hawaii	583	777	977	1,076	1,367	95.8	127.6	158.7	172.4	219.0
Idaho	446	462	528	641	604	69.8	70.9	79.8	95.4	89.9
Illinois	7,642	8,578	10,588	13,942	12,009	126.4	140.8	172.6	225.7	194.4
Indiana	2,313	3,093	3,555	3,845	3,803	78.1	103.5	118.2	127.1	125.7
Iowa	1,302	1,505	1,401	1,505	1,561	91.1	104.7	97.3	104.4	108.3
Kansas	1,059	1,083	1,073	1,131	1,260	80.1	81.4	80.3	84.2	93.8
Kentucky	1,328	1,513	1,779	1,706	1,613	67.7	76.5	89.4	85.2	80.6
Louisiana	3,388	3,747	3,424	3,525	3,808	157.0	173.2	158.1	162.3	175.3
Maine	229	331	297	468	577	37.2	53.3	47.5	74.3	91.6
Maryland	2,196	2,379	2,777	3,029	3,068	86.5	92.7	106.7	114.8	116.3
Massachusetts	1,817	2,515	2,502	2,724	2,848	59.7	82.1	81.1	87.8	91.8
Michigan	4,237	5,331	6,540	7,143	6,669	87.4	109.2	133.2	144.8	135.2
Minnesota	1,981	2,246	2,313	2,755	2,848	82.2	91.9	93.7	110.8	114.5
Mississippi	1,450	1,647	1,535	1,526	1,657	106.3	119.7	111.0	109.9	119.3
Missouri	1,840	1,923	2,095	2,928	3,820	68.1	70.6	76.4	106.0	138.3
Montana	392	371	449	625	679	87.7	82.4	99.5	137.9	149.8
Nebraska	712	769	680	1,128	1,244	84.8	91.1	80.1	132.2	145.8
Nevada	586	893	1,239	1,558	1,552	59.5	86.8	115.9	140.7	140.2
New Hampshire	207	241	341	389	420	34.5	39.5	55.0	62.0	66.9
New Jersey	1,281	1,279	1,948	1,962	2,332	31.6	31.3	47.1	47.0	55.9
New Mexico	839	1,001	1,237	1,464	1,485	94.3	111.8	137.4	160.5	162.8
New York†	2,846	4,436	8,042	9,885	13,106	75.6	48.4	87.3	106.8	141.7
North Carolina	3,396	3,359	3,473	4,340	4,379	87.4	84.8	86.4	106.3	107.3
North Dakota	267	246	346	429	567	83.0	76.9	108.9	135.5	179.1
Ohio	5,604	5,819	7,603	7,926	8,215	101.9	105.5	137.4	142.7	147.9
Oklahoma	1,458	1,616	1,878	2,040	2,023	86.4	95.2	110.0	118.6	117.6
Oregon	1,665	1,915	2,012	1,976	2,098	99.0	112.5	116.7	113.1	120.0
Pennsylvania	4,549	5,086	5,850	8,244	9,682	76.9	85.7	98.4	138.2	162.3
Rhode Island	576	663	715	775	768	115.3	131.3	140.3	150.6	149.2
South Carolina	1,679	1,127	1,731	1,800	1,813	87.0	57.7	87.7	90.2	90.9
South Dakota	348	523	510	606	742	93.6	139.4	135.5	160.3	196.3
Tennessee	3,132	3,421	3,455	3,417	5,711	114.3	123.2	123.3	120.9	202.1
Texas	10,597	11,829	12,033	11,964	11,594	103.9	113.7	113.3	110.5	107.1
Utah	601	580	882	1,044	1,103	54.5	51.6	77.2	89.9	95.0
Vermont	71	94	115	208	232	24.0	31.5	38.3	68.8	76.8
Virginia	2,177	2,359	3,107	3,416	3,868	63.5	67.7	88.0	95.4	108.0
Washington	3,084	3,483	3,472	3,931	4,456	106.1	118.3	116.3	130.0	147.4
West Virginia	233	350	371	386	472	26.5	39.8	42.3	44.0	53.8
Wisconsin	3,212	4,006	4,191	4,669	5,015	122.1	150.9	156.9	173.6	186.4
Wyoming	138	140	160	189	243	55.8	56.3	64.4	75.3	96.9
U.S. TOTAL[§]	120,430	137,957	157,304	179,585	190,244	91.6	99.6	112.3	126.8	134.3
Northeast	12,945	16,011	21,255	26,725	32,049	63.4	61.7	81.5	101.8	122.1
Midwest	30,517	35,122	40,895	48,007	47,753	97.2	111.1	128.7	150.2	149.4
South	44,688	47,903	52,024	55,807	58,414	92.2	97.3	104.2	110.2	115.3
West	32,280	38,921	43,130	49,046	52,028	103.6	122.8	133.7	149.5	158.6
Guam	65	95	84	87	108	75.0	119.6	103.8	105.8	131.3
Puerto Rico	298	469	435	334	368	16.0	25.5	23.5	18.0	19.8
Virgin Islands	23	23	15	19	64	37.5	44.3	29.3	37.4	126.0
OUTLYING AREAS	386	587	534	440	540	19.2	29.8	27.0	22.1	27.1
TOTAL	120,816	138,544	157,838	180,025	190,784	90.5	98.7	111.1	125.3	132.8

*The number of chlamydia cases occurring in the fourth quarter of 2000 for the State of Colorado was projected based on case counts from the first three quarters.

†New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. The number of chlamydia cases reported from 1999-2000 by the state of New York may be incomplete and the rate for New York State is underestimated. See Appendix (Reporting of Chlamydia Cases).

§Includes cases reported by Washington, D.C., and rates exclude population of states that did not report. Cases reported with unknown sex are not included in this table.

Table 6. Chlamydia — Reported cases and rates in selected cities ranked by rates: United States, 2003

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Rochester, NY	3,026	1,219.6
2	Philadelphia, PA	17,747	1,189.3
3	Detroit, MI	10,405	1,102.2
4	Richmond, VA	2,054	1,040.2
5	St Louis, MO	3,502	1,035.0
6	Baltimore, MD	6,413	1,004.2
7	New Orleans, LA	4,675	987.0
8	Kansas City, MO	4,351	954.3
9	Milwaukee, WI	8,416	898.1
10	Indianapolis, IN	6,565	760.3
11	Chicago, IL	23,466	760.2
12	Minneapolis, MN	2,847	737.5
13	Newark, NJ	2,211	730.8
14	Atlanta, GA	5,999	726.8
15	Buffalo, NY	2,318	723.5
16	Memphis, TN	6,468	714.2
17	Denver, CO	3,743	667.9
18	Boston, MA	3,751	627.1
19	St Paul, MN	1,743	612.9
20	Albuquerque, NM	3,390	590.9
21	Oklahoma City, OK	2,509	579.3
22	Dallas, TX	6,892	569.4
23	Jacksonville, FL	4,566	566.4
24	Washington, DC	3,168	554.9
25	Fort Worth, TX	3,067	541.2
26	Cincinnati, OH	4,471	536.3
27	Norfolk, VA	1,263	528.4
28	Omaha, NE	2,475	523.5
29	San Antonio, TX	6,193	518.4
30	Honolulu, HI	4,558	508.7
31	Austin, TX	3,393	504.8
32	Tulsa, OK	1,972	493.1
33	Nashville, TN	2,653	464.8
34	Houston, TX	9,119	453.7
35	Corpus Christi, TX	1,241	445.6
36	Portland, OR	2,363	442.0
37	New York City, NY	35,369	437.5
38	San Francisco, CA	3,332	436.1
39	Charlotte, NC	3,046	412.8
40	Sacramento, CA	5,326	408.1
41	Birmingham, AL	2,698	408.1
42	Toledo, OH	1,850	407.9
43	Los Angeles, CA	37,363	407.1
44	Cleveland, OH	5,447	395.0
45	Wichita, KS	1,818	393.6
46	Columbus, OH	4,155	382.3
47	Jersey City, NJ	923	382.2
48	Des Moines, IA	1,456	377.5
49	El Paso, TX	2,145	371.4
50	San Diego, CA	10,432	358.9
51	Dayton, OH	1,939	349.7
52	Oakland, CA	4,880	331.5
53	Pittsburgh, PA	4,175	328.8
54	Louisville, KY	2,084	298.5
55	Seattle, WA	5,168	293.7
56	Tampa, FL	3,071	291.4
57	San Jose, CA	4,681	278.1
58	Tucson, AZ	2,426	275.3
59	Yonkers, NY	534	265.0
60	St Petersburg, FL	2,325	250.9
61	Akron, OH	1,316	240.9
62	Phoenix, AZ	7,766	235.1
63	Miami, FL	4,431	190.0

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state.

†Excludes cities in outlying areas (San Juan, PR, with 803 cases and rate of 78.3).

Table 7. Chlamydia — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	841	990	1,162	1,249	1,316	155.2	182.1	213.2	228.6	240.9
Albuquerque, NM	1,674	2,368	3,139	3,531	3,390	302.7	424.7	557.8	615.5	590.9
Atlanta, GA	5,572	5,558	6,426	5,560	5,999	690.1	679.8	778.7	673.6	726.8
Austin, TX	2,795	3,113	3,317	3,678	3,393	459.2	491.7	507.9	547.2	504.8
Baltimore, MD	5,286	5,433	5,405	6,267	6,413	804.0	837.4	837.6	981.3	1,004.2
Birmingham, AL	2,209	3,601	2,957	3,650	2,698	333.3	543.9	447.0	552.1	408.1
Boston, MA	2,680	3,229	2,935	3,320	3,751	448.6	539.7	488.6	555.0	627.1
Buffalo, NY*	NR	722	2,379	2,217	2,318	.	224.3	741.3	692.0	723.5
Charlotte, NC	1,669	1,873	1,936	2,778	3,046	244.7	267.4	268.6	376.4	412.8
Chicago, IL	18,125	19,792	22,420	24,673	23,466	588.5	641.1	725.6	799.3	760.2
Cincinnati, OH	3,801	4,715	4,594	4,566	4,471	447.2	558.6	546.8	547.7	536.3
Cleveland, OH	3,446	3,961	4,811	4,924	5,447	246.2	284.5	347.2	357.1	395.0
Columbus, OH	3,997	4,298	4,850	4,581	4,155	376.6	401.0	448.5	421.5	382.3
Corpus Christi, TX	1,158	1,525	1,458	1,433	1,241	416.0	549.8	526.7	514.5	445.6
Dallas, TX	9,355	9,976	10,249	9,561	6,892	794.2	835.8	843.8	789.8	569.4
Dayton, OH	1,256	1,176	2,066	1,723	1,939	223.5	210.6	371.6	310.7	349.7
Denver, CO	3,371	3,164	4,186	4,546	3,743	614.2	568.5	743.2	811.2	667.9
Des Moines, IA	922	1,075	1,122	1,322	1,456	248.8	286.0	294.8	342.8	377.5
Detroit, MI	7,753	9,989	11,552	11,374	10,405	810.7	1,050.9	1,219.2	1,204.8	1,102.2
El Paso, TX	1,898	2,225	2,356	2,287	2,145	339.0	393.6	412.2	396.0	371.4
Fort Worth, TX	3,752	4,214	4,142	4,005	3,067	712.9	782.8	750.8	706.8	541.2
Honolulu, HI	2,631	2,932	3,473	3,801	4,558	299.3	334.7	392.8	424.2	508.7
Houston, TX	10,511	12,213	11,289	11,768	9,119	569.9	651.1	590.2	585.5	453.7
Indianapolis, IN	4,641	5,506	6,611	6,593	6,565	541.2	639.8	765.4	763.6	760.3
Jacksonville, FL	2,703	3,501	3,551	3,926	4,566	349.6	449.0	448.0	487.0	566.4
Jersey City, NJ	724	624	893	678	923	303.5	259.2	368.2	280.7	382.2
Kansas City, MO	2,738	3,128	2,747	3,348	4,351	606.7	691.4	605.0	734.3	954.3
Los Angeles, CA	27,614	31,074	32,706	35,544	37,363	312.6	347.7	361.1	387.2	407.1
Louisville, KY	1,447	1,656	1,952	2,176	2,084	209.1	238.6	280.5	311.7	298.5
Memphis, TN	5,025	4,967	5,418	5,548	6,468	562.2	552.9	601.8	612.6	714.2
Miami, FL	4,010	3,032	3,800	4,711	4,431	180.6	134.1	165.5	202.0	190.0
Milwaukee, WI	7,641	9,018	8,224	8,553	8,416	812.4	959.7	876.3	912.7	898.1
Minneapolis, MN	2,584	2,652	2,614	2,868	2,847	676.9	689.6	675.9	742.9	737.5
Nashville, TN	2,202	2,403	2,086	2,157	2,653	388.2	421.5	365.2	377.9	464.8
New Orleans, LA	3,651	3,817	3,871	4,340	4,675	752.0	789.2	809.1	916.2	987.0
New York City, NY	26,766	26,170	29,649	33,063	35,369	336.8	326.4	367.8	409.0	437.5
Newark, NJ	1,881	1,567	2,408	2,092	2,211	628.5	521.6	798.6	691.4	730.8
Norfolk, VA	920	1,093	1,475	1,350	1,263	394.0	466.2	626.5	564.8	528.4
Oakland, CA	4,111	4,975	4,682	4,623	4,880	288.1	342.9	317.4	314.0	331.5
Oklahoma City, OK	1,768	2,060	2,444	2,622	2,509	417.7	483.4	570.2	605.4	579.3
Omaha, NE	1,808	1,935	1,719	2,312	2,475	392.4	416.5	367.0	489.1	523.5
Philadelphia, PA	12,660	13,584	13,628	14,458	17,747	832.9	897.2	907.5	968.9	1,189.3
Phoenix, AZ	7,660	7,987	8,953	9,697	7,766	254.9	257.9	279.6	293.5	235.1
Pittsburgh, PA	2,879	2,885	3,444	4,145	4,175	223.7	225.4	270.3	326.4	328.8
Portland, OR	2,018	2,306	2,355	2,272	2,363	388.9	441.8	445.6	425.0	442.0
Richmond, VA	1,972	2,230	2,082	2,108	2,054	990.2	1,129.2	1,052.8	1,067.6	1,040.2
Rochester, NY*	NR	115	1,064	1,625	3,026	.	46.5	430.1	655.0	1,219.6
Sacramento, CA	4,469	4,599	4,442	4,749	5,326	370.4	373.7	350.3	363.9	408.1
San Antonio, TX	5,731	5,871	5,749	5,777	6,193	505.7	510.9	492.8	483.6	518.4
San Diego, CA	7,591	8,591	9,166	10,286	10,432	272.1	304.1	319.4	353.9	358.9
San Francisco, CA	2,718	3,093	3,030	3,345	3,332	350.8	398.1	390.5	437.8	436.1
San Jose, CA	3,428	3,908	4,118	4,360	4,681	205.1	231.7	242.8	259.0	278.1
Seattle, WA	3,949	4,495	4,295	4,469	5,168	228.4	258.5	244.9	254.0	293.7
St Louis, MO	3,090	2,711	3,195	3,206	3,502	882.5	781.4	932.1	947.5	1,035.0
St Paul, MN	1,349	1,639	1,506	1,798	1,743	475.7	575.3	527.1	632.2	612.9
St Petersburg, FL	1,760	1,834	1,884	2,294	2,325	191.9	198.9	203.7	247.5	250.9
Tampa, FL	2,757	2,714	2,535	3,407	3,071	279.9	270.5	246.7	323.3	291.4
Toledo, OH	1,043	1,646	2,244	2,465	1,850	229.0	361.8	493.8	543.5	407.9
Tucson, AZ	1,908	1,786	2,700	2,580	2,426	230.2	210.4	312.7	292.8	275.3
Tulsa, OK	1,636	1,770	1,720	1,885	1,972	416.1	448.5	433.3	471.3	493.1
Washington, DC	2,720	3,205	3,286	3,305	3,168	477.0	560.7	572.7	578.9	554.9
Wichita, KS	1,532	1,457	1,465	1,602	1,818	339.1	321.2	320.6	346.8	393.6
Yonkers, NY*	NR	379	373	456	534	.	190.4	186.0	226.3	265.0
U.S. CITY TOTAL†	269,806	296,125	318,308	339,607	343,149	394.4	424.3	451.8	478.1	483.1
San Juan, PR	501	966	1,076	1,058	803	47.6	94.6	105.2	103.2	78.3
TOTAL	270,307	297,091	319,384	340,665	343,952	389.2	419.5	446.9	472.8	477.3

*New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. Therefore, the number of chlamydia cases reported in 2000 by the cities of Buffalo, Rochester and Yonkers may be incomplete and their 2000 case rates may be underestimated. See Appendix (Reporting of Chlamydia Cases).

†Rates exclude population of cities that did not report. NR=No report

Table 8. Chlamydia — Women — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	653	769	916	963	939	232.4	272.9	324.4	340.3	331.8
Albuquerque, NM	1,401	1,815	2,368	2,788	2,659	495.3	636.2	823.0	951.5	907.4
Atlanta, GA	4,287	4,468	5,152	4,349	4,630	1,042.6	1,076.4	1,229.7	1,037.3	1,104.3
Austin, TX	2,367	2,432	2,633	2,923	2,583	794.9	787.0	826.2	891.3	787.6
Baltimore, MD	4,700	4,828	4,825	5,490	5,533	1,340.0	1,394.8	1,400.1	1,608.1	1,620.7
Birmingham, AL	2,086	2,792	2,524	2,833	2,362	594.8	797.7	722.0	811.5	676.6
Boston, MA	2,107	2,360	2,086	2,423	2,634	681.2	762.0	670.6	781.9	850.0
Buffalo, NY*	NR	528	1,731	1,637	1,749	.	314.4	1,034.6	980.9	1,048.0
Charlotte, NC	1,373	1,498	1,484	2,179	2,487	394.2	420.2	404.9	581.6	663.8
Chicago, IL	14,377	15,631	16,756	16,589	17,264	904.2	981.7	1,052.0	1,043.1	1,085.5
Cincinnati, OH	3,211	3,938	3,740	3,711	3,576	721.5	891.6	851.4	852.0	821.0
Cleveland, OH	2,955	3,183	3,635	3,718	4,081	399.9	433.3	497.6	511.6	561.5
Columbus, OH	2,907	3,185	3,336	3,127	3,254	532.2	577.9	600.6	560.6	583.4
Corpus Christi, TX	999	1,292	1,233	1,210	1,062	702.4	912.2	871.5	849.6	745.7
Dallas, TX	7,143	7,726	8,083	7,529	5,536	1,209.5	1,293.4	1,331.7	1,246.5	916.5
Dayton, OH	834	863	1,595	1,244	1,449	285.4	297.2	552.0	431.8	502.9
Denver, CO	2,468	2,190	2,962	3,181	2,648	905.8	795.6	1,063.5	1,148.3	955.9
Des Moines, IA	660	789	814	968	1,047	345.5	407.9	415.9	488.7	528.6
Detroit, MI	6,343	7,716	9,137	8,976	8,832	1,253.5	1,535.3	1,824.1	1,798.6	1,769.8
El Paso, TX	1,599	1,881	1,936	1,966	1,843	551.6	642.7	653.8	656.3	615.2
Fort Worth, TX	2,933	3,317	3,277	3,179	2,484	1,103.2	1,220.6	1,177.8	1,113.6	870.2
Honolulu, HI	2,102	2,239	2,574	2,829	3,350	481.3	513.1	583.5	632.7	749.2
Houston, TX	8,740	10,222	9,473	9,777	7,532	943.7	1,085.9	987.5	970.7	747.8
Indianapolis, IN	3,481	3,896	4,552	4,633	4,770	784.4	876.8	1,020.9	1,039.8	1,070.6
Jacksonville, FL	2,091	2,809	2,865	2,984	3,521	524.8	699.7	702.4	719.9	849.5
Jersey City, NJ	681	605	818	618	858	560.6	493.8	663.0	503.0	698.4
Kansas City, MO	2,413	2,763	2,396	2,773	3,184	1,030.4	1,178.4	1,018.7	1,174.7	1,348.8
Los Angeles, CA	21,564	23,056	24,358	25,587	26,645	483.0	510.1	532.1	551.9	574.8
Louisville, KY	1,136	1,301	1,511	1,696	1,581	314.2	359.2	416.2	465.9	434.3
Memphis, TN	4,020	3,943	4,378	4,546	4,944	860.2	840.3	930.8	961.1	1,045.2
Miami, FL	3,282	2,449	3,079	3,804	3,574	285.8	209.6	259.6	316.1	297.0
Milwaukee, WI	6,076	7,077	6,308	6,323	6,132	1,238.7	1,446.9	1,291.8	1,297.5	1,258.3
Minneapolis, MN	1,756	1,759	1,716	1,907	1,928	904.8	901.2	874.4	973.8	984.5
Nashville, TN	1,628	1,758	1,537	1,604	1,862	554.8	597.8	521.3	544.5	632.1
New Orleans, LA	2,794	2,772	2,958	3,305	3,702	1,082.2	1,078.6	1,164.1	1,313.7	1,471.5
New York City, NY	23,896	22,663	25,118	27,177	27,490	571.4	537.1	592.7	640.0	647.4
Newark, NJ	1,684	1,330	2,117	1,724	1,884	1,073.1	845.0	1,340.5	1,088.5	1,189.5
Norfolk, VA	795	964	1,251	1,172	1,068	697.1	841.3	1,089.4	1,012.1	922.3
Oakland, CA	3,212	3,851	3,562	3,562	3,770	442.4	521.7	474.4	475.2	502.9
Oklahoma City, OK	1,449	1,686	1,941	2,007	1,985	664.4	768.5	880.6	901.5	891.6
Omaha, NE	1,437	1,516	1,346	1,738	1,764	609.6	639.0	563.2	721.4	732.2
Philadelphia, PA	10,479	10,724	10,833	10,308	12,812	1,287.7	1,323.5	1,349.0	1,292.1	1,606.0
Phoenix, AZ	5,787	6,195	6,841	7,509	6,028	384.8	400.2	427.9	455.7	365.8
Pittsburgh, PA	2,380	2,398	2,798	3,204	3,179	350.9	355.9	417.6	480.2	476.5
Portland, OR	1,379	1,597	1,651	1,527	1,589	525.4	605.9	619.5	567.0	590.0
Richmond, VA	1,713	1,900	1,752	1,723	1,551	1,605.4	1,800.7	1,655.6	1,630.7	1,467.9
Rochester, NY*	NR	86	807	1,218	2,128	.	67.1	630.2	499.3	1,658.5
Sacramento, CA	3,452	3,391	3,279	3,583	3,897	560.4	539.7	506.7	538.3	585.5
San Antonio, TX	4,697	4,767	4,632	4,654	5,149	806.7	807.9	773.9	759.8	840.6
San Diego, CA	5,839	6,371	6,510	7,285	7,694	421.7	453.6	455.9	504.0	532.3
San Francisco, CA	1,541	1,819	1,723	1,827	1,659	404.1	475.6	450.3	484.0	439.5
San Jose, CA	2,636	2,948	3,017	3,150	3,366	319.7	354.3	360.5	379.0	405.0
Seattle, WA	2,654	3,006	2,905	2,994	3,434	305.4	343.9	329.6	338.5	388.2
St Louis, MO	2,736	2,362	2,787	2,665	2,955	1,470.4	1,284.1	1,533.6	1,485.6	1,647.2
St Paul, MN	972	1,154	1,098	1,318	1,267	661.0	781.6	742.0	895.5	860.8
St Petersburg, FL	1,446	1,511	1,522	1,844	1,887	300.7	313.0	314.6	380.6	389.5
Tampa, FL	2,380	2,319	2,112	2,774	2,446	473.1	452.7	403.0	516.7	455.6
Toledo, OH	815	1,348	1,801	1,944	1,464	344.3	570.7	764.2	827.4	623.1
Tucson, AZ	1,531	1,411	2,058	1,927	1,835	361.4	325.4	466.1	427.4	407.0
Tulsa, OK	1,331	1,485	1,406	1,561	1,613	657.0	730.7	688.9	759.9	785.2
Washington, DC	2,391	2,786	2,807	2,825	2,695	792.3	921.0	925.4	937.8	894.6
Wichita, KS	1,218	1,134	1,166	1,315	1,507	532.5	494.4	504.5	562.8	645.0
Yonkers, NY*	NR	327	326	380	431	.	314.9	312.2	362.6	411.3
U.S. CITY TOTAL†	217,017	232,899	247,912	258,284	260,782	618.2	650.5	686.4	709.7	716.6
San Juan, PR	385	761	901	925	670	70.4	143.3	169.3	173.5	125.7
TOTAL	217,402	233,660	248,813	259,209	261,452	609.8	643.1	678.8	702.0	708.0

*New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. Therefore, the number of chlamydia cases reported in 2000 by the cities of Buffalo, Rochester and Yonkers may be incomplete and their 2000 case rates may be underestimated. See Appendix (Reporting of Chlamydia Cases).

†Rates exclude population of cities that did not report. Cases reported with unknown sex are not included in this table. NR = No report

Table 9. Chlamydia — Men — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	183	216	243	271	294	70.2	82.5	92.5	102.9	111.6
Albuquerque, NM	272	521	654	723	716	100.7	191.3	237.8	257.6	255.1
Atlanta, GA	1,262	1,079	1,273	1,185	1,337	318.5	268.1	313.4	291.7	329.2
Austin, TX	428	676	683	751	802	137.6	208.6	204.2	218.2	233.0
Baltimore, MD	565	550	580	777	880	184.2	181.7	192.9	261.4	296.1
Birmingham, AL	117	700	433	815	333	37.5	224.3	138.8	261.2	106.7
Boston, MA	573	869	849	896	1,111	198.9	301.1	293.1	310.8	385.4
Buffalo, NY*	NR	194	648	580	569	.	126.1	421.9	377.9	370.7
Charlotte, NC	296	375	452	599	559	88.7	109.0	127.6	164.9	153.9
Chicago, IL	3,744	4,160	5,660	8,084	6,201	251.3	278.2	378.0	540.3	414.4
Cincinnati, OH	552	748	818	820	857	136.3	185.9	204.0	206.0	215.2
Cleveland, OH	469	748	1,145	1,179	1,336	71.0	113.7	174.8	180.7	204.8
Columbus, OH	1,053	1,071	1,434	1,396	861	204.5	205.6	272.7	263.9	162.7
Corpus Christi, TX	158	233	225	223	179	116.0	171.6	166.3	163.9	131.5
Dallas, TX	2,156	2,151	2,105	2,001	1,352	367.1	360.8	346.4	329.9	222.9
Dayton, OH	415	302	460	475	484	153.9	112.6	172.3	178.3	181.7
Denver, CO	898	974	1,219	1,363	1,095	324.9	346.2	428.1	480.9	386.4
Des Moines, IA	262	286	307	351	404	145.9	156.7	166.0	187.1	215.3
Detroit, MI	1,410	2,273	2,415	2,398	1,573	313.1	507.4	540.8	538.9	353.5
El Paso, TX	296	343	420	320	301	109.6	125.8	152.4	115.1	108.3
Fort Worth, TX	778	888	858	813	577	298.7	333.1	313.8	289.1	205.2
Honolulu, HI	515	683	898	972	1,208	116.5	155.4	202.7	216.6	269.1
Houston, TX	1,634	1,971	1,804	1,981	1,581	177.9	210.9	189.2	197.6	157.7
Indianapolis, IN	1,157	1,604	2,045	1,909	1,741	279.7	385.4	489.3	456.8	416.6
Jacksonville, FL	612	692	686	942	1,045	163.3	182.9	178.3	240.5	266.8
Jersey City, NJ	43	19	72	58	63	36.7	16.1	60.4	48.9	53.1
Kansas City, MO	325	365	351	575	1,167	149.7	167.5	160.4	261.5	530.8
Los Angeles, CA	6,020	8,000	8,307	9,910	10,676	137.8	181.1	185.4	218.1	235.0
Louisville, KY	307	352	439	477	499	92.9	106.1	131.8	142.8	149.4
Memphis, TN	1,005	1,024	1,040	1,002	1,524	235.6	238.6	241.9	231.6	352.2
Miami, FL	717	583	721	907	857	66.8	53.3	64.9	80.3	75.9
Milwaukee, WI	1,556	1,935	1,881	2,210	2,222	345.8	429.5	417.8	491.3	494.0
Minneapolis, MN	828	893	898	961	919	441.3	471.5	471.4	505.2	483.1
Nashville, TN	574	645	549	553	791	209.6	233.7	198.7	200.2	286.4
New Orleans, LA	857	1,045	913	972	957	377.0	461.0	407.0	437.7	430.9
New York City, NY	2,846	3,377	4,477	5,850	7,670	75.6	88.9	117.1	152.4	199.9
Newark, NJ	194	234	291	366	325	136.3	163.6	202.6	253.9	225.4
Norfolk, VA	125	129	222	178	192	104.6	107.6	184.1	144.4	155.8
Oakland, CA	759	1,075	1,080	1,050	1,110	108.3	150.8	149.1	145.3	153.6
Oklahoma City, OK	319	374	503	615	524	155.5	180.9	241.6	292.2	249.0
Omaha, NE	370	416	373	569	704	164.4	183.0	162.6	245.5	303.7
Philadelphia, PA	2,181	2,860	2,795	4,150	4,935	308.8	406.4	400.0	597.6	710.6
Phoenix, AZ	1,873	1,792	2,112	2,188	1,737	124.8	115.7	131.7	132.1	104.9
Pittsburgh, PA	499	487	646	941	994	81.9	80.3	106.9	156.1	164.9
Portland, OR	639	709	704	745	774	249.2	274.4	268.8	280.8	291.7
Richmond, VA	259	329	329	385	501	280.2	357.8	357.8	419.4	545.8
Rochester, NY*	NR	29	257	407	898	.	24.3	215.4	339.7	749.6
Sacramento, CA	987	1,171	1,101	1,137	1,396	167.1	194.4	177.3	177.8	218.3
San Antonio, TX	1,032	1,096	1,110	1,121	1,043	187.3	196.0	195.4	192.6	179.2
San Diego, CA	1,704	2,072	2,232	2,641	2,715	121.3	145.8	154.8	180.7	185.8
San Francisco, CA	1,177	1,274	1,307	1,499	1,643	299.2	323.0	332.3	387.7	425.0
San Jose, CA	761	937	1,065	1,155	1,299	89.8	109.6	124.0	135.5	152.4
Seattle, WA	1,295	1,489	1,390	1,475	1,734	150.6	172.1	159.3	168.6	198.1
St Louis, MO	354	349	408	541	547	215.7	214.1	253.4	340.3	344.1
St Paul, MN	377	485	408	480	476	276.1	353.3	296.2	349.9	346.9
St Petersburg, FL	314	323	362	450	438	71.9	73.5	82.1	101.8	99.0
Tampa, FL	377	395	423	633	625	78.2	80.4	84.0	122.4	120.9
Toledo, OH	222	288	430	509	379	101.5	131.7	196.6	232.9	173.4
Tucson, AZ	377	375	642	653	590	93.0	90.3	152.2	151.7	137.1
Tulsa, OK	305	285	314	324	359	160.0	148.9	162.8	166.6	184.6
Washington, DC	316	405	451	459	450	117.7	150.5	166.7	170.2	166.9
Wichita, KS	314	323	299	287	311	140.8	144.1	132.4	125.7	136.2
Yonkers, NY*	NR	52	47	76	103	.	54.6	48.9	78.6	106.5
U.S. CITY TOTAL†	52,013	62,298	69,263	80,333	81,543	156.2	183.3	201.8	231.9	235.4
San Juan, PR	116	205	175	133	133	23.0	41.8	35.6	27.0	27.0
TOTAL	52,129	62,503	69,438	80,466	81,676	154.2	181.3	199.4	229.1	232.5

*New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. Therefore, the number of chlamydia cases reported in 2000 by the cities of Buffalo, Rochester and Yonkers may be incomplete and their 2000 case rates may be underestimated. See Appendix (Reporting of Chlamydia Cases).

†Rates exclude population of cities that did not report. Cases reported with unknown sex are not included in this table. NR = No report

Table 10. Chlamydia — Reported cases and rates per 100,000 population by age and sex: United States, 1999–2003

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
1999	10-14	13,870	824	13,046	68.6	8.0	132.4
	15-19	259,742	32,366	227,376	1,293.2	313.5	2,329.3
	20-24	228,069	43,011	185,058	1,226.7	453.1	2,033.9
	25-29	88,114	21,548	66,566	450.1	218.1	686.5
	30-34	35,248	10,289	24,959	171.1	99.4	243.5
	35-39	17,269	5,957	11,312	75.5	52.2	98.6
	40-44	7,606	2,987	4,619	34.3	27.2	41.3
	45-54	4,661	2,036	2,625	12.7	11.3	14.1
	55-64	1,006	480	526	4.2	4.2	4.3
	65+	915	302	613	2.6	2.1	3.0
TOTAL	658,711	120,468	538,243	236.1	88.1	378.4	
2000	10-14	14,468	931	13,537	70.2	8.8	134.8
	15-19	266,583	35,415	231,167	1,318.6	340.8	2,352.5
	20-24	249,360	50,103	199,257	1,302.8	512.2	2,129.1
	25-29	94,263	24,507	69,756	489.3	251.4	732.8
	30-34	39,509	12,216	27,292	191.9	117.9	266.8
	35-39	18,935	6,791	12,144	83.7	60.2	107.1
	40-44	8,442	3,318	5,123	37.5	29.7	45.1
	45-54	5,601	2,499	3,102	14.7	13.4	16.0
	55-64	1,110	494	617	4.5	4.2	4.9
	65+	997	339	658	2.8	2.3	3.2
TOTAL	701,339	137,233	564,106	248.5	99.1	392.4	
2001	10-14	15,031	1,042	13,989	71.9	9.7	137.2
	15-19	288,333	39,064	249,269	1,422.4	374.8	2,531.3
	20-24	285,589	58,597	226,992	1,448.8	581.3	2,357.0
	25-29	106,914	27,896	79,018	562.0	289.1	842.8
	30-34	45,255	14,493	30,763	217.7	138.4	298.0
	35-39	21,516	7,953	13,563	96.4	71.4	121.4
	40-44	9,940	4,124	5,816	43.6	36.4	50.6
	45-54	6,415	2,943	3,472	16.4	15.3	17.4
	55-64	1,282	638	644	5.1	5.2	4.9
	65+	919	313	606	2.6	2.1	2.9
TOTAL	783,127	157,623	625,504	274.5	112.5	430.7	
2002	10-14	15,294	1,076	14,218	72.4	9.9	137.9
	15-19	299,863	42,433	257,429	1,471.6	405.2	2,599.0
	20-24	305,400	66,991	238,408	1,510.9	647.3	2,417.1
	25-29	116,422	32,497	83,925	613.7	337.1	899.3
	30-34	50,339	16,847	33,492	240.2	159.5	322.2
	35-39	23,411	9,298	14,113	106.8	84.9	128.8
	40-44	11,405	5,122	6,283	49.6	44.9	54.2
	45-54	7,644	3,652	3,992	19.1	18.6	19.6
	55-64	1,451	746	705	5.5	5.8	5.1
	65+	812	296	516	2.3	2.0	2.5
TOTAL	834,503	180,039	654,464	289.4	127.1	446.1	
2003	10-14	14,911	1,061	13,849	70.5	9.8	134.3
	15-19	310,505	44,331	266,175	1,523.9	423.4	2,687.3
	20-24	324,411	71,476	252,936	1,604.9	690.6	2,564.4
	25-29	124,890	34,916	89,974	658.3	362.2	964.2
	30-34	53,572	17,810	35,762	255.6	168.6	344.1
	35-39	24,658	9,772	14,886	112.5	89.2	135.8
	40-44	12,287	5,675	6,612	53.4	49.7	57.1
	45-54	8,214	4,012	4,202	20.5	20.4	20.6
	55-64	1,653	883	770	6.2	6.9	5.6
	65+	776	323	453	2.2	2.2	2.2
TOTAL	877,478	190,723	686,755	304.3	134.6	468.1	

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 11A. Chlamydia — Reported cases by race/ethnicity, age group and sex: United States, 1999–2003

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1999	10-14	3,180	114	3,066	7,050	449	6,601	1,885	163	1,721	159	12	147	279	13	266
	15-19	72,649	6,302	66,347	116,293	17,281	99,012	35,455	5,184	30,271	3,601	447	3,154	4,382	516	3,867
	20-24	61,460	10,419	51,041	96,754	20,598	76,156	36,102	6,894	29,207	3,879	629	3,250	3,536	492	3,044
	25-29	20,236	4,671	15,565	36,134	10,266	25,868	17,025	3,704	13,321	2,084	473	1,611	1,587	256	1,331
	30-34	7,427	2,256	5,170	13,979	4,832	9,147	7,316	1,741	5,575	929	205	724	688	135	553
	35-39	3,926	1,397	2,528	6,773	2,887	3,886	3,264	823	2,441	470	121	349	389	83	307
	40-44	1,834	776	1,058	2,917	1,448	1,468	1,262	341	921	246	77	169	200	41	159
	45-54	1,098	517	580	1,746	969	777	787	228	560	171	60	110	146	30	116
	55-64	239	152	87	373	194	179	129	44	85	42	11	31	34	15	20
	65+	255	98	157	300	104	196	113	24	88	28	15	13	80	23	57
TOTAL	172,815	26,857	145,958	283,370	59,335	224,035	103,667	19,264	84,403	11,648	2,063	9,585	11,345	1,609	9,736	
2000	10-14	3,140	110	3,031	7,428	536	6,892	2,044	194	1,850	180	13	167	288	12	276
	15-19	74,657	6,965	67,691	117,722	18,296	99,426	39,526	5,986	33,540	3,865	484	3,381	4,634	597	4,037
	20-24	67,922	12,108	55,814	104,067	22,997	81,070	43,525	8,741	34,785	4,379	820	3,559	4,268	627	3,641
	25-29	21,679	5,274	16,406	37,556	11,151	26,404	20,619	4,694	15,925	2,117	535	1,582	1,784	313	1,470
	30-34	8,389	2,523	5,867	15,044	5,620	9,424	9,168	2,237	6,931	1,141	270	871	872	181	690
	35-39	4,249	1,621	2,628	7,423	3,105	4,318	3,782	1,024	2,758	633	172	461	497	105	393
	40-44	2,090	862	1,228	3,234	1,512	1,723	1,544	468	1,076	283	93	190	247	57	189
	45-54	1,385	689	696	2,068	1,140	927	968	279	689	231	86	145	183	41	141
	55-64	313	167	146	372	193	178	153	46	107	54	22	32	45	14	31
	65+	295	114	181	378	131	247	137	39	99	31	21	10	14	2	12
TOTAL	184,555	30,554	154,001	296,248	64,943	231,306	121,849	23,840	98,009	12,932	2,522	10,410	12,865	1,967	10,898	
2001	10-14	3,203	122	3,081	7,271	523	6,748	2,176	225	1,951	134	7	127	245	12	233
	15-19	79,923	7,591	72,331	122,896	19,374	103,522	42,630	6,852	35,778	3,907	514	3,393	4,820	601	4,220
	20-24	79,134	14,649	64,485	115,191	26,365	88,827	49,029	10,255	38,774	4,815	905	3,910	4,255	683	3,572
	25-29	24,529	6,214	18,315	41,444	12,463	28,981	23,461	5,493	17,968	2,364	536	1,828	1,978	373	1,605
	30-34	9,779	3,137	6,642	16,909	6,553	10,356	10,347	2,698	7,649	1,140	291	848	878	150	728
	35-39	4,814	1,909	2,905	8,034	3,577	4,457	4,478	1,193	3,285	639	213	426	488	102	385
	40-44	2,369	1,057	1,311	3,795	1,904	1,892	1,833	536	1,297	286	85	202	247	59	189
	45-54	1,631	831	800	2,492	1,352	1,140	962	299	663	209	61	149	184	52	132
	55-64	371	191	179	479	291	188	169	62	107	44	17	28	24	8	17
	65+	199	63	136	371	149	222	143	43	100	29	13	16	6	4	2
TOTAL	206,348	35,882	170,467	319,667	72,769	246,898	135,617	27,792	107,824	13,590	2,646	10,943	13,164	2,049	11,115	
2002	10-14	3,349	94	3,255	8,245	665	7,580	2,308	234	2,074	160	6	153	291	13	278
	15-19	87,116	8,455	78,660	138,051	22,908	115,143	48,145	7,609	40,536	3,927	479	3,448	5,158	698	4,461
	20-24	91,120	17,951	73,169	130,338	31,430	98,908	56,493	12,380	44,113	5,821	1,137	4,684	5,089	847	4,242
	25-29	29,455	7,780	21,674	47,920	15,117	32,803	27,621	6,808	20,813	2,922	709	2,213	2,175	434	1,741
	30-34	11,867	3,978	7,889	20,437	8,111	12,326	12,636	3,259	9,377	1,621	446	1,176	1,067	214	853
	35-39	5,723	2,500	3,223	9,450	4,329	5,121	5,554	1,611	3,943	833	224	610	574	146	428
	40-44	2,892	1,422	1,469	4,821	2,503	2,319	2,350	740	1,609	446	114	332	332	89	243
	45-54	2,129	1,165	964	3,142	1,690	1,452	1,404	435	970	384	130	253	198	57	141
	55-64	410	282	128	580	309	271	269	88	182	82	23	59	36	10	26
	65+	226	68	158	376	166	210	141	37	104	20	7	13	10	4	7
TOTAL	234,839	43,913	190,925	364,513	87,744	276,769	157,458	33,453	124,005	16,276	3,300	12,976	14,981	2,538	12,444	
2003	10-14	3,336	116	3,219	8,320	721	7,600	2,210	166	2,044	145	7	139	302	19	283
	15-19	93,457	8,820	84,637	147,549	25,606	121,944	48,899	7,407	41,493	4,071	445	3,627	5,517	815	4,702
	20-24	103,138	20,467	82,671	138,950	34,080	104,871	58,996	12,572	46,424	6,046	1,156	4,890	5,428	1,001	4,427
	25-29	33,634	9,219	24,415	52,640	16,408	36,232	28,313	6,876	21,437	3,120	810	2,310	2,385	477	1,908
	30-34	13,149	4,309	8,839	22,401	8,645	13,756	13,001	3,502	9,499	1,830	493	1,337	1,066	238	828
	35-39	6,091	2,586	3,505	10,340	4,799	5,541	5,728	1,644	4,084	876	252	624	630	158	472
	40-44	3,331	1,689	1,642	5,339	2,859	2,480	2,355	733	1,622	434	124	310	339	75	264
	45-54	2,420	1,347	1,073	3,440	1,879	1,561	1,418	454	964	378	131	247	210	55	155
	55-64	524	326	198	635	361	273	293	113	180	89	33	56	51	15	36
	65+	277	112	165	301	144	158	130	37	93	22	14	8	17	3	14
TOTAL	259,808	49,115	210,693	390,660	95,741	294,918	161,629	33,576	128,053	17,042	3,469	13,573	15,964	2,859	13,105	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 10 for age-specific cases and rates and Tables 3-5 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For the following years the states listed did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded: 1999 (CO, DC, MI, NJ, NY); 2000 (CO, DC, MI, NY); 2001 (CO, DC, MD, NJ, NY); 2002 (MI, NJ); 2003 (CO, DC, NJ). Differences between total cases from this table and others in the report are due to different reporting formats and above listed exclusions. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 11B. Chlamydia — Rates per 100,000 population by race/ethnicity, age group and sex: United States, 1999–2003

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
10-14	28.4	2.0	56.3	270.7	34.0	514.7	72.4	12.3	135.4	24.3	3.5	46.1	133.6	12.3	259.0
15-19	649.5	110.1	1,214.8	4,659.1	1,369.3	8,023.9	1,338.5	367.4	2,445.7	515.0	125.5	919.7	2,209.6	510.8	3,970.3
20-24	611.5	204.5	1,029.8	4,463.6	1,948.6	6,857.3	1,294.6	450.3	2,322.5	527.8	170.4	888.1	2,214.7	606.1	3,878.1
25-29	189.2	86.7	293.3	1,693.7	1,009.3	2,317.2	608.5	244.3	1,039.4	242.3	112.7	365.7	1,036.1	333.5	1,739.8
30-34	63.7	38.4	89.2	644.4	469.4	802.3	281.6	124.9	463.0	115.4	53.0	173.1	453.6	180.0	721.1
35-39	28.6	20.3	36.9	288.7	261.4	313.1	141.6	68.1	222.4	59.4	31.7	85.1	228.6	100.0	350.0
40-44	13.3	11.2	15.3	131.9	139.5	125.2	67.9	35.7	101.9	33.6	22.5	43.3	124.8	53.7	190.1
45-54	4.6	4.4	4.8	54.0	64.6	44.9	31.9	18.6	45.1	14.6	11.2	17.5	59.5	25.4	91.2
55-64	1.5	1.9	1.0	20.0	23.2	17.4	9.6	6.9	12.0	6.4	3.7	8.8	24.9	21.9	27.7
65+	1.0	0.9	1.1	13.1	11.8	13.9	8.1	4.2	11.0	4.1	5.1	3.3	66.8	44.8	83.0
TOTAL	102.7	32.6	169.9	986.9	433.6	1,490.7	357.7	128.8	601.6	128.2	47.0	203.9	543.7	156.5	919.5
10-14	27.0	1.8	53.7	266.9	38.0	502.6	71.2	13.2	132.0	25.5	3.6	48.7	133.0	10.6	259.8
15-19	649.8	118.5	1,206.5	4,542.0	1,394.8	7,767.0	1,394.3	396.9	2,528.2	514.7	126.5	918.3	2,258.7	570.5	4,017.6
20-24	645.8	227.5	1,074.5	4,485.4	2,031.1	6,824.7	1,418.8	515.4	2,535.6	549.4	205.5	894.2	2,529.5	733.8	4,369.2
25-29	204.4	98.7	312.0	1,716.2	1,067.7	2,308.5	675.8	283.6	1,140.8	226.5	116.2	333.4	1,148.5	402.7	1,896.7
30-34	70.5	42.1	99.3	666.2	524.3	794.5	325.9	148.3	531.2	125.5	60.9	186.9	556.1	232.4	877.2
35-39	30.7	23.4	38.0	304.8	270.6	335.2	149.6	77.2	229.6	72.7	40.9	102.3	285.3	123.1	439.7
40-44	14.5	12.0	17.1	137.5	136.6	138.3	74.7	44.0	107.3	35.0	24.3	44.6	145.8	70.5	215.1
45-54	5.4	5.5	5.4	58.2	69.1	48.8	34.7	20.1	49.2	17.5	14.1	20.4	68.5	32.1	102.5
55-64	1.8	2.0	1.7	18.5	21.4	16.1	10.2	6.5	13.5	7.3	6.4	8.2	29.8	19.6	39.3
65+	1.1	1.1	1.2	15.7	14.2	16.7	8.9	5.9	11.1	4.0	6.5	2.2	10.6	3.8	15.7
TOTAL	105.9	35.8	173.1	978.2	449.8	1,459.6	384.7	145.7	639.8	129.2	52.1	201.5	590.2	183.0	986.1
10-14	27.6	2.1	54.6	264.2	37.5	497.8	74.1	14.9	136.2	19.4	1.9	37.8	110.4	10.6	213.5
15-19	693.7	128.4	1,289.5	4,870.0	1,510.8	8,340.6	1,544.1	471.6	2,735.5	546.9	141.2	967.9	2,270.1	554.2	4,058.5
20-24	725.0	265.4	1,195.0	4,938.4	2,304.2	7,474.9	1,603.7	604.8	2,847.8	617.6	233.2	998.6	2,379.7	753.8	4,048.7
25-29	239.2	120.0	360.7	1,983.4	1,245.4	2,661.9	754.2	323.1	1,274.0	260.6	120.9	394.1	1,258.6	472.3	2,052.7
30-34	83.0	52.9	113.6	782.2	638.3	912.4	359.5	174.5	574.4	124.0	65.1	179.8	550.8	188.7	909.7
35-39	36.2	28.6	43.8	351.1	331.2	368.9	175.1	88.3	272.1	75.1	51.7	97.1	281.0	120.3	435.3
40-44	16.5	14.8	18.3	166.8	177.7	157.0	86.6	49.0	126.7	36.6	23.0	48.8	142.2	70.3	208.7
45-54	6.3	6.5	6.1	70.1	81.7	60.0	33.4	20.8	46.2	16.0	10.1	21.0	65.5	38.4	90.7
55-64	2.1	2.3	2.0	24.3	32.9	17.4	11.1	8.6	13.3	6.0	4.9	7.0	15.2	9.9	20.1
65+	0.8	0.6	0.9	15.8	16.5	15.4	9.1	6.4	11.1	3.7	3.9	3.4	4.2	6.1	2.7
TOTAL	118.7	42.1	192.4	1,083.9	516.8	1,602.2	423.8	167.9	698.2	138.3	55.8	215.0	587.8	185.6	978.7
10-14	27.4	1.5	54.7	266.2	42.3	496.7	67.9	13.5	125.0	20.2	1.6	39.7	128.8	11.3	249.7
15-19	715.7	135.2	1,329.6	4,887.6	1,595.0	8,294.0	1,566.1	475.4	2,751.1	489.7	117.4	875.6	2,356.2	624.1	4,164.2
20-24	772.3	300.6	1,255.8	4,847.2	2,371.6	7,252.9	1,626.9	645.4	2,838.4	647.3	255.0	1,033.5	2,665.7	874.5	4,512.4
25-29	274.7	144.0	407.6	2,066.4	1,365.9	2,706.0	765.5	343.7	1,278.6	281.0	141.1	411.8	1,346.7	534.8	2,167.7
30-34	95.4	63.5	127.7	831.5	697.2	952.2	368.7	177.3	590.3	144.0	81.7	202.5	647.3	260.2	1,032.3
35-39	41.9	36.5	47.3	367.6	358.1	376.1	184.3	101.5	276.4	81.9	45.4	116.3	329.7	171.2	482.5
40-44	19.0	18.7	19.3	185.2	205.0	167.6	92.7	56.7	131.0	47.6	25.6	67.6	183.8	102.2	259.6
45-54	7.6	8.4	6.9	75.3	87.7	64.7	40.2	24.9	55.4	24.4	17.9	30.0	66.5	39.6	91.2
55-64	2.1	3.0	1.3	24.5	29.4	20.6	14.3	9.8	18.3	9.0	5.4	12.1	20.5	11.6	28.7
65+	0.8	0.6	1.0	13.9	16.1	12.6	7.5	4.6	9.6	2.2	1.8	2.4	6.6	5.6	7.4
TOTAL	126.9	48.4	202.2	1,087.8	550.3	1,575.9	423.4	174.3	688.8	140.4	59.1	216.0	644.8	221.6	1,056.2
10-14	26.5	1.8	52.6	259.8	44.3	481.6	65.8	9.7	124.8	18.2	1.6	35.7	131.6	15.9	250.5
15-19	748.1	137.4	1,393.8	5,071.3	1,731.5	8,523.2	1,611.0	468.7	2,851.7	503.9	108.2	914.1	2,485.5	719.3	4,328.3
20-24	852.5	334.4	1,383.1	5,056.9	2,515.0	7,530.1	1,725.7	665.8	3,033.3	668.4	257.6	1,072.7	2,809.6	1,021.1	4,651.9
25-29	307.5	167.3	450.0	2,207.4	1,442.3	2,905.4	796.9	352.7	1,336.9	297.8	159.9	426.6	1,462.5	582.1	2,352.4
30-34	103.5	67.4	140.1	884.7	722.2	1,030.4	384.8	193.3	606.3	160.9	89.5	228.2	639.3	286.7	989.9
35-39	43.5	36.9	50.2	392.5	387.9	396.5	192.6	105.0	290.1	85.4	50.6	118.2	357.7	183.2	525.8
40-44	21.4	21.8	21.1	200.1	228.9	174.7	94.3	57.0	133.9	46.0	27.5	62.9	185.3	85.0	278.4
45-54	8.5	9.5	7.5	80.3	94.9	67.7	41.2	26.5	55.9	24.0	18.0	29.1	69.6	38.2	98.5
55-64	2.6	3.4	1.9	26.2	33.4	20.3	15.8	12.9	18.4	9.7	7.8	11.3	28.9	17.8	39.2
65+	1.0	1.0	1.0	10.9	13.6	9.2	7.0	4.7	8.7	2.3	3.4	1.5	11.1	5.2	15.5
TOTAL	137.1	52.9	217.9	1,134.1	584.2	1,633.1	440.8	177.5	721.3	146.0	61.7	224.5	678.7	246.7	1,098.3

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 10 for age-specific cases and rates and Tables 3-5 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For the following years the states listed did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded: 1999 (CO, DC, MI, NJ, NY); 2000 (CO, DC, MI, NY); 2001 (CO, DC, MD, NJ, NY); 2002 (MI, NJ); 2003 (CO, DC, NJ). Differences between total rates from this table and others in the report are due to different reporting formats and above listed exclusions. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 12. Gonorrhea — Reported cases and rates by state/area, ranked by rates: United States, 2003

<i>Rank*</i>	<i>State/Area</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Louisiana	11,850	264.4
2	Mississippi	6,328	220.4
3	Alabama	9,303	207.4
4	South Carolina	8,518	207.4
5	Georgia	17,686	206.6
6	Ohio	22,537	197.3
7	North Carolina	15,116	181.7
8	Illinois	21,817	173.1
9	Arkansas	4,251	156.9
10	Missouri	8,792	155.0
11	Maryland	8,032	147.2
12	Tennessee	8,519	146.9
13	Delaware	1,128	139.7
14	Michigan	13,965	138.9
15	Oklahoma	4,552	130.3
16	Virginia	9,066	124.3
	U.S. TOTAL[†]	335,104	116.2
17	New York	22,166	115.7
18	Florida	18,974	113.5
19	Texas	24,595	112.9
20	Indiana	6,681	108.5
21	Wisconsin	5,663	104.1
22	Nevada	2,221	102.2
23	Hawaii	1,263	101.5
24	Kansas	2,647	97.5
25	Pennsylvania	11,866	96.2
26	Nebraska	1,623	93.9
27	New Jersey	7,944	92.5
28	Rhode Island	973	91.0
29	Connecticut	3,114	90.0
30	Alaska	573	89.0
31	Kentucky	3,578	87.4
32	California	25,963	73.9
33	Arizona	3,580	65.6
34	Minnesota	3,202	63.8
35	Colorado	2,854	63.3
36	New Mexico	1,169	63.0
37	Iowa	1,554	52.9
38	West Virginia	847	47.0
39	Washington	2,753	45.4
40	Massachusetts	2,901	45.1
41	South Dakota	226	29.7
42	Oregon	1,000	28.4
	YEAR 2010 TARGET		19.0
43	Maine	233	18.0
44	Utah	412	17.8
45	North Dakota	103	16.2
46	Vermont	97	15.7
47	Montana	122	13.4
48	New Hampshire	125	9.8
49	Wyoming	46	9.2
50	Idaho	68	5.1

*States were ranked in descending order by rate, number of cases, and alphabetically by state.

[†]Total includes cases reported by Washington, D.C., but excludes outlying areas (Guam with 65 cases and rate of 40.4, Puerto Rico with 276 cases and rate of 7.2, and Virgin Islands with 91 cases and rate of 82.7).

Table 13. Gonorrhea — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	10,888	12,063	11,182	10,118	9,303	245.8	271.0	250.2	225.5	207.4
Alaska	302	361	457	641	573	48.3	57.5	72.1	99.6	89.0
Arizona	4,293	4,130	3,920	3,795	3,580	85.5	79.9	73.9	69.6	65.6
Arkansas	3,226	3,642	4,604	4,584	4,251	121.7	136.0	170.9	169.1	156.9
California	18,672	21,619	23,296	24,606	25,963	55.7	63.6	67.3	70.1	73.9
Colorado	2,526	3,112	3,190	3,511	2,854	59.8	71.9	72.0	77.9	63.3
Connecticut	3,321	2,912	2,546	3,241	3,114	98.1	85.3	74.1	93.7	90.0
Delaware	1,662	1,735	1,733	1,576	1,128	214.5	220.6	217.5	195.2	139.7
Florida	22,794	22,781	21,531	21,348	18,974	144.6	141.9	131.5	127.7	113.5
Georgia	21,244	20,265	18,920	18,383	17,686	264.0	246.1	225.1	214.7	206.6
Hawaii	463	483	604	740	1,263	38.3	39.8	49.2	59.4	101.5
Idaho	89	98	76	94	68	7.0	7.5	5.8	7.0	5.1
Illinois	24,136	24,812	24,025	24,026	21,817	195.3	199.4	191.9	190.7	173.1
Indiana	6,092	6,525	6,972	7,395	6,681	100.8	107.1	113.8	120.1	108.5
Iowa	1,365	1,392	1,418	1,480	1,554	46.8	47.5	48.4	50.4	52.9
Kansas	2,665	2,795	2,669	2,744	2,647	99.5	103.8	98.8	101.0	97.5
Kentucky	3,349	3,502	3,588	3,772	3,578	83.3	86.5	88.2	92.2	87.4
Louisiana	13,189	13,245	12,253	11,387	11,850	295.7	296.3	274.1	254.0	264.4
Maine	83	90	141	142	233	6.6	7.0	11.0	11.0	18.0
Maryland	10,430	9,837	9,427	9,355	8,032	198.5	185.2	175.0	171.4	147.2
Massachusetts	2,453	3,045	3,214	3,242	2,901	38.8	47.9	50.2	50.4	45.1
Michigan	15,907	18,182	17,120	14,770	13,965	160.7	182.6	171.1	147.0	138.9
Minnesota	2,830	3,160	2,701	3,049	3,202	58.1	64.0	54.2	60.7	63.8
Mississippi	10,411	9,217	7,759	6,875	6,328	368.1	323.5	271.3	239.4	220.4
Missouri	8,187	8,883	8,723	8,952	8,792	147.2	158.5	154.7	157.8	155.0
Montana	53	60	104	123	122	5.9	6.6	11.5	13.5	13.4
Nebraska	1,471	1,534	1,189	1,564	1,623	86.3	89.5	69.1	90.4	93.9
Nevada	1,303	1,553	1,756	1,988	2,221	67.3	76.9	83.7	91.5	102.2
New Hampshire	115	110	176	120	125	9.4	8.9	14.0	9.4	9.8
New Jersey	7,852	7,232	8,921	7,894	7,944	93.9	85.8	104.8	91.9	92.5
New Mexico	974	1,152	1,040	1,462	1,169	53.9	63.2	56.8	78.8	63.0
New York	19,826	20,114	22,299	21,841	22,166	105.0	105.9	116.8	114.0	115.7
North Carolina	19,428	17,823	16,583	15,531	15,116	244.4	220.5	202.1	186.7	181.7
North Dakota	83	73	56	72	103	12.9	11.4	8.8	11.4	16.2
Ohio	18,141	19,303	21,163	22,008	22,537	160.0	169.9	185.8	192.7	197.3
Oklahoma	4,021	4,229	4,784	4,661	4,552	117.0	122.4	137.9	133.4	130.3
Oregon	903	1,038	1,144	909	1,000	26.6	30.3	32.9	25.8	28.4
Pennsylvania	13,295	13,607	14,244	13,294	11,866	108.4	110.8	115.8	107.8	96.2
Rhode Island	601	661	830	900	973	57.8	62.9	78.3	84.1	91.0
South Carolina	15,037	8,383	10,805	9,152	8,518	378.3	208.3	266.0	222.8	207.4
South Dakota	192	277	289	263	226	25.6	36.7	38.1	34.6	29.7
Tennessee	11,366	11,876	10,145	9,348	8,519	201.6	208.2	176.5	161.2	146.9
Texas	32,910	32,919	30,024	26,988	24,595	160.1	157.1	140.5	123.9	112.9
Utah	254	231	219	374	412	11.5	10.3	9.6	16.1	17.8
Vermont	52	65	76	98	97	8.6	10.7	12.4	15.9	15.7
Virginia	9,402	10,175	11,095	10,462	9,066	134.3	143.2	154.2	143.4	124.3
Washington	2,132	2,418	2,991	2,925	2,753	36.5	40.9	49.9	48.2	45.4
West Virginia	584	645	732	974	847	32.2	35.7	40.6	54.1	47.0
Wisconsin	6,662	7,013	6,011	6,341	5,663	124.9	130.5	111.2	116.5	104.1
Wyoming	43	53	77	65	46	8.7	10.7	15.6	13.0	9.2
U.S. TOTAL*	360,813	363,136	361,705	351,852	335,104	129.3	128.7	126.8	122.0	116.2
Northeast	47,598	47,836	52,447	50,772	49,419	89.2	89.1	97.2	93.6	91.1
Midwest	87,731	93,949	92,336	92,664	88,810	136.9	145.7	142.5	142.2	136.3
South	193,477	185,043	178,048	167,183	154,851	195.1	184.0	174.6	161.8	149.8
West	32,007	36,308	38,874	41,233	42,024	51.3	57.2	60.2	62.8	64.0
Guam	59	62	48	49	65	36.1	39.9	30.3	30.4	40.4
Puerto Rico	321	527	589	411	276	8.3	13.8	15.3	10.6	7.2
Virgin Islands	51	24	34	49	91	45.2	22.1	31.1	44.5	82.7
OUTLYING AREAS	431	613	671	509	432	10.3	15.0	16.3	12.3	10.5
TOTAL	361,244	363,749	362,376	352,361	335,536	127.6	127.0	125.2	120.5	114.7

*Includes cases reported by Washington, D.C.

Table 14. Gonorrhea — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	5,460	5,984	5,712	4,974	4,583	238.1	259.8	247.3	214.6	197.8
Alaska	153	198	244	353	339	50.8	65.3	79.7	113.6	109.1
Arizona	1,760	1,754	1,700	1,659	1,636	69.9	67.8	64.0	60.8	59.9
Arkansas	1,576	1,807	2,404	2,388	2,108	115.9	131.8	174.4	172.4	152.1
California	8,903	9,624	10,448	10,857	11,912	53.0	56.4	60.2	61.7	67.7
Colorado	1,271	1,544	1,588	1,643	1,529	60.5	71.9	72.2	73.5	68.4
Connecticut	1,796	1,621	1,411	1,910	1,910	102.8	92.2	79.7	107.2	107.2
Delaware	912	987	1,002	858	602	228.7	243.9	244.6	206.7	145.1
Florida	10,960	10,862	10,380	10,373	9,419	135.7	132.2	123.9	121.4	110.3
Georgia	10,092	9,844	9,590	9,306	9,137	246.4	235.4	224.8	214.3	210.4
Hawaii	251	240	292	394	723	41.7	39.8	47.7	63.5	116.5
Idaho	42	51	39	49	18	6.6	7.9	5.9	7.3	2.7
Illinois	11,563	11,829	12,178	12,273	11,624	183.2	186.3	190.7	191.1	181.0
Indiana	3,254	3,446	3,792	3,996	3,610	105.5	111.1	121.6	127.5	115.2
Iowa	759	740	766	821	869	51.0	49.6	51.3	54.9	58.1
Kansas	1,573	1,496	1,468	1,556	1,522	116.0	109.9	107.5	113.4	110.9
Kentucky	1,626	1,725	1,812	1,936	1,845	79.1	83.3	87.2	92.6	88.2
Louisiana	6,697	6,471	6,056	5,861	6,076	290.8	280.5	262.7	253.7	263.0
Maine	40	29	55	44	84	6.1	4.4	8.3	6.6	12.6
Maryland	4,749	4,577	4,591	4,592	4,166	174.8	166.7	164.9	162.9	147.8
Massachusetts	1,207	1,568	1,591	1,579	1,342	36.9	47.6	48.0	47.5	40.4
Michigan	7,771	9,190	9,057	7,974	7,823	153.9	181.1	177.7	155.9	152.9
Minnesota	1,495	1,681	1,461	1,688	1,784	60.7	67.5	58.1	66.7	70.4
Mississippi	6,137	5,603	4,663	4,201	3,757	419.0	380.3	315.6	283.3	253.4
Missouri	4,459	4,489	4,540	4,810	4,794	155.9	155.9	156.8	165.2	164.7
Montana	35	38	57	75	74	7.8	8.4	12.5	16.4	16.2
Nebraska	814	849	671	909	924	94.0	97.7	77.0	103.8	105.5
Nevada	480	618	761	965	1,062	50.6	62.4	73.9	90.5	99.6
New Hampshire	61	53	96	51	57	9.8	8.4	15.0	7.9	8.8
New Jersey	3,824	3,571	4,522	3,958	4,550	88.8	82.3	103.3	89.6	103.0
New Mexico	528	573	472	740	598	57.5	61.9	50.7	78.5	63.4
New York	10,639	10,691	11,873	11,141	11,296	108.8	108.6	120.2	112.5	114.0
North Carolina	9,089	8,468	7,810	7,585	7,383	223.7	205.4	186.7	178.9	174.2
North Dakota	46	36	30	40	59	14.3	11.2	9.4	12.6	18.6
Ohio	9,707	10,311	11,257	11,944	12,390	166.4	176.4	192.2	203.5	211.1
Oklahoma	2,240	2,433	2,670	2,566	2,562	128.1	138.5	151.5	144.7	144.4
Oregon	433	486	448	357	389	25.3	28.1	25.6	20.1	21.9
Pennsylvania	7,356	7,371	7,872	7,200	6,644	115.9	116.0	123.8	113.0	104.3
Rhode Island	371	381	488	484	517	68.6	69.8	88.7	87.2	93.2
South Carolina	5,874	4,057	5,126	4,357	4,369	287.2	196.0	245.5	206.3	206.9
South Dakota	117	165	166	148	133	30.9	43.3	43.5	38.6	34.7
Tennessee	4,965	5,343	4,808	4,564	4,263	171.4	182.6	163.1	153.6	143.5
Texas	16,819	16,932	15,599	14,075	12,643	162.3	160.5	145.1	128.5	115.4
Utah	100	99	95	150	153	9.1	8.8	8.4	13.0	13.2
Vermont	22	33	42	56	48	7.1	10.6	13.4	17.8	15.3
Virginia	4,566	4,856	5,485	5,445	4,809	127.9	134.1	149.6	146.7	129.5
Washington	1,009	1,078	1,301	1,197	1,167	34.4	36.3	43.2	39.3	38.3
West Virginia	357	375	418	567	464	38.3	40.4	45.2	61.3	50.2
Wisconsin	3,826	4,189	3,672	3,717	3,299	141.6	154.0	134.3	135.1	119.9
Wyoming	26	31	43	38	28	10.6	12.6	17.5	15.3	11.3
U.S. TOTAL*	179,319	181,668	183,863	179,648	174,230	126.1	126.4	126.6	122.5	118.8
Northeast	25,316	25,318	27,950	26,423	26,448	91.8	91.3	100.3	94.4	94.5
Midwest	45,384	48,421	49,058	49,876	48,831	138.7	147.2	148.5	150.3	147.2
South	93,628	91,595	89,367	84,872	79,323	184.7	178.4	171.8	161.1	150.5
West	14,991	16,334	17,488	18,477	19,628	47.9	51.4	54.1	56.2	59.7
Guam	28	23	22	26	39	36.4	30.3	28.4	33.0	49.5
Puerto Rico	132	238	279	230	121	6.5	12.0	14.0	11.5	6.0
Virgin Islands	38	14	20	38	65	73.7	24.7	34.4	64.2	109.8
OUTLYING AREAS	198	275	321	294	225	9.2	13.0	15.1	13.7	10.5
TOTAL	179,517	181,943	184,184	179,942	174,455	124.3	124.7	125.0	120.9	117.2

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 15. Gonorrhea — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	5,399	6,039	5,457	5,131	4,705	252.7	281.0	252.7	236.5	216.9
Alaska	149	163	213	288	234	46.1	50.2	65.0	86.5	70.2
Arizona	2,533	2,376	2,220	2,136	1,942	101.1	92.1	83.8	78.4	71.2
Arkansas	1,650	1,832	2,191	2,194	2,141	127.7	140.1	166.5	165.6	161.6
California	9,618	11,896	12,701	13,586	13,965	57.6	70.2	73.6	77.6	79.7
Colorado	1,255	1,568	1,602	1,868	1,325	59.1	72.0	71.8	82.3	58.4
Connecticut	1,525	1,291	1,132	1,331	1,204	93.0	78.1	68.0	79.3	71.7
Delaware	750	748	731	718	526	199.3	195.9	188.9	183.0	134.1
Florida	11,797	11,919	11,149	10,975	9,555	153.5	152.1	139.4	134.3	116.9
Georgia	11,039	10,309	9,325	9,013	8,487	279.5	254.4	225.3	213.7	201.2
Hawaii	211	243	312	346	540	34.7	39.9	50.7	55.4	86.5
Idaho	46	47	35	45	50	7.2	7.2	5.3	6.7	7.4
Illinois	12,559	12,981	11,845	11,750	10,192	207.7	213.1	193.1	190.2	165.0
Indiana	2,836	3,069	3,169	3,372	3,040	95.8	102.7	105.4	111.5	100.5
Iowa	606	652	652	658	680	42.4	45.4	45.3	45.6	47.2
Kansas	1,092	1,299	1,201	1,188	1,125	82.6	97.6	89.9	88.4	83.7
Kentucky	1,669	1,751	1,769	1,834	1,727	85.1	88.5	88.9	91.6	86.3
Louisiana	6,492	6,774	6,197	5,466	5,710	300.8	313.2	286.2	251.6	262.9
Maine	43	61	86	98	149	7.0	9.8	13.8	15.6	23.6
Maryland	5,669	5,196	4,836	4,756	3,858	223.4	202.5	185.8	180.2	146.2
Massachusetts	1,246	1,477	1,622	1,663	1,552	41.0	48.2	52.5	53.6	50.0
Michigan	8,136	8,992	8,063	6,796	6,141	167.8	184.2	164.2	137.7	124.5
Minnesota	1,335	1,479	1,240	1,361	1,418	55.4	60.5	50.2	54.7	57.0
Mississippi	4,184	3,586	3,096	2,674	2,571	306.8	260.7	224.0	192.5	185.1
Missouri	3,728	4,394	4,183	4,142	3,998	138.0	161.2	152.5	150.0	144.8
Montana	18	22	47	47	47	4.0	4.9	10.4	10.4	10.4
Nebraska	657	681	516	653	695	78.3	80.6	60.8	76.5	81.4
Nevada	822	935	993	1,022	1,158	83.4	90.9	92.9	92.3	104.6
New Hampshire	54	57	80	69	68	9.0	9.3	12.9	11.0	10.8
New Jersey	4,019	3,654	4,391	3,930	3,389	99.1	89.3	106.2	94.2	81.2
New Mexico	445	572	555	716	567	50.0	63.9	61.7	78.5	62.2
New York	9,176	9,378	10,397	10,688	10,813	100.8	102.4	112.9	115.5	116.9
North Carolina	10,339	9,354	8,772	7,942	7,733	266.0	236.2	218.1	194.6	189.5
North Dakota	37	37	26	32	44	11.5	11.6	8.2	10.1	13.9
Ohio	8,245	8,837	9,679	9,819	9,856	149.9	160.1	174.9	176.8	177.5
Oklahoma	1,781	1,796	2,114	2,095	1,990	105.5	105.8	123.8	121.8	115.7
Oregon	470	552	696	552	611	27.9	32.4	40.4	31.6	35.0
Pennsylvania	5,939	6,236	6,372	6,094	5,214	100.4	105.1	107.2	102.1	87.4
Rhode Island	230	280	342	416	456	46.0	55.5	67.1	80.8	88.6
South Carolina	9,052	4,256	5,640	4,766	4,118	469.2	217.8	285.7	238.9	206.4
South Dakota	75	111	123	115	93	20.2	29.6	32.7	30.4	24.6
Tennessee	6,401	6,533	5,337	4,784	4,256	233.5	235.2	190.5	169.3	150.6
Texas	15,973	15,919	14,370	12,884	11,932	156.6	153.0	135.3	119.0	110.2
Utah	154	132	124	223	259	14.0	11.7	10.9	19.2	22.3
Vermont	30	32	34	42	49	10.1	10.7	11.3	13.9	16.2
Virginia	4,832	5,307	5,574	5,017	4,237	140.9	152.2	157.9	140.1	118.3
Washington	1,123	1,340	1,690	1,728	1,586	38.6	45.5	56.6	57.2	52.5
West Virginia	227	269	313	406	380	25.8	30.6	35.7	46.3	43.3
Wisconsin	2,827	2,817	2,321	2,612	2,341	107.4	106.1	86.9	97.1	87.0
Wyoming	17	22	34	27	18	6.9	8.9	13.7	10.8	7.2
U.S. TOTAL*	180,524	180,701	177,194	171,504	160,106	132.0	130.5	126.5	121.1	113.0
Northeast	22,262	22,466	24,456	24,331	22,894	86.4	86.6	93.7	92.7	87.2
Midwest	42,133	45,349	43,018	42,498	39,623	134.2	143.5	135.3	133.0	124.0
South	99,268	93,018	88,498	82,091	75,287	204.7	188.9	177.2	162.1	148.6
West	16,861	19,868	21,222	22,584	22,302	54.1	62.7	65.8	68.9	68.0
Guam	31	39	26	23	26	35.8	49.1	32.1	28.0	31.6
Puerto Rico	189	289	310	181	155	10.1	15.7	16.8	9.7	8.3
Virgin Islands	13	10	14	11	26	21.2	19.3	27.3	21.6	51.2
OUTLYING AREAS	233	338	350	215	207	11.6	17.2	17.7	10.8	10.4
TOTAL	180,757	181,039	177,544	171,719	160,313	130.2	128.9	125.0	119.5	111.6

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 16. Gonorrhea — Reported cases and rates in selected cities ranked by rates: United States, 2003

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	St Louis, MO	2,545	752.2
2	Rochester, NY	1,646	663.4
3	Richmond, VA	1,249	632.5
4	Baltimore, MD	3,965	620.9
5	New Orleans, LA	2,899	612.0
6	Detroit, MI	5,535	586.3
7	Kansas City, MO	2,549	559.1
8	Newark, NJ	1,483	490.2
9	Atlanta, GA	3,838	465.0
10	Norfolk, VA	1,061	443.9
11	Buffalo, NY	1,413	441.0
12	Washington, DC	2,508	439.3
13	Milwaukee, WI	3,800	405.5
14	Cincinnati, OH	3,347	401.5
15	Chicago, IL	12,121	392.7
16	Philadelphia, PA	5,731	384.1
17	Indianapolis, IN	3,191	369.6
18	Memphis, TN	3,286	362.8
19	Minneapolis, MN	1,360	352.3
20	Oklahoma City, OK	1,443	333.2
21	Charlotte, NC	2,232	302.5
22	Dallas, TX	3,661	302.4
23	Birmingham, AL	1,970	298.0
24	Jacksonville, FL	2,371	294.1
25	Cleveland, OH	3,967	287.7
26	Dayton, OH	1,531	276.1
27	Fort Worth, TX	1,526	269.3
28	Tulsa, OK	1,059	264.8
29	Nashville, TN	1,492	261.4
30	Omaha, NE	1,161	245.6
31	San Francisco, CA	1,809	236.8
32	Columbus, OH	2,558	235.4
33	Denver, CO	1,308	233.4
34	Toledo, OH	993	219.0
35	Louisville, KY	1,439	206.1
36	St Paul, MN	565	198.7
37	Boston, MA	1,181	197.4
38	Houston, TX	3,902	194.2
39	Jersey City, NJ	468	193.8
40	Wichita, KS	870	188.3
41	Austin, TX	1,215	180.8
42	San Antonio, TX	2,111	176.7
43	New York City, NY	13,682	169.2
44	Tampa, FL	1,643	155.9
45	Akron, OH	807	147.7
46	Corpus Christi, TX	409	146.9
47	St Petersburg, FL	1,312	141.6
48	Pittsburgh, PA	1,729	136.2
49	Sacramento, CA	1,744	133.6
50	Honolulu, HI	1,136	126.8
51	Yonkers, NY	237	117.6
52	Albuquerque, NM	636	110.9
53	Oakland, CA	1,617	109.8
54	Portland, OR	557	104.2
55	Des Moines, IA	373	96.7
56	Los Angeles, CA	8,174	89.1
57	Miami, FL	1,912	82.0
58	Phoenix, AZ	2,688	81.4
59	Seattle, WA	1,351	76.8
60	San Diego, CA	2,007	69.0
61	Tucson, AZ	470	53.3
62	El Paso, TX	263	45.5
63	San Jose, CA	726	43.1
	YEAR 2010 TARGET		19.0

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state.

†Excludes cities in outlying areas (San Juan, PR, with 130 cases and rate of 12.7).

Table 17. Gonorrhea — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	848	913	962	937	807	156.5	168.0	176.5	171.5	147.7
Albuquerque, NM	472	697	647	805	636	85.4	125.0	115.0	140.3	110.9
Atlanta, GA	5,631	3,456	4,621	3,810	3,838	697.5	422.7	560.0	461.6	465.0
Austin, TX	1,562	1,518	1,536	1,401	1,215	256.6	239.8	235.2	208.4	180.8
Baltimore, MD	6,124	5,603	5,014	4,873	3,965	931.5	863.7	777.0	763.1	620.9
Birmingham, AL	2,492	3,018	2,600	2,489	1,970	376.0	455.8	393.0	376.5	298.0
Boston, MA	900	1,229	1,332	1,404	1,181	150.6	205.4	221.7	234.7	197.4
Buffalo, NY	1,233	1,572	2,194	1,653	1,413	381.8	488.4	683.7	516.0	441.0
Charlotte, NC	1,908	1,758	2,014	2,264	2,232	279.7	250.9	279.4	306.8	302.5
Chicago, IL	15,169	14,872	14,326	13,814	12,121	492.5	481.7	463.6	447.5	392.7
Cincinnati, OH	2,814	3,227	3,178	3,426	3,347	331.1	382.3	378.2	410.9	401.5
Cleveland, OH	3,391	3,497	3,854	4,115	3,967	242.3	251.2	278.2	298.4	287.7
Columbus, OH	3,120	3,386	3,349	2,844	2,558	294.0	315.9	309.7	261.7	235.4
Corpus Christi, TX	524	775	667	466	409	188.2	279.4	241.0	167.3	146.9
Dallas, TX	7,476	7,315	6,166	5,263	3,661	634.7	612.9	507.6	434.8	302.4
Dayton, OH	932	1,015	1,428	1,505	1,531	165.9	181.8	256.9	271.4	276.1
Denver, CO	1,157	1,594	1,618	1,812	1,308	210.8	286.4	287.3	323.3	233.4
Des Moines, IA	333	380	270	359	373	89.9	101.1	70.9	93.1	96.7
Detroit, MI	7,900	9,610	8,220	6,845	5,535	826.1	1,011.0	867.6	725.1	586.3
El Paso, TX	156	209	291	336	263	27.9	37.0	50.9	58.2	45.5
Fort Worth, TX	2,847	2,787	2,291	1,967	1,526	541.0	517.7	415.3	347.1	269.3
Honolulu, HI	430	433	557	685	1,136	48.9	49.4	63.0	76.4	126.8
Houston, TX	5,939	5,918	5,489	5,235	3,902	322.0	315.5	287.0	260.5	194.2
Indianapolis, IN	3,045	3,206	3,383	3,510	3,191	355.1	372.6	391.6	406.5	369.6
Jacksonville, FL	2,972	3,640	2,731	2,895	2,371	384.4	466.8	344.5	359.1	294.1
Jersey City, NJ	490	465	489	380	468	205.4	193.1	201.6	157.3	193.8
Kansas City, MO	1,956	2,688	2,161	2,625	2,549	433.4	594.1	475.9	575.7	559.1
Los Angeles, CA	6,054	7,307	7,747	7,765	8,174	68.5	81.8	85.5	84.6	89.1
Louisville, KY	1,195	1,200	1,436	1,361	1,439	172.7	172.9	206.3	195.0	206.1
Memphis, TN	5,038	4,941	4,420	4,074	3,286	563.6	550.0	490.9	449.8	362.8
Miami, FL	2,775	1,995	1,964	2,047	1,912	124.9	88.2	85.5	87.8	82.0
Milwaukee, WI	4,884	5,146	4,150	4,497	3,800	519.3	547.6	442.2	479.9	405.5
Minneapolis, MN	1,558	1,577	1,295	1,366	1,360	408.2	410.1	334.9	353.8	352.3
Nashville, TN	1,785	2,404	1,625	1,409	1,492	314.7	421.7	284.5	246.9	261.4
New Orleans, LA	2,687	3,015	3,160	2,685	2,899	553.4	623.4	660.5	566.8	612.0
New York City, NY	12,210	11,669	12,614	12,727	13,682	153.6	145.5	156.5	157.4	169.2
Newark, NJ	1,741	1,558	1,798	1,573	1,483	581.7	518.6	596.3	519.9	490.2
Norfolk, VA	1,291	1,490	1,450	1,463	1,061	552.9	635.5	615.9	612.0	443.9
Oakland, CA	1,700	1,793	2,039	1,949	1,617	119.1	123.6	138.2	132.4	109.8
Oklahoma City, OK	1,351	1,434	1,617	1,594	1,443	319.2	336.5	377.3	368.1	333.2
Omaha, NE	1,000	1,161	934	1,149	1,161	217.0	249.9	199.4	243.0	245.6
Philadelphia, PA	7,775	8,198	8,096	7,006	5,731	511.5	541.5	539.1	469.5	384.1
Phoenix, AZ	3,586	3,195	2,826	2,991	2,688	119.3	103.2	88.3	90.5	81.4
Pittsburgh, PA	1,573	1,494	1,916	2,133	1,729	122.2	116.7	150.4	168.0	136.2
Portland, OR	540	681	743	546	557	104.1	130.5	140.6	102.1	104.2
Richmond, VA	1,827	1,752	2,109	1,507	1,249	917.4	887.2	1,066.4	763.2	632.5
Rochester, NY	2,037	2,142	1,769	1,581	1,646	826.3	866.4	715.1	637.2	663.4
Sacramento, CA	1,236	1,295	1,171	1,442	1,744	102.4	105.2	92.4	110.5	133.6
San Antonio, TX	2,087	2,298	2,140	1,944	2,111	184.2	200.0	183.4	162.7	176.7
San Diego, CA	1,561	1,798	1,878	2,132	2,007	56.0	63.6	65.4	73.3	69.0
San Francisco, CA	1,606	2,161	2,053	2,136	1,809	207.3	278.2	264.6	279.6	236.8
San Jose, CA	418	446	547	502	726	25.0	26.4	32.3	29.8	43.1
Seattle, WA	922	1,221	1,556	1,462	1,351	53.3	70.2	88.7	83.1	76.8
St Louis, MO	2,876	2,879	3,185	2,737	2,545	821.3	829.8	929.2	808.9	752.2
St Paul, MN	545	703	560	584	565	192.2	246.7	196.0	205.4	198.7
St Petersburg, FL	1,835	1,542	1,391	1,527	1,312	200.0	167.2	150.4	164.8	141.6
Tampa, FL	1,783	1,653	1,517	1,912	1,643	181.0	164.8	147.7	181.4	155.9
Toledo, OH	624	864	1,187	1,519	993	137.0	189.9	261.2	334.9	219.0
Tucson, AZ	415	591	748	458	470	50.1	69.6	86.6	52.0	53.3
Tulsa, OK	964	892	1,014	1,123	1,059	245.2	226.0	255.4	280.8	264.8
Washington, DC	3,536	2,706	2,883	2,669	2,508	620.1	473.4	502.4	467.5	439.3
Wichita, KS	771	675	837	852	870	170.6	148.8	183.2	184.4	188.3
Yonkers, NY	102	109	143	160	237	51.6	54.8	71.3	79.4	117.6
U.S. CITY TOTAL	165,709	170,766	167,906	162,300	147,832	239.6	244.7	238.3	228.5	208.1
San Juan, PR	179	270	281	194	130	17.0	26.4	27.5	18.9	12.7
TOTAL	165,888	171,036	168,187	162,494	147,962	236.2	241.5	235.3	225.5	205.3

Table 18. Gonorrhea — Women – Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	413	463	484	493	424	147.0	164.3	171.4	174.2	149.8
Albuquerque, NM	234	323	254	375	294	82.7	113.2	88.3	128.0	100.3
Atlanta, GA	2,443	1,543	2,110	1,679	1,660	594.1	371.7	503.6	400.5	395.9
Austin, TX	768	712	722	670	514	257.9	230.4	226.6	204.3	156.7
Baltimore, MD	2,702	2,578	2,423	2,374	2,090	770.3	744.8	703.1	695.4	612.2
Birmingham, AL	1,229	1,552	1,420	1,231	959	350.5	443.4	406.2	352.6	274.7
Boston, MA	410	618	623	664	483	132.5	199.6	200.3	214.3	155.9
Buffalo, NY	725	914	1,212	872	762	430.6	544.2	724.4	522.5	456.6
Charlotte, NC	754	748	830	980	1,040	216.5	209.8	226.5	261.6	277.6
Chicago, IL	6,821	6,525	6,924	6,604	6,082	429.0	409.8	434.7	415.3	382.4
Cincinnati, OH	1,600	1,868	1,743	1,882	1,879	359.5	422.9	396.8	432.1	431.4
Cleveland, OH	1,779	1,697	1,816	1,976	1,906	240.8	231.0	248.6	271.9	262.3
Columbus, OH	1,575	1,798	1,696	1,505	1,310	288.4	326.2	305.3	269.8	234.9
Corpus Christi, TX	224	355	349	229	203	157.5	250.7	246.7	160.8	142.5
Dallas, TX	3,616	3,494	3,103	2,610	1,843	612.3	584.9	511.2	432.1	305.1
Dayton, OH	393	430	722	757	838	134.5	148.1	249.9	262.8	290.9
Denver, CO	515	714	717	756	618	189.0	259.4	257.4	272.9	223.1
Des Moines, IA	161	200	144	205	197	84.3	103.4	73.6	103.5	99.5
Detroit, MI	3,706	4,737	4,336	3,618	2,966	732.4	942.6	865.6	725.0	594.3
El Paso, TX	78	96	148	167	164	26.9	32.8	50.0	55.7	54.7
Fort Worth, TX	1,405	1,346	1,153	1,025	771	528.5	495.3	414.4	359.1	270.1
Honolulu, HI	231	217	269	365	645	52.9	49.7	61.0	81.6	144.2
Houston, TX	2,699	2,986	2,674	2,526	1,798	291.4	317.2	278.7	250.8	178.5
Indianapolis, IN	1,601	1,516	1,751	1,776	1,583	360.8	341.2	392.7	398.6	355.3
Jacksonville, FL	1,238	1,599	1,200	1,316	1,081	310.7	398.3	294.2	317.5	260.8
Jersey City, NJ	228	211	234	176	292	187.7	172.2	189.7	143.3	237.7
Kansas City, MO	1,045	1,242	1,039	1,283	1,294	446.2	529.7	441.7	543.5	548.1
Los Angeles, CA	2,835	3,072	3,469	3,401	3,786	63.5	68.0	75.8	73.4	81.7
Louisville, KY	494	510	640	632	656	136.6	140.8	176.3	173.6	180.2
Memphis, TN	2,163	2,225	2,070	1,963	1,619	462.9	474.2	440.1	415.0	342.3
Miami, FL	1,152	750	775	855	831	100.3	64.2	65.3	71.0	69.0
Milwaukee, WI	2,783	3,057	2,540	2,612	2,190	567.4	625.0	520.2	536.0	449.4
Minneapolis, MN	781	725	625	662	628	402.4	371.4	318.5	338.0	320.7
Nashville, TN	736	1,016	752	621	697	250.8	345.5	255.1	210.8	236.6
New Orleans, LA	1,198	1,325	1,310	1,211	1,394	464.0	515.6	515.6	481.3	554.1
New York City, NY	6,402	6,051	6,671	6,418	6,774	153.1	143.4	157.4	151.1	159.5
Newark, NJ	806	692	881	716	829	513.6	439.6	557.9	452.1	523.4
Norfolk, VA	542	646	662	670	512	475.2	563.8	576.5	578.6	442.1
Oakland, CA	950	992	1,062	999	850	130.8	134.4	141.5	133.3	113.4
Oklahoma City, OK	721	839	909	861	800	330.6	382.4	412.4	386.8	359.4
Omaha, NE	546	626	518	672	673	231.6	263.9	216.8	278.9	279.3
Philadelphia, PA	4,179	4,288	4,421	3,609	3,038	513.5	529.2	550.5	452.4	380.8
Phoenix, AZ	1,434	1,325	1,169	1,261	1,189	95.3	85.6	73.1	76.5	72.2
Pittsburgh, PA	920	826	1,045	1,243	1,002	135.6	122.6	156.0	186.3	150.2
Portland, OR	250	303	268	184	162	95.2	115.0	100.6	68.3	60.2
Richmond, VA	956	783	1,016	895	697	896.0	742.1	960.1	847.1	659.7
Rochester, NY	1,047	1,102	947	802	854	820.1	860.2	739.5	625.0	665.6
Sacramento, CA	692	702	619	777	888	112.3	111.7	95.7	116.7	133.4
San Antonio, TX	1,113	1,187	1,124	1,009	1,036	191.1	201.2	187.8	164.7	169.1
San Diego, CA	653	702	685	718	739	47.2	50.0	48.0	49.7	51.1
San Francisco, CA	381	412	360	374	246	99.9	107.7	94.1	99.1	65.2
San Jose, CA	190	174	198	189	321	23.0	20.9	23.7	22.7	38.6
Seattle, WA	331	448	572	438	394	38.1	51.3	64.9	49.5	44.5
St Louis, MO	1,510	1,426	1,620	1,415	1,300	811.5	775.3	891.4	788.8	724.7
St Paul, MN	276	411	335	343	334	187.7	278.4	226.4	233.0	226.9
St Petersburg, FL	942	739	651	782	655	195.9	153.1	134.5	161.4	135.2
Tampa, FL	942	823	758	859	739	187.2	160.7	144.6	160.0	137.7
Toledo, OH	388	487	713	899	611	163.9	206.2	302.5	382.6	260.1
Tucson, AZ	179	257	346	204	217	42.3	59.3	78.4	45.2	48.1
Tulsa, OK	527	494	503	588	579	260.1	243.1	246.5	286.2	281.9
Washington, DC	1,509	1,271	1,241	1,224	1,137	500.0	420.2	409.1	406.3	377.4
Wichita, KS	452	358	473	508	529	197.6	156.1	204.7	217.4	226.4
Yonkers, NY	73	64	81	90	137	70.9	61.6	77.6	85.9	130.7
U.S. CITY TOTAL*	79,646	81,590	82,125	78,818	72,739	224.3	227.9	227.4	216.6	199.9
San Juan, PR	73	105	114	89	42	13.3	19.8	21.4	16.7	7.9
TOTAL	79,719	81,695	82,239	78,907	72,781	221.1	224.8	224.4	213.7	197.1

*Cases reported with unknown sex are not included in this table.

Table 19. Gonorrhea — Men — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	429	446	474	435	340	164.5	170.3	180.5	165.1	129.1
Albuquerque, NM	237	367	380	427	339	87.7	134.8	138.2	152.1	120.8
Atlanta, GA	3,172	1,910	2,510	2,126	2,169	800.6	474.6	617.9	523.4	534.0
Austin, TX	792	804	814	731	699	254.7	248.1	243.4	212.4	203.1
Baltimore, MD	3,410	2,961	2,591	2,499	1,875	1,111.9	978.5	861.7	840.8	630.9
Birmingham, AL	1,258	1,439	1,177	1,257	1,008	403.0	461.0	377.2	402.8	323.0
Boston, MA	490	611	709	740	697	170.1	211.7	244.7	256.7	241.8
Buffalo, NY	508	658	982	781	651	328.7	427.6	639.3	508.8	424.1
Charlotte, NC	1,154	1,010	1,184	1,283	1,192	345.7	293.5	334.2	353.2	328.1
Chicago, IL	8,338	8,346	7,400	7,208	6,039	559.7	558.2	494.3	481.7	403.6
Cincinnati, OH	1,193	1,343	1,417	1,514	1,444	294.6	333.7	353.4	380.3	362.7
Cleveland, OH	1,589	1,777	2,019	2,109	2,040	240.4	270.2	308.3	323.3	312.7
Columbus, OH	1,523	1,561	1,618	1,317	1,234	295.7	299.7	307.7	248.9	233.2
Corpus Christi, TX	300	420	318	237	206	220.3	309.4	235.0	174.2	151.4
Dallas, TX	3,834	3,775	3,028	2,642	1,817	652.8	633.2	498.3	435.6	299.6
Dayton, OH	539	578	699	743	689	199.9	215.6	261.8	278.9	258.7
Denver, CO	642	880	901	1,056	690	232.3	312.8	316.4	372.6	243.5
Des Moines, IA	172	180	126	153	175	95.8	98.7	68.1	81.6	93.3
Detroit, MI	4,194	4,873	3,884	3,227	2,569	931.3	1,087.8	869.7	725.2	577.3
El Paso, TX	78	113	143	169	99	28.9	41.4	51.9	60.8	35.6
Fort Worth, TX	1,425	1,433	1,133	939	752	547.2	537.6	414.4	333.9	267.4
Honolulu, HI	199	216	288	320	491	45.0	49.1	65.0	71.3	109.4
Houston, TX	3,193	2,928	2,809	2,705	2,101	347.7	313.3	294.7	269.8	209.6
Indianapolis, IN	1,443	1,687	1,630	1,720	1,598	348.8	405.3	390.0	411.6	382.4
Jacksonville, FL	1,734	2,041	1,531	1,579	1,290	462.8	539.6	397.9	403.2	329.4
Jersey City, NJ	262	254	255	203	175	223.7	214.8	214.0	171.1	147.5
Kansas City, MO	911	1,446	1,122	1,342	1,255	419.6	663.5	512.7	610.4	570.8
Los Angeles, CA	3,218	4,228	4,264	4,350	4,374	73.7	95.7	95.2	95.7	96.3
Louisville, KY	699	688	793	728	782	211.6	207.4	238.1	217.9	234.1
Memphis, TN	2,875	2,716	2,350	2,111	1,667	674.1	632.8	546.5	487.9	385.3
Miami, FL	1,618	1,245	1,189	1,192	1,081	150.8	113.9	107.1	105.6	95.7
Milwaukee, WI	2,098	2,084	1,596	1,877	1,589	466.2	462.5	354.5	417.3	353.3
Minneapolis, MN	777	852	670	704	732	414.1	449.9	351.7	370.1	384.8
Nashville, TN	1,049	1,388	873	788	795	383.1	502.9	316.0	285.3	287.8
New Orleans, LA	1,489	1,690	1,850	1,463	1,500	655.0	745.6	824.7	658.7	675.4
New York City, NY	5,797	5,573	5,914	6,297	6,851	153.9	146.7	154.6	164.1	178.5
Newark, NJ	935	866	917	857	653	656.8	605.6	638.6	594.4	452.9
Norfolk, VA	749	841	783	793	549	627.1	701.6	649.2	643.5	445.5
Oakland, CA	667	783	960	945	766	95.1	109.8	132.5	130.8	106.0
Oklahoma City, OK	630	595	708	733	643	307.1	287.8	340.1	348.3	305.5
Omaha, NE	454	531	415	475	485	201.7	233.6	180.9	204.9	209.2
Philadelphia, PA	3,596	3,910	3,675	3,397	2,693	509.1	555.6	526.0	489.2	387.8
Phoenix, AZ	2,152	1,870	1,657	1,730	1,497	143.4	120.7	103.4	104.5	90.4
Pittsburgh, PA	653	668	871	890	726	107.2	110.2	144.2	147.7	120.4
Portland, OR	290	378	475	362	395	113.1	146.3	181.3	136.4	148.9
Richmond, VA	870	968	1,083	612	549	941.1	1,052.6	1,178.0	666.7	598.1
Rochester, NY	990	1,040	822	779	792	833.0	873.2	689.0	650.3	661.1
Sacramento, CA	534	581	543	660	838	90.4	96.5	87.5	103.2	131.0
San Antonio, TX	974	1,110	1,015	935	1,075	176.8	198.5	178.6	160.6	184.7
San Diego, CA	896	1,066	1,109	1,336	1,256	63.8	75.0	76.9	91.4	85.9
San Francisco, CA	1,225	1,749	1,693	1,749	1,547	311.4	443.5	430.4	452.4	400.2
San Jose, CA	224	270	349	303	401	26.4	31.6	40.6	35.5	47.0
Seattle, WA	591	773	984	1,024	957	68.7	89.3	112.8	117.0	109.4
St Louis, MO	1,366	1,453	1,565	1,322	1,245	832.5	891.4	971.8	831.7	783.2
St Paul, MN	269	292	225	241	231	197.0	212.7	163.3	175.7	168.4
St Petersburg, FL	893	803	740	745	657	204.6	182.7	167.8	168.5	148.6
Tampa, FL	841	830	759	1,053	904	174.5	169.0	150.8	203.7	174.8
Toledo, OH	235	370	466	613	381	107.4	169.2	213.0	280.5	174.3
Tucson, AZ	236	334	402	254	253	58.2	80.5	95.3	59.0	58.8
Tulsa, OK	437	398	511	535	480	229.3	207.9	264.9	275.0	246.8
Washington, DC	2,014	1,430	1,627	1,436	1,361	750.3	531.3	601.5	532.5	504.7
Wichita, KS	319	317	364	344	341	143.0	141.4	161.2	150.7	149.4
Yonkers, NY	29	45	62	70	100	30.7	47.3	64.5	72.4	103.4
U.S. CITY TOTAL*	85,708	88,792	85,421	83,165	74,780	254.6	261.2	248.8	240.1	215.9
San Juan, PR	106	165	167	105	88	21.0	33.7	34.0	21.3	17.9
TOTAL	85,814	88,957	85,588	83,270	74,868	251.1	258.0	245.8	237.0	213.1

*Cases reported with unknown sex are not included in this table.

Table 20. Gonorrhea — Reported cases and rates per 100,000 population by age and sex: United States, 1999–2003

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
1999	10-14	5,954	825	5,129	29.5	8.0	52.0
	15-19	104,426	34,295	70,131	519.9	332.2	718.4
	20-24	108,741	52,735	56,007	584.9	555.5	615.6
	25-29	56,120	32,604	23,516	286.7	330.0	242.5
	30-34	32,344	20,690	11,654	157.0	199.8	113.7
	35-39	23,441	16,217	7,224	102.4	142.2	63.0
	40-44	14,007	10,652	3,355	63.1	96.9	30.0
	45-54	10,338	8,657	1,681	28.3	48.2	9.0
	55-64	2,356	2,122	233	9.9	18.6	1.9
	65+	905	722	183	2.6	5.0	0.9
	TOTAL	359,716	179,913	179,803	128.9	131.5	126.4
2000	10-14	5,925	830	5,094	28.8	7.9	50.7
	15-19	102,043	33,312	68,731	504.7	320.6	699.5
	20-24	112,313	54,195	58,119	586.8	554.1	621.0
	25-29	55,929	32,831	23,098	290.3	336.8	242.7
	30-34	31,814	20,603	11,211	154.5	198.8	109.6
	35-39	22,605	15,765	6,840	99.9	139.8	60.3
	40-44	13,526	10,234	3,292	60.0	91.6	29.0
	45-54	10,344	8,669	1,676	27.2	46.4	8.6
	55-64	2,299	2,077	222	9.4	17.7	1.7
	65+	897	722	175	2.6	5.0	0.8
	TOTAL	358,779	179,651	179,128	127.1	129.7	124.6
2001	10-14	6,041	862	5,179	28.9	8.0	50.8
	15-19	101,065	31,952	69,113	498.6	306.5	701.8
	20-24	116,207	54,604	61,603	589.5	541.7	639.7
	25-29	56,083	32,181	23,902	294.8	333.6	254.9
	30-34	32,537	21,050	11,487	156.5	201.1	111.3
	35-39	21,799	15,216	6,583	97.7	136.5	58.9
	40-44	13,605	10,072	3,533	59.6	89.0	30.7
	45-54	10,458	8,655	1,803	26.7	44.9	9.0
	55-64	2,255	2,003	252	8.9	16.5	1.9
	65+	843	651	192	2.4	4.5	0.9
	TOTAL	361,758	177,531	184,227	126.8	126.7	126.8
2002	10-14	5,449	784	4,665	25.8	7.2	45.2
	15-19	96,325	29,921	66,404	472.7	285.7	670.4
	20-24	112,449	52,130	60,318	556.3	503.7	611.5
	25-29	55,480	31,391	24,089	292.4	325.6	258.1
	30-34	32,081	20,560	11,521	153.1	194.6	110.8
	35-39	21,419	14,878	6,541	97.7	135.8	59.7
	40-44	13,791	10,254	3,536	60.0	89.8	30.5
	45-54	10,927	8,891	2,036	27.3	45.2	10.0
	55-64	2,284	2,019	266	8.6	15.8	1.9
	65+	791	631	159	2.2	4.3	0.8
	TOTAL	351,836	171,839	179,997	122.0	121.3	122.7
2003	10-14	4,929	725	4,204	23.3	6.7	40.8
	15-19	90,340	27,473	62,867	443.4	262.4	634.7
	20-24	106,930	48,222	58,709	529.0	465.9	595.2
	25-29	53,692	29,368	24,325	283.0	304.6	260.7
	30-34	30,528	19,004	11,524	145.7	179.9	110.9
	35-39	20,212	13,824	6,388	92.2	126.2	58.3
	40-44	13,722	10,079	3,644	59.7	88.3	31.4
	45-54	11,018	8,905	2,113	27.5	45.3	10.4
	55-64	2,316	2,012	303	8.7	15.7	2.2
	65+	745	617	128	2.1	4.2	0.6
	TOTAL	335,104	160,459	174,645	116.2	113.3	119.0

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 21A. Gonorrhea — Reported cases by race/ethnicity, age group and sex: United States, 1999–2003

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1999	10-14	842	55	787	4,666	705	3,961	368	60	308	35	1	34	41	3	39
	15-19	14,882	2,437	12,445	81,913	29,452	52,460	6,359	2,151	4,208	562	133	429	714	121	592
	20-24	14,408	4,288	10,120	86,318	44,709	41,609	6,704	3,278	3,426	673	291	382	665	190	475
	25-29	7,859	3,397	4,462	43,874	26,821	17,053	3,773	2,114	1,659	316	173	142	298	103	195
	30-34	5,364	2,864	2,499	24,390	16,279	8,110	2,131	1,306	825	240	138	102	206	93	113
	35-39	4,319	2,563	1,756	17,559	12,685	4,875	1,272	815	457	146	91	55	139	57	82
	40-44	2,395	1,671	725	10,832	8,492	2,340	638	410	228	69	38	32	70	41	29
	45-54	1,817	1,387	430	7,954	6,877	1,076	432	310	122	63	43	20	69	39	31
	55-64	503	432	71	1,718	1,587	131	109	83	26	14	11	3	11	8	3
	65+	193	151	42	634	517	116	62	48	15	6	1	4	9	3	6
TOTAL	52,733	19,295	33,438	280,707	148,437	132,270	21,920	10,602	11,318	2,130	925	1,205	2,226	660	1,566	
2000	10-14	769	50	719	4,649	689	3,960	419	82	336	38	1	37	48	7	41
	15-19	14,608	2,576	12,032	79,244	28,108	51,137	6,877	2,315	4,563	670	180	489	644	131	514
	20-24	15,597	4,831	10,766	87,435	44,977	42,459	7,757	3,762	3,995	884	431	454	655	207	448
	25-29	7,898	3,373	4,524	42,931	26,572	16,359	4,175	2,417	1,758	565	351	214	361	123	238
	30-34	5,802	3,190	2,612	23,063	15,542	7,521	2,347	1,482	865	378	274	104	219	114	105
	35-39	4,689	2,969	1,720	16,039	11,591	4,448	1,445	933	512	251	181	70	178	89	89
	40-44	2,724	1,840	884	9,909	7,796	2,114	668	449	219	126	96	30	96	52	44
	45-54	2,038	1,572	465	7,576	6,567	1,009	560	414	146	103	73	29	66	41	25
	55-64	495	436	59	1,636	1,513	123	115	91	24	30	19	11	22	17	5
	65+	190	144	46	641	527	114	51	45	6	2	0	2	13	6	7
TOTAL	54,964	21,039	33,925	273,928	144,191	129,737	24,512	12,030	12,481	3,056	1,609	1,447	2,319	793	1,526	
2001	10-14	855	57	798	4,646	715	3,932	440	80	360	53	6	47	46	3	43
	15-19	14,961	2,611	12,351	77,554	26,692	50,862	7,095	2,312	4,783	763	205	559	692	130	562
	20-24	16,997	5,390	11,607	89,154	44,621	44,533	8,416	4,024	4,393	881	354	526	778	231	547
	25-29	8,535	3,610	4,924	42,275	25,705	16,570	4,418	2,464	1,954	512	281	231	344	124	219
	30-34	6,106	3,461	2,645	23,242	15,644	7,597	2,636	1,646	990	327	205	122	220	93	127
	35-39	4,720	3,026	1,694	15,136	10,957	4,178	1,630	1,055	575	160	116	44	149	59	90
	40-44	2,882	1,924	958	9,749	7,496	2,253	759	513	246	111	92	19	101	46	55
	45-54	2,364	1,796	568	7,386	6,356	1,030	542	398	144	84	60	25	79	45	34
	55-64	583	510	73	1,510	1,374	136	124	90	33	23	16	7	14	12	2
	65+	207	163	44	554	443	111	57	29	28	17	11	6	7	3	4
TOTAL	58,323	22,585	35,738	271,871	140,235	131,636	26,190	12,624	13,566	2,935	1,348	1,588	2,439	751	1,689	
2002	10-14	786	50	736	4,181	665	3,516	412	57	355	28	4	24	41	7	34
	15-19	15,055	2,521	12,534	73,130	24,995	48,134	6,809	2,111	4,699	547	122	425	785	170	615
	20-24	18,044	5,714	12,330	84,159	41,703	42,456	8,648	4,176	4,473	772	304	468	843	244	599
	25-29	9,168	3,917	5,251	40,777	24,593	16,184	4,647	2,470	2,177	501	263	238	390	157	233
	30-34	6,450	3,628	2,822	22,223	14,951	7,271	2,820	1,656	1,164	322	207	115	260	117	143
	35-39	5,067	3,336	1,731	14,263	10,190	4,073	1,695	1,132	562	214	130	84	175	87	88
	40-44	3,386	2,393	993	9,226	7,098	2,128	957	637	320	109	66	44	109	58	51
	45-54	2,706	2,089	617	7,460	6,268	1,192	573	408	165	105	74	31	80	51	29
	55-64	664	574	90	1,467	1,336	132	125	95	29	23	10	13	4	3	2
	65+	196	155	41	523	428	95	50	35	15	18	11	7	3	3	0
TOTAL	61,671	24,429	37,243	257,986	132,498	125,488	26,829	12,822	14,007	2,646	1,196	1,450	2,704	905	1,800	
2003	10-14	789	51	739	3,662	594	3,068	390	71	320	31	3	28	55	7	49
	15-19	15,541	2,532	13,009	66,553	22,572	43,980	7,011	2,086	4,924	533	116	417	700	163	537
	20-24	19,132	6,097	13,035	77,129	37,552	39,577	9,080	4,085	4,994	840	270	570	767	229	539
	25-29	9,891	4,159	5,732	38,142	22,275	15,866	4,787	2,544	2,243	499	250	249	375	146	229
	30-34	6,648	3,512	3,136	20,459	13,498	6,961	2,821	1,704	1,117	381	206	175	214	83	131
	35-39	5,126	3,314	1,812	12,840	9,130	3,710	1,823	1,160	663	244	139	105	174	80	94
	40-44	3,835	2,634	1,201	8,642	6,626	2,016	981	654	327	145	95	49	118	70	48
	45-54	2,917	2,169	748	7,268	6,172	1,096	660	467	192	105	64	41	66	32	33
	55-64	713	588	125	1,439	1,301	138	123	98	25	31	19	13	8	7	2
	65+	239	196	43	443	379	64	44	29	15	11	7	4	8	6	2
TOTAL	64,961	25,288	39,673	237,038	120,266	116,771	27,793	12,922	14,872	2,823	1,171	1,652	2,489	823	1,666	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 20 for age-specific cases and rates and Tables 13-15 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 21B. Gonorrhea — Rates per 100,000 population by race/ethnicity, age group and sex: United States, 1999–2003

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
10-14	6.4	0.8	12.4	150.0	44.6	258.5	12.2	3.9	21.0	4.5	0.3	8.9	18.4	2.4	35.0
15-19	114.4	36.6	196.1	2,761.0	1,964.8	3,574.2	207.2	131.8	292.8	67.8	31.5	105.6	334.0	111.4	564.8
20-24	123.3	72.4	175.5	3,327.4	3,541.4	3,124.6	206.4	184.6	232.7	75.8	65.5	86.2	383.9	216.0	557.5
25-29	62.8	54.0	71.8	1,696.9	2,185.2	1,255.6	115.6	120.1	110.4	30.0	33.8	26.5	178.3	123.4	233.5
30-34	39.0	41.4	36.6	923.1	1,304.2	581.9	69.8	80.3	57.9	24.3	29.0	19.9	123.9	113.0	134.6
35-39	26.7	31.7	21.8	618.0	950.7	323.4	46.6	57.4	35.0	15.1	19.5	11.0	74.6	63.3	85.2
40-44	14.7	20.6	8.9	405.8	680.3	164.7	29.0	36.5	21.1	7.8	8.9	6.8	40.0	49.0	31.8
45-54	6.5	10.0	3.0	202.0	378.9	50.7	14.6	21.2	8.2	4.5	6.5	2.7	25.9	30.1	22.0
55-64	2.7	4.7	0.7	73.9	153.6	10.1	6.6	10.8	2.9	1.7	2.9	0.7	7.2	10.9	3.8
65+	0.7	1.2	0.2	22.6	48.4	6.7	3.8	6.9	1.5	0.7	0.4	0.9	7.0	5.3	8.3
TOTAL	26.7	20.0	33.2	808.4	900.4	725.3	64.6	60.8	68.6	19.4	17.4	21.3	98.1	59.1	136.0
10-14	5.8	0.7	11.2	145.1	42.4	250.8	13.1	5.0	21.5	4.8	0.3	9.5	20.6	5.9	36.0
15-19	112.4	38.7	189.6	2,662.4	1,867.1	3,476.2	216.9	137.4	307.0	78.7	41.6	117.4	293.0	116.4	477.1
20-24	130.9	80.1	182.9	3,264.8	3,448.8	3,090.2	225.3	198.4	258.2	96.0	93.5	98.4	360.1	225.1	498.4
25-29	65.6	55.6	75.7	1,687.3	2,197.0	1,225.4	121.9	130.5	111.7	52.1	65.7	38.8	215.2	146.2	284.6
30-34	42.8	46.8	38.8	874.7	1,246.2	541.3	74.0	87.5	58.5	35.9	53.2	19.3	128.4	134.2	122.6
35-39	29.8	37.7	21.9	566.0	870.8	296.0	50.5	62.4	37.5	24.9	37.0	13.5	94.2	96.5	92.0
40-44	16.7	22.5	10.8	362.8	608.6	145.8	28.5	37.5	19.1	13.5	21.7	6.1	52.5	59.5	46.1
45-54	7.0	11.0	3.2	182.5	342.5	45.2	17.5	26.2	9.0	6.8	10.5	3.6	22.7	29.6	16.4
55-64	2.6	4.7	0.6	68.3	141.8	9.2	6.6	11.1	2.6	3.5	4.7	2.5	13.7	22.3	5.7
65+	0.6	1.2	0.3	22.5	48.7	6.5	2.9	6.2	0.5	0.2	0.0	0.4	9.2	9.6	8.9
TOTAL	27.8	21.8	33.6	778.1	862.0	702.1	68.7	65.5	72.1	26.7	28.9	24.5	98.6	68.4	128.0
10-14	6.5	0.8	12.4	141.5	42.9	243.0	13.1	4.7	21.8	6.4	1.4	11.6	19.6	2.5	37.3
15-19	114.8	39.0	194.8	2,586.9	1,753.8	3,446.0	223.7	138.7	317.9	89.9	47.3	134.3	309.3	113.9	513.1
20-24	138.5	86.8	191.4	3,203.4	3,276.3	3,133.6	238.0	206.0	277.5	94.4	76.3	112.2	411.4	241.2	586.4
25-29	73.3	61.5	85.3	1,683.5	2,148.2	1,260.6	122.7	125.7	119.2	46.3	52.2	40.7	205.8	148.1	264.2
30-34	45.3	51.0	39.5	878.9	1,251.9	544.7	78.3	91.5	63.3	29.0	37.4	21.0	129.2	109.2	149.0
35-39	30.9	39.6	22.3	537.7	828.4	280.0	54.0	66.6	40.1	15.2	22.7	8.2	80.2	65.2	94.8
40-44	17.6	23.5	11.7	351.3	576.2	152.8	30.4	40.1	20.2	11.5	20.1	3.7	54.4	51.4	57.2
45-54	8.0	12.2	3.8	170.4	317.6	44.2	15.8	23.4	8.4	5.3	8.1	2.9	26.3	31.3	21.6
55-64	2.9	5.3	0.7	61.2	125.1	9.9	6.7	10.4	3.4	2.6	3.8	1.5	8.2	14.8	2.0
65+	0.7	1.3	0.3	19.2	40.3	6.2	3.1	3.8	2.6	1.8	2.9	1.0	4.6	5.0	4.3
TOTAL	29.4	23.3	35.3	762.0	826.8	703.3	70.3	65.8	75.2	24.6	23.4	25.8	102.6	64.0	140.0
10-14	6.0	0.7	11.5	124.9	39.1	213.2	11.6	3.1	20.6	3.4	1.0	5.9	17.4	5.9	29.2
15-19	115.2	37.5	197.3	2,410.6	1,621.2	3,226.2	213.0	126.8	306.6	64.2	28.1	101.6	346.9	147.5	555.1
20-24	143.4	89.7	198.3	2,927.7	2,942.8	2,913.0	239.8	209.6	277.0	81.4	64.7	97.9	427.4	244.0	616.6
25-29	80.1	67.9	92.6	1,631.8	2,062.7	1,238.6	123.8	119.9	128.5	45.1	49.0	41.5	233.3	186.1	281.2
30-34	48.4	54.1	42.6	834.8	1,187.4	518.3	78.8	86.3	70.2	26.6	35.3	18.4	152.3	137.3	167.3
35-39	34.4	45.3	23.6	514.3	781.9	277.1	53.7	68.2	37.6	19.5	24.4	14.9	96.9	97.9	96.0
40-44	20.7	29.3	12.1	329.1	540.7	142.7	36.1	46.7	24.9	10.9	13.7	8.3	58.0	64.4	52.0
45-54	9.0	14.1	4.1	165.7	301.7	49.2	15.7	22.4	9.0	6.3	9.6	3.4	26.0	34.4	18.1
55-64	3.2	5.6	0.8	57.2	116.9	9.2	6.3	10.2	2.8	2.3	2.1	2.5	2.4	3.2	1.7
65+	0.7	1.3	0.2	17.9	38.3	5.3	2.5	4.2	1.3	1.8	2.5	1.3	1.9	4.4	0.0
TOTAL	31.0	25.1	36.7	713.7	770.7	662.1	69.2	64.1	74.6	21.4	20.0	22.6	112.5	76.3	147.6
10-14	6.0	0.7	11.5	109.4	35.0	186.0	11.0	3.9	18.5	3.7	0.6	6.9	23.7	5.6	42.3
15-19	118.9	37.7	204.8	2,193.8	1,464.1	2,947.8	219.3	125.3	321.3	62.5	26.7	99.6	309.2	141.1	484.6
20-24	152.0	95.7	209.7	2,683.1	2,649.8	2,715.5	251.8	205.1	309.3	88.6	57.4	119.3	388.7	228.1	554.4
25-29	86.5	72.1	101.0	1,526.3	1,868.3	1,214.2	127.5	123.5	132.4	45.0	46.7	43.4	224.4	173.2	276.3
30-34	49.9	52.3	47.4	768.5	1,072.0	496.2	78.9	88.9	67.3	31.4	35.0	28.1	125.2	97.7	152.6
35-39	34.8	45.0	24.7	463.0	700.6	252.4	57.8	69.8	44.4	22.3	26.2	18.6	96.4	90.2	102.4
40-44	23.4	32.3	14.7	308.3	504.7	135.3	37.0	47.8	25.4	14.4	19.9	9.4	62.8	77.1	49.5
45-54	9.7	14.6	5.0	161.4	297.0	45.2	18.1	25.6	10.5	6.3	8.2	4.6	21.2	21.9	20.6
55-64	3.4	5.8	1.2	56.1	113.8	9.7	6.2	10.4	2.4	3.2	4.1	2.4	4.7	7.7	1.9
65+	0.8	1.6	0.3	15.2	34.0	3.5	2.3	3.5	1.3	1.1	1.7	0.7	4.8	8.5	2.1
TOTAL	32.7	26.0	39.1	655.8	699.6	616.1	71.7	64.6	79.2	22.8	19.6	25.8	103.5	69.5	136.6

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 20 for age-specific cases and rates and Tables 13-15 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 22. All stages of syphilis* — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	1,019	753	724	700	566	23.0	16.9	16.2	15.6	12.6
Alaska	13	6	9	9	8	2.1	1.0	1.4	1.4	1.2
Arizona	833	848	1,147	1,085	1,106	16.6	16.4	21.6	19.9	20.3
Arkansas	364	366	239	219	296	13.7	13.7	8.9	8.1	10.9
California	2,859	3,354	3,053	3,917	4,202	8.5	9.9	8.8	11.2	12.0
Colorado	91	63	149	174	144	2.2	1.5	3.4	3.9	3.2
Connecticut	126	151	165	188	207	3.7	4.4	4.8	5.4	6.0
Delaware	72	45	79	62	47	9.3	5.7	9.9	7.7	5.8
Florida	2,690	2,770	2,915	3,280	3,282	17.1	17.3	17.8	19.6	19.6
Georgia	1,974	1,640	1,988	1,896	2,152	24.5	19.9	23.7	22.1	25.1
Hawaii	11	22	41	59	59	0.9	1.8	3.3	4.7	4.7
Idaho	13	11	11	23	45	1.0	0.8	0.8	1.7	3.4
Illinois	1,966	1,638	1,547	1,593	1,376	15.9	13.2	12.4	12.6	10.9
Indiana	802	751	529	319	375	13.3	12.3	8.6	5.2	6.1
Iowa	37	55	44	54	46	1.3	1.9	1.5	1.8	1.6
Kansas	95	67	88	77	77	3.5	2.5	3.3	2.8	2.8
Kentucky	302	253	191	212	160	7.5	6.2	4.7	5.2	3.9
Louisiana	1,423	973	793	775	1,576	31.9	21.8	17.7	17.3	35.2
Maine	1	7	16	9	21	0.1	0.5	1.2	0.7	1.6
Maryland	1,385	1,172	938	843	974	26.4	22.1	17.4	15.4	17.8
Massachusetts	385	448	446	541	644	6.1	7.0	7.0	8.4	10.0
Michigan	780	1,001	1,170	1,184	860	7.9	10.1	11.7	11.8	8.6
Minnesota	71	77	132	148	195	1.5	1.6	2.6	2.9	3.9
Mississippi	906	685	654	451	435	32.0	24.0	22.9	15.7	15.1
Missouri	396	299	174	204	207	7.1	5.3	3.1	3.6	3.6
Montana	3	0	0	5	0	0.3	0.0	0.0	0.5	0.0
Nebraska	24	7	16	25	27	1.4	0.4	0.9	1.4	1.6
Nevada	92	52	62	113	149	4.8	2.6	3.0	5.2	6.9
New Hampshire	17	19	20	24	37	1.4	1.5	1.6	1.9	2.9
New Jersey	803	802	1,040	1,062	1,089	9.6	9.5	12.2	12.4	12.7
New Mexico	80	101	76	115	205	4.4	5.5	4.2	6.2	11.1
New York	4,094	2,947	3,610	3,885	4,360	21.7	15.5	18.9	20.3	22.8
North Carolina	1,713	1,495	1,422	1,051	848	21.5	18.5	17.3	12.6	10.2
North Dakota	0	1	2	0	2	0.0	0.2	0.3	0.0	0.3
Ohio	364	282	297	351	481	3.2	2.5	2.6	3.1	4.2
Oklahoma	539	327	288	287	353	15.7	9.5	8.3	8.2	10.1
Oregon	37	49	48	75	118	1.1	1.4	1.4	2.1	3.4
Pennsylvania	932	685	726	689	706	7.6	5.6	5.9	5.6	5.7
Rhode Island	55	38	39	67	90	5.3	3.6	3.7	6.3	8.4
South Carolina	929	861	916	620	548	23.4	21.4	22.5	15.1	13.3
South Dakota	3	1	1	0	5	0.4	0.1	0.1	0.0	0.7
Tennessee	1,737	1,709	1,478	1,082	876	30.8	30.0	25.7	18.7	15.1
Texas	3,699	3,298	3,662	4,109	3,996	18.0	15.7	17.1	18.9	18.3
Utah	49	59	25	71	72	2.2	2.6	1.1	3.1	3.1
Vermont	3	0	8	2	1	0.5	0.0	1.3	0.3	0.2
Virginia	722	539	525	528	552	10.3	7.6	7.3	7.2	7.6
Washington	205	171	174	158	239	3.5	2.9	2.9	2.6	3.9
West Virginia	15	13	7	5	11	0.8	0.7	0.4	0.3	0.6
Wisconsin	192	184	131	134	111	3.6	3.4	2.4	2.5	2.0
Wyoming	0	5	4	1	4	0.0	1.0	0.8	0.2	0.8
U.S. TOTAL[†]	35,379	31,616	32,278	32,912	34,270	12.7	11.2	11.3	11.4	11.9
Northeast	6,416	5,097	6,070	6,467	7,155	12.0	9.5	11.3	11.9	13.2
Midwest	4,730	4,363	4,131	4,089	3,762	7.4	6.8	6.4	6.3	5.8
South	19,947	17,415	17,278	16,551	17,002	20.1	17.3	16.9	16.0	16.5
West	4,286	4,741	4,799	5,805	6,351	6.9	7.5	7.4	8.8	9.7
Guam	12	9	30	19	16	7.3	5.8	18.9	11.8	9.9
Puerto Rico	1,463	1,340	1,268	1,393	1,355	37.6	35.1	33.0	36.1	35.1
Virgin Islands	13	11	9	4	14	11.5	10.1	8.2	3.6	12.7
OUTLYING AREAS	1,488	1,360	1,307	1,416	1,385	35.7	33.3	31.8	34.3	33.5
TOTAL	36,867	32,976	33,585	34,328	35,655	13.0	11.5	11.6	11.7	12.2

*See Appendix (Reporting of Syphilis Cases) for definition.

[†]Includes cases reported by Washington, D.C.

Table 23. All stages of syphilis* — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	6	2	4	5	5	1.1	0.4	0.7	0.9	0.9
Albuquerque, NM	50	63	43	60	75	9.0	11.3	7.6	10.5	13.1
Atlanta, GA	580	384	799	827	966	71.8	47.0	96.8	100.2	117.0
Austin, TX	62	59	115	101	127	10.2	9.3	17.6	15.0	18.9
Baltimore, MD	941	728	477	400	457	143.1	112.2	73.9	62.6	71.6
Birmingham, AL	278	212	151	127	111	41.9	32.0	22.8	19.2	16.8
Boston, MA	164	160	157	231	298	27.4	26.7	26.1	38.6	49.8
Buffalo, NY	6	10	12	10	9	1.9	3.1	3.7	3.1	2.8
Charlotte, NC	194	151	130	102	109	28.4	21.6	18.0	13.8	14.8
Chicago, IL	1,322	1,090	1,094	1,149	946	42.9	35.3	35.4	37.2	30.6
Cincinnati, OH	12	14	16	21	11	1.4	1.7	1.9	2.5	1.3
Cleveland, OH	88	42	39	26	34	6.3	3.0	2.8	1.9	2.5
Columbus, OH	109	90	140	189	217	10.3	8.4	12.9	17.4	20.0
Corpus Christi, TX	20	10	10	12	26	7.2	3.6	3.6	4.3	9.3
Dallas, TX	695	587	702	1,044	850	59.0	49.2	57.8	86.2	70.2
Dayton, OH	16	17	18	9	13	2.8	3.0	3.2	1.6	2.3
Denver, CO	46	23	64	89	77	8.4	4.1	11.4	15.9	13.7
Des Moines, IA	7	18	15	19	16	1.9	4.8	3.9	4.9	4.1
Detroit, MI	569	771	925	880	624	59.5	81.1	97.6	93.2	66.1
El Paso, TX	79	92	106	119	110	14.1	16.3	18.5	20.6	19.0
Fort Worth, TX	177	191	267	374	224	33.6	35.5	48.4	66.0	39.5
Honolulu, HI	8	15	30	52	52	0.9	1.7	3.4	5.8	5.8
Houston, TX	1,111	850	922	1,034	991	60.2	45.3	48.2	51.4	49.3
Indianapolis, IN	553	521	306	134	130	64.5	60.5	35.4	15.5	15.1
Jacksonville, FL	74	125	139	69	125	9.6	16.0	17.5	8.6	15.5
Jersey City, NJ	42	27	39	59	52	17.6	11.2	16.1	24.4	21.5
Kansas City, MO	66	46	30	37	56	14.6	10.2	6.6	8.1	12.3
Los Angeles, CA	1,189	1,857	1,339	1,626	1,752	13.5	20.8	14.8	17.7	19.1
Louisville, KY	174	149	100	141	101	25.1	21.5	14.4	20.2	14.5
Memphis, TN	927	882	896	541	477	103.7	98.2	99.5	59.7	52.7
Miami, FL	795	829	1,044	1,297	1,167	35.8	36.7	45.5	55.6	50.0
Milwaukee, WI	166	151	98	88	62	17.6	16.1	10.4	9.4	6.6
Minneapolis, MN	28	34	63	79	73	7.3	8.8	16.3	20.5	18.9
Nashville, TN	505	523	379	294	195	89.0	91.7	66.4	51.5	34.2
New Orleans, LA	228	124	101	101	203	47.0	25.6	21.1	21.3	42.9
New York City, NY	3,736	2,712	3,304	3,486	3,825	47.0	33.8	41.0	43.1	47.3
Newark, NJ	172	265	377	343	360	57.5	88.2	125.0	113.4	119.0
Norfolk, VA	84	85	83	47	48	36.0	36.3	35.3	19.7	20.1
Oakland, CA	127	91	109	176	173	8.9	6.3	7.4	12.0	11.8
Oklahoma City, OK	300	193	160	170	193	70.9	45.3	37.3	39.3	44.6
Omaha, NE	10	6	3	15	21	2.2	1.3	0.6	3.2	4.4
Philadelphia, PA	825	618	646	566	586	54.3	40.8	43.0	37.9	39.3
Phoenix, AZ	722	737	957	855	829	24.0	23.8	29.9	25.9	25.1
Pittsburgh, PA	7	7	15	26	30	0.5	0.5	1.2	2.0	2.4
Portland, OR	19	30	29	48	64	3.7	5.7	5.5	9.0	12.0
Richmond, VA	64	40	58	25	42	32.1	20.3	29.3	12.7	21.3
Rochester, NY	16	7	4	13	24	6.5	2.8	1.6	5.2	9.7
Sacramento, CA	20	25	33	38	31	1.7	2.0	2.6	2.9	2.4
San Antonio, TX	228	287	364	306	213	20.1	25.0	31.2	25.6	17.8
San Diego, CA	251	232	152	162	299	9.0	8.2	5.3	5.6	10.3
San Francisco, CA	128	163	301	604	655	16.5	21.0	38.8	79.1	85.7
San Jose, CA	56	43	92	93	135	3.4	2.5	5.4	5.5	8.0
Seattle, WA	123	116	110	96	134	7.1	6.7	6.3	5.5	7.6
St Louis, MO	165	115	63	80	51	47.1	33.1	18.4	23.6	15.1
St Paul, MN	6	9	16	16	27	2.1	3.2	5.6	5.6	9.5
St Petersburg, FL	38	64	40	81	128	4.1	6.9	4.3	8.7	13.8
Tampa, FL	111	132	148	222	265	11.3	13.2	14.4	21.1	25.1
Toledo, OH	21	18	3	18	18	4.6	4.0	0.7	4.0	4.0
Tucson, AZ	42	36	72	91	125	5.1	4.2	8.3	10.3	14.2
Tulsa, OK	109	32	22	30	35	27.7	8.1	5.5	7.5	8.8
Washington, DC	458	516	459	431	330	80.3	90.3	80.0	75.5	57.8
Wichita, KS	34	10	15	13	13	7.5	2.2	3.3	2.8	2.8
Yonkers, NY	12	10	13	27	30	6.1	5.0	6.5	13.4	14.9
U.S. CITY TOTAL	19,171	17,446	18,418	19,424	19,425	27.7	25.0	26.1	27.3	27.3
San Juan, PR	682	545	483	443	579	64.8	53.4	47.2	43.2	56.5
TOTAL	19,853	17,991	18,901	19,867	20,004	28.3	25.4	26.4	27.6	27.8

*See Appendix (Reporting of Syphilis Cases) for definition.

Table 24. Primary and secondary syphilis — Reported cases and rates by state/area, ranked by rates: United States, 2003

<i>Rank*</i>	<i>State/Area</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Georgia	585	6.8
2	Maryland	312	5.7
3	Louisiana	183	4.1
4	Florida	658	3.9
5	New Mexico	71	3.8
6	California	1,299	3.7
7	Arizona	186	3.4
8	Rhode Island	33	3.1
9	Texas	654	3.0
10	New York	584	3.0
11	Illinois	374	3.0
	U.S. TOTAL[†]	7,177	2.5
12	Michigan	249	2.5
13	Alabama	114	2.5
14	Tennessee	135	2.3
15	South Carolina	94	2.3
16	Massachusetts	133	2.1
17	New Jersey	170	2.0
18	Arkansas	51	1.9
19	North Carolina	152	1.8
20	Oklahoma	64	1.8
21	Ohio	197	1.7
22	New Hampshire	19	1.5
23	Washington	82	1.4
24	Oregon	48	1.4
25	Mississippi	40	1.4
26	Pennsylvania	159	1.3
27	Virginia	82	1.1
28	Missouri	61	1.1
29	Idaho	15	1.1
30	Hawaii	14	1.1
31	Minnesota	47	0.9
32	Colorado	39	0.9
33	Connecticut	30	0.9
34	Kansas	25	0.9
35	Delaware	7	0.9
36	Indiana	50	0.8
37	Kentucky	33	0.8
38	Utah	14	0.6
39	Nevada	12	0.6
40	Nebraska	10	0.6
41	Maine	8	0.6
42	Iowa	12	0.4
43	Wisconsin	16	0.3
44	North Dakota	2	0.3
45	South Dakota	2	0.3
46	Alaska	1	0.2
47	Vermont	1	0.2
	YEAR 2010 TARGET		0.2
48	West Virginia	2	0.1
	Montana	0	0.0
	Wyoming	0	0.0

*States were ranked in descending order by rate, number of cases, and alphabetically by state. States with no cases were not ranked.

[†]Total includes cases reported by Washington, D.C., but excludes outlying areas (Guam with 1 case and rate of 0.6, Puerto Rico with 202 cases and rate of 5.2, and Virgin Islands with 3 cases and rate of 2.7).

Table 25. Primary and secondary syphilis — Counties and independent cities* ranked by number of reported cases: United States, 2003

<i>Rank†</i>	<i>County/Independent City</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>	<i>Cumulative Percent</i>
1	Los Angeles County, CA	523	5.3	7
2	San Francisco County, CA	332	43.5	11
3	Cook County, IL	302	5.6	16
4	Fulton County, GA	298	36.1	20
5	New York County, NY	273	17.6	24
6	Wayne County, MI	205	10.0	26
7	Harris County, TX	196	5.5	29
8	Dade County, FL	194	8.3	32
9	Broward County, FL	179	10.5	34
10	Dallas County, TX	165	7.2	37
11	Baltimore (City), MD	153	24.0	39
12	Maricopa County, AZ	132	4.0	41
13	Franklin County, OH	116	10.7	42
14	Kings County, NY	114	4.6	44
15	San Diego County, CA	111	3.8	45
16	De Kalb County, GA	108	16.0	47
17	Philadelphia County, PA	98	6.6	48
18	Essex County, NJ	76	9.5	49
19	Shelby County, TN	76	8.4	50

*Accounting for 50% of reported primary and secondary syphilis cases.

†Counties were ranked in descending order by number of cases.

Table 26. Primary and secondary syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	202	123	142	149	114	4.6	2.8	3.2	3.3	2.5
Alaska	1	0	0	0	1	0.2	0.0	0.0	0.0	0.2
Arizona	212	189	180	200	186	4.2	3.7	3.4	3.7	3.4
Arkansas	87	104	49	34	51	3.3	3.9	1.8	1.3	1.9
California	283	325	545	1,033	1,299	0.8	1.0	1.6	2.9	3.7
Colorado	8	11	23	64	39	0.2	0.3	0.5	1.4	0.9
Connecticut	16	16	12	28	30	0.5	0.5	0.3	0.8	0.9
Delaware	10	9	14	11	7	1.3	1.1	1.8	1.4	0.9
Florida	343	413	484	617	658	2.2	2.6	3.0	3.7	3.9
Georgia	430	402	414	439	585	5.3	4.9	4.9	5.1	6.8
Hawaii	3	2	12	11	14	0.2	0.2	1.0	0.9	1.1
Idaho	1	1	1	8	15	0.1	0.1	0.1	0.6	1.1
Illinois	422	412	409	479	374	3.4	3.3	3.3	3.8	3.0
Indiana	450	351	151	62	50	7.4	5.8	2.5	1.0	0.8
Iowa	9	11	5	8	12	0.3	0.4	0.2	0.3	0.4
Kansas	14	6	25	20	25	0.5	0.2	0.9	0.7	0.9
Kentucky	101	85	48	88	33	2.5	2.1	1.2	2.2	0.8
Louisiana	306	209	173	152	183	6.9	4.7	3.9	3.4	4.1
Maine	0	1	1	2	8	0.0	0.1	0.1	0.2	0.6
Maryland	343	300	266	228	312	6.5	5.6	4.9	4.2	5.7
Massachusetts	37	68	46	99	133	0.6	1.1	0.7	1.5	2.1
Michigan	249	330	428	486	249	2.5	3.3	4.3	4.8	2.5
Minnesota	10	16	33	59	47	0.2	0.3	0.7	1.2	0.9
Mississippi	194	137	140	49	40	6.9	4.8	4.9	1.7	1.4
Missouri	96	29	26	34	61	1.7	0.5	0.5	0.6	1.1
Montana	1	0	0	0	0	0.1	0.0	0.0	0.0	0.0
Nebraska	6	2	10	6	10	0.4	0.1	0.6	0.3	0.6
Nevada	5	5	8	15	12	0.3	0.2	0.4	0.7	0.6
New Hampshire	1	2	1	8	19	0.1	0.2	0.1	0.6	1.5
New Jersey	68	71	137	169	170	0.8	0.8	1.6	2.0	2.0
New Mexico	12	16	19	39	71	0.7	0.9	1.0	2.1	3.8
New York	150	132	304	478	584	0.8	0.7	1.6	2.5	3.0
North Carolina	464	483	445	279	152	5.8	6.0	5.4	3.4	1.8
North Dakota	0	0	0	0	2	0.0	0.0	0.0	0.0	0.3
Ohio	92	69	81	159	197	0.8	0.6	0.7	1.4	1.7
Oklahoma	187	116	60	72	64	5.4	3.4	1.7	2.1	1.8
Oregon	8	12	13	28	48	0.2	0.3	0.4	0.8	1.4
Pennsylvania	84	77	100	105	159	0.7	0.6	0.8	0.9	1.3
Rhode Island	3	4	9	13	33	0.3	0.4	0.8	1.2	3.1
South Carolina	269	229	235	134	94	6.8	5.7	5.8	3.3	2.3
South Dakota	0	0	1	0	2	0.0	0.0	0.1	0.0	0.3
Tennessee	641	532	331	168	135	11.4	9.3	5.8	2.9	2.3
Texas	473	396	478	589	654	2.3	1.9	2.2	2.7	3.0
Utah	2	2	11	7	14	0.1	0.1	0.5	0.3	0.6
Vermont	3	0	3	2	1	0.5	0.0	0.5	0.3	0.2
Virginia	153	126	102	71	82	2.2	1.8	1.4	1.0	1.1
Washington	77	66	57	70	82	1.3	1.1	1.0	1.2	1.4
West Virginia	5	3	5	2	2	0.3	0.2	0.3	0.1	0.1
Wisconsin	41	48	22	30	16	0.8	0.9	0.4	0.6	0.3
Wyoming	0	1	1	0	0	0.0	0.2	0.2	0.0	0.0
U.S. TOTAL*	6,617	5,979	6,103	6,862	7,177	2.4	2.1	2.1	2.4	2.5
Northeast	362	371	613	904	1,137	0.7	0.7	1.1	1.7	2.1
Midwest	1,389	1,274	1,191	1,343	1,045	2.2	2.0	1.8	2.1	1.6
South	4,253	3,704	3,429	3,140	3,214	4.3	3.7	3.4	3.0	3.1
West	613	630	870	1,475	1,781	1.0	1.0	1.3	2.2	2.7
Guam	2	1	12	6	1	1.2	0.6	7.6	3.7	0.6
Puerto Rico	146	175	244	270	202	3.8	4.6	6.4	7.0	5.2
Virgin Islands	1	3	0	1	3	0.9	2.8	0.0	0.9	2.7
OUTLYING AREAS	149	179	256	277	206	3.6	4.4	6.2	6.7	5.0
TOTAL	6,766	6,158	6,359	7,139	7,383	2.4	2.2	2.2	2.4	2.5

*Includes cases reported by Washington, D.C.

Table 27. Primary and secondary syphilis — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	102	63	67	63	49	4.4	2.7	2.9	2.7	2.1
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	65	80	50	74	66	2.6	3.1	1.9	2.7	2.4
Arkansas	44	58	27	18	16	3.2	4.2	2.0	1.3	1.2
California	76	51	42	39	52	0.5	0.3	0.2	0.2	0.3
Colorado	6	1	5	2	5	0.3	0.0	0.2	0.1	0.2
Connecticut	6	7	2	3	3	0.3	0.4	0.1	0.2	0.2
Delaware	1	1	5	4	2	0.3	0.2	1.2	1.0	0.5
Florida	143	163	135	108	73	1.8	2.0	1.6	1.3	0.9
Georgia	160	159	129	98	68	3.9	3.8	3.0	2.3	1.6
Hawaii	2	1	0	2	0	0.3	0.2	0.0	0.3	0.0
Idaho	0	0	0	4	5	0.0	0.0	0.0	0.6	0.7
Illinois	180	181	91	81	48	2.9	2.9	1.4	1.3	0.7
Indiana	225	196	71	18	16	7.3	6.3	2.3	0.6	0.5
Iowa	6	6	1	4	2	0.4	0.4	0.1	0.3	0.1
Kansas	8	1	11	6	13	0.6	0.1	0.8	0.4	0.9
Kentucky	45	42	17	43	13	2.2	2.0	0.8	2.1	0.6
Louisiana	153	97	83	76	79	6.6	4.2	3.6	3.3	3.4
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	164	115	113	53	74	6.0	4.2	4.1	1.9	2.6
Massachusetts	15	19	4	12	3	0.5	0.6	0.1	0.4	0.1
Michigan	95	141	161	192	93	1.9	2.8	3.2	3.8	1.8
Minnesota	5	5	16	4	4	0.2	0.2	0.6	0.2	0.2
Mississippi	93	70	69	31	20	6.3	4.8	4.7	2.1	1.3
Missouri	49	11	8	10	14	1.7	0.4	0.3	0.3	0.5
Montana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nebraska	3	1	8	2	1	0.3	0.1	0.9	0.2	0.1
Nevada	3	2	1	1	3	0.3	0.2	0.1	0.1	0.3
New Hampshire	1	0	0	0	0	0.2	0.0	0.0	0.0	0.0
New Jersey	32	23	44	48	49	0.7	0.5	1.0	1.1	1.1
New Mexico	3	5	6	12	23	0.3	0.5	0.6	1.3	2.4
New York	34	12	23	26	26	0.3	0.1	0.2	0.3	0.3
North Carolina	202	234	191	115	47	5.0	5.7	4.6	2.7	1.1
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	43	26	26	27	40	0.7	0.4	0.4	0.5	0.7
Oklahoma	77	54	28	20	20	4.4	3.1	1.6	1.1	1.1
Oregon	5	4	2	8	3	0.3	0.2	0.1	0.5	0.2
Pennsylvania	27	30	28	22	33	0.4	0.5	0.4	0.3	0.5
Rhode Island	1	2	0	2	8	0.2	0.4	0.0	0.4	1.4
South Carolina	117	96	101	58	24	5.7	4.6	4.8	2.7	1.1
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	283	247	158	82	40	9.8	8.4	5.4	2.8	1.3
Texas	182	152	169	192	162	1.8	1.4	1.6	1.8	1.5
Utah	0	1	2	0	3	0.0	0.1	0.2	0.0	0.3
Vermont	2	0	0	0	0	0.6	0.0	0.0	0.0	0.0
Virginia	71	44	43	17	7	2.0	1.2	1.2	0.5	0.2
Washington	3	8	7	1	4	0.1	0.3	0.2	0.0	0.1
West Virginia	3	1	1	1	2	0.3	0.1	0.1	0.1	0.2
Wisconsin	18	24	13	6	1	0.7	0.9	0.5	0.2	0.0
Wyoming	0	1	1	0	0	0.0	0.4	0.4	0.0	0.0
U.S. TOTAL*	2,777	2,445	1,967	1,594	1,217	2.0	1.7	1.4	1.1	0.8
Northeast	118	93	101	113	122	0.4	0.3	0.4	0.4	0.4
Midwest	632	592	406	350	232	1.9	1.8	1.2	1.1	0.7
South	1,864	1,606	1,344	988	699	3.7	3.1	2.6	1.9	1.3
West	163	154	116	143	164	0.5	0.5	0.4	0.4	0.5
Guam	0	0	5	2	0	0.0	0.0	6.5	2.5	0.0
Puerto Rico	73	76	130	123	93	3.6	3.8	6.5	6.1	4.6
Virgin Islands	1	2	0	0	2	1.9	3.5	0.0	0.0	3.4
OUTLYING AREAS	74	78	135	125	95	3.4	3.7	6.3	5.8	4.4
TOTAL	2,851	2,523	2,102	1,719	1,312	2.0	1.7	1.4	1.2	0.9

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 28. Primary and secondary syphilis — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	100	60	75	86	65	4.7	2.8	3.5	4.0	3.0
Alaska	1	0	0	0	1	0.3	0.0	0.0	0.0	0.3
Arizona	147	109	130	126	120	5.9	4.2	4.9	4.6	4.4
Arkansas	43	46	22	16	35	3.3	3.5	1.7	1.2	2.6
California	206	272	501	994	1,245	1.2	1.6	2.9	5.7	7.1
Colorado	2	10	18	62	34	0.1	0.5	0.8	2.7	1.5
Connecticut	10	9	10	25	27	0.6	0.5	0.6	1.5	1.6
Delaware	9	8	9	7	5	2.4	2.1	2.3	1.8	1.3
Florida	199	250	349	509	585	2.6	3.2	4.4	6.2	7.2
Georgia	269	243	285	340	517	6.8	6.0	6.9	8.1	12.3
Hawaii	1	1	12	9	14	0.2	0.2	1.9	1.4	2.2
Idaho	1	1	1	4	10	0.2	0.2	0.2	0.6	1.5
Illinois	242	231	318	398	326	4.0	3.8	5.2	6.4	5.3
Indiana	225	155	80	44	34	7.6	5.2	2.7	1.5	1.1
Iowa	3	5	4	4	10	0.2	0.3	0.3	0.3	0.7
Kansas	6	5	14	14	12	0.5	0.4	1.0	1.0	0.9
Kentucky	56	43	31	45	19	2.9	2.2	1.6	2.2	0.9
Louisiana	153	112	90	76	104	7.1	5.2	4.2	3.5	4.8
Maine	0	1	1	2	8	0.0	0.2	0.2	0.3	1.3
Maryland	179	185	153	175	238	7.1	7.2	5.9	6.6	9.0
Massachusetts	22	49	42	87	129	0.7	1.6	1.4	2.8	4.2
Michigan	154	189	267	294	156	3.2	3.9	5.4	6.0	3.2
Minnesota	5	11	17	55	43	0.2	0.5	0.7	2.2	1.7
Mississippi	101	67	71	18	20	7.4	4.9	5.1	1.3	1.4
Missouri	47	18	18	24	47	1.7	0.7	0.7	0.9	1.7
Montana	1	0	0	0	0	0.2	0.0	0.0	0.0	0.0
Nebraska	3	1	2	4	9	0.4	0.1	0.2	0.5	1.1
Nevada	2	3	7	14	9	0.2	0.3	0.7	1.3	0.8
New Hampshire	0	2	1	8	19	0.0	0.3	0.2	1.3	3.0
New Jersey	36	48	93	121	121	0.9	1.2	2.3	2.9	2.9
New Mexico	9	11	13	27	48	1.0	1.2	1.4	3.0	5.3
New York	116	120	281	452	558	1.3	1.3	3.1	4.9	6.0
North Carolina	262	249	254	164	105	6.7	6.3	6.3	4.0	2.6
North Dakota	0	0	0	0	2	0.0	0.0	0.0	0.0	0.6
Ohio	49	43	55	132	157	0.9	0.8	1.0	2.4	2.8
Oklahoma	110	62	32	52	44	6.5	3.7	1.9	3.0	2.6
Oregon	3	8	11	20	45	0.2	0.5	0.6	1.1	2.6
Pennsylvania	57	47	72	83	126	1.0	0.8	1.2	1.4	2.1
Rhode Island	2	2	9	11	25	0.4	0.4	1.8	2.1	4.9
South Carolina	152	133	134	76	70	7.9	6.8	6.8	3.8	3.5
South Dakota	0	0	1	0	2	0.0	0.0	0.3	0.0	0.5
Tennessee	358	285	173	86	95	13.1	10.3	6.2	3.0	3.4
Texas	289	244	309	397	492	2.8	2.3	2.9	3.7	4.5
Utah	2	1	9	7	11	0.2	0.1	0.8	0.6	0.9
Vermont	1	0	3	2	1	0.3	0.0	1.0	0.7	0.3
Virginia	82	82	59	54	75	2.4	2.4	1.7	1.5	2.1
Washington	74	58	50	69	78	2.5	2.0	1.7	2.3	2.6
West Virginia	2	2	4	1	0	0.2	0.2	0.5	0.1	0.0
Wisconsin	23	24	9	24	15	0.9	0.9	0.3	0.9	0.6
Wyoming	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
U.S. TOTAL*	3,835	3,532	4,134	5,267	5,956	2.8	2.6	3.0	3.7	4.2
Northeast	244	278	512	791	1,014	0.9	1.1	2.0	3.0	3.9
Midwest	757	682	785	993	813	2.4	2.2	2.5	3.1	2.5
South	2,385	2,098	2,085	2,151	2,514	4.9	4.3	4.2	4.2	5.0
West	449	474	752	1,332	1,615	1.4	1.5	2.3	4.1	4.9
Guam	2	1	7	4	1	2.3	1.3	8.7	4.9	1.2
Puerto Rico	73	99	114	147	109	3.9	5.4	6.2	7.9	5.9
Virgin Islands	0	1	0	1	1	0.0	1.9	0.0	2.0	2.0
OUTLYING AREAS	75	101	121	152	111	3.7	5.1	6.1	7.6	5.6
TOTAL	3,910	3,633	4,255	5,419	6,067	2.8	2.6	3.0	3.8	4.2

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 29. Primary and secondary syphilis — Reported cases and rates in selected cities, ranked by rates: United States, 2003

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	San Francisco, CA	332	43.5
2	Atlanta, GA	298	36.1
3	Baltimore, MD	153	24.0
4	Detroit, MI	179	19.0
5	Newark, NJ	57	18.8
6	Boston, MA	69	11.5
7	Oklahoma City, OK	48	11.1
8	Dallas, TX	131	10.8
9	Columbus, OH	106	9.8
10	Fort Worth, TX	52	9.2
11	Houston, TX	178	8.9
12	Chicago, IL	267	8.7
13	Memphis, TN	76	8.4
14	Washington, DC	48	8.4
15	Miami, FL	194	8.3
16	New York City, NY	531	6.6
17	Philadelphia, PA	98	6.6
18	Albuquerque, NM	36	6.3
19	Portland, OR	33	6.2
20	St Petersburg, FL	51	5.5
21	Minneapolis, MN	21	5.4
22	New Orleans, LA	25	5.3
23	St Louis, MO	18	5.3
24	Los Angeles, CA	461	5.0
25	Jersey City, NJ	12	5.0
26	Tucson, AZ	40	4.5
27	Denver, CO	25	4.5
28	San Antonio, TX	52	4.4
29	Austin, TX	28	4.2
30	Kansas City, MO	19	4.2
31	Tampa, FL	43	4.1
32	Phoenix, AZ	132	4.0
33	San Diego, CA	111	3.8
34	Louisville, KY	26	3.7
35	Nashville, TN	21	3.7
36	Seattle, WA	60	3.4
37	San Jose, CA	56	3.3
38	Birmingham, AL	22	3.3
39	Norfolk, VA	8	3.3
40	Indianapolis, IN	25	2.9
41	Rochester, NY	7	2.8
42	Jacksonville, FL	21	2.6
43	Richmond, VA	5	2.5
44	Oakland, CA	33	2.2
45	Charlotte, NC	16	2.2
46	St Paul, MN	6	2.1
47	Honolulu, HI	14	1.6
48	Omaha, NE	7	1.5
49	Sacramento, CA	17	1.3
50	Pittsburgh, PA	17	1.3
51	Tulsa, OK	5	1.3
52	Cleveland, OH	16	1.2
53	Milwaukee, WI	10	1.1
54	Corpus Christi, TX	3	1.1
55	Toledo, OH	3	0.7
56	Buffalo, NY	2	0.6
57	Akron, OH	3	0.5
58	Yonkers, NY	1	0.5
59	Wichita, KS	2	0.4
60	El Paso, TX	2	0.3
61	Cincinnati, OH	2	0.2
	YEAR 2010 TARGET		0.2
	Des Moines, IA	0	0.0
	Dayton, OH	0	0.0

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state.

†Excludes cities in outlying areas (San Juan, PR, with 88 cases and rate of 8.6).

Table 30. Primary and secondary syphilis — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	0	0	1	2	3	0.0	0.0	0.2	0.4	0.5
Albuquerque, NM	11	11	8	21	36	2.0	2.0	1.4	3.7	6.3
Atlanta, GA	213	116	224	257	298	26.4	14.2	27.1	31.1	36.1
Austin, TX	19	8	17	22	28	3.1	1.3	2.6	3.3	4.2
Baltimore, MD	246	218	161	121	153	37.4	33.6	24.9	18.9	24.0
Birmingham, AL	24	24	12	9	22	3.6	3.6	1.8	1.4	3.3
Boston, MA	16	25	18	48	69	2.7	4.2	3.0	8.0	11.5
Buffalo, NY	1	1	4	3	2	0.3	0.3	1.2	0.9	0.6
Charlotte, NC	53	45	29	28	16	7.8	6.4	4.0	3.8	2.2
Chicago, IL	282	292	317	353	267	9.2	9.5	10.3	11.4	8.7
Cincinnati, OH	1	0	2	6	2	0.1	0.0	0.2	0.7	0.2
Cleveland, OH	12	4	3	9	16	0.9	0.3	0.2	0.7	1.2
Columbus, OH	43	40	54	96	106	4.1	3.7	5.0	8.8	9.8
Corpus Christi, TX	1	1	1	2	3	0.4	0.4	0.4	0.7	1.1
Dallas, TX	151	100	121	191	131	12.8	8.4	10.0	15.8	10.8
Dayton, OH	2	5	2	4	0	0.4	0.9	0.4	0.7	0.0
Denver, CO	4	4	15	41	25	0.7	0.7	2.7	7.3	4.5
Des Moines, IA	0	1	1	5	0	0.0	0.3	0.3	1.3	0.0
Detroit, MI	189	274	351	384	179	19.8	28.8	37.0	40.7	19.0
El Paso, TX	9	6	12	12	2	1.6	1.1	2.1	2.1	0.3
Fort Worth, TX	22	22	40	106	52	4.2	4.1	7.3	18.7	9.2
Honolulu, HI	3	1	10	10	14	0.3	0.1	1.1	1.1	1.6
Houston, TX	77	70	103	112	178	4.2	3.7	5.4	5.6	8.9
Indianapolis, IN	407	301	128	36	25	47.5	35.0	14.8	4.2	2.9
Jacksonville, FL	7	24	38	16	21	0.9	3.1	4.8	2.0	2.6
Jersey City, NJ	3	1	5	16	12	1.3	0.4	2.1	6.6	5.0
Kansas City, MO	8	1	5	8	19	1.8	0.2	1.1	1.8	4.2
Los Angeles, CA	83	133	186	359	461	0.9	1.5	2.1	3.9	5.0
Louisville, KY	67	57	19	77	26	9.7	8.2	2.7	11.0	3.7
Memphis, TN	258	246	208	89	76	28.9	27.4	23.1	9.8	8.4
Miami, FL	82	126	185	231	194	3.7	5.6	8.1	9.9	8.3
Milwaukee, WI	39	43	18	16	10	4.1	4.6	1.9	1.7	1.1
Minneapolis, MN	6	9	23	37	21	1.6	2.3	5.9	9.6	5.4
Nashville, TN	250	200	76	26	21	44.1	35.1	13.3	4.6	3.7
New Orleans, LA	51	22	24	9	25	10.5	4.5	5.0	1.9	5.3
New York City, NY	130	117	282	435	531	1.6	1.5	3.5	5.4	6.6
Newark, NJ	22	28	58	63	57	7.4	9.3	19.2	20.8	18.8
Norfolk, VA	20	37	35	13	8	8.6	15.8	14.9	5.4	3.3
Oakland, CA	10	11	23	49	33	0.7	0.8	1.6	3.3	2.2
Oklahoma City, OK	114	82	35	52	48	26.9	19.2	8.2	12.0	11.1
Omaha, NE	5	2	3	2	7	1.1	0.4	0.6	0.4	1.5
Philadelphia, PA	69	67	79	67	98	4.5	4.4	5.3	4.5	6.6
Phoenix, AZ	195	172	148	155	132	6.5	5.6	4.6	4.7	4.0
Pittsburgh, PA	2	3	7	7	17	0.2	0.2	0.5	0.6	1.3
Portland, OR	5	11	9	20	33	1.0	2.1	1.7	3.7	6.2
Richmond, VA	13	5	9	3	5	6.5	2.5	4.6	1.5	2.5
Rochester, NY	0	1	2	4	7	0.0	0.4	0.8	1.6	2.8
Sacramento, CA	2	1	4	11	17	0.2	0.1	0.3	0.8	1.3
San Antonio, TX	31	67	71	45	52	2.7	5.8	6.1	3.8	4.4
San Diego, CA	25	27	27	37	111	0.9	1.0	0.9	1.3	3.8
San Francisco, CA	29	53	139	315	332	3.7	6.8	17.9	41.2	43.5
San Jose, CA	3	2	10	30	56	0.2	0.1	0.6	1.8	3.3
Seattle, WA	65	50	41	50	60	3.8	2.9	2.3	2.8	3.4
St Louis, MO	51	11	15	13	18	14.6	3.2	4.4	3.8	5.3
St Paul, MN	2	2	5	5	6	0.7	0.7	1.7	1.8	2.1
St Petersburg, FL	4	7	11	22	51	0.4	0.8	1.2	2.4	5.5
Tampa, FL	15	20	15	33	43	1.5	2.0	1.5	3.1	4.1
Toledo, OH	6	2	1	12	3	1.3	0.4	0.2	2.6	0.7
Tucson, AZ	8	8	22	28	40	1.0	0.9	2.5	3.2	4.5
Tulsa, OK	45	8	5	7	5	11.4	2.0	1.3	1.8	1.3
Washington, DC	45	37	43	58	48	7.9	6.5	7.5	10.2	8.4
Wichita, KS	7	2	4	3	2	1.5	0.4	0.9	0.6	0.4
Yonkers, NY	1	1	1	2	1	0.5	0.5	0.5	1.0	0.5
U.S. CITY TOTAL	3,564	3,265	3,525	4,303	4,334	5.2	4.7	5.0	6.1	6.1
San Juan, PR	61	68	68	78	88	5.8	6.7	6.6	7.6	8.6
TOTAL	3,625	3,333	3,593	4,381	4,422	5.2	4.7	5.0	6.1	6.1

Table 31. Primary and secondary syphilis — Women – Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	0	0	0	0	1	0.0	0.0	0.0	0.0	0.4
Albuquerque, NM	3	3	1	6	12	1.1	1.1	0.3	2.0	4.1
Atlanta, GA	85	37	67	57	39	20.7	8.9	16.0	13.6	9.3
Austin, TX	2	2	3	3	2	0.7	0.6	0.9	0.9	0.6
Baltimore, MD	112	92	77	33	50	31.9	26.6	22.3	9.7	14.6
Birmingham, AL	10	15	8	4	3	2.9	4.3	2.3	1.1	0.9
Boston, MA	5	5	1	6	1	1.6	1.6	0.3	1.9	0.3
Buffalo, NY	0	1	0	0	1	0.0	0.6	0.0	0.0	0.6
Charlotte, NC	18	24	12	13	2	5.2	6.7	3.3	3.5	0.5
Chicago, IL	116	129	61	43	30	7.3	8.1	3.8	2.7	1.9
Cincinnati, OH	0	0	2	2	0	0.0	0.0	0.5	0.5	0.0
Cleveland, OH	3	2	2	3	7	0.4	0.3	0.3	0.4	1.0
Columbus, OH	21	14	17	10	16	3.8	2.5	3.1	1.8	2.9
Corpus Christi, TX	1	1	1	1	0	0.7	0.7	0.7	0.7	0.0
Dallas, TX	57	36	49	76	48	9.7	6.0	8.1	12.6	7.9
Dayton, OH	0	1	1	0	0	0.0	0.3	0.3	0.0	0.0
Denver, CO	3	0	2	0	1	1.1	0.0	0.7	0.0	0.4
Des Moines, IA	0	1	0	2	0	0.0	0.5	0.0	1.0	0.0
Detroit, MI	74	121	136	168	73	14.6	24.1	27.2	33.7	14.6
El Paso, TX	2	1	2	4	0	0.7	0.3	0.7	1.3	0.0
Fort Worth, TX	4	7	16	45	25	1.5	2.6	5.8	15.8	8.8
Honolulu, HI	2	0	0	1	0	0.5	0.0	0.0	0.2	0.0
Houston, TX	30	27	28	16	15	3.2	2.9	2.9	1.6	1.5
Indianapolis, IN	204	170	60	10	7	46.0	38.3	13.5	2.2	1.6
Jacksonville, FL	3	11	18	8	9	0.8	2.7	4.4	1.9	2.2
Jersey City, NJ	0	1	2	1	1	0.0	0.8	1.6	0.8	0.8
Kansas City, MO	5	0	2	1	7	2.1	0.0	0.9	0.4	3.0
Los Angeles, CA	25	19	9	18	24	0.6	0.4	0.2	0.4	0.5
Louisville, KY	30	26	9	39	12	8.3	7.2	2.5	10.7	3.3
Memphis, TN	126	123	106	51	26	27.0	26.2	22.5	10.8	5.5
Miami, FL	24	40	40	33	23	2.1	3.4	3.4	2.7	1.9
Milwaukee, WI	17	21	12	4	1	3.5	4.3	2.5	0.8	0.2
Minneapolis, MN	3	3	12	2	1	1.5	1.5	6.1	1.0	0.5
Nashville, TN	102	83	29	10	4	34.8	28.2	9.8	3.4	1.4
New Orleans, LA	24	8	11	3	9	9.3	3.1	4.3	1.2	3.6
New York City, NY	28	10	19	18	22	0.7	0.2	0.4	0.4	0.5
Newark, NJ	10	9	21	26	26	6.4	5.7	13.3	16.4	16.4
Norfolk, VA	7	14	20	4	2	6.1	12.2	17.4	3.5	1.7
Oakland, CA	2	3	1	0	0	0.3	0.4	0.1	0.0	0.0
Oklahoma City, OK	42	39	18	10	14	19.3	17.8	8.2	4.5	6.3
Omaha, NE	2	1	1	1	1	0.8	0.4	0.4	0.4	0.4
Philadelphia, PA	21	25	24	14	15	2.6	3.1	3.0	1.8	1.9
Phoenix, AZ	62	75	39	59	44	4.1	4.8	2.4	3.6	2.7
Pittsburgh, PA	0	2	1	2	4	0.0	0.3	0.1	0.3	0.6
Portland, OR	3	4	1	5	1	1.1	1.5	0.4	1.9	0.4
Richmond, VA	7	2	3	1	2	6.6	1.9	2.8	0.9	1.9
Rochester, NY	0	0	1	1	1	0.0	0.0	0.8	0.8	0.8
Sacramento, CA	1	1	1	0	1	0.2	0.2	0.2	0.0	0.2
San Antonio, TX	10	23	24	12	6	1.7	3.9	4.0	2.0	1.0
San Diego, CA	6	6	6	6	4	0.4	0.4	0.4	0.4	0.3
San Francisco, CA	1	5	2	4	3	0.3	1.3	0.5	1.1	0.8
San Jose, CA	0	0	1	1	4	0.0	0.0	0.1	0.1	0.5
Seattle, WA	2	4	1	0	1	0.2	0.5	0.1	0.0	0.1
St Louis, MO	28	3	6	4	3	15.0	1.6	3.3	2.2	1.7
St Paul, MN	1	1	1	0	1	0.7	0.7	0.7	0.0	0.7
St Petersburg, FL	2	3	2	2	1	0.4	0.6	0.4	0.4	0.2
Tampa, FL	7	10	6	8	5	1.4	2.0	1.1	1.5	0.9
Toledo, OH	5	0	0	4	0	2.1	0.0	0.0	1.7	0.0
Tucson, AZ	1	2	5	7	17	0.2	0.5	1.1	1.6	3.8
Tulsa, OK	22	4	1	5	0	10.9	2.0	0.5	2.4	0.0
Washington, DC	24	10	8	9	3	8.0	3.3	2.6	3.0	1.0
Wichita, KS	4	1	1	1	0	1.7	0.4	0.4	0.4	0.0
Yonkers, NY	0	0	0	1	0	0.0	0.0	0.0	1.0	0.0
U.S. CITY TOTAL*	1,409	1,281	1,010	878	631	4.0	3.6	2.8	2.4	1.7
San Juan, PR	34	32	38	31	44	6.2	6.0	7.1	5.8	8.3
TOTAL	1,443	1,313	1,048	909	675	4.0	3.6	2.9	2.5	1.8

*Cases reported with unknown sex are not included in this table.

Table 32. Primary and secondary syphilis — Men — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	0	0	1	2	2	0.0	0.0	0.4	0.8	0.8
Albuquerque, NM	8	8	7	15	24	3.0	2.9	2.5	5.3	8.6
Atlanta, GA	128	79	157	199	259	32.3	19.6	38.7	49.0	63.8
Austin, TX	16	6	14	19	26	5.1	1.9	4.2	5.5	7.6
Baltimore, MD	134	126	84	88	103	43.7	41.6	27.9	29.6	34.7
Birmingham, AL	14	9	4	5	19	4.5	2.9	1.3	1.6	6.1
Boston, MA	11	20	17	42	68	3.8	6.9	5.9	14.6	23.6
Buffalo, NY	1	0	4	3	1	0.6	0.0	2.6	2.0	0.7
Charlotte, NC	35	21	17	15	14	10.5	6.1	4.8	4.1	3.9
Chicago, IL	166	163	256	310	237	11.1	10.9	17.1	20.7	15.8
Cincinnati, OH	1	0	0	4	2	0.2	0.0	0.0	1.0	0.5
Cleveland, OH	9	2	1	6	9	1.4	0.3	0.2	0.9	1.4
Columbus, OH	22	26	37	86	90	4.3	5.0	7.0	16.3	17.0
Corpus Christi, TX	0	0	0	1	3	0.0	0.0	0.0	0.7	2.2
Dallas, TX	94	64	72	115	83	16.0	10.7	11.8	19.0	13.7
Dayton, OH	2	4	1	4	0	0.7	1.5	0.4	1.5	0.0
Denver, CO	1	4	13	41	24	0.4	1.4	4.6	14.5	8.5
Des Moines, IA	0	0	1	3	0	0.0	0.0	0.5	1.6	0.0
Detroit, MI	115	153	215	216	106	25.5	34.2	48.1	48.5	23.8
El Paso, TX	7	5	10	8	2	2.6	1.8	3.6	2.9	0.7
Fort Worth, TX	18	15	24	61	27	6.9	5.6	8.8	21.7	9.6
Honolulu, HI	1	1	10	9	14	0.2	0.2	2.3	2.0	3.1
Houston, TX	47	43	75	96	163	5.1	4.6	7.9	9.6	16.3
Indianapolis, IN	203	131	68	26	18	49.1	31.5	16.3	6.2	4.3
Jacksonville, FL	4	13	20	8	12	1.1	3.4	5.2	2.0	3.1
Jersey City, NJ	3	0	3	15	11	2.6	0.0	2.5	12.6	9.3
Kansas City, MO	3	1	3	7	12	1.4	0.5	1.4	3.2	5.5
Los Angeles, CA	57	112	175	341	436	1.3	2.5	3.9	7.5	9.6
Louisville, KY	37	31	10	38	13	11.2	9.3	3.0	11.4	3.9
Memphis, TN	132	123	102	38	50	30.9	28.7	23.7	8.8	11.6
Miami, FL	58	86	145	198	171	5.4	7.9	13.1	17.5	15.1
Milwaukee, WI	22	22	6	12	9	4.9	4.9	1.3	2.7	2.0
Minneapolis, MN	3	6	11	35	20	1.6	3.2	5.8	18.4	10.5
Nashville, TN	148	117	47	16	17	54.1	42.4	17.0	5.8	6.2
New Orleans, LA	27	14	13	6	16	11.9	6.2	5.8	2.7	7.2
New York City, NY	102	107	263	417	509	2.7	2.8	6.9	10.9	13.3
Newark, NJ	12	19	37	37	31	8.4	13.3	25.8	25.7	21.5
Norfolk, VA	13	23	15	9	6	10.9	19.2	12.4	7.3	4.9
Oakland, CA	8	8	22	49	33	1.1	1.1	3.0	6.8	4.6
Oklahoma City, OK	72	43	17	42	34	35.1	20.8	8.2	20.0	16.2
Omaha, NE	3	1	2	1	6	1.3	0.4	0.9	0.4	2.6
Philadelphia, PA	48	42	55	53	83	6.8	6.0	7.9	7.6	12.0
Phoenix, AZ	133	97	109	96	88	8.9	6.3	6.8	5.8	5.3
Pittsburgh, PA	2	1	6	5	13	0.3	0.2	1.0	0.8	2.2
Portland, OR	2	7	8	15	32	0.8	2.7	3.1	5.7	12.1
Richmond, VA	6	3	6	2	3	6.5	3.3	6.5	2.2	3.3
Rochester, NY	0	1	1	3	6	0.0	0.8	0.8	2.5	5.0
Sacramento, CA	1	0	3	11	16	0.2	0.0	0.5	1.7	2.5
San Antonio, TX	20	44	47	33	46	3.6	7.9	8.3	5.7	7.9
San Diego, CA	19	21	21	31	107	1.4	1.5	1.5	2.1	7.3
San Francisco, CA	28	48	137	311	328	7.1	12.2	34.8	80.4	84.8
San Jose, CA	3	2	9	29	52	0.4	0.2	1.0	3.4	6.1
Seattle, WA	63	46	40	50	59	7.3	5.3	4.6	5.7	6.7
St Louis, MO	23	8	9	9	15	14.0	4.9	5.6	5.7	9.4
St Paul, MN	1	1	4	5	5	0.7	0.7	2.9	3.6	3.6
St Petersburg, FL	2	4	9	20	50	0.5	0.9	2.0	4.5	11.3
Tampa, FL	8	10	9	25	38	1.7	2.0	1.8	4.8	7.3
Toledo, OH	1	2	1	8	3	0.5	0.9	0.5	3.7	1.4
Tucson, AZ	7	6	17	21	23	1.7	1.4	4.0	4.9	5.3
Tulsa, OK	23	4	4	2	5	12.1	2.1	2.1	1.0	2.6
Washington, DC	21	27	35	49	45	7.8	10.0	12.9	18.2	16.7
Wichita, KS	3	1	3	2	2	1.3	0.4	1.3	0.9	0.9
Yonkers, NY	1	1	1	1	1	1.1	1.1	1.0	1.0	1.0
U.S. CITY TOTAL*	2,152	1,982	2,513	3,424	3,700	6.4	5.8	7.3	9.9	10.7
San Juan, PR	27	36	30	47	44	5.3	7.3	6.1	9.6	8.9
TOTAL	2,179	2,018	2,543	3,471	3,744	6.4	5.9	7.3	9.9	10.7

*Cases reported with unknown sex are not included in this table.

Table 33. Primary and secondary syphilis — Reported cases and rates per 100,000 population by age and sex: United States, 1999–2003

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
1999	10-14	25	2	23	0.1	0.0	0.2
	15-19	522	183	340	2.6	1.8	3.5
	20-24	963	510	452	5.2	5.4	5.0
	25-29	992	508	483	5.1	5.1	5.0
	30-34	1,084	589	495	5.3	5.7	4.8
	35-39	1,153	676	477	5.0	5.9	4.2
	40-44	808	537	271	3.6	4.9	2.4
	45-54	753	572	181	2.1	3.2	1.0
	55-64	228	188	40	1.0	1.6	0.3
	65+	74	65	9	0.2	0.5	0.0
TOTAL	6,613	3,833	2,780	2.4	2.8	2.0	
2000	10-14	23	4	19	0.1	0.0	0.2
	15-19	457	162	295	2.3	1.6	3.0
	20-24	881	419	462	4.6	4.3	4.9
	25-29	902	527	376	4.7	5.4	3.9
	30-34	957	553	404	4.7	5.3	4.0
	35-39	1,006	606	400	4.4	5.4	3.5
	40-44	782	502	280	3.5	4.5	2.5
	45-54	706	528	178	1.9	2.8	0.9
	55-64	179	157	22	0.7	1.3	0.2
	65+	76	68	8	0.2	0.5	0.0
TOTAL	5,973	3,528	2,445	2.1	2.5	1.7	
2001	10-14	19	2	17	0.1	0.0	0.2
	15-19	387	142	245	1.9	1.4	2.5
	20-24	836	482	354	4.2	4.8	3.7
	25-29	876	583	293	4.6	6.0	3.1
	30-34	964	660	304	4.6	6.3	2.9
	35-39	1,146	818	328	5.1	7.3	2.9
	40-44	808	587	221	3.5	5.2	1.9
	45-54	805	632	173	2.1	3.3	0.9
	55-64	193	167	26	0.8	1.4	0.2
	65+	64	57	7	0.2	0.4	0.0
TOTAL	6,100	4,132	1,968	2.1	2.9	1.4	
2002	10-14	15	4	11	0.1	0.0	0.1
	15-19	351	135	216	1.7	1.3	2.2
	20-24	842	533	309	4.2	5.2	3.1
	25-29	895	668	227	4.7	6.9	2.4
	30-34	1,097	877	220	5.2	8.3	2.1
	35-39	1,367	1,121	246	6.2	10.2	2.2
	40-44	1,023	845	178	4.4	7.4	1.5
	45-54	982	825	157	2.5	4.2	0.8
	55-64	217	196	21	0.8	1.5	0.2
	65+	67	59	8	0.2	0.4	0.0
TOTAL	6,862	5,268	1,594	2.4	3.7	1.1	
2003	10-14	11	1	10	0.1	0.0	0.1
	15-19	322	150	172	1.6	1.4	1.7
	20-24	860	620	240	4.3	6.0	2.4
	25-29	941	760	181	5.0	7.9	1.9
	30-34	1,187	1,023	164	5.7	9.7	1.6
	35-39	1,460	1,290	170	6.7	11.8	1.6
	40-44	1,157	1,021	136	5.0	8.9	1.2
	45-54	991	871	119	2.5	4.4	0.6
	55-64	205	187	18	0.8	1.5	0.1
	65+	42	36	6	0.1	0.2	0.0
TOTAL	7,177	5,959	1,218	2.5	4.2	0.8	

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 34A. Primary and secondary syphilis — Reported cases by race/ethnicity, age group and sex: United States, 1999–2003

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1999	10-14	3	1	2	21	1	20	1	0	1	0	0	0	0	0	
	15-19	49	16	32	421	139	282	44	24	19	1	1	0	8	2	6
	20-24	120	46	74	717	381	336	110	75	35	5	3	2	10	5	5
	25-29	137	67	70	741	364	376	94	67	26	7	7	0	11	2	9
	30-34	168	98	70	801	411	390	97	73	24	12	6	6	6	1	5
	35-39	189	112	77	883	501	382	69	56	12	4	4	0	8	3	5
	40-44	142	98	44	601	390	211	56	46	9	8	3	4	2	0	2
	45-54	139	96	43	561	430	130	42	36	6	5	5	0	6	4	2
	55-64	53	41	12	151	129	22	22	16	5	1	0	1	1	1	0
	65+	24	22	2	46	39	7	4	4	0	0	0	0	0	0	0
TOTAL	1,026	598	428	4,950	2,788	2,163	538	399	139	43	30	13	54	18	36	
2000	10-14	2	0	2	20	4	16	0	0	0	0	0	0	1	0	1
	15-19	47	11	35	365	129	236	41	21	19	1	0	1	4	1	3
	20-24	110	40	70	653	310	344	101	66	35	4	1	3	13	3	10
	25-29	146	93	53	631	338	293	108	82	27	8	7	1	9	7	2
	30-34	182	119	62	665	350	314	94	72	22	12	10	2	5	2	3
	35-39	216	143	72	664	374	291	113	81	32	5	4	1	7	3	4
	40-44	173	118	55	550	341	209	51	38	13	2	2	0	5	3	2
	45-54	145	114	31	511	375	136	43	32	11	4	4	0	4	4	0
	55-64	42	40	2	124	106	18	11	10	1	0	0	0	2	1	1
	65+	21	19	2	50	44	6	3	3	0	1	1	0	1	1	0
TOTAL	1,083	698	385	4,233	2,369	1,864	567	405	162	37	29	8	52	26	26	
2001	10-14	0	0	0	17	1	16	2	1	1	0	0	0	0	0	0
	15-19	32	13	19	290	97	193	59	29	29	2	1	1	4	2	2
	20-24	114	72	42	562	296	266	138	105	34	6	5	1	15	4	11
	25-29	152	121	31	554	323	231	140	115	26	13	13	0	18	11	6
	30-34	236	192	44	563	330	233	137	117	20	12	12	0	17	9	7
	35-39	332	281	51	653	397	255	134	120	13	15	14	1	13	5	7
	40-44	227	193	34	505	335	170	59	48	11	2	2	0	15	10	5
	45-54	220	196	24	513	377	137	61	52	9	4	3	1	6	4	2
	55-64	51	48	3	121	100	21	18	16	2	2	2	0	2	2	0
	65+	23	22	1	36	30	6	4	4	0	0	0	0	1	1	0
TOTAL	1,387	1,138	249	3,813	2,286	1,527	754	607	146	55	51	4	90	49	41	
2002	10-14	2	1	1	10	2	8	2	1	1	1	0	1	0	0	0
	15-19	33	9	24	253	89	164	62	37	25	2	0	2	1	0	1
	20-24	129	89	40	546	313	233	146	117	29	13	9	4	8	5	3
	25-29	224	189	36	485	323	163	165	138	26	17	16	1	4	3	1
	30-34	404	373	31	476	310	166	192	172	20	22	21	1	3	1	2
	35-39	576	541	35	568	385	183	200	178	22	15	14	1	8	3	5
	40-44	452	429	23	448	305	142	102	93	8	15	14	1	7	4	3
	45-54	393	370	23	482	370	112	83	69	15	8	8	0	16	8	7
	55-64	95	91	4	110	94	16	10	10	0	0	0	0	2	1	1
	65+	15	15	0	42	35	7	9	8	1	0	0	0	1	1	0
TOTAL	2,325	2,108	217	3,421	2,226	1,195	971	823	147	94	83	11	51	27	24	
2003	10-14	0	0	0	5	1	4	5	0	5	0	0	0	1	0	1
	15-19	48	24	24	205	93	112	63	28	35	6	5	1	0	0	0
	20-24	195	154	41	471	309	161	178	142	36	13	11	2	3	3	0
	25-29	301	265	36	408	293	115	195	173	23	28	25	3	8	4	4
	30-34	524	485	39	416	316	100	213	190	23	20	20	0	14	12	2
	35-39	743	703	40	451	335	116	222	211	11	28	28	0	16	14	2
	40-44	588	563	26	382	288	94	158	146	12	20	19	1	9	5	3
	45-54	489	472	17	373	287	86	107	97	9	10	8	1	13	6	6
	55-64	104	100	4	81	68	13	13	12	1	2	2	0	4	4	0
	65+	17	16	1	18	16	2	5	2	3	0	0	0	1	1	0
TOTAL	3,010	2,783	227	2,811	2,005	805	1,160	1,001	159	127	119	8	69	50	19	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 33 for age-specific cases and rates and Tables 26-28 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For 1999, NH did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded. Differences between total cases from this table and others in the report are due to different reporting formats and above listed exclusion. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 34B. Primary and secondary syphilis — Rates per 100,000 population by race/ethnicity, age group and sex: United States, 1999–2003

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
10-14	0.0	0.0	0.0	0.7	0.1	1.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
15-19	0.4	0.2	0.5	14.2	9.3	19.2	1.4	1.5	1.3	0.1	0.2	0.0	3.9	1.9	6.0
20-24	1.0	0.8	1.3	27.6	30.2	25.2	3.4	4.2	2.4	0.6	0.7	0.5	6.0	5.8	6.2
25-29	1.1	1.1	1.1	28.7	29.7	27.7	2.9	3.8	1.8	0.7	1.4	0.0	6.8	2.5	11.2
30-34	1.2	1.4	1.0	30.3	32.9	28.0	3.2	4.5	1.7	1.2	1.3	1.1	3.8	1.3	6.3
35-39	1.2	1.4	1.0	31.1	37.6	25.3	2.5	4.0	1.0	0.4	0.9	0.0	4.5	3.4	5.5
40-44	0.9	1.2	0.5	22.5	31.2	14.9	2.5	4.1	0.9	0.8	0.7	1.0	1.2	0.0	2.3
45-54	0.5	0.7	0.3	14.2	23.7	6.1	1.4	2.5	0.4	0.4	0.8	0.0	2.3	3.2	1.5
55-64	0.3	0.5	0.1	6.5	12.5	1.7	1.3	2.1	0.6	0.1	0.0	0.3	0.7	1.4	0.0
65+	0.1	0.2	0.0	1.6	3.7	0.4	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL	0.5	0.6	0.4	14.3	16.9	11.9	1.6	2.3	0.8	0.4	0.6	0.2	2.4	1.7	3.1
10-14	0.0	0.0	0.0	0.6	0.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.9
15-19	0.4	0.2	0.6	12.3	8.5	16.1	1.3	1.3	1.3	0.1	0.0	0.2	1.8	0.9	2.8
20-24	0.9	0.7	1.2	24.4	23.7	25.0	2.9	3.5	2.3	0.4	0.2	0.7	7.2	3.3	11.2
25-29	1.2	1.5	0.9	24.8	27.9	22.0	3.2	4.4	1.7	0.8	1.4	0.2	5.5	8.6	2.4
30-34	1.3	1.8	0.9	25.2	28.1	22.6	3.0	4.3	1.5	1.1	1.8	0.4	3.0	2.5	3.6
35-39	1.4	1.8	0.9	23.4	28.1	19.4	3.9	5.4	2.3	0.5	0.9	0.2	3.8	3.4	4.2
40-44	1.1	1.4	0.7	20.1	26.6	14.4	2.2	3.2	1.2	0.2	0.5	0.0	2.8	3.5	2.1
45-54	0.5	0.8	0.2	12.3	19.5	6.1	1.3	2.0	0.7	0.3	0.6	0.0	1.4	2.9	0.0
55-64	0.2	0.4	0.0	5.2	9.9	1.4	0.6	1.2	0.1	0.0	0.0	0.0	1.2	1.3	1.2
65+	0.1	0.2	0.0	1.7	4.0	0.3	0.2	0.4	0.0	0.1	0.3	0.0	0.7	1.7	0.0
TOTAL	0.5	0.7	0.4	12.0	14.2	10.1	1.6	2.2	0.9	0.3	0.5	0.1	2.2	2.2	2.2
10-14	0.0	0.0	0.0	0.5	0.1	1.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
15-19	0.2	0.2	0.3	9.7	6.4	13.1	1.8	1.8	1.9	0.2	0.2	0.2	1.8	1.8	1.8
20-24	0.9	1.2	0.7	20.2	21.8	18.7	3.9	5.4	2.1	0.7	1.1	0.2	8.1	4.2	12.1
25-29	1.3	2.1	0.5	22.1	27.0	17.6	3.9	5.8	1.6	1.1	2.3	0.0	10.6	13.7	7.4
30-34	1.8	2.8	0.7	21.3	26.4	16.7	4.1	6.5	1.3	1.0	2.1	0.0	9.8	11.2	8.4
35-39	2.2	3.7	0.7	23.2	30.0	17.1	4.4	7.6	0.9	1.4	2.7	0.2	6.7	5.9	7.6
40-44	1.4	2.4	0.4	18.2	25.7	11.6	2.4	3.7	0.9	0.2	0.5	0.0	7.9	10.6	5.3
45-54	0.7	1.3	0.2	11.8	18.8	5.9	1.8	3.1	0.5	0.3	0.4	0.1	2.1	2.9	1.3
55-64	0.3	0.5	0.0	4.9	9.1	1.5	0.9	1.8	0.2	0.2	0.5	0.0	1.2	2.5	0.0
65+	0.1	0.2	0.0	1.2	2.7	0.3	0.2	0.5	0.0	0.0	0.0	0.0	0.7	1.5	0.0
TOTAL	0.7	1.2	0.2	10.7	13.5	8.2	2.0	3.2	0.8	0.5	0.9	0.1	3.8	4.2	3.4
10-14	0.0	0.0	0.0	0.3	0.1	0.5	0.1	0.1	0.1	0.1	0.0	0.2	0.0	0.0	0.0
15-19	0.3	0.1	0.4	8.3	5.8	11.0	1.9	2.2	1.6	0.2	0.0	0.5	0.4	0.0	0.9
20-24	1.0	1.4	0.6	19.0	22.1	16.0	4.0	5.9	1.8	1.4	2.0	0.9	4.2	5.2	3.2
25-29	2.0	3.3	0.6	19.4	27.1	12.5	4.4	6.7	1.6	1.5	2.9	0.2	2.5	3.8	1.2
30-34	3.0	5.6	0.5	17.9	24.6	11.8	5.4	9.0	1.2	1.8	3.5	0.2	1.9	1.3	2.4
35-39	3.9	7.3	0.5	20.5	29.5	12.5	6.3	10.7	1.5	1.4	2.7	0.2	4.6	3.7	5.5
40-44	2.8	5.3	0.3	16.0	23.2	9.6	3.8	6.8	0.7	1.5	2.8	0.2	3.9	4.6	3.2
45-54	1.3	2.5	0.2	10.7	17.8	4.6	2.3	3.8	0.8	0.5	1.1	0.0	5.1	5.7	4.5
55-64	0.5	0.9	0.0	4.3	8.2	1.1	0.5	1.1	0.0	0.0	0.0	0.0	1.1	1.2	1.1
65+	0.0	0.1	0.0	1.4	3.1	0.4	0.5	1.0	0.1	0.0	0.0	0.0	0.7	1.5	0.0
TOTAL	1.2	2.2	0.2	9.5	13.0	6.3	2.5	4.1	0.8	0.8	1.4	0.2	2.1	2.3	1.9
10-14	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.0	0.3	0.0	0.0	0.0	0.4	0.0	0.9
15-19	0.4	0.4	0.4	6.8	6.0	7.5	2.0	1.7	2.3	0.7	1.2	0.2	0.0	0.0	0.0
20-24	1.5	2.4	0.7	16.4	21.8	11.1	4.9	7.1	2.3	1.4	2.4	0.4	1.6	3.1	0.0
25-29	2.6	4.6	0.6	16.3	24.6	8.8	5.2	8.4	1.3	2.5	4.6	0.5	5.0	5.1	5.0
30-34	3.9	7.2	0.6	15.6	25.1	7.1	5.9	9.9	1.4	1.7	3.5	0.0	8.1	13.8	2.4
35-39	5.1	9.5	0.6	16.3	25.7	7.9	7.0	12.7	0.8	2.6	5.3	0.0	8.7	15.4	2.3
40-44	3.6	6.9	0.3	13.6	21.9	6.3	6.0	10.7	1.0	1.9	3.9	0.2	4.5	6.0	3.2
45-54	1.6	3.2	0.1	8.3	13.8	3.5	2.9	5.3	0.5	0.6	1.1	0.1	4.1	4.3	3.9
55-64	0.5	1.0	0.0	3.2	6.0	0.9	0.7	1.3	0.1	0.2	0.5	0.0	2.4	5.1	0.0
65+	0.1	0.1	0.0	0.6	1.5	0.1	0.3	0.3	0.3	0.0	0.0	0.0	0.7	1.6	0.0
TOTAL	1.5	2.9	0.2	7.8	11.7	4.2	3.0	5.0	0.8	1.0	2.0	0.1	2.9	4.2	1.5

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 33 for age-specific cases and rates and Tables 26-28 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For 1999, NH did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded. Differences between total rates from this table and others in the report are due to different reporting formats and above listed exclusion. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 35. Early latent syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	367	219	192	211	140	8.3	4.9	4.3	4.7	3.1
Alaska	1	1	0	1	0	0.2	0.2	0.0	0.2	0.0
Arizona	290	248	266	200	232	5.8	4.8	5.0	3.7	4.3
Arkansas	123	117	60	51	71	4.6	4.4	2.2	1.9	2.6
California	591	353	408	716	820	1.8	1.0	1.2	2.0	2.3
Colorado	6	7	14	22	20	0.1	0.2	0.3	0.5	0.4
Connecticut	12	9	20	13	13	0.4	0.3	0.6	0.4	0.4
Delaware	16	10	18	9	11	2.1	1.3	2.3	1.1	1.4
Florida	1,085	1,165	947	949	988	6.9	7.3	5.8	5.7	5.9
Georgia	729	521	703	701	720	9.1	6.3	8.4	8.2	8.4
Hawaii	1	3	7	21	6	0.1	0.2	0.6	1.7	0.5
Idaho	1	0	0	4	8	0.1	0.0	0.0	0.3	0.6
Illinois	639	382	386	528	350	5.2	3.1	3.1	4.2	2.8
Indiana	172	184	120	53	58	2.8	3.0	2.0	0.9	0.9
Iowa	4	8	6	8	5	0.1	0.3	0.2	0.3	0.2
Kansas	19	9	18	13	19	0.7	0.3	0.7	0.5	0.7
Kentucky	81	62	38	49	43	2.0	1.5	0.9	1.2	1.1
Louisiana	404	231	194	183	197	9.1	5.2	4.3	4.1	4.4
Maine	0	0	3	1	7	0.0	0.0	0.2	0.1	0.5
Maryland	610	518	362	181	211	11.6	9.8	6.7	3.3	3.9
Massachusetts	65	83	64	95	136	1.0	1.3	1.0	1.5	2.1
Michigan	302	406	368	255	122	3.1	4.1	3.7	2.5	1.2
Minnesota	9	18	16	23	45	0.2	0.4	0.3	0.5	0.9
Mississippi	553	409	329	149	173	19.6	14.4	11.5	5.2	6.0
Missouri	99	52	33	51	46	1.8	0.9	0.6	0.9	0.8
Montana	2	0	0	0	0	0.2	0.0	0.0	0.0	0.0
Nebraska	6	1	1	0	1	0.4	0.1	0.1	0.0	0.1
Nevada	28	9	7	12	35	1.4	0.4	0.3	0.6	1.6
New Hampshire	1	0	2	1	4	0.1	0.0	0.2	0.1	0.3
New Jersey	99	109	234	220	326	1.2	1.3	2.7	2.6	3.8
New Mexico	2	25	18	23	53	0.1	1.4	1.0	1.2	2.9
New York	700	467	566	756	1,019	3.7	2.5	3.0	3.9	5.3
North Carolina	740	618	483	333	261	9.3	7.6	5.9	4.0	3.1
North Dakota	0	1	0	0	0	0.0	0.2	0.0	0.0	0.0
Ohio	168	119	100	84	92	1.5	1.0	0.9	0.7	0.8
Oklahoma	249	128	121	124	77	7.2	3.7	3.5	3.5	2.2
Oregon	6	19	9	18	27	0.2	0.6	0.3	0.5	0.8
Pennsylvania	414	278	260	237	216	3.4	2.3	2.1	1.9	1.8
Rhode Island	1	1	1	9	7	0.1	0.1	0.1	0.8	0.7
South Carolina	407	394	394	202	180	10.2	9.8	9.7	4.9	4.4
South Dakota	1	0	0	0	3	0.1	0.0	0.0	0.0	0.4
Tennessee	647	627	553	390	228	11.5	11.0	9.6	6.7	3.9
Texas	1,273	1,171	964	1,149	1,065	6.2	5.6	4.5	5.3	4.9
Utah	5	10	0	8	7	0.2	0.4	0.0	0.3	0.3
Vermont	0	0	1	0	0	0.0	0.0	0.2	0.0	0.0
Virginia	212	140	133	94	74	3.0	2.0	1.8	1.3	1.0
Washington	17	20	19	23	36	0.3	0.3	0.3	0.4	0.6
West Virginia	3	3	1	1	2	0.2	0.2	0.1	0.1	0.1
Wisconsin	90	72	43	66	54	1.7	1.3	0.8	1.2	1.0
Wyoming	0	0	0	0	1	0.0	0.0	0.0	0.0	0.2
U.S. TOTAL*	11,534	9,465	8,701	8,429	8,361	4.1	3.4	3.0	2.9	2.9
Northeast	1,292	947	1,151	1,332	1,728	2.4	1.8	2.1	2.5	3.2
Midwest	1,509	1,252	1,091	1,081	795	2.4	1.9	1.7	1.7	1.2
South	7,783	6,571	5,711	4,968	4,593	7.8	6.5	5.6	4.8	4.4
West	950	695	748	1,048	1,245	1.5	1.1	1.2	1.6	1.9
Guam	0	1	2	3	1	0.0	0.6	1.3	1.9	0.6
Puerto Rico	680	663	600	702	748	17.5	17.4	15.6	18.2	19.4
Virgin Islands	12	5	8	1	6	10.6	4.6	7.3	0.9	5.5
OUTLYING AREAS	692	669	610	706	755	16.6	16.4	14.9	17.1	18.3
TOTAL	12,226	10,134	9,311	9,135	9,116	4.3	3.5	3.2	3.1	3.1

*Includes cases reported by Washington, D.C.

Table 36. Early latent syphilis — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	6	1	2	1	1	1.1	0.2	0.4	0.2	0.2
Albuquerque, NM	2	19	8	10	15	0.4	3.4	1.4	1.7	2.6
Atlanta, GA	241	173	398	406	464	29.9	21.2	48.2	49.2	56.2
Austin, TX	23	27	31	23	35	3.8	4.3	4.7	3.4	5.2
Baltimore, MD	472	384	257	124	161	71.8	59.2	39.8	19.4	25.2
Birmingham, AL	103	62	35	27	23	15.5	9.4	5.3	4.1	3.5
Boston, MA	41	29	26	50	64	6.9	4.8	4.3	8.4	10.7
Buffalo, NY	1	1	0	2	2	0.3	0.3	0.0	0.6	0.6
Charlotte, NC	99	63	69	40	24	14.5	9.0	9.6	5.4	3.3
Chicago, IL	521	292	298	439	296	16.9	9.5	9.6	14.2	9.6
Cincinnati, OH	5	2	2	0	0	0.6	0.2	0.2	0.0	0.0
Cleveland, OH	63	29	31	10	3	4.5	2.1	2.2	0.7	0.2
Columbus, OH	34	32	33	48	35	3.2	3.0	3.1	4.4	3.2
Corpus Christi, TX	9	3	1	1	10	3.2	1.1	0.4	0.4	3.6
Dallas, TX	384	361	247	351	298	32.6	30.2	20.3	29.0	24.6
Dayton, OH	5	2	4	1	3	0.9	0.4	0.7	0.2	0.5
Denver, CO	4	1	4	12	13	0.7	0.2	0.7	2.1	2.3
Des Moines, IA	2	6	4	5	2	0.5	1.6	1.1	1.3	0.5
Detroit, MI	223	328	293	172	90	23.3	34.5	30.9	18.2	9.5
El Paso, TX	9	11	14	32	27	1.6	1.9	2.4	5.5	4.7
Fort Worth, TX	66	80	60	115	58	12.5	14.9	10.9	20.3	10.2
Honolulu, HI	1	1	4	16	6	0.1	0.1	0.5	1.8	0.7
Houston, TX	248	134	137	136	150	13.4	7.1	7.2	6.8	7.5
Indianapolis, IN	102	125	82	30	22	11.9	14.5	9.5	3.5	2.5
Jacksonville, FL	37	46	54	25	35	4.8	5.9	6.8	3.1	4.3
Jersey City, NJ	1	1	6	15	13	0.4	0.4	2.5	6.2	5.4
Kansas City, MO	16	4	1	5	15	3.5	0.9	0.2	1.1	3.3
Los Angeles, CA	330	187	203	349	384	3.7	2.1	2.2	3.8	4.2
Louisville, KY	38	40	20	33	26	5.5	5.8	2.9	4.7	3.7
Memphis, TN	338	325	356	202	154	37.8	36.2	39.5	22.3	17.0
Miami, FL	294	329	221	295	345	13.2	14.5	9.6	12.6	14.8
Milwaukee, WI	84	55	35	51	34	8.9	5.9	3.7	5.4	3.6
Minneapolis, MN	7	11	8	17	23	1.8	2.9	2.1	4.4	6.0
Nashville, TN	201	173	137	109	25	35.4	30.3	24.0	19.1	4.4
New Orleans, LA	65	32	31	39	36	13.4	6.6	6.5	8.2	7.6
New York City, NY	659	447	548	726	958	8.3	5.6	6.8	9.0	11.9
Newark, NJ	23	58	74	74	121	7.7	19.3	24.5	24.5	40.0
Norfolk, VA	34	23	25	14	11	14.6	9.8	10.6	5.9	4.6
Oakland, CA	22	4	12	12	28	1.5	0.3	0.8	0.8	1.9
Oklahoma City, OK	147	86	73	74	53	34.7	20.2	17.0	17.1	12.2
Omaha, NE	2	1	0	0	0	0.4	0.2	0.0	0.0	0.0
Philadelphia, PA	394	261	248	214	194	25.9	17.2	16.5	14.3	13.0
Phoenix, AZ	266	220	243	150	161	8.9	7.1	7.6	4.5	4.9
Pittsburgh, PA	1	1	4	6	5	0.1	0.1	0.3	0.5	0.4
Portland, OR	5	12	7	17	16	1.0	2.3	1.3	3.2	3.0
Richmond, VA	34	18	28	11	16	17.1	9.1	14.2	5.6	8.1
Rochester, NY	2	0	1	2	6	0.8	0.0	0.4	0.8	2.4
Sacramento, CA	3	2	5	8	3	0.2	0.2	0.4	0.6	0.2
San Antonio, TX	72	102	120	105	62	6.4	8.9	10.3	8.8	5.2
San Diego, CA	23	10	16	34	41	0.8	0.4	0.6	1.2	1.4
San Francisco, CA	14	18	47	173	191	1.8	2.3	6.1	22.6	25.0
San Jose, CA	11	4	12	11	20	0.7	0.2	0.7	0.7	1.2
Seattle, WA	6	16	14	10	24	0.3	0.9	0.8	0.6	1.4
St Louis, MO	40	21	15	23	12	11.4	6.1	4.4	6.8	3.5
St Paul, MN	1	1	4	2	8	0.4	0.4	1.4	0.7	2.8
St Petersburg, FL	15	23	6	19	40	1.6	2.5	0.6	2.1	4.3
Tampa, FL	51	56	51	57	98	5.2	5.6	5.0	5.4	9.3
Toledo, OH	5	3	1	3	7	1.1	0.7	0.2	0.7	1.5
Tucson, AZ	14	14	8	29	46	1.7	1.6	0.9	3.3	5.2
Tulsa, OK	40	8	5	16	6	10.2	2.0	1.3	4.0	1.5
Washington, DC	284	238	219	192	152	49.8	41.6	38.2	33.6	26.6
Wichita, KS	11	1	7	3	4	2.4	0.2	1.5	0.6	0.9
Yonkers, NY	2	0	0	1	5	1.0	0.0	0.0	0.5	2.5
U.S. CITY TOTAL	6,256	5,017	4,905	5,177	5,180	9.0	7.2	7.0	7.3	7.3
San Juan, PR	296	250	232	210	343	28.1	24.5	22.7	20.5	33.5
TOTAL	6,552	5,267	5,137	5,387	5,523	9.3	7.4	7.2	7.5	7.7

Table 37. Late and late latent syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	443	403	380	334	309	10.0	9.1	8.5	7.4	6.9
Alaska	11	5	9	8	7	1.8	0.8	1.4	1.2	1.1
Arizona	307	385	672	666	659	6.1	7.5	12.7	12.2	12.1
Arkansas	140	130	124	124	172	5.3	4.9	4.6	4.6	6.3
California	1,897	2,590	2,038	2,107	2,024	5.7	7.6	5.9	6.0	5.8
Colorado	76	45	111	86	82	1.8	1.0	2.5	1.9	1.8
Connecticut	97	125	131	147	163	2.9	3.7	3.8	4.2	4.7
Delaware	46	26	47	42	29	5.9	3.3	5.9	5.2	3.6
Florida	1,231	1,150	1,446	1,686	1,610	7.8	7.2	8.8	10.1	9.6
Georgia	799	695	850	743	836	9.9	8.4	10.1	8.7	9.8
Hawaii	7	17	22	27	39	0.6	1.4	1.8	2.2	3.1
Idaho	11	10	10	11	18	0.9	0.8	0.8	0.8	1.3
Illinois	851	794	706	546	633	6.9	6.4	5.6	4.3	5.0
Indiana	173	212	245	196	252	2.9	3.5	4.0	3.2	4.1
Iowa	24	36	33	38	29	0.8	1.2	1.1	1.3	1.0
Kansas	62	50	43	44	32	2.3	1.9	1.6	1.6	1.2
Kentucky	120	103	104	72	83	3.0	2.5	2.6	1.8	2.0
Louisiana	701	526	426	439	1,195	15.7	11.8	9.5	9.8	26.7
Maine	1	6	12	6	6	0.1	0.5	0.9	0.5	0.5
Maryland	405	338	305	415	443	7.7	6.4	5.7	7.6	8.1
Massachusetts	283	296	334	346	375	4.5	4.7	5.2	5.4	5.8
Michigan	207	232	347	408	451	2.1	2.3	3.5	4.1	4.5
Minnesota	52	43	83	65	103	1.1	0.9	1.7	1.3	2.1
Mississippi	147	125	175	247	220	5.2	4.4	6.1	8.6	7.7
Missouri	191	215	110	118	96	3.4	3.8	2.0	2.1	1.7
Montana	0	0	0	4	0	0.0	0.0	0.0	0.4	0.0
Nebraska	12	4	5	19	15	0.7	0.2	0.3	1.1	0.9
Nevada	59	38	47	86	102	3.0	1.9	2.2	4.0	4.7
New Hampshire	14	17	17	15	14	1.1	1.4	1.3	1.2	1.1
New Jersey	587	599	637	637	572	7.0	7.1	7.5	7.4	6.7
New Mexico	66	57	36	48	75	3.7	3.1	2.0	2.6	4.0
New York	3,201	2,308	2,701	2,620	2,715	17.0	12.1	14.2	13.7	14.2
North Carolina	490	375	475	424	417	6.2	4.6	5.8	5.1	5.0
North Dakota	0	0	2	0	0	0.0	0.0	0.3	0.0	0.0
Ohio	98	89	115	105	189	0.9	0.8	1.0	0.9	1.7
Oklahoma	94	82	102	89	211	2.7	2.4	2.9	2.5	6.0
Oregon	23	18	26	29	43	0.7	0.5	0.7	0.8	1.2
Pennsylvania	427	321	362	342	329	3.5	2.6	2.9	2.8	2.7
Rhode Island	51	33	29	45	50	4.9	3.1	2.7	4.2	4.7
South Carolina	230	206	268	269	263	5.8	5.1	6.6	6.5	6.4
South Dakota	1	1	0	0	0	0.1	0.1	0.0	0.0	0.0
Tennessee	439	525	580	514	511	7.8	9.2	10.1	8.9	8.8
Texas	1,885	1,659	2,145	2,299	2,200	9.2	7.9	10.0	10.6	10.1
Utah	42	46	14	56	51	1.9	2.1	0.6	2.4	2.2
Vermont	0	0	4	0	0	0.0	0.0	0.7	0.0	0.0
Virginia	354	266	287	362	395	5.1	3.7	4.0	5.0	5.4
Washington	110	85	98	63	121	1.9	1.4	1.6	1.0	2.0
West Virginia	7	7	1	2	7	0.4	0.4	0.1	0.1	0.4
Wisconsin	52	60	64	38	41	1.0	1.1	1.2	0.7	0.8
Wyoming	0	4	3	1	3	0.0	0.8	0.6	0.2	0.6
U.S. TOTAL*	16,653	15,594	16,976	17,168	18,319	6.0	5.5	5.9	6.0	6.4
Northeast	4,661	3,705	4,227	4,158	4,224	8.7	6.9	7.8	7.7	7.8
Midwest	1,723	1,736	1,753	1,577	1,841	2.7	2.7	2.7	2.4	2.8
South	7,660	6,853	7,910	8,241	9,030	7.7	6.8	7.8	8.0	8.7
West	2,609	3,300	3,086	3,192	3,224	4.2	5.2	4.8	4.9	4.9
Guam	10	7	15	9	13	6.1	4.5	9.5	5.6	8.1
Puerto Rico	614	485	402	398	390	15.8	12.7	10.5	10.3	10.1
Virgin Islands	0	3	0	2	5	0.0	2.8	0.0	1.8	4.5
OUTLYING AREAS	624	495	417	409	408	15.0	12.1	10.2	9.9	9.9
TOTAL	17,277	16,089	17,393	17,577	18,727	6.1	5.6	6.0	6.0	6.4

*Includes cases reported by Washington, D.C.

Table 38. Late and late latent syphilis — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	0	1	1	2	1	0.0	0.2	0.2	0.4	0.2
Albuquerque, NM	37	33	26	29	23	6.7	5.9	4.6	5.1	4.0
Atlanta, GA	119	88	168	159	201	14.7	10.8	20.4	19.3	24.4
Austin, TX	20	24	64	52	63	3.3	3.8	9.8	7.7	9.4
Baltimore, MD	202	111	57	145	138	30.7	17.1	8.8	22.7	21.6
Birmingham, AL	149	124	101	89	65	22.5	18.7	15.3	13.5	9.8
Boston, MA	107	106	113	133	165	17.9	17.7	18.8	22.2	27.6
Buffalo, NY	4	8	7	5	5	1.2	2.5	2.2	1.6	1.6
Charlotte, NC	39	40	31	33	67	5.7	5.7	4.3	4.5	9.1
Chicago, IL	475	468	444	325	369	15.4	15.2	14.4	10.5	12.0
Cincinnati, OH	6	12	12	15	9	0.7	1.4	1.4	1.8	1.1
Cleveland, OH	11	7	5	5	15	0.8	0.5	0.4	0.4	1.1
Columbus, OH	30	18	52	45	76	2.8	1.7	4.8	4.1	7.0
Corpus Christi, TX	10	6	8	9	13	3.6	2.2	2.9	3.2	4.7
Dallas, TX	156	120	326	493	413	13.2	10.1	26.8	40.7	34.1
Dayton, OH	9	10	12	4	10	1.6	1.8	2.2	0.7	1.8
Denver, CO	37	18	45	36	38	6.7	3.2	8.0	6.4	6.8
Des Moines, IA	5	11	10	9	14	1.3	2.9	2.6	2.3	3.6
Detroit, MI	136	145	257	294	319	14.2	15.3	27.1	31.1	33.8
El Paso, TX	60	73	78	74	77	10.7	12.9	13.6	12.8	13.3
Fort Worth, TX	87	85	159	149	112	16.5	15.8	28.8	26.3	19.8
Honolulu, HI	4	13	16	26	32	0.5	1.5	1.8	2.9	3.6
Houston, TX	755	614	661	748	642	40.9	32.7	34.6	37.2	31.9
Indianapolis, IN	38	92	87	65	74	4.4	10.7	10.1	7.5	8.6
Jacksonville, FL	30	53	47	28	68	3.9	6.8	5.9	3.5	8.4
Jersey City, NJ	38	22	26	26	27	15.9	9.1	10.7	10.8	11.2
Kansas City, MO	41	39	24	24	21	9.1	8.6	5.3	5.3	4.6
Los Angeles, CA	740	1,496	923	890	879	8.4	16.7	10.2	9.7	9.6
Louisville, KY	69	51	61	31	48	10.0	7.3	8.8	4.4	6.9
Memphis, TN	321	297	324	247	245	35.9	33.1	36.0	27.3	27.1
Miami, FL	409	356	628	766	619	18.4	15.7	27.3	32.8	26.5
Milwaukee, WI	36	49	43	21	18	3.8	5.2	4.6	2.2	1.9
Minneapolis, MN	15	14	32	24	29	3.9	3.6	8.3	6.2	7.5
Nashville, TN	54	145	162	154	149	9.5	25.4	28.4	27.0	26.1
New Orleans, LA	108	70	46	53	142	22.2	14.5	9.6	11.2	30.0
New York City, NY	2,907	2,115	2,442	2,300	2,306	36.6	26.4	30.3	28.5	28.5
Newark, NJ	115	170	237	194	172	38.4	56.6	78.6	64.1	56.8
Norfolk, VA	30	22	22	20	29	12.8	9.4	9.3	8.4	12.1
Oakland, CA	92	75	71	114	108	6.4	5.2	4.8	7.7	7.3
Oklahoma City, OK	34	25	50	43	92	8.0	5.9	11.7	9.9	21.2
Omaha, NE	3	3	0	13	14	0.7	0.6	0.0	2.7	3.0
Philadelphia, PA	355	281	315	280	292	23.4	18.6	21.0	18.8	19.6
Phoenix, AZ	245	324	546	536	519	8.2	10.5	17.1	16.2	15.7
Pittsburgh, PA	4	3	4	13	8	0.3	0.2	0.3	1.0	0.6
Portland, OR	9	7	13	11	15	1.7	1.3	2.5	2.1	2.8
Richmond, VA	17	17	20	11	21	8.5	8.6	10.1	5.6	10.6
Rochester, NY	13	6	1	7	11	5.3	2.4	0.4	2.8	4.4
Sacramento, CA	13	20	24	19	11	1.1	1.6	1.9	1.5	0.8
San Antonio, TX	121	113	167	155	96	10.7	9.8	14.3	13.0	8.0
San Diego, CA	196	195	103	87	139	7.0	6.9	3.6	3.0	4.8
San Francisco, CA	84	91	114	116	132	10.8	11.7	14.7	15.2	17.3
San Jose, CA	40	36	68	47	55	2.4	2.1	4.0	2.8	3.3
Seattle, WA	51	50	55	36	50	2.9	2.9	3.1	2.0	2.8
St Louis, MO	69	82	30	44	21	19.7	23.6	8.8	13.0	6.2
St Paul, MN	3	6	7	9	13	1.1	2.1	2.4	3.2	4.6
St Petersburg, FL	18	34	23	40	37	2.0	3.7	2.5	4.3	4.0
Tampa, FL	41	55	76	130	121	4.2	5.5	7.4	12.3	11.5
Toledo, OH	10	13	1	3	7	2.2	2.9	0.2	0.7	1.5
Tucson, AZ	20	14	42	34	39	2.4	1.6	4.9	3.9	4.4
Tulsa, OK	23	16	12	6	24	5.8	4.1	3.0	1.5	6.0
Washington, DC	129	237	195	180	129	22.6	41.5	34.0	31.5	22.6
Wichita, KS	16	7	4	7	7	3.5	1.5	0.9	1.5	1.5
Yonkers, NY	9	9	12	23	24	4.6	4.5	6.0	11.4	11.9
U.S. CITY TOTAL	9,024	8,845	9,710	9,686	9,678	13.0	12.7	13.8	13.6	13.6
San Juan, PR	322	222	178	152	147	30.6	21.7	17.4	14.8	14.3
TOTAL	9,346	9,067	9,888	9,838	9,825	13.3	12.8	13.8	13.7	13.6

Table 39. Congenital syphilis — Reported cases and rates in infants <1 year of age: United States (excluding outlying areas), 1963–2003

<i>Year</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1963*	367	9.2
1964*	336	8.7
1965*	335	8.9
1966*	333	8.8
1967	156	4.1
1968	274	7.3
1969	264	7.0
1970	323	8.6
1971	422	11.9
1972	360	11.0
1973	295	9.4
1974	250	7.9
1975	169	5.3
1976	160	5.1
1977	134	4.0
1978	104	3.0
1979	123	3.5
1980	107	3.0
1981	160	4.4
1982	159	4.3
1983	158	4.3
1984	247	6.7
1985	266	7.1
1986	357	9.5
1987	444	11.7
1988	658	16.8
1989	1,807	44.7
1990	3,816	91.8
1991	4,410	107.3
1992	4,024	99.0
1993	3,395	84.9
1994	2,435	61.6
1995	1,861	47.7
1996	1,280	32.9
1997	1,080	27.8
1998	841	21.3
1999	575	14.5
2000	578	14.2
2001	498	12.4
2002	453	11.3
2003	413	10.3

*For 1963 to 1966 data were reported for the federal fiscal year ending June 30 of the year indicated.

NOTE: The surveillance case definition for congenital syphilis changed in 1988. As of 1995, cases of congenital syphilis <1 year of age are obtained using case reporting form CDC 73.126. For the period 1995 through 2003, yearly case counts in this table correspond to confirmed diagnoses of congenital syphilis among those known to be less than one year of age. As a result, the case counts in this table are a subset of those listed in Table 1 for the years prior to 1995.

Table 40. Congenital syphilis — Reported cases and rates in infants <1 year of age by state, ranked by rates: United States, 2003

<i>Rank*</i>	<i>State†</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1	Arizona	29	33.0
2	Michigan	38	29.2
3	New Mexico	6	21.6
4	Texas	77	20.7
5	South Carolina	11	20.2
6	Idaho	4	19.1
7	New Jersey	21	18.3
8	Indiana	15	17.6
9	New York	42	16.7
10	North Carolina	18	15.3
11	Florida	26	12.6
12	California	59	11.1
13	Maryland	8	10.9
14	Illinois	19	10.5
	U.S. TOTAL[§]	413	10.3
15	Georgia	11	8.3
16	Missouri	4	5.3
17	Arkansas	2	5.3
18	Alabama	3	5.1
19	Mississippi	2	4.8
20	Colorado	3	4.4
21	Nebraska	1	3.9
22	Tennessee	2	2.6
23	Kansas	1	2.5
24	Connecticut	1	2.4
25	Ohio	3	2.0
26	Oklahoma	1	2.0
27	Kentucky	1	1.8
28	Louisiana	1	1.5
29	Pennsylvania	2	1.4
30	Virginia	1	1.0
	YEAR 2010 TARGET		1.0
	Alaska	0	0.0
	Delaware	0	0.0
	Hawaii	0	0.0
	Iowa	0	0.0
	Maine	0	0.0
	Massachusetts	0	0.0
	Minnesota	0	0.0
	Montana	0	0.0
	Nevada	0	0.0
	New Hampshire	0	0.0
	North Dakota	0	0.0
	Oregon	0	0.0
	Rhode Island	0	0.0
	South Dakota	0	0.0
	Utah	0	0.0
	Vermont	0	0.0
	Washington	0	0.0
	West Virginia	0	0.0
	Wisconsin	0	0.0
	Wyoming	0	0.0

*States were ranked in descending order by rate, number of cases, and alphabetically by state. States with no cases were not ranked.

†Mother's state of residence used to assign case.

§Total includes cases reported by Washington, D.C. but excludes outlying areas (Guam with 1 case and rate of 31.1, Puerto Rico with 15 cases and rate of 28.4, and Virgin Islands with 0 cases and rate of 0.0).

Table 41. Congenital syphilis — Reported cases and rates in infants <1 year of age by state/area and region listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area*	Cases					Rates per 100,000 Live Births				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	7	8	10	6	3	11.3	12.6	16.5	10.2	5.1
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	24	26	29	19	29	29.6	30.5	33.9	21.6	33.0
Arkansas	14	15	6	10	2	38.1	39.7	16.2	26.7	5.3
California	88	86	62	61	59	17.0	16.2	11.7	11.5	11.1
Colorado	1	0	1	2	3	1.6	0.0	1.5	2.9	4.4
Connecticut	1	1	2	0	1	2.3	2.3	4.7	0.0	2.4
Delaware	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Florida	31	42	38	28	26	15.7	20.6	18.5	13.6	12.6
Georgia	16	22	21	13	11	12.6	16.6	15.7	9.8	8.3
Hawaii	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Idaho	0	0	0	0	4	0.0	0.0	0.0	0.0	19.1
Illinois	54	50	46	40	19	29.7	27.0	25.0	22.1	10.5
Indiana	7	4	13	8	15	8.1	4.6	15.0	9.4	17.6
Iowa	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas	0	2	2	0	1	0.0	5.0	5.1	0.0	2.5
Kentucky	0	3	1	3	1	0.0	5.4	1.8	5.5	1.8
Louisiana	12	7	0	1	1	17.9	10.3	0.0	1.5	1.5
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	27	16	5	19	8	37.5	21.5	6.8	25.9	10.9
Massachusetts	0	1	2	1	0	0.0	1.2	2.5	1.2	0.0
Michigan	22	33	27	35	38	16.5	24.2	20.2	26.9	29.2
Minnesota	0	0	0	1	0	0.0	0.0	0.0	1.5	0.0
Mississippi	12	14	10	6	2	28.1	31.8	23.7	14.5	4.8
Missouri	10	3	5	1	4	13.3	3.9	6.6	1.3	5.3
Montana	0	0	0	1	0	0.0	0.0	0.0	9.1	0.0
Nebraska	0	0	0	0	1	0.0	0.0	0.0	0.0	3.9
Nevada	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Hampshire	1	0	0	0	0	7.1	0.0	0.0	0.0	0.0
New Jersey	49	23	32	36	21	42.9	19.9	27.6	31.4	18.3
New Mexico	0	3	3	5	6	0.0	11.0	11.1	18.0	21.6
New York	43	40	39	31	42	16.8	15.5	15.4	12.3	16.7
North Carolina	19	19	19	15	18	16.7	15.8	16.1	12.8	15.3
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	6	5	1	3	3	3.9	3.2	0.7	2.0	2.0
Oklahoma	9	1	5	2	1	18.4	2.0	10.0	4.0	2.0
Oregon	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Pennsylvania	7	9	4	5	2	4.8	6.2	2.8	3.5	1.4
Rhode Island	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
South Carolina	23	32	19	15	11	41.9	57.0	34.1	27.5	20.2
South Dakota	1	0	0	0	0	9.5	0.0	0.0	0.0	0.0
Tennessee	10	25	14	10	2	12.9	31.4	17.9	12.9	2.6
Texas	68	72	75	72	77	19.5	19.8	20.5	19.3	20.7
Utah	0	1	0	0	0	0.0	2.1	0.0	0.0	0.0
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	3	7	3	1	1	3.1	7.1	3.0	1.0	1.0
Washington	1	0	0	2	0	1.3	0.0	0.0	2.5	0.0
West Virginia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wisconsin	9	4	2	0	0	13.2	5.8	2.9	0.0	0.0
Wyoming	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
U.S. TOTAL†	575	578	498	453	413	14.5	14.2	12.4	11.3	10.3
Northeast	101	74	79	73	66	14.7	10.7	11.5	10.8	9.7
Midwest	109	101	96	88	81	12.4	11.2	10.8	10.0	9.2
South	251	287	228	202	165	17.5	19.3	15.4	13.6	11.1
West	114	116	95	90	101	12.0	11.8	9.7	9.1	10.3
Guam	0	0	1	1	1	0.0	0.0	28.1	31.1	31.1
Puerto Rico	23	17	22	23	15	38.6	28.7	39.4	43.6	28.4
Virgin Islands	0	0	1	0	0	0.0	0.0	59.9	0.0	0.0
OUTLYING AREAS	23	17	24	24	16	35.2	26.3	39.3	41.7	27.8
TOTAL	598	595	522	477	429	14.9	14.4	12.8	11.7	10.5

*Mother's state of residence used to assign case.

†Includes cases reported by Washington, D.C.

Table 42. Congenital syphilis — Reported cases and rates in infants <1 year of age in selected cities, ranked by rates: United States, 2003

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1	Detroit, MI	36	250.3
2	Newark, NJ	10	215.4
3	Miami, FL	9	69.6
4	Phoenix, AZ	17	67.5
5	Indianapolis, IN	9	63.4
6	Oakland, CA	4	61.7
7	Baltimore, MD	5	51.9
8	Houston, TX	21	46.6
9	Los Angeles, CA	28	44.2
10	San Diego, CA	8	43.3
11	Tampa, FL	3	37.9
12	Atlanta, GA	3	33.3
13	Dallas, TX	8	32.3
14	El Paso, TX	4	31.1
15	Chicago, IL	14	29.2
16	New York City, NY	30	25.4
17	San Jose, CA	4	24.7
18	Birmingham, AL	1	24.6
19	Toledo, OH	1	21.2
20	Charlotte, NC	2	18.8
21	Memphis, TN	2	18.2
22	Fort Worth, TX	2	17.5
23	Louisville, KY	1	14.0
24	Kansas City, MO	1	13.6
25	Washington, DC	1	13.3
26	San Antonio, TX	3	12.9
27	Albuquerque, NM	1	11.9
28	Philadelphia, PA	2	9.3
29	Jacksonville, FL	1	8.8
30	Denver, CO	1	8.7
31	Austin, TX	1	7.8
	YEAR 2010 TARGET		1.0
	Tucson, AZ	0	0.0
	Sacramento, CA	0	0.0
	San Francisco, CA	0	0.0
	St Petersburg, FL	0	0.0
	Honolulu, HI	0	0.0
	Des Moines, IA	0	0.0
	Wichita, KS	0	0.0
	New Orleans, LA	0	0.0
	Boston, MA	0	0.0
	Minneapolis, MN	0	0.0
	St Paul, MN	0	0.0
	St Louis, MO	0	0.0
	Omaha, NE	0	0.0
	Jersey City, NJ	0	0.0
	Buffalo, NY	0	0.0
	Rochester, NY	0	0.0
	Yonkers, NY	0	0.0
	Akron, OH	0	0.0
	Cincinnati, OH	0	0.0
	Cleveland, OH	0	0.0
	Columbus, OH	0	0.0
	Dayton, OH	0	0.0
	Oklahoma City, OK	0	0.0
	Tulsa, OK	0	0.0
	Portland, OR	0	0.0
	Pittsburgh, PA	0	0.0
	Nashville, TN	0	0.0
	Corpus Christi, TX	0	0.0
	Norfolk, VA	0	0.0
	Richmond, VA	0	0.0
	Seattle, WA	0	0.0
	Milwaukee, WI	0	0.0

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state. Cities with no cases were not ranked. Excludes outlying areas (San Juan, PR, with 1 case and rate of 16.9).

†Mother's city of residence used to assign case.

Table 43. Congenital syphilis — Reported cases and rates in infants <1 year of age in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City*	Cases					Rates per 100,000 Live Births				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Albuquerque, NM	0	0	1	0	1	0.0	0.0	12.5	0.0	11.9
Atlanta, GA	7	7	9	5	3	78.2	73.9	96.5	55.4	33.3
Austin, TX	0	0	3	4	1	0.0	0.0	23.3	31.4	7.8
Baltimore, MD	21	15	2	10	5	203.9	146.9	20.4	103.7	51.9
Birmingham, AL	2	2	3	2	1	44.6	43.9	69.7	49.2	24.6
Boston, MA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Buffalo, NY	0	0	1	0	0	0.0	0.0	22.8	0.0	0.0
Charlotte, NC	3	3	1	1	2	31.0	28.1	9.6	9.4	18.8
Chicago, IL	44	38	35	32	14	87.1	74.8	70.6	66.7	29.2
Cincinnati, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cleveland, OH	2	2	0	2	0	23.4	23.2	0.0	26.1	0.0
Columbus, OH	2	0	1	0	0	18.7	0.0	9.4	0.0	0.0
Corpus Christi, TX	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Dallas, TX	4	6	8	9	8	16.8	24.5	31.7	36.4	32.3
Dayton, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Denver, CO	1	0	0	0	1	9.8	0.0	0.0	0.0	8.7
Des Moines, IA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Detroit, MI	21	24	24	30	36	132.9	151.1	156.6	208.6	250.3
El Paso, TX	1	2	2	1	4	7.9	15.4	15.4	7.8	31.1
Fort Worth, TX	2	4	8	4	2	19.2	36.8	70.6	34.9	17.5
Honolulu, HI	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Houston, TX	31	32	21	38	21	72.0	71.4	47.5	84.3	46.6
Indianapolis, IN	6	3	9	3	9	43.6	21.1	64.4	21.1	63.4
Jacksonville, FL	0	2	0	0	1	0.0	17.5	0.0	0.0	8.8
Jersey City, NJ	0	3	2	2	0	0.0	75.6	51.6	53.1	0.0
Kansas City, MO	1	2	0	0	1	13.7	27.2	0.0	0.0	13.6
Los Angeles, CA	36	41	27	28	28	55.5	62.7	41.8	44.2	44.2
Louisville, KY	0	1	0	0	1	0.0	14.1	0.0	0.0	14.0
Memphis, TN	10	14	8	3	2	87.7	122.9	71.3	27.3	18.2
Miami, FL	10	18	10	5	9	76.5	131.7	73.7	38.6	69.6
Milwaukee, WI	7	4	2	0	0	62.2	35.9	17.9	0.0	0.0
Minneapolis, MN	0	0	0	1	0	0.0	0.0	0.0	16.0	0.0
Nashville, TN	0	5	4	5	0	0.0	56.9	46.5	58.1	0.0
New Orleans, LA	4	0	0	0	0	52.1	0.0	0.0	0.0	0.0
New York City, NY	40	33	32	25	30	33.5	27.3	26.8	21.1	25.4
Newark, NJ	12	9	8	12	10	245.7	183.0	161.8	258.5	215.4
Norfolk, VA	0	3	1	0	0	0.0	75.0	24.8	0.0	0.0
Oakland, CA	3	1	3	1	4	47.5	14.8	44.4	15.4	61.7
Oklahoma City, OK	5	0	2	1	0	66.3	0.0	25.1	11.9	0.0
Omaha, NE	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Philadelphia, PA	7	9	4	5	2	32.2	41.1	18.9	23.3	9.3
Phoenix, AZ	16	21	20	14	17	66.4	83.6	79.3	55.6	67.5
Pittsburgh, PA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Portland, OR	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Richmond, VA	0	0	1	0	0	0.0	0.0	31.9	0.0	0.0
Rochester, NY	1	0	0	0	0	25.8	0.0	0.0	0.0	0.0
Sacramento, CA	2	2	0	0	0	18.9	18.3	0.0	0.0	0.0
San Antonio, TX	4	5	6	1	3	18.3	22.6	27.2	4.3	12.9
San Diego, CA	7	0	6	4	8	37.8	0.0	32.3	21.7	43.3
San Francisco, CA	1	1	1	0	0	12.3	11.5	12.1	0.0	0.0
San Jose, CA	2	1	2	5	4	12.5	5.9	12.1	30.9	24.7
Seattle, WA	1	0	0	0	0	13.6	0.0	0.0	0.0	0.0
St Louis, MO	5	1	3	0	0	90.5	18.4	56.6	0.0	0.0
St Paul, MN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Petersburg, FL	1	0	0	0	0	29.5	0.0	0.0	0.0	0.0
Tampa, FL	4	1	6	2	3	47.5	11.8	72.5	25.2	37.9
Toledo, OH	0	0	0	0	1	0.0	0.0	0.0	0.0	21.2
Tucson, AZ	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tulsa, OK	1	0	0	1	0	15.2	0.0	0.0	15.3	0.0
Washington, DC	0	4	2	1	1	0.0	52.2	26.2	13.3	13.3
Wichita, KS	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Yonkers, NY	0	0	0	1	0	0.0	0.0	0.0	35.6	0.0
U.S. CITY TOTAL	327	319	278	258	233	40.9	39.0	34.4	32.2	29.1
San Juan, PR	3	5	5	3	1	43.2	77.3	80.4	50.6	16.9
TOTAL	330	324	283	261	234	40.9	39.3	34.7	32.3	29.0

*Mother's city of residence used to assign case.

Table 44. Congenital syphilis — Reported cases and rates in infants <1 year of age by race/ethnicity of mother: United States, 1999–2003

<i>Year of Birth</i>	<i>Race/Ethnicity</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1999	White, Non-Hispanic	47	2.0
	Black, Non-Hispanic	350	59.1
	Hispanic	148	19.4
	Asian/Pacific Islander	8	4.5
	Native American/Alaskan Native	6	15.9
	Other	4	NA
	Unknown	12	NA
	Total	575	14.5
2000	White, Non-Hispanic	37	1.5
	Black, Non-Hispanic	331	54.5
	Hispanic	171	21.0
	Asian/Pacific Islander	11	5.6
	Native American/Alaskan Native	6	15.4
	Other	3	NA
	Unknown	19	NA
	Total	578	14.2
2001	White, Non-Hispanic	48	2.0
	Black, Non-Hispanic	261	44.1
	Hispanic	162	19.0
	Asian/Pacific Islander	5	2.5
	Native American/Alaskan Native	7	18.0
	Other	2	NA
	Unknown	13	NA
	Total	498	12.4
2002	White, Non-Hispanic	35	1.5
	Black, Non-Hispanic	256	44.1
	Hispanic	143	16.3
	Asian/Pacific Islander	9	4.4
	Native American/Alaskan Native	3	7.6
	Other	1	NA
	Unknown	6	NA
	Total	453	11.3
2003	White, Non-Hispanic	31	1.3
	Black, Non-Hispanic	197	33.9
	Hispanic	159	18.1
	Asian/Pacific Islander	11	5.3
	Native American/Alaskan Native	2	5.1
	Other	3	NA
	Unknown	10	NA
	Total	413	10.3

NA = Not applicable

Table 45. Chancroid — Reported cases and rates by state/area listed in alphabetical order: United States and outlying areas, 1999–2003

State/Area	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Alabama	1	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	0	0	0	0	2	0.0	0.0	0.0	0.0	0.0
Arkansas	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
California	7	3	2	2	0	0.0	0.0	0.0	0.0	0.0
Colorado	0	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Connecticut	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Delaware	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Florida	2	0	2	7	2	0.0	0.0	0.0	0.0	0.0
Georgia	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Hawaii	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Idaho	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Illinois	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Indiana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Iowa	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kentucky	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0
Louisiana	9	6	0	2	0	0.2	0.1	0.0	0.0	0.0
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0
Massachusetts	1	2	2	3	3	0.0	0.0	0.0	0.0	0.0
Michigan	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Minnesota	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mississippi	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Missouri	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Montana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nebraska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nevada	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Hampshire	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Jersey	0	0	4	0	0	0.0	0.0	0.0	0.0	0.0
New Mexico	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New York	39	26	3	2	10	0.2	0.1	0.0	0.0	0.1
North Carolina	7	5	3	0	2	0.1	0.1	0.0	0.0	0.0
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	0	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Oklahoma	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Oregon	1	0	0	0	2	0.0	0.0	0.0	0.0	0.1
Pennsylvania	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0
Rhode Island	1	0	0	0	0	0.1	0.0	0.0	0.0	0.0
South Carolina	16	10	15	24	24	0.4	0.2	0.4	0.6	0.6
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Texas	16	19	6	5	3	0.1	0.1	0.0	0.0	0.0
Utah	0	0	1	0	2	0.0	0.0	0.0	0.0	0.1
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	3	2	0	1	0	0.0	0.0	0.0	0.0	0.0
Washington	0	0	0	1	0	0.0	0.0	0.0	0.0	0.0
West Virginia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wisconsin	4	2	0	1	0	0.1	0.0	0.0	0.0	0.0
Wyoming	1	0	0	0	1	0.2	0.0	0.0	0.0	0.2
U.S. TOTAL*	110	78	38	48	54	0.0	0.0	0.0	0.0	0.0
Guam	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Puerto Rico	1	3	4	2	4	0.0	0.1	0.1	0.1	0.1
Virgin Islands	0	1	0	0	0	0.0	0.9	0.0	0.0	0.0
OUTLYING AREAS	1	4	4	2	4	0.0	0.1	0.1	0.0	0.1
TOTAL	111	82	42	50	58	0.0	0.0	0.0	0.0	0.0

*Includes cases reported by Washington, D.C.

Table 46. Chancroid — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 1999–2003

City	Cases					Rates per 100,000 Population				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Akron, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Albuquerque, NM	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Atlanta, GA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Austin, TX	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Baltimore, MD	0	0	0	0	1	0.0	0.0	0.0	0.0	0.2
Birmingham, AL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Boston, MA	0	0	0	1	0	0.0	0.0	0.0	0.2	0.0
Buffalo, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Charlotte, NC	1	0	1	0	0	0.1	0.0	0.1	0.0	0.0
Chicago, IL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cincinnati, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cleveland, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Columbus, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Corpus Christi, TX	1	0	0	1	0	0.4	0.0	0.0	0.4	0.0
Dallas, TX	4	6	1	1	1	0.3	0.5	0.1	0.1	0.1
Dayton, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Denver, CO	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Des Moines, IA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Detroit, MI	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
El Paso, TX	0	1	0	0	0	0.0	0.2	0.0	0.0	0.0
Fort Worth, TX	2	2	0	0	0	0.4	0.4	0.0	0.0	0.0
Honolulu, HI	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Houston, TX	7	3	1	3	0	0.4	0.2	0.1	0.1	0.0
Indianapolis, IN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Jacksonville, FL	0	0	1	0	0	0.0	0.0	0.1	0.0	0.0
Jersey City, NJ	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas City, MO	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Los Angeles, CA	1	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Louisville, KY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Memphis, TN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Miami, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Milwaukee, WI	2	0	0	1	0	0.2	0.0	0.0	0.1	0.0
Minneapolis, MN	1	0	0	0	0	0.3	0.0	0.0	0.0	0.0
Nashville, TN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Orleans, LA	4	6	0	0	0	0.8	1.2	0.0	0.0	0.0
New York City, NY	39	26	3	2	9	0.5	0.3	0.0	0.0	0.1
Newark, NJ	0	0	1	0	0	0.0	0.0	0.3	0.0	0.0
Norfolk, VA	1	0	0	0	0	0.4	0.0	0.0	0.0	0.0
Oakland, CA	1	0	1	0	0	0.1	0.0	0.1	0.0	0.0
Oklahoma City, OK	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Omaha, NE	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Philadelphia, PA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Phoenix, AZ	0	0	0	0	2	0.0	0.0	0.0	0.0	0.1
Pittsburgh, PA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Portland, OR	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Richmond, VA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Rochester, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Sacramento, CA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
San Antonio, TX	0	1	0	0	0	0.0	0.1	0.0	0.0	0.0
San Diego, CA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
San Francisco, CA	0	0	1	0	0	0.0	0.0	0.1	0.0	0.0
San Jose, CA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Seattle, WA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Louis, MO	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Paul, MN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Petersburg, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tampa, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Toledo, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tucson, AZ	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tulsa, OK	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Washington, DC	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wichita, KS	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Yonkers, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
U.S. CITY TOTAL	64	46	10	9	13	0.1	0.1	0.0	0.0	0.0
San Juan, PR	1	2	1	1	4	0.1	0.2	0.1	0.1	0.4
TOTAL	65	48	11	10	17	0.1	0.1	0.0	0.0	0.0

Table 47. Selected STDs and complications — Initial visits to physicians' offices: United States, 1966–2003

<i>Year</i>	<i>Genital Herpes</i>	<i>Genital Warts</i>	<i>Vaginal Trichomoniasis</i>	<i>Other Vaginitis</i>	<i>Pelvic Inflammatory Disease</i>
1966	19,000	56,000	579,000	1,155,000	NA
1967	15,000	72,000	515,000	1,277,000	NA
1968	16,000	87,000	463,000	1,460,000	NA
1969	15,000	61,000	421,000	1,390,000	NA
1970	17,000	119,000	529,000	1,500,000	NA
1971	49,000	128,000	484,000	1,281,000	NA
1972	26,000	165,000	574,000	1,810,000	NA
1973	51,000	198,000	466,000	1,858,000	NA
1974	75,000	202,000	427,000	1,907,000	NA
1975	36,000	181,000	500,000	1,919,000	NA
1976	57,000	217,000	473,000	1,690,000	NA
1977	116,000	221,000	324,000	1,713,000	NA
1978	76,000	269,000	329,000	2,149,000	NA
1979	83,000	200,000	363,000	1,662,000	NA
1980	57,000	218,000	358,000	1,670,000	423,000
1981	133,000	191,000	369,000	1,742,000	283,000
1982	134,000	256,000	268,000	1,859,000	374,000
1983	106,000	203,000	424,000	1,932,000	424,000
1984	157,000	224,000	381,000	2,450,000	381,000
1985	124,000	263,000	291,000	2,728,000	425,000
1986	136,000	275,000	338,000	3,118,000	457,000
1987	102,000	351,000	293,000	3,087,000	403,000
1988	163,000	290,000	191,000	3,583,000	431,000
1989	148,000	220,000	165,000	3,374,000	413,000
1990	172,000	275,000	213,000	4,474,000	358,000
1991	235,000	282,000	198,000	3,822,000	377,000
1992	139,000	218,000	182,000	3,428,000	335,000
1993	172,000	167,000	207,000	3,755,000	407,000
1994	142,000	239,000	199,000	4,123,000	332,000
1995	160,000	253,000	141,000	3,927,000	262,000
1996	208,000	191,000	245,000	3,472,000	286,000
1997	176,000	145,000	176,000	3,100,000	260,000
1998	188,000	211,000	164,000	3,200,000	233,000
1999	224,000	240,000	171,000	3,077,000	250,000
2000	179,000	220,000	222,000	3,470,000	254,000
2001	157,000	233,000	210,000	3,365,000	244,000
2002	216,000	266,000	150,000	3,315,000	197,000
2003	203,000	264,000	179,000	3,516,000	123,000

NA = Not available

SOURCE: National Drug and Therapeutic Index (IMS Health). See Appendix (Other Sources) for more information.