

Comparison of National, State and County Data for Tuberculosis, 2000–2007

Annual Case Counts
(Rate per 100,000 in parentheses)

	2000	2001	2002	2003	2004	2005	2006	2007*
USA ¹	16,310 (5.8)	15,945 (5.6)	15,056 (5.2)	14,838 (5.1)	14,502 (4.9)	14,080 (4.7)	13,779 (4.6)	--
CA ²	3,297 (9.7)	3,332 (9.6)	3,169 (9.0)	3,227 (9.0)	2,989 (8.2)	2,903 (7.9)	2,779 (7.4)	--
San Diego	295 (10.5)	331 (11.6)	326 (11.2)	316 (10.6)	320 (10.6)	305 (10.0)	315 (10.3)	280 (9.0)

¹Reported Tuberculosis in the United States, 2006. Atlanta, GA: U.S. Department of Health and Human Services, CDC, September 2007.

²Report on Tuberculosis in California, 2006. California Department of Public Health, Tuberculosis Control Branch, August 2007.

*Provisional 2007 data not yet available from CDC and California Department of Public Health.

COUNTY OF SAN DIEGO TUBERCULOSIS STATISTICS, 2000–2007

Table 1. Tuberculosis Incidence by Major Site of Disease, 2000–2007

DISEASE SITE	2000	2001	2002	2003	2004	2005	2006	2007
Pulmonary	236 (80%)	266 (80%)	247 (76%)	230 (73%)	249 (78%)	226 (74%)	232 (74%)	220 (79%)
All Lymphatic	30 (10%)	36 (11%)	37 (11%)	34 (11%)	30 (9%)	30 (10%)	42 (13%)	22 (8%)
Pleural	8 (3%)	6 (2%)	14 (4%)	13 (4%)	10 (3%)	7 (2%)	3 (<1%)	7 (3%)
Bone/Joint	3 (1%)	6 (2%)	8 (2%)	8 (3%)	5 (2%)	8 (3%)	4 (1%)	4 (1%)
Peritoneal	6 (2%)	2 (<1%)	2 (<1%)	6 (2%)	2 (<1%)	7 (2%)	10 (3%)	4 (1%)
Meningeal	3 (1%)	4 (1%)	2 (<1%)	6 (2%)	3 (<1%)	6 (2%)	1 (<1%)	2 (<1%)
Genitourinary	3 (1%)	3 (1%)	9 (3%)	2 (<1%)	3 (<1%)	3 (1%)	3 (<1%)	3 (1%)
Miliary/Dissem.	3 (1%)	3 (1%)	2 (<1%)	11 (3%)	13 (4%)	13 (4%)	18 (6%)	15 (5%)
Other	4 (1%)	5 (2%)	5 (2%)	6 (2%)	5 (2%)	5 (2%)	2 (<1%)	3 (1%)
TOTAL	295	331	326	316	320	305	315	280

Table 2. Annual Tuberculosis Cases by Sex, Age and Race/Ethnicity, 2000–2007

(Rate per 100,000 in parentheses)

	2000	2001	2002	2003	2004	2005	2006	2007
SEX								
Male	183 (12.9)	204 (14.2)	195 (13.3)	187 (12.6)	190 (12.6)	197 (13.0)	184 (12.0)	176 (11.4)
Female	112 (8.0)	127 (8.9)	131 (9.0)	129 (8.7)	130 (8.6)	108 (7.1)	131 (8.6)	104 (6.7)
AGE								
0 - 4	13 (6.5)	18 (9.0)	10 (4.9)	15 (7.2)	15 (6.9)	14 (6.2)	19 (8.3)	10 (4.3)
5 - 14	14 (3.4)	16 (3.8)	4 (0.9)	11 (2.6)	21 (5.0)	15 (3.6)	13 (3.2)	5 (1.2)
15 - 24	36 (8.4)	45 (10.2)	39 (8.7)	45 (9.8)	44 (9.5)	43 (9.2)	43 (9.1)	51 (10.9)
25 - 44	107 (11.9)	102 (11.2)	130 (14.1)	105 (11.3)	109 (11.7)	89 (9.6)	90 (9.8)	81 (9.0)
45 - 64	69 (12.4)	89 (15.4)	81 (13.5)	97 (15.4)	81 (12.4)	80 (11.8)	82 (11.7)	82 (11.2)
65 +	56 (17.8)	61 (19.2)	62 (19.3)	43 (13.2)	50 (15.2)	64 (19.1)	68 (20.0)	51 (14.5)
RACE/ETHNICITY								
Hispanic	142 (18.9)	164 (21.1)	156 (19.4)	159 (19.1)	177 (20.7)	161 (18.4)	168 (18.8)	144 (15.9)
Black	23 (14.9)	20 (13.0)	27 (17.1)	24 (15.0)	17 (10.6)	19 (11.7)	21 (12.8)	22 (13.2)
Asian/Pacific Islander	102 (39.6)	97 (35.4)	105 (36.8)	92 (31.1)	100 (32.5)	94 (30.4)	98 (31.4)	100 (32.7)
Asian alone	--	--	--	89 (31.4)	100 (33.9)	95 (32.0)	98 (32.8)	99 (33.9)
Pacific Islander alone	--	--	--	3 (--)	0 (--)	0 (--)	0 (--)	1 (--)
White	28 (1.8)	49 (3.2)	38 (2.4)	41 (2.6)	25 (1.6)	31 (2.0)	26 (1.6)	14 (0.9)
Native Am./Alaskan	0 (--)	1 (--)	0 (--)	0 (--)	1 (--)	0 (--)	2 (--)	0 (--)
TOTAL	295 (10.5)	331 (11.6)	326 (11.2)	316 (10.6)	320 (10.6)	305 (10.0)	315 (10.3)	280 (9.0)

Ellipses indicate data not available. Rates not calculated for counts ≤ 5 .

Note: In 2003, the TB case report began collecting data separately for each of the races, Asian and Native Hawaiian/Pacific Islander.

Table 3. Annual Tuberculosis Cases by Country of Origin, 2000–2007

COUNTRY OF ORIGIN	2000	2001	2002	2003	2004	2005	2006	2007
THE AMERICAS	180	223	204	216	212	202	197	165
United States	72	104	101	104	89	87	81	55
Mexico	103	115	98	104	114	106	108	100
Other	5	4	5	8	9	9	8	10
ASIA	96	95	105	87	96	95	99	96
Viet Nam	21	18	16	16	15	18	14	17
Philippines	62	55	62	46	59	55	65	63
Other	13	22	27	25	22	22	20	16
EUROPE	2	6	2	1	3	2	5	2
AFRICA	14	7	15	9	9	6	14	16
OTHER/UNKNOWN	3	0	0	3	0	0	0	1
TOTAL	295	331	326	316	320	305	315	280
Number of foreign-born*	223	227	225	211	231	218	234	225
% Foreign-born	76	69	69	67	72	71	74	80

Note: Territories and jurisdictions associated with the U.S. classified by continent (e.g., Puerto Rico, Virgin Islands: Americas; American Samoa, Guam: Other).
 *Excludes unknown country of origin.

Tuberculosis case data based on updates to the County tuberculosis registry as of February 2008.

Population source: SANDAG January 1 estimates. Rates for 2001–2005 updated based on revised population estimates for San Diego County, released September 2006. Rates for 1999 based on SANDAG Revised 1990s Demographic Estimates, issued July 2003.

Source: County of San Diego Health and Human Services Agency, TB Control Branch

Date: February 19, 2008