

**HHSA Region: EAST**  
**Indicator: Births to Teenagers Aged 15-17**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	9	39.7	234	29.6	1,734	37.3
White	4	*	107	18.6	349	14.4
Hispanic	4	*	95	67.6	1,084	78.6
Black	0	-	24	69.9	196	54.8
Asian/PI	1	*	6	16.2	91	20.6
Native American	0	-	3	*	11	27.3
Other	0	-	1	*	3	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	37	24.2	234	29.6	1,734	37.3
White	9	8.7	107	18.6	349	14.4
Hispanic	18	61.5	95	67.6	1,084	78.6
Black	6	48.4	24	69.9	196	54.8
Asian/PI	3	*	6	16.2	91	20.6
Native American	1	*	3	*	11	27.3
Other	0	-	1	*	3	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	26	45.0	234	29.6	1,734	37.3
White	7	25.3	107	18.6	349	14.4
Hispanic	12	70.1	95	67.6	1,084	78.6
Black	6	76.8	24	69.9	196	54.8
Asian/PI	1	*	6	16.2	91	20.6
Native American	0	-	3	*	11	27.3
Other	0	-	1	*	3	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.  
 County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Births to Teenagers Aged 15-17**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	26.9	234	29.6	1,734	37.3
White	8	14.1	107	18.6	349	14.4
Hispanic	8	67.1	95	67.6	1,084	78.6
Black	4	*	24	69.9	196	54.8
Asian/PI	0	-	6	16.2	91	20.6
Native American	1	*	3	*	11	27.3
Other	0	-	1	*	3	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	61	29.9	234	29.6	1,734	37.3
White	29	19.6	107	18.6	349	14.4
Hispanic	25	68.7	95	67.6	1,084	78.6
Black	6	73.8	24	69.9	196	54.8
Asian/PI	1	*	6	16.2	91	20.6
Native American	0	-	3	*	11	27.3
Other	0	-	1	*	3	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	19	18.7	234	29.6	1,734	37.3
White	13	14.8	107	18.6	349	14.4
Hispanic	5	39.7	95	67.6	1,084	78.6
Black	0	-	24	69.9	196	54.8
Asian/PI	1	*	6	16.2	91	20.6
Native American	1	*	3	*	11	27.3
Other	0	-	1	*	3	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.  
 County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Births to Teenagers Aged 15-17**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	17.5	234	29.6	1,734	37.3
White	10	12.4	107	18.6	349	14.4
Hispanic	6	44.8	95	67.6	1,084	78.6
Black	1	*	24	69.9	196	54.8
Asian/PI	0	-	6	16.2	91	20.6
Native American	1	*	3	*	11	27.3
Other	0	-	1	*	3	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	38	*	234	29.6	1,734	37.3
White	22	*	107	18.6	349	14.4
Hispanic	14	*	95	67.6	1,084	78.6
Black	2	*	24	69.9	196	54.8
Asian/PI	1	*	6	16.2	91	20.6
Native American	0	-	3	*	11	27.3
Other	1	*	1	*	3	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: <b>Alpine</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	234	29.6	1,734	37.3
White	2	*	107	18.6	349	14.4
Hispanic	1	*	95	67.6	1,084	78.6
Black	0	-	24	69.9	196	54.8
Asian/PI	1	*	6	16.2	91	20.6
Native American	1	*	3	*	11	27.3
Other	0	-	1	*	3	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Births to Teenagers Aged 15-17**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	234	29.6	1,734	37.3
White	2	*	107	18.6	349	14.4
Hispanic	1	*	95	67.6	1,084	78.6
Black	0	-	24	69.9	196	54.8
Asian/PI	0	-	6	16.2	91	20.6
Native American	0	-	3	*	11	27.3
Other	0	-	1	*	3	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Mountain Empire</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	234	29.6	1,734	37.3
White	2	*	107	18.6	349	14.4
Hispanic	1	*	95	67.6	1,084	78.6
Black	0	-	24	69.9	196	54.8
Asian/PI	0	-	6	16.2	91	20.6
Native American	0	-	3	*	11	27.3
Other	0	-	1	*	3	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: First Trimester Prenatal Care**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	195	85.7	5,584	83.9	35,367	77.9
White	118	89.1	3,703	87.7	16,873	87.6
Hispanic	52	77.4	1,223	75.2	12,274	67.3
Black	9	89.5	319	80.5	2,429	76.6
Asian/PI	12	88.5	274	82.9	3,540	81.1
Native American	3	*	55	81.5	181	73.6
Other	1	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	1	*	6	54.5	46	43.8
15-19	15	69.0	513	72.2	2,992	61.3
20-29	96	88.1	2,988	83.7	17,942	76.3
30-39	79	87.3	1,962	87.9	13,519	85.3
40-44	4	*	111	86.3	832	83.4
45+	0	-	5	76.9	36	81.8

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	749	78.6	5,584	83.9	35,367	77.9
White	314	84.9	3,703	87.7	16,873	87.6
Hispanic	257	73.5	1,223	75.2	12,274	67.3
Black	95	75.9	319	80.5	2,429	76.6
Asian/PI	77	77.8	274	82.9	3,540	81.1
Native American	4	*	55	81.5	181	73.6
Other	2	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	2	*	6	54.5	46	43.8
15-19	83	67.9	513	72.2	2,992	61.3
20-29	387	78.4	2,988	83.7	17,942	76.3
30-39	253	83.3	1,962	87.9	13,519	85.3
40-44	22	91.5	111	86.3	832	83.4
45+	2	*	5	76.9	36	81.8

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

**HHSA Region: EAST**  
**Indicator: First Trimester Prenatal Care**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	335	80.3	5,584	83.9	35,367	77.9
White	139	81.7	3,703	87.7	16,873	87.6
Hispanic	114	76.8	1,223	75.2	12,274	67.3
Black	47	79.66	319	80.5	2,429	76.6
Asian/PI	33	89.2	274	82.9	3,540	81.1
Native American	2	*	55	81.5	181	73.6
Other	0	-	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	1	*	6	54.5	46	43.8
15-19	44	76.3	513	72.2	2,992	61.3
20-29	180	80.9	2,988	83.7	17,942	76.3
30-39	104	79.9	1,962	87.9	13,519	85.3
40-44	5	100.0	111	86.3	832	83.4
45+	1	*	5	76.9	36	81.8

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	775	87.2	5,584	83.9	35,367	77.9
White	545	89.2	3,703	87.7	16,873	87.6
Hispanic	128	81.0	1,223	75.2	12,274	67.3
Black	53	83.5	319	80.5	2,429	76.6
Asian/PI	40	87.8	274	82.9	3,540	81.1
Native American	6	78.6	55	81.5	181	73.6
Other	3	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	1	*	6	54.5	46	43.8
15-19	44	67.2	513	72.2	2,992	61.3
20-29	401	88.0	2,988	83.7	17,942	76.3
30-39	312	90.0	1,962	87.9	13,519	85.3
40-44	16	86.1	111	86.3	832	83.4
45+	1	*	5	76.9	36	81.8

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: First Trimester Prenatal Care**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	1,333	83.1	5,584	83.9	35,367	77.9
White	892	87.4	3,703	87.7	16,873	87.6
Hispanic	302	73.0	1,223	75.2	12,274	67.3
Black	75	82.0	319	80.5	2,429	76.6
Asian/PI	51	82.9	274	82.9	3,540	81.1
Native American	12	75.0	55	81.5	181	73.6
Other	1	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	1	*	6	54.5	46	43.8
15-19	127	69.6	513	72.2	2,992	61.3
20-29	735	82.5	2,988	83.7	17,942	76.3
30-39	445	89.3	1,962	87.9	13,519	85.3
40-44	24	81.4	111	86.3	832	83.4
45+	1	*	5	76.9	36	81.8

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	657	89.8	5,584	83.9	35,367	77.9
White	530	90.9	3,703	87.7	16,873	87.6
Hispanic	83	84.2	1,223	75.2	12,274	67.3
Black	10	100.0	319	80.5	2,429	76.6
Asian/PI	28	87.5	274	82.9	3,540	81.1
Native American	4	*	55	81.5	181	73.6
Other	2	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	6	54.5	46	43.8
15-19	52	81.3	513	72.2	2,992	61.3
20-29	333	89.6	2,988	83.7	17,942	76.3
30-39	258	92.1	1,962	87.9	13,519	85.3
40-44	14	87.5	111	86.3	832	83.4
45+	0	-	5	76.9	36	81.8

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.  
 County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: First Trimester Prenatal Care**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	470	86.6	5,584	83.9	35,367	77.9
White	374	88.2	3,703	87.7	16,873	87.6
Hispanic	68	79.1	1,223	75.2	12,274	67.3
Black	6	91.7	319	80.5	2,429	76.6
Asian/PI	10	83.3	274	82.9	3,540	81.1
Native American	11	87.5	55	81.5	181	73.6
Other	1	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	6	54.5	46	43.8
15-19	44	78.6	513	72.2	2,992	61.3
20-29	244	86.9	2,988	83.7	17,942	76.3
30-39	174	88.5	1,962	87.9	13,519	85.3
40-44	8	88.2	111	86.3	832	83.4
45+	0	-	5	76.9	36	81.8

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	831	*	5,584	83.9	35,367	77.9
White	590	*	3,703	87.7	16,873	87.6
Hispanic	181	*	1,223	75.2	12,274	67.3
Black	28	*	319	80.5	2,429	76.6
Asian/PI	23	*	274	82.9	3,540	81.1
Native American	7	*	55	81.5	181	73.6
Other	4	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	1	*	6	54.5	46	43.8
15-19	85	*	513	72.2	2,992	61.3
20-29	493	*	2,988	83.7	17,942	76.3
30-39	240	*	1,962	87.9	13,519	85.3
40-44	12	*	111	86.3	832	83.4
45+	1	*	5	76.9	36	81.8

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: First Trimester Prenatal Care**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	165	87.7	5,584	83.9	35,367	77.9
White	132	93.3	3,703	87.7	16,873	87.6
Hispanic	26	68.0	1,223	75.2	12,274	67.3
Black	0	-	319	80.5	2,429	76.6
Asian/PI	3	*	274	82.9	3,540	81.1
Native American	4	*	55	81.5	181	73.6
Other	0	-	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	6	54.5	46	43.8
15-19	11	75.0	513	72.2	2,992	61.3
20-29	76	88.0	2,988	83.7	17,942	76.3
30-39	74	89.1	1,962	87.9	13,519	85.3
40-44	4	*	111	86.3	832	83.4
45+	0	-	5	76.9	36	81.8

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	23	82.1	5,584	83.9	35,367	77.9
White	19	87.0	3,703	87.7	16,873	87.6
Hispanic	3	*	1,223	75.2	12,274	67.3
Black	0	-	319	80.5	2,429	76.6
Asian/PI	0	-	274	82.9	3,540	81.1
Native American	0	-	55	81.5	181	73.6
Other	1	*	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	6	54.5	46	43.8
15-19	2	*	513	72.2	2,992	61.3
20-29	11	82.8	2,988	83.7	17,942	76.3
30-39	8	84.2	1,962	87.9	13,519	85.3
40-44	1	*	111	86.3	832	83.4
45+	1	*	5	76.9	36	81.8

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: First Trimester Prenatal Care**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	83	85.1	5,584	83.9	35,367	77.9
White	50	87.3	3,703	87.7	16,873	87.6
Hispanic	27	81.5	1,223	75.2	12,274	67.3
Black	0	-	319	80.5	2,429	76.6
Asian/PI	2	*	274	82.9	3,540	81.1
Native American	4	*	55	81.5	181	73.6
Other	0	-	12	82.1	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	6	54.5	46	43.8
15-19	8	94.1	513	72.2	2,992	61.3
20-29	42	79.2	2,988	83.7	17,942	76.3
30-39	30	92.2	1,962	87.9	13,519	85.3
40-44	3	*	111	86.3	832	83.4
45+	0	-	5	76.9	36	81.8

**Indicator: Infant Mortality**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	33	4.9	235	5.2
White	1	*	20	4.7	196	5.1
Hispanic	1	*	7	4.0	167	4.6
Black	1	*	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Infant Mortality**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	6	6.2	33	4.9	235	5.2
White	3	*	20	4.7	196	5.1
Hispanic	2	*	7	4.0	167	4.6
Black	1	*	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	1	*	1	*	2	*
Other	0	-	0	-	1	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	33	4.9	235	5.2
White	2	*	20	4.7	196	5.1
Hispanic	0	-	7	4.0	167	4.6
Black	2	*	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	33	4.9	235	5.2
White	2	*	20	4.7	196	5.1
Hispanic	0	-	7	4.0	167	4.6
Black	1	*	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Infant Mortality**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	8	5.3	33	4.9	235	5.2
White	5	4.4	20	4.7	196	5.1
Hispanic	2	*	7	4.0	167	4.6
Black	2	*	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	33	4.9	235	5.2
White	2	*	20	4.7	196	5.1
Hispanic	1	*	7	4.0	167	4.6
Black	0	-	5	11.4	68	10.7
Asian/PI	1	*	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	8.4	33	4.9	235	5.2
White	5	10.6	20	4.7	196	5.1
Hispanic	0	-	7	4.0	167	4.6
Black	0	-	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Infant Mortality**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	33	4.9	235	5.2
White	2	*	20	4.7	196	5.1
Hispanic	1	*	7	4.0	167	4.6
Black	0	-	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Alpine</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	33	4.9	235	5.2
White	1	*	20	4.7	196	5.1
Hispanic	1	*	7	4.0	167	4.6
Black	0	-	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	33	4.9	235	5.2
White			20	4.7	196	5.1
Hispanic			7	4.0	167	4.6
Black			5	11.4	68	10.7
Asian/PI			1	*	34	3.9
Native American			1	*	2	*
Other			0	-	1	*

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Infant Mortality**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	33	4.9	235	5.2
White	1	*	20	4.7	196	5.1
Hispanic	1	*	7	4.0	167	4.6
Black	0	-	5	11.4	68	10.7
Asian/PI	0	-	1	*	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

**Indicator: Low Birth Weight (<2500 gms)**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	9	3.3	383	5.7	2,584	5.7
White	6	4.1	229	5.4	2,053	5.3
Hispanic	3	*	88	5.4	1,792	4.9
Black	1	*	37	9.4	648	10.2
Asian/PI	1	*	24	7.1	622	7.1
Native American	0	-	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	1	*	46	6.5	334	6.8
20-29	6	5.5	189	5.3	1,211	5.2
30-39	2	*	134	6.0	936	5.9
40-44	1	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Low Birth Weight (<2500 gms)**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	58	6.5	383	5.7	2,584	5.7
White	21	5.7	229	5.4	2,053	5.3
Hispanic	20	5.7	88	5.4	1,792	4.9
Black	7	5.6	37	9.4	648	10.2
Asian/PI	9	9.1	24	7.1	622	7.1
Native American	1	*	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	7	5.3	46	6.5	334	6.8
20-29	30	6.0	189	5.3	1,211	5.2
30-39	18	5.9	134	6.0	936	5.9
40-44	4	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	31	6.8	383	5.7	2,584	5.7
White	12	6.8	229	5.4	2,053	5.3
Hispanic	8	5.4	88	5.4	1,792	4.9
Black	9	14.4	37	9.4	648	10.2
Asian/PI	3	*	24	7.1	622	7.1
Native American	0	-	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	6	9.6	46	6.5	334	6.8
20-29	14	6.3	189	5.3	1,211	5.2
30-39	10	7.7	134	6.0	936	5.9
40-44	1	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Low Birth Weight (<2500 gms)**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	44	5.3	383	5.7	2,584	5.7
White	26	4.2	229	5.4	2,053	5.3
Hispanic	8	4.8	88	5.4	1,792	4.9
Black	7	11.0	37	9.4	648	10.2
Asian/PI	3	*	24	7.1	622	7.1
Native American	1	*	5	7.4	29	5.9
Other	1	*	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	6	9.2	46	6.5	334	6.8
20-29	20	4.3	189	5.3	1,211	5.2
30-39	18	5.1	134	6.0	936	5.9
40-44	1	5.6	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	90	5.9	383	5.7	2,584	5.7
White	54	5.2	229	5.4	2,053	5.3
Hispanic	22	5.3	88	5.4	1,792	4.9
Black	10	10.4	37	9.4	648	10.2
Asian/PI	4	*	24	7.1	622	7.1
Native American	1	*	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	13	6.8	46	6.5	334	6.8
20-29	53	5.9	189	5.3	1,211	5.2
30-39	22	4.4	134	6.0	936	5.9
40-44	3	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Low Birth Weight (<2500 gms)**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	37	4.9	383	5.7	2,584	5.7
White	28	4.8	229	5.4	2,053	5.3
Hispanic	7	6.6	88	5.4	1,792	4.9
Black	1	*	37	9.4	648	10.2
Asian/PI	2	*	24	7.1	622	7.1
Native American	0	-	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	3	*	46	6.5	334	6.8
20-29	13	3.4	189	5.3	1,211	5.2
30-39	20	7.0	134	6.0	936	5.9
40-44	2	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	29	5.3	383	5.7	2,584	5.7
White	23	5.4	229	5.4	2,053	5.3
Hispanic	3	*	88	5.4	1,792	4.9
Black	1	*	37	9.4	648	10.2
Asian/PI	0	-	24	7.1	622	7.1
Native American	2	*	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	4	*	46	6.5	334	6.8
20-29	53	5.9	189	5.3	1,211	5.2
30-39	10	5.1	134	6.0	936	5.9
40-44	0	-	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Low Birth Weight (<2500 gms)**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	69	*	383	5.7	2,584	5.7
White	48	*	229	5.4	2,053	5.3
Hispanic	15	*	88	5.4	1,792	4.9
Black	3	*	37	9.4	648	10.2
Asian/PI	3	*	24	7.1	622	7.1
Native American	1	*	5	7.4	29	5.9
Other	1	*	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	7	*	46	6.5	334	6.8
20-29	33	*	189	5.3	1,211	5.2
30-39	26	*	134	6.0	936	5.9
40-44	3	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	14	7.4	383	5.7	2,584	5.7
White	10	7.0	229	5.4	2,053	5.3
Hispanic	3	*	88	5.4	1,792	4.9
Black	0	-	37	9.4	648	10.2
Asian/PI	1	*	24	7.1	622	7.1
Native American	0	-	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	0	-	46	6.5	334	6.8
20-29	6	6.9	189	5.3	1,211	5.2
30-39	10	5.8	134	6.0	936	5.9
40-44	1	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Low Birth Weight (<2500 gms)**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	2	*	383	5.7	2,584	5.7
White	1	*	229	5.4	2,053	5.3
Hispanic	1	*	88	5.4	1,792	4.9
Black	0	-	37	9.4	648	10.2
Asian/PI	0	-	24	7.1	622	7.1
Native American	0	-	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	0	-	46	6.5	334	6.8
20-29	1	*	189	5.3	1,211	5.2
30-39	1	*	134	6.0	936	5.9
40-44	0	-	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	5	4.4	383	5.7	2,584	5.7
White	2	*	229	5.4	2,053	5.3
Hispanic	2	*	88	5.4	1,792	4.9
Black	0	-	37	9.4	648	10.2
Asian/PI	0	-	24	7.1	622	7.1
Native American	1	*	5	7.4	29	5.9
Other	0	-	1	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	0	-	8	7.6
15-19	1	*	46	6.5	334	6.8
20-29	3	*	189	5.3	1,211	5.2
30-39	1	*	134	6.0	936	5.9
40-44	1	*	14	10.9	89	8.9
45+	0	-	0	-	7	15.9

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: All Cause Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	99	906.1	3,321	752.1	18,263	683.9
White	86	974.4	2,988	872.4	14,928	896.7
Hispanic	5	327.7	199	314.7	1,721	282.5
Black	4	*	70	439.4	838	512.0
Asian/PI	1	*	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	1	*	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	3	*	54	52.5	341	56.0
15-24	2	*	34	59.5	259	67.1
25-64	27	440.9	750	323.8	4,139	302.2
65+	67	6,287.8	2,484	4,882.7	13,493	4,420.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	360	455.8	3,321	752.1	18,263	683.9
White	275	500.4	2,988	872.4	14,928	896.7
Hispanic	42	314.0	199	314.7	1,721	282.5
Black	24	440.9	70	439.4	838	512.0
Asian/PI	17	357.4	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	10	48.9	54	52.5	341	56.0
15-24	10	89.5	34	59.5	259	67.1
25-64	96	231.3	750	323.8	4,139	302.2
65+	244	3,296.6	2,484	4,882.7	13,493	4,420.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: All Cause Deaths**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	209	719.8	3,321	752.1	18,263	683.9
White	177	1,048.2	2,988	872.4	14,928	896.7
Hispanic	15	225.2	199	314.7	1,721	282.5
Black	10	297.5	70	439.4	838	512.0
Asian/PI	7	365.1	49	267.8	700	334.7
Native American	0	-	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	4	*	54	52.5	341	56.0
15-24	4	*	34	59.5	259	67.1
25-64	46	318.1	750	323.8	4,139	302.2
65+	155	4,293.2	2,484	4,882.7	13,493	4,420.0

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	672	1,150.4	3,321	752.1	18,263	683.9
White	628	1,311.1	2,988	872.4	14,928	896.7
Hispanic	27	414.8	199	314.7	1,721	282.5
Black	9	451.9	70	439.4	838	512.0
Asian/PI	6	308.1	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	5	74.2	54	52.5	341	56.0
15-24	4	*	34	59.5	259	67.1
25-64	94	299.6	750	323.8	4,139	302.2
65+	569	5,372.7	2,484	4,882.7	13,493	4,420.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: All Cause Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	721	622.3	3,321	752.1	18,263	683.9
White	656	723.1	2,988	872.4	14,928	896.7
Hispanic	43	245.9	199	314.7	1,721	282.5
Black	12	326.6	70	439.4	838	512.0
Asian/PI	6	152.8	49	267.8	700	334.7
Native American	4	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	13	44.5	54	52.5	341	56.0
15-24	7	46.4	34	59.5	259	67.1
25-64	175	296.3	750	323.8	4,139	302.2
65+	526	4,165.4	2,484	4,882.7	13,493	4,420.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	350	667.4	3,321	752.1	18,263	683.9
White	317	725.8	2,988	872.4	14,928	896.7
Hispanic	22	361.8	199	314.7	1,721	282.5
Black	4	*	70	439.4	838	512.0
Asian/PI	5	258.3	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	4	*	54	52.5	341	56.0
15-24	4	*	34	59.5	259	67.1
25-64	92	323.6	750	323.8	4,139	302.2
65+	250	5,294.4	2,484	4,882.7	13,493	4,420.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: All Cause Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	267	509.4	3,321	752.1	18,263	683.9
White	254	565.5	2,988	872.4	14,928	896.7
Hispanic	8	149.3	199	314.7	1,721	282.5
Black	1	*	70	439.4	838	512.0
Asian/PI	2	*	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	6	49.0	54	52.5	341	56.0
15-24	1	*	34	59.5	259	67.1
25-64	74	264.7	750	323.8	4,139	302.2
65+	186	3,431.8	2,484	4,882.7	13,493	4,420.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	504	*-	3,321	752.1	18,263	683.9
White	464	*	2,988	872.4	14,928	896.7
Hispanic	26	*	199	314.7	1,721	282.5
Black	8	*	70	439.4	838	512.0
Asian/PI	5	*	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	6	*	54	52.5	341	56.0
15-24	2	*	34	59.5	259	67.1
25-64	105	*	750	323.8	4,139	302.2
65+	392	*	2,484	4,882.7	13,493	4,420.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: All Cause Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Alpine</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	77	606.5	3,321	752.1	18,263	683.9
White	68	625.7	2,988	872.4	14,928	896.7
Hispanic	4	*	199	314.7	1,721	282.5
Black	2	*	70	439.4	838	512.0
Asian/PI	1	*	49	267.8	700	334.7
Native American	2	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	54	52.5	341	56.0
15-24	1	*	34	59.5	259	67.1
25-64	22	319.5	750	323.8	4,139	302.2
65+	52	3,090.6	2,484	4,882.7	13,493	4,420.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	13	236.2	3,321	752.1	18,263	683.9
White	12	271.7	2,988	872.4	14,928	896.7
Hispanic	1	*	199	314.7	1,721	282.5
Black	0	-	70	439.4	838	512.0
Asian/PI	0	-	49	267.8	700	334.7
Native American	0	-	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	54	52.5	341	56.0
15-24	1	*	34	59.5	259	67.1
25-64	4	*	750	323.8	4,139	302.2
65+	8	1,344.1	2,484	4,882.7	13,493	4,420.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: All Cause Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	58	961.4	3,321	752.1	18,263	683.9
White	47	1,190.0	2,988	872.4	14,928	896.7
Hispanic	8	539.0	199	314.7	1,721	282.5
Black	1	*	70	439.4	838	512.0
Asian/PI	1	*	49	267.8	700	334.7
Native American	1	*	16	969.1	62	324.7
Other	0	-	1	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	54	52.5	341	56.0
15-24	2	*	34	59.5	259	67.1
25-64	20	668.9	750	323.8	4,139	302.2
65+	34	3,822.7	2,484	4,882.7	13,493	4,420.0

**Indicator: Breast Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	70	31.3	391	29.8
White	3	*	64	36.6	321	39.1
Hispanic	0	-	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	35	29.8	163	24.4
65+	2	*	36	119.3	228	129.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Breast Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	17.5	70	31.3	391	29.8
White	4	*	64	36.6	321	39.1
Hispanic	2	*	5	14.4	34	11.5
Black	1	*	1	*	20	26.2
Asian/PI	1	*	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	6	28.6	35	29.8	163	24.4
65+	1	*	36	119.3	228	129.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	33.4	70	31.3	391	29.8
White	5	58.0	64	36.6	321	39.1
Hispanic	0	-	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	3	*	35	29.8	163	24.4
65+	3	*	36	119.3	228	129.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Breast Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	14	45.8	70	31.3	391	29.8
White	13	51.6	64	36.6	321	39.1
Hispanic	1	*	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	5	31.4	35	29.8	163	24.4
65+	9	144.7	36	119.3	228	129.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	28.9	70	31.3	391	29.8
White	15	31.4	64	36.6	321	39.1
Hispanic	1	*	5	14.4	34	11.5
Black	1	*	1	*	20	26.2
Asian/PI	1	*	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	8	27.1	35	29.8	163	24.4
65+	9	121.2	36	119.3	228	129.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Breast Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	26.6	70	31.3	391	29.8
White	6	27.1	64	36.6	321	39.1
Hispanic	1	*	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	4	*	35	29.8	163	24.4
65+	3	*	36	119.3	228	129.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	19.0	70	31.3	391	29.8
White	5	19.9	64	36.6	321	39.1
Hispanic	0	-	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	2	*	35	29.8	163	24.4
65+	3	*	36	119.3	228	129.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Breast Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	12	*	70	31.3	391	29.8
White	11	*	64	36.6	321	39.1
Hispanic	1	*	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	5	*	35	29.8	163	24.4
65+	7	*	36	119.3	228	129.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	70	31.3	391	29.8
White	2	*	64	36.6	321	39.1
Hispanic	0	-	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American			0	-	1	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	35	29.8	163	24.4
65+	1	*	36	119.3	228	129.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Breast Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	70	31.3	391	29.8
White			64	36.6	321	39.1
Hispanic			5	14.4	34	11.5
Black			1	*	20	26.2
Asian/PI			1	*	15	13.8
Native American			0	-	1	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			35	29.8	163	24.4
65+			36	119.3	228	129.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	70	31.3	391	29.8
White	1	*	64	36.6	321	39.1
Hispanic	1	*	5	14.4	34	11.5
Black	0	-	1	*	20	26.2
Asian/PI	0	-	1	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	35	29.8	163	24.4
65+	1	*	36	119.3	228	129.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cancer Deaths**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	28	257.6	792	179.2	4,340	162.6
White	26	285.6	718	209.7	3,626	217.9
Hispanic	1	*	46	72.1	336	55.2
Black	1	*	13	78.5	178	108.7
Asian/PI	0	-	12	66.3	188	89.8
Native American	1	*	3	*	10	52.4
Other	1	*	1	*	2	*
<b>Age Groups</b>						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	8	133.1	240	103.4	1,169	85.4
65+	20	1,816.5	545	1,071.5	3,135	1,027.0

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	85	107.6	792	179.2	4,340	162.6
White	68	126.0	718	209.7	3,626	217.9
Hispanic	8	56.1	46	72.1	336	55.2
Black	5	84.4	13	78.5	178	108.7
Asian/PI	4	*	12	66.3	188	89.8
Native American	0	-	3	*	10	52.4
Other	0	-	1	*	2	*
<b>Age Groups</b>						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	35	83.1	240	103.4	1,169	85.4
65+	49	672.8	545	1,071.5	3,135	1,027.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.  
County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	48	165.3	792	179.2	4,340	162.6
White	36	222.1	718	209.7	3,626	217.9
Hispanic	7	97.6	46	72.1	336	55.2
Black	3	*	13	78.5	178	108.7
Asian/PI	2	*	12	66.3	188	89.8
Native American	0	-	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	15	100.3	240	103.4	1,169	85.4
65+	33	924.9	545	1,071.5	3,135	1,027.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	161	275.0	792	179.2	4,340	162.6
White	152	317.1	718	209.7	3,626	217.9
Hispanic	6	93.9	46	72.1	336	55.2
Black	0	-	13	78.5	178	108.7
Asian/PI	2	*	12	66.3	188	89.8
Native American	1	*	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	5	4.4	17	2.8
15-24	1	*	3	*	19	4.9
25-64	31	98.8	240	103.4	1,169	85.4
65+	129	1,218.1	545	1,071.5	3,135	1,027.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	168	145.0	792	179.2	4,340	162.6
White	151	167.3	718	209.7	3,626	217.9
Hispanic	10	57.2	46	72.1	336	55.2
Black	3	*	13	78.5	178	108.7
Asian/PI	3	*	12	66.3	188	89.8
Native American	1	*	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	5	4.4	17	2.8
15-24	1	*	3	*	19	4.9
25-64	55	92.6	240	103.4	1,169	85.4
65+	111	882.1	545	1,071.5	3,135	1,027.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	93	176.6	792	179.2	4,340	162.6
White	86	196.3	718	209.7	3,626	217.9
Hispanic	5	82.2	46	72.1	336	55.2
Black	0	-	13	78.5	178	108.7
Asian/PI	1	*	12	66.3	188	89.8
Native American	1	*	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	5	4.4	17	2.8
15-24	1	*	3	*	19	4.9
25-64	29	100.3	240	103.4	1,169	85.4
65+	62	1,334.2	545	1,071.5	3,135	1,027.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	60	113.5	792	179.2	4,340	162.6
White	57	126.4	718	209.7	3,626	217.9
Hispanic	2	*	46	72.1	336	55.2
Black	0	-	13	78.5	178	108.7
Asian/PI	1	*	12	66.3	188	89.8
Native American	0	-	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	22	77.4	240	103.4	1,169	85.4
65+	37	688.2	545	1,071.5	3,135	1,027.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	110	*	792	179.2	4,340	162.6
White	103	*	718	209.7	3,626	217.9
Hispanic	5	*	46	72.1	336	55.2
Black	2	*	13	78.5	178	108.7
Asian/PI	1	*	12	66.3	188	89.8
Native American	0	-	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	32	*	240	103.4	1,169	85.4
65+	77	*	545	1,071.5	3,135	1,027.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	158.6	792	179.2	4,340	162.6
White	19	167.8	718	209.7	3,626	217.9
Hispanic	1	*	46	72.1	336	55.2
Black	0	-	13	78.5	178	108.7
Asian/PI	0	-	12	66.3	188	89.8
Native American	1	*	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	5	4.4	17	2.8
15-24	1	*	3	*	19	4.9
25-64	7	104.0	240	103.4	1,169	85.4
65+	13	742.9	545	1,071.5	3,135	1,027.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	792	179.2	4,340	162.6
White	4	*	718	209.7	3,626	217.9
Hispanic	0	-	46	72.1	336	55.2
Black	0	-	13	78.5	178	108.7
Asian/PI	0	-	12	66.3	188	89.8
Native American	0	-	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	2	*	240	103.4	1,169	85.4
65+	2	*	545	1,071.5	3,135	1,027.0

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	19	315.0	792	179.2	4,340	162.6
White	16	388.6	718	209.7	3,626	217.9
Hispanic	3	*	46	72.1	336	55.2
Black	0	-	13	78.5	178	108.7
Asian/PI	0	-	12	66.3	188	89.8
Native American	1	*	3	*	10	52.4
Other	0	-	1	*	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	5	4.4	17	2.8
15-24	0	-	3	*	19	4.9
25-64	8	267.6	240	103.4	1,169	85.4
65+	11	1,218.8	545	1,071.5	3,135	1,027.0

**Indicator: Cervical Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	6	2.5	32	2.4
White			5	2.9	17	2.1
Hispanic			0	-	7	2.4
Black			0	-	3	*
Asian/PI			0	-	4	*
Native American			1	*	1	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			4	*	21	3.1
65+			2	*	11	6.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cervical Cancer Deaths**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	6	2.5	32	2.4
White	1	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	0	-	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	0	-	2	*	11	6.2

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	6	2.5	32	2.4
White			5	2.9	17	2.1
Hispanic			0	-	7	2.4
Black			0	-	3	*
Asian/PI			0	-	4	*
Native American			1	*	1	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			4	*	21	3.1
65+			2	*	11	6.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cervical Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	6	2.5	32	2.4
White	2	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	0	-	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	1	*	2	*	11	6.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	6	2.5	32	2.4
White	1	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	0	-	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	0	-	2	*	11	6.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cervical Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	6	2.5	32	2.4
White	1	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	1	*	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	1	*	2	*	11	6.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	6	2.5	32	2.4
White	1	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	0	-	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	0	-	2	*	11	6.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Cervical Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	6	2.5	32	2.4
White	1	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	0	-	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	0	-	2	*	11	6.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	6	2.5	32	2.4
White	1	*	5	2.9	17	2.1
Hispanic	0	-	0	-	7	2.4
Black	0	-	0	-	3	*
Asian/PI	0	-	0	-	4	*
Native American	0	-	1	*	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	4	*	21	3.1
65+	0	-	2	*	11	6.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Cervical Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	6	2.5	32	2.4
White			5	2.9	17	2.1
Hispanic			0	-	7	2.4
Black			0	-	3	*
Asian/PI			0	-	4	*
Native American			1	*	1	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			4	*	21	3.1
65+			2	*	11	6.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Mountain Empire</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	6	2.5	32	2.4
White			5	2.9	17	2.1
Hispanic			0	-	7	2.4
Black			0	-	3	*
Asian/PI			0	-	4	*
Native American			1	*	1	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			4	*	21	3.1
65+			2	*	11	6.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Chronic Lung Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	8	69.0	234	53.0	985	37.0
White	7	78.4	221	64.4	891	56.6
Hispanic	0	-	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	1	*	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	1	*	25	10.8	110	8.0
65+	7	605.5	209	410.9	874	286.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	22	27.9	234	53.0	985	37.0
White	20	36.3	221	64.4	891	56.6
Hispanic	0	-	6	9.5	33	5.4
Black	1	*	3	*	27	16.5
Asian/PI	1	*	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	3	*	25	10.8	110	8.0
65+	20	262.4	209	410.9	874	286.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Chronic Lung Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	58.5	234	53.0	985	37.0
White	16	94.8	221	64.4	891	56.6
Hispanic	1	*	6	9.5	33	5.4
Black	1	*	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	1	*	25	10.8	110	8.0
65+	16	441.7	209	410.9	874	286.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	46	77.9	234	53.0	985	37.0
White	45	92.8	221	64.4	891	56.6
Hispanic	0	-	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	1	*	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	3	*	25	10.8	110	8.0
65+	43	406.0	209	410.9	874	286.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Chronic Lung Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	49	42.3	234	53.0	985	37.0
White	44	50.1	221	64.4	891	56.6
Hispanic	3	*	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	1	*	3	*	29	13.8
Native American	1	*	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	9	15.3	25	10.8	110	8.0
65+	40	316.5	209	410.9	874	286.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	21	39.1	234	53.0	985	37.0
White	20	45.6	221	64.4	891	56.6
Hispanic	1	*	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	3	*	25	10.8	110	8.0
65+	18	381.2	209	410.9	874	286.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Chronic Lung Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	38.2	234	53.0	985	37.0
White	20	44.4	221	64.4	891	56.6
Hispanic	0	-	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	4	*	25	10.8	110	8.0
65+	17	302.8	209	410.9	874	286.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	43	*	234	53.0	985	37.0
White	38	*	221	64.4	891	56.6
Hispanic	2	*	6	9.5	33	5.4
Black	2	*	3	*	27	16.5
Asian/PI	1	*	3	*	29	13.8
Native American	1	*	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	2	*	25	10.8	110	8.0
65+	41	*	209	410.9	874	286.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Chronic Lung Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	8	63.4	234	53.0	985	37.0
White	8	68.0	221	64.4	891	56.6
Hispanic	1	*	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	0	-	25	10.8	110	8.0
65+	8	475.5	209	410.9	874	286.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	234	53.0	985	37.0
White	1	*	221	64.4	891	56.6
Hispanic	0	-	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	1	*	25	10.8	110	8.0
65+	0	-	209	410.9	874	286.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Chronic Lung Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	234	53.0	985	37.0
White	2	*	221	64.4	891	56.6
Hispanic	0	-	6	9.5	33	5.4
Black	0	-	3	*	27	16.5
Asian/PI	0	-	3	*	29	13.8
Native American	0	-	2	*	4	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	*
15-24	0	-	0	-	0	-
25-64	1	*	25	10.8	110	8.0
65+	2	*	209	410.9	874	286.3

**Indicator: Colorectal Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	71	16.1	411	15.4
White	2	*	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	1	*	19	8.0	97	7.1
65+	1	*	53	103.2	312	102.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Colorectal Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	8.9	71	16.1	411	15.4
White	6	10.0	66	19.1	349	21.0
Hispanic	2	*	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	3	*	19	8.0	97	7.1
65+	4	*	53	103.2	312	102.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	17.2	71	16.1	411	15.4
White	4	*	66	19.1	349	21.0
Hispanic	1	*	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	1	*	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	2	*	19	8.0	97	7.1
65+	3	*	53	103.2	312	102.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Colorectal Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	18	30.0	71	16.1	411	15.4
White	17	34.4	66	19.1	349	21.0
Hispanic	1	*	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	1	*	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	2	*	19	8.0	97	7.1
65+	16	146.4	53	103.2	312	102.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	14.7	71	16.1	411	15.4
White	16	17.6	66	19.1	349	21.0
Hispanic	1	*	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	4	*	19	8.0	97	7.1
65+	14	106.8	53	103.2	312	102.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Colorectal Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	12.4	71	16.1	411	15.4
White	6	13.7	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	1	*	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	2	*	19	8.0	97	7.1
65+	5	95.3	53	103.2	312	102.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	9.5	71	16.1	411	15.4
White	5	11.1	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	2	*	19	8.0	97	7.1
65+	3	*	53	103.2	312	102.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Colorectal Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	11	*	71	16.1	411	15.4
White	11	*	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	3	*	19	8.0	97	7.1
65+	8	*	53	103.2	312	102.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	71	16.1	411	15.4
White	1	*	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	0	-	19	8.0	97	7.1
65+	1	*	53	103.2	312	102.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Colorectal Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	71	16.1	411	15.4
White	1	*	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	0	-	19	8.0	97	7.1
65+	1	*	53	103.2	312	102.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	71	16.1	411	15.4
White	1	*	66	19.1	349	21.0
Hispanic	0	-	4	*	29	4.8
Black	0	-	0	-	17	10.4
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	1	*	19	8.0	97	7.1
65+	0	-	53	103.2	312	102.2

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Coronary Heart Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	21	188.6	877	198.6	4,603	172.4
White	18	207.2	813	237.4	3,911	234.9
Hispanic	1	*	35	54.7	347	57.0
Black	1	*	15	91.0	178	108.7
Asian/PI	1	*	11	60.7	152	72.6
Native American	0	0	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	4	*	115	49.6	578	42.2
65+	17	1,537.0	762	1,498.1	4,019	1,316.5

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	94	119.0	877	198.6	4,603	172.4
White	76	138.7	813	237.4	3,911	234.9
Hispanic	11	78.5	35	54.7	347	57.0
Black	3	*	15	91.0	178	108.7
Asian/PI	3	*	11	60.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	14	33.7	115	49.6	578	42.2
65+	80	1,076.4	762	1,498.1	4,019	1,316.5

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Coronary Heart Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	48	163.6	877	198.6	4,603	172.4
White	42	248.7	813	237.4	3,911	234.9
Hispanic	2	*	35	54.7	347	57.0
Black	2	*	15	91.0	178	108.7
Asian/PI	2	*	11	60.7	152	72.6
Native American	0	-	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	6	38.0	115	49.6	578	42.2
65+	42	1,159.6	762	1,498.1	4,019	1,316.5

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	177	302.4	877	198.6	4,603	172.4
White	166	348.4	813	237.4	3,911	234.9
Hispanic	6	86.1	35	54.7	347	57.0
Black	2	*	15	91.0	178	108.7
Asian/PI	2	*	11	60.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	13	39.8	115	49.6	578	42.2
65+	164	1,548.6	762	1,498.1	4,019	1,316.5

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Coronary Heart Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	191	164.8	877	198.6	4,603	172.4
White	180	99.3	813	237.4	3,911	234.9
Hispanic	6	34.3	35	54.7	347	57.0
Black	3	*	15	91.0	178	108.7
Asian/PI	1	*	11	60.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	26	43.3	115	49.6	578	42.2
65+	165	1,309.3	762	1,498.1	4,019	1,316.5

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	90	170.9	877	198.6	4,603	172.4
White	82	188.3	813	237.4	3,911	234.9
Hispanic	4	*	35	54.7	347	57.0
Black	2	*	15	91.0	178	108.7
Asian/PI	1	*	11	60.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	13	45.7	115	49.6	578	42.2
65+	77	1,620.1	762	1,498.1	4,019	1,316.5

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.  
 County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Coronary Heart Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	79	150.7	877	198.6	4,603	172.4
White	78	174.1	813	237.4	3,911	234.9
Hispanic	1	*	35	54.7	347	57.0
Black	0	-	15	91.0	178	108.7
Asian/PI	0	-	11	60.7	152	72.6
Native American	0	-	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	17	61.2	115	49.6	578	42.2
65+	62	1,137.8	762	1,498.1	4,019	1,316.5

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	147	*	877	198.6	4,603	172.4
White	138	*	813	237.4	3,911	234.9
Hispanic	5	*	35	54.7	347	57.0
Black	2	*	15	91.0	178	108.7
Asian/PI	2	*	11	60.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	17	*	115	49.6	578	42.2
65+	130	*	762	1,498.1	4,019	1,316.5

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Coronary Heart Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	134.8	877	198.6	4,603	172.4
White	15	145.1	813	237.4	3,911	234.9
Hispanic	1	*	35	54.7	347	57.0
Black	1	*	15	91.0	178	108.7
Asian/PI	0	-	11	60.7	152	72.6
Native American	0	-	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	4	*	115	49.6	578	42.2
65+	13	772.7	762	1,498.1	4,019	1,316.5

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	877	198.6	4,603	172.4
White	4	*	813	237.4	3,911	234.9
Hispanic	0	-	35	54.7	347	57.0
Black	0	-	15	91.0	178	108.7
Asian/PI	0	-	11	60.7	152	72.6
Native American	0	-	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	1	*	115	49.6	578	42.2
65+	3	*	762	1,498.1	4,019	1,316.5

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Coronary Heart Disease Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	12	198.9	877	198.6	4,603	172.4
White	10	255.0	813	237.4	3,911	234.9
Hispanic	1	*	35	54.7	347	57.0
Black	1	*	15	91.0	178	108.7
Asian/PI	0	-	11	60.7	152	72.6
Native American	0	-	4	*	14	73.3
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	2	*	115	49.6	578	42.2
65+	10	1,108.0	762	1,498.1	4,019	1,316.5

**Indicator: Drug Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	39	8.8	249	9.3
White	1	*	34	9.8	174	10.5
Hispanic	0	-	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	1	*	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Drug Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	39	8.8	249	9.3
White	3	*	34	9.8	174	10.5
Hispanic	0	-	5	7.1	46	7.6
Black	1	*	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	4	*	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	39	8.8	249	9.3
White	2	*	34	9.8	174	10.5
Hispanic	1	*	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	1	*	3	*	14	3.6
25-64	2	*	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Drug Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	39	8.8	249	9.3
White	4	*	34	9.8	174	10.5
Hispanic	1	*	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	4	*	35	15.1	220	16.1
65+	1	*	2	*	14	4.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	12	10.4	39	8.8	249	9.3
White	10	10.5	34	9.8	174	10.5
Hispanic	2	*	5	7.1	46	7.6
Black	1	*	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	12	20.4	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Drug Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	39	8.8	249	9.3
White	4	*	34	9.8	174	10.5
Hispanic	1	*	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	2	*	3	*	14	3.6
25-64	3	*	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	39	8.8	249	9.3
White	4	*	34	9.8	174	10.5
Hispanic	1	*	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	4	*	35	15.1	220	16.1
65+	1	*	2	*	14	4.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Drug Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	*-	39	8.8	249	9.3
White	6	*	34	9.8	174	10.5
Hispanic	1	*	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	6	*	35	15.1	220	16.1
65+	1	*	2	*	14	4.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	39	8.8	249	9.3
White	1	*	34	9.8	174	10.5
Hispanic	0	-	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	0	-	3	*	14	3.6
25-64	1	*	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Drug Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	39	8.8	249	9.3
White			34	9.8	174	10.5
Hispanic			5	7.1	46	7.6
Black			1	*	23	14.1
Asian/PI			0	-	2	1.0
Native American			0	-	4	20.9
Other			0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	1	0.2
15-24			3	*	14	3.6
25-64			35	15.1	220	16.1
65+			2	*	14	4.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Mountain Empire</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	39	8.8	249	9.3
White	2	*	34	9.8	174	10.5
Hispanic	0	-	5	7.1	46	7.6
Black	0	-	1	*	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	0	-	0	-	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	1	*	3	*	14	3.6
25-64	1	*	35	15.1	220	16.1
65+	0	-	2	*	14	4.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Fall Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	12	2.7	69	2.6
White			11	3.2	56	3.4
Hispanic			0	-	8	1.3
Black			1	*	1	*
Asian/PI			1	*	4	*
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	3	*
25-64			1	*	12	0.9
65+			12	22.6	54	17.7

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	12	2.7	69	2.6
White	2	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	1	*	1	*	1	*
Asian/PI	1	*	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	3	*	12	22.6	54	17.7

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Fall Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	12	2.7	69	2.6
White	1	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	1	*	12	22.6	54	17.7

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	12	2.7	69	2.6
White	4	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	4	*	12	22.6	54	17.7

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Fall Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	12	2.7	69	2.6
White	2	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	2	*	12	22.6	54	17.7

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	12	2.7	69	2.6
White	1	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	1	*	12	22.6	54	17.7

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Fall Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	12	2.7	69	2.6
White	1	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	1	*	1	*	12	0.9
65+	0	-	12	22.6	54	17.7

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	12	2.7	69	2.6
White	1	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	1	*	12	22.6	54	17.7

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Fall Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	12	2.7	69	2.6
White	1	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	1	*	12	22.6	54	17.7

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	12	2.7	69	2.6
White			11	3.2	56	3.4
Hispanic			0	-	8	1.3
Black			1	*	1	*
Asian/PI			1	*	4	*
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	3	*
25-64			1	*	12	0.9
65+			12	22.6	54	17.7

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Fall Related Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	12	2.7	69	2.6
White	1	*	11	3.2	56	3.4
Hispanic	0	-	0	-	8	1.3
Black	0	-	1	*	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	3	*
25-64	0	-	1	*	12	0.9
65+	1	*	12	22.6	54	17.7

**Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	23	5.2	181	6.8
White	1	*	14	3.9	70	4.2
Hispanic	1	*	5	7.1	63	10.3
Black	0	-	3	*	34	20.8
Asian/PI	0	-	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	0	-	6	9.6	46	11.9
25-64	1	*	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST  
Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	8.9	23	5.2	181	6.8
White	3	*	14	3.9	70	4.2
Hispanic	2	*	5	7.1	63	10.3
Black	2	*	3	*	34	20.8
Asian/PI	1	*	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	1	*	14	2.3
15-24	2	*	6	9.6	46	11.9
25-64	4	*	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	23	5.2	181	6.8
White	2	*	14	3.9	70	4.2
Hispanic	1	*	5	7.1	63	10.3
Black	0	-	3	*	34	20.8
Asian/PI	1	*	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	1	*	6	9.6	46	11.9
25-64	3	*	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST  
Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	23	5.2	181	6.8
White	1	*	14	3.9	70	4.2
Hispanic	0	-	5	7.1	63	10.3
Black	1	*	3	*	34	20.8
Asian/PI	0	-	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	0	-	6	9.6	46	11.9
25-64	2	*	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	4.3	23	5.2	181	6.8
White	3	*	14	3.9	70	4.2
Hispanic	1	*	5	7.1	63	10.3
Black	1	*	3	*	34	20.8
Asian/PI	0	-	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	2	*	6	9.6	46	11.9
25-64	3	*	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST  
Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	23	5.2	181	6.8
White	3	*	14	3.9	70	4.2
Hispanic	0	-	5	7.1	63	10.3
Black	0	-	3	*	34	20.8
Asian/PI	0	-	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	0	-	6	9.6	46	11.9
25-64	2	*	16	6.7	109	8.0
65+	1	*	1	*	10	3.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	23	5.2	181	6.8
White	1	*	14	3.9	70	4.2
Hispanic	0	-	5	7.1	63	10.3
Black	0	-	3	*	34	20.8
Asian/PI	1	*	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	0	-	6	9.6	46	11.9
25-64	1	*	16	6.7	109	8.0
65+	1	*	1	*	10	3.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	23	5.2	181	6.8
White	1	*	14	3.9	70	4.2
Hispanic	0	-	5	7.1	63	10.3
Black	0	-	3	*	34	20.8
Asian/PI	0	-	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	0	-	6	9.6	46	11.9
25-64	1	*	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	23	5.2	181	6.8
White			14	3.9	70	4.2
Hispanic			5	7.1	63	10.3
Black			3	*	34	20.8
Asian/PI			2	*	14	6.7
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			1	*	14	2.3
15-24			6	9.6	46	11.9
25-64			16	6.7	109	8.0
65+			1	*	10	3.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	23	5.2	181	6.8
White			14	3.9	70	4.2
Hispanic			5	7.1	63	10.3
Black			3	*	34	20.8
Asian/PI			2	*	14	6.7
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			1	*	14	2.3
15-24			6	9.6	46	11.9
25-64			16	6.7	109	8.0
65+			1	*	10	3.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Mountain Empire</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	23	5.2	181	6.8
White	1	*	14	3.9	70	4.2
Hispanic	0	-	5	7.1	63	10.3
Black	0	-	3	*	34	20.8
Asian/PI	0	-	2	*	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	14	2.3
15-24	1	*	6	9.6	46	11.9
25-64	0	-	16	6.7	109	8.0
65+	0	-	1	*	10	3.3

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Lung Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	9	82.8	225	51.0	1,121	42.1
White	8	89.6	209	61.0	966	58.1
Hispanic	0	-	7	10.3	60	9.8
Black	1	*	5	31.4	47	28.7
Asian/PI	0	-	4	*	45	21.5
Native American	1	*	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	3	*	63	27.0	266	19.4
65+	6	558.9	163	319.5	855	280.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	22	27.2	225	51.0	1,121	42.1
White	19	33.5	209	61.0	966	58.1
Hispanic	1	*	7	10.3	60	9.8
Black	2	*	5	31.4	47	28.7
Asian/PI	1	*	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	8	19.3	63	27.0	266	19.4
65+	14	181.7	163	319.5	855	280.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Lung Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	18	60.3	225	51.0	1,121	42.1
White	14	79.9	209	61.0	966	58.1
Hispanic	2	*	7	10.3	60	9.8
Black	2	*	5	31.4	47	28.7
Asian/PI	1	*	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	5	34.6	63	27.0	266	19.4
65+	13	345.1	163	319.5	855	280.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	40	67.7	225	51.0	1,121	42.1
White	40	82.4	209	61.0	966	58.1
Hispanic	0	-	7	10.3	60	9.8
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	6	19.1	63	27.0	266	19.4
65+	34	316.3	163	319.5	855	280.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Lung Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	43	37.1	225	51.0	1,121	42.1
White	40	43.5	209	61.0	966	58.1
Hispanic	2	*	7	10.3	60	9.8
Black	1	*	5	31.4	47	28.7
Asian/PI	0	-	4	*	45	21.5
Native American	1	*	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	11	18.7	63	27.0	266	19.4
65+	32	253.2	163	319.5	855	280.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	29	54.4	225	51.0	1,121	42.1
White	27	61.6	209	61.0	966	58.1
Hispanic	1	*	7	10.3	60	9.8
Black	0	-	5	31.4	47	28.7
Asian/PI	1	*	4	*	45	21.5
Native American	1	*	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	11	38.7	63	27.0	266	19.4
65+	18	370.6	163	319.5	855	280.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Lung Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	22	41.0	225	51.0	1,121	42.1
White	21	46.6	209	61.0	966	58.1
Hispanic	0	-	7	10.3	60	9.8
Black	0	-	5	31.4	47	28.7
Asian/PI	1	*	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	7	23.4	63	27.0	266	19.4
65+	15	275.3	163	319.5	855	280.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	31	*	225	51.0	1,121	42.1
White	29	*	209	61.0	966	58.1
Hispanic	1	*	7	10.3	60	9.8
Black	1	*	5	31.4	47	28.7
Asian/PI	1	*	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	6	*	63	27.0	266	19.4
65+	25	*	163	319.5	855	280.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Lung Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	55.5	225	51.0	1,121	42.1
White	7	63.5	209	61.0	966	58.1
Hispanic	0	-	7	10.3	60	9.8
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	3	*	63	27.0	266	19.4
65+	5	267.5	163	319.5	855	280.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	225	51.0	1,121	42.1
White	2	*	209	61.0	966	58.1
Hispanic	0	-	7	10.3	60	9.8
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	63	27.0	266	19.4
65+	1	*	163	319.5	855	280.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Lung Cancer Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	107.7	225	51.0	1,121	42.1
White	6	133.6	209	61.0	966	58.1
Hispanic	1	*	7	10.3	60	9.8
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	45	21.5
Native American	0	-	1	*	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	3	*	63	27.0	266	19.4
65+	4	*	163	319.5	855	280.1

**Indicator: Motor Vehicle Crash Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	42	9.5	280	10.6
White	2	*	31	9.1	168	10.2
Hispanic	0	-	6	9.5	68	11.2
Black	1	*	2	*	19	11.6
Asian/PI	0	-	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	0	-	9	17.7	50	16.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Motor Vehicle Crash Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	6	7.6	42	9.5	280	10.6
White	4	*	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	1	*	2	*	19	11.6
Asian/PI	1	*	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	3	*	9	17.7	50	16.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	42	9.5	280	10.6
White	2	*	31	9.1	168	10.2
Hispanic	0	-	6	9.5	68	11.2
Black	1	*	2	*	19	11.6
Asian/PI	0	-	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	0	-	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	1	*	9	17.7	50	16.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Motor Vehicle Crash Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	7.7	42	9.5	280	10.6
White	3	*	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	1	*	2	*	19	11.6
Asian/PI	0	-	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	3	*	25	10.8	141	10.3
65+	1	*	9	17.7	50	16.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	10	8.6	42	9.5	280	10.6
White	8	8.8	31	9.1	168	10.2
Hispanic	2	8.6	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	1	*	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	5	8.5	25	10.8	141	10.3
65+	3	*	9	17.7	50	16.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Motor Vehicle Crash Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	42	9.5	280	10.6
White	3	*	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	0	-	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	0	-	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	1	*	9	17.7	50	16.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	42	9.5	280	10.6
White	2	*	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	1	*	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	0	-	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	1	*	9	17.7	50	16.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Motor Vehicle Crash Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	6	*	42	9.5	280	10.6
White	5	*	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	1	*	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	4	*	25	10.8	141	10.3
65+	1	*	9	17.7	50	16.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	42	9.5	280	10.6
White	3	*	31	9.1	168	10.2
Hispanic	0	-	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	0	-	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	0	-	9	17.7	50	16.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Motor Vehicle Crash Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	42	9.5	280	10.6
White	0	-	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	0	-	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	3	*	18	3.0
15-24	0	-	5	8.8	67	17.4
25-64	0	-	25	10.8	141	10.3
65+	0	-	9	17.7	50	16.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	42	9.5	280	10.6
White	2	*	31	9.1	168	10.2
Hispanic	1	*	6	9.5	68	11.2
Black	0	-	2	*	19	11.6
Asian/PI	1	*	3	*	21	10.0
Native American	0	-	0	-	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	3	*	18	3.0
15-24	1	*	5	8.8	67	17.4
25-64	2	*	25	10.8	141	10.3
65+	0	-	9	17.7	50	16.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Oral Cancer**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	11	2.5	67	2.5
White			11	3.1	54	3.2
Hispanic			0	-	5	0.8
Black			1	*	2	*
Asian/PI			0	-	6	2.9
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24			0	-	0	-
25-64			6	2.6	25	1.8
65+			5	9.8	41	13.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	11	2.5	67	2.5
White	1	*	11	3.1	54	3.2
Hispanic	0	-	0	-	5	0.8
Black	0	-	1	*	2	*
Asian/PI	0	-	0	-	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	6	2.6	25	1.8
65+	0	-	5	9.8	41	13.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Oral Cancer**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	11	2.5	67	2.5
White			11	3.1	54	3.2
Hispanic			0	-	5	0.8
Black			1	*	2	*
Asian/PI			0	-	6	2.9
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24			0	-	0	-
25-64			6	2.6	25	1.8
65+			5	9.8	41	13.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	11	2.5	67	2.5
White	3	*	11	3.1	54	3.2
Hispanic	0	-	0	-	5	0.8
Black	0	-	1	*	2	*
Asian/PI	0	-	0	-	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	6	2.6	25	1.8
65+	2	*	5	9.8	41	13.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Oral Cancer**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	11	2.5	67	2.5
White	1	*	11	3.1	54	3.2
Hispanic	0	-	0	-	5	0.8
Black	1	*	1	*	2	*
Asian/PI	0	-	0	-	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	2	*	6	2.6	25	1.8
65+	0	-	5	9.8	41	13.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	11	2.5	67	2.5
White	2	*	11	3.1	54	3.2
Hispanic	0	-	0	-	5	0.8
Black	0	-	1	*	2	*
Asian/PI	0	-	0	-	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	0	-	6	2.6	25	1.8
65+	2	*	5	9.8	41	13.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Oral Cancer**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	11	2.5	67	2.5
White			11	3.1	54	3.2
Hispanic			0	-	5	0.8
Black			1	*	2	*
Asian/PI			0	-	6	2.9
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			6	2.6	25	1.8
65+			5	9.8	41	13.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	3	*	11	2.5	67	2.5
White	3	*	11	3.1	54	3.2
Hispanic	0	-	0	-	5	0.8
Black	0	-	1	*	2	*
Asian/PI	0	-	0	-	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	2	*	6	2.6	25	1.8
65+	1	*	5	9.8	41	13.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Oral Cancer**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Alpine</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	11	2.5	67	2.5
White			11	3.1	54	3.2
Hispanic			0	-	5	0.8
Black			1	*	2	*
Asian/PI			0	-	6	2.9
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			6	2.6	25	1.8
65+			5	9.8	41	13.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: <b>Laguna-Pine Valley</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	11	2.5	67	2.5
White			11	3.1	54	3.2
Hispanic			0	-	5	0.8
Black			1	*	2	*
Asian/PI			0	-	6	2.9
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			0	-	0	-
15-24			0	-	0	-
25-64			6	2.6	25	1.8
65+			5	9.8	41	13.4

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Oral Cancer**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	11	2.5	67	2.5
White			11	3.1	54	3.2
Hispanic			0	-	5	0.8
Black			1	*	2	*
Asian/PI			0	-	6	2.9
Native American			0	-	0	-
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24			0	-	0	-
25-64			6	2.6	25	1.8
65+			5	9.8	41	13.4

**Indicator: Pneumonia and Influenza Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	46.0	177	40.1	861	32.3
White	4	*	163	47.6	752	45.2
Hispanic	1	*	11	16.6	62	10.2
Black	1	*	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	1	*	13	5.6	60	4.4
65+	4	*	163	319.5	791	259.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Pneumonia and Influenza Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	21.5	177	40.1	861	32.3
White	13	23.6	163	47.6	752	45.2
Hispanic	3	22.4	11	16.6	62	10.2
Black	1	*	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	1	*	13	5.6	60	4.4
65+	16	215.3	163	319.5	791	259.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	12	41.3	177	40.1	861	32.3
White	11	65.1	163	47.6	752	45.2
Hispanic	1	*	11	16.6	62	10.2
Black	1	*	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	0	-	13	5.6	60	4.4
65+	12	331.3	163	319.5	791	259.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Pneumonia and Influenza Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	43	73.7	177	40.1	861	32.3
White	41	85.5	163	47.6	752	45.2
Hispanic	2	*	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	1	*	13	5.6	60	4.4
65+	42	391.9	163	319.5	791	259.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	40	34.5	177	40.1	861	32.3
White	38	41.8	163	47.6	752	45.2
Hispanic	2	*	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	1	*	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	3	*	13	5.6	60	4.4
65+	38	296.7	163	319.5	791	259.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

**HHSA Region: EAST**  
**Indicator: Pneumonia and Influenza Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	11	21.0	177	40.1	861	32.3
White	11	25.1	163	47.6	752	45.2
Hispanic	0	-	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	2	*	13	5.6	60	4.4
65+	9	190.6	163	319.5	791	259.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	16	29.6	177	40.1	861	32.3
White	15	33.3	163	47.6	752	45.2
Hispanic	0	-	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	1	*	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	3	*	13	5.6	60	4.4
65+	13	238.6	163	319.5	791	259.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Pneumonia and Influenza Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	27	*	177	40.1	861	32.3
White	25	*	163	47.6	752	45.2
Hispanic	2	*	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	3	*	13	5.6	60	4.4
65+	24	*	163	319.5	791	259.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	177	40.1	861	32.3
White	3	*	163	47.6	752	45.2
Hispanic	0	-	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	1	*	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	1	*	13	5.6	60	4.4
65+	3	*	163	319.5	791	259.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Pneumonia and Influenza Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	0	-	177	40.1	861	32.3
White			163	47.6	752	45.2
Hispanic			11	16.6	62	10.2
Black			2	*	21	12.8
Asian/PI			1	*	24	11.5
Native American			1	*	2	*
Other			0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14			2	*	7	1.1
15-24			0	-	3	*
25-64			13	5.6	60	4.4
65+			163	319.5	791	259.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	177	40.1	861	32.3
White	3	*	163	47.6	752	45.2
Hispanic	1	*	11	16.6	62	10.2
Black	0	-	2	*	21	12.8
Asian/PI	0	-	1	*	24	11.5
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	0	-	0	-	3	*
25-64	1	*	13	5.6	60	4.4
65+	3	*	163	319.5	791	259.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Suicide Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	64	14.4	349	13.1
White	2	*	56	16.2	281	16.9
Hispanic	0	-	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	1	*	10	16.6	49	12.7
25-64	0	-	43	18.6	219	16.0
65+	1	*	11	20.6	78	25.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	9	11.4	64	14.4	349	13.1
White	6	10.9	56	16.2	281	16.9
Hispanic	2	*	5	7.1	36	5.9
Black	1	*	2	*	14	8.6
Asian/PI	1	*	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	1	*	2	*
15-24	4	*	10	16.6	49	12.7
25-64	4	*	43	18.6	219	16.0
65+	1	*	11	20.6	78	25.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Suicide Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	15.5	64	14.4	349	13.1
White	4	*	56	16.2	281	16.9
Hispanic	0	-	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	1	*	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	1	*	10	16.6	49	12.7
25-64	3	*	43	18.6	219	16.0
65+	1	*	11	20.6	78	25.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	12.0	64	14.4	349	13.1
White	7	13.6	56	16.2	281	16.9
Hispanic	1	*	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	1	*	10	16.6	49	12.7
25-64	5	15.9	43	18.6	219	16.0
65+	1	*	11	20.6	78	25.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Suicide Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	14.7	64	14.4	349	13.1
White	16	17.1	56	16.2	281	16.9
Hispanic	1	*	5	7.1	36	5.9
Black	1	*	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	1	*	10	16.6	49	12.7
25-64	15	24.6	43	18.6	219	16.0
65+	2	*	11	20.6	78	25.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	8.6	64	14.4	349	13.1
White	4	*	56	16.2	281	16.9
Hispanic	1	*	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	2	*	10	16.6	49	12.7
25-64	3	*	43	18.6	219	16.0
65+	1	*	11	20.6	78	25.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Suicide Deaths**

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: <b>Lakeside</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	8	14.3	64	14.4	349	13.1
White	7	14.4	56	16.2	281	16.9
Hispanic	1	*	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	1	*	1	*	2	*
Other	0	-	0	-	0	-
<b>Age Groups</b>						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	1	*	10	16.6	49	12.7
25-64	6	19.8	43	18.6	219	16.0
65+	2	*	11	20.6	78	25.6

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: <b>Harbison Crest</b>		HHSA Region: <b>East</b>		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	*-	64	14.4	349	13.1
White	7	*	56	16.2	281	16.9
Hispanic	0	-	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
<b>Age Groups</b>						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	0	-	10	16.6	49	12.7
25-64	6	*	43	18.6	219	16.0
65+	2	*	11	20.6	78	25.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Suicide Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	64	14.4	349	13.1
White	2	*	56	16.2	281	16.9
Hispanic	1	*	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	0	-	10	16.6	49	12.7
25-64	1	*	43	18.6	219	16.0
65+	1	*	11	20.6	78	25.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	64	14.4	349	13.1
White	2	*	56	16.2	281	16.9
Hispanic	0	-	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	1	*	10	16.6	49	12.7
25-64	1	*	43	18.6	219	16.0
65+	0	-	11	20.6	78	25.6

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Suicide Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	64	14.4	349	13.1
White	2	*	56	16.2	281	16.9
Hispanic	0	-	5	7.1	36	5.9
Black	0	-	2	*	14	8.6
Asian/PI	0	-	2	*	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	0	-	10	16.6	49	12.7
25-64	2	*	43	18.6	219	16.0
65+	0	-	11	20.6	78	25.6

**Indicator: Unintentional Injury Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Jamul		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	110	24.9	670	25.1
White	3	*	88	25.7	448	26.9
Hispanic	0	-	13	19.8	135	22.2
Black	1	*	5	31.4	47	28.7
Asian/PI	0	-	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	3	*	63	27.2	379	27.7
65+	0	-	31	60.0	150	49.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Unintentional Injury Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Spring Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	18	22.2	110	24.9	670	25.1
White	11	19.9	88	25.7	448	26.9
Hispanic	2	*	13	19.8	135	22.2
Black	3	*	5	31.4	47	28.7
Asian/PI	2	*	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	3	*	10	17.5	98	25.4
25-64	8	36.1	63	27.2	379	27.7
65+	7	174.9	31	60.0	150	49.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lemon Grove		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	7	22.4	110	24.9	670	25.1
White	6	32.6	88	25.7	448	26.9
Hispanic	1	*	13	19.8	135	22.2
Black	1	*	5	31.4	47	28.7
Asian/PI	0	-	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	4	*	63	27.2	379	27.7
65+	2	*	31	60.0	150	49.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Unintentional Injury Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: La Mesa		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	14	24.0	110	24.9	670	25.1
White	12	25.0	88	25.7	448	26.9
Hispanic	2	*	13	19.8	135	22.2
Black	1	*	5	31.4	47	28.7
Asian/PI	0	-	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	7	44.6	63	27.2	379	27.7
65+	7	122.8	31	60.0	150	49.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: El Cajon		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	27	23.3	110	24.9	670	25.1
White	22	24.2	88	25.7	448	26.9
Hispanic	4	*	13	19.8	135	22.2
Black	1	*	5	31.4	47	28.7
Asian/PI	1	*	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	7	6.4	31	5.1
15-24	3	*	10	17.5	98	25.4
25-64	16	54.3	63	27.2	379	27.7
65+	7	110.8	31	60.0	150	49.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning



**HHSA Region: EAST**  
**Indicator: Unintentional Injury Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Santee		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	10	19.1	110	24.9	670	25.1
White	9	20.5	88	25.7	448	26.9
Hispanic	1	*	13	19.8	135	22.2
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	32	15.3
Native American	1	*	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	6	38.7	63	27.2	379	27.7
65+	4	*	31	60.0	150	49.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Lakeside		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	8	14.3	110	24.9	670	25.1
White	6	13.3	88	25.7	448	26.9
Hispanic	1	*	13	19.8	135	22.2
Black	0	-	5	31.4	47	28.7
Asian/PI	1	*	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	0	-	10	17.5	98	25.4
25-64	6	39.6	63	27.2	379	27.7
65+	2	*	31	60.0	150	49.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Unintentional Injury Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Harbison Crest		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	16	*-	110	24.9	670	25.1
White	13	*	88	25.7	448	26.9
Hispanic	2	*	13	19.8	135	22.2
Black	1	*	5	31.4	47	28.7
Asian/PI	1	*	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	11	*	63	27.2	379	27.7
65+	3	*	31	60.0	150	49.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Alpine		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	110	24.9	670	25.1
White	4	*	88	25.7	448	26.9
Hispanic	0	-	13	19.8	135	22.2
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	2	*	63	27.2	379	27.7
65+	1	*	31	60.0	150	49.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning

**HHSA Region: EAST**  
**Indicator: Unintentional Injury Deaths**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Laguna-Pine Valley		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1	*	110	24.9	670	25.1
White	0	-	88	25.7	448	26.9
Hispanic	1	*	13	19.8	135	22.2
Black	0	-	5	31.4	47	28.7
Asian/PI	0	-	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	0	-	10	17.5	98	25.4
25-64	0	-	63	27.2	379	27.7
65+	0	-	31	60.0	150	49.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mountain Empire		HHSA Region: East		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	110	24.9	670	25.1
White	3	*	88	25.7	448	26.9
Hispanic	1	*	13	19.8	135	22.2
Black	0	-	5	31.4	47	28.7
Asian/PI	1	*	4	*	32	15.3
Native American	0	-	1	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.4	31	5.1
15-24	1	*	10	17.5	98	25.4
25-64	2	*	63	27.2	379	27.7
65+	1	*	31	60.0	150	49.1

\* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Rates are not age-adjusted.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning