

HHSA Region: CENTRAL
Indicator: Births to Teenagers Aged 15-17

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	137	68.8	505	60.1	1,734	37.3
White	14	28.2	43	20.2	349	14.4
Hispanic	93	77.7	318	98.0	1,084	78.6
Black	25	111.5	110	64.2	196	54.8
Asian/PI	4	*	32	26.4	91	20.6
Native American	1	*	2	*	11	27.3
Other	0	-	1	*	3	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	190	54.6	505	60.1	1,734	37.3
White	11	24.9	43	20.2	349	14.4
Hispanic	119	92.0	318	98.0	1,084	78.6
Black	46	48.7	110	64.2	196	54.8
Asian/PI	14	18.9	32	26.4	91	20.6
Native American	0	-	2	*	11	27.3
Other	0	-	1	*	3	*

Two-Year Averages, 1995-1996						
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	179	57.0	505	60.1	1,734	37.3
White	18	13.8	43	20.2	349	14.4
Hispanic	103	131.6	318	98.0	1,084	78.6
Black	40	70.5	110	64.2	196	54.8
Asian/PI	15	31.3	32	26.4	91	20.6
Native American	2	*	2	*	11	27.3
Other	1	*	1	*	3	*

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.
 Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.
 Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.
 The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.
 The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.
 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: First Trimester Prenatal Care

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	1,941	72.2	6,546	71.1	35,367	77.9
White	515	85.9	1,302	83.8	16,873	87.6
Hispanic	1,014	65.9	3,152	64.7	12,274	67.3
Black	278	74.5	1,119	73.3	2,429	76.6
Asian/PI	120	77.4	944	78.0	3,540	81.1
Native American	8	62.5	18	64.3	181	73.6
Other	6	63.2	11	50.0	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	4	*	20	45.3	46	43.8
15-19	232	62.0	771	58.7	2,992	61.3
20-29	1,083	71.5	3,656	70.8	17,942	76.3
30-39	580	79.2	1,968	78.2	13,519	85.3
40-44	37	75.5	124	74.0	832	83.4
45+	4	*	10	86.4	36	81.8

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	2,125	69.3	6,546	71.1	35,367	77.9
White	192	78.6	1,302	83.8	16,873	87.6
Hispanic	1,077	63.9	3,152	64.7	12,274	67.3
Black	387	73.7	1,119	73.3	2,429	76.6
Asian/PI	463	77.0	944	78.0	3,540	81.1
Native American	5	81.8	18	64.3	181	73.6
Other	1	*	11	50.0	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	9	48.6	20	45.3	46	43.8
15-19	277	57.2	771	58.7	2,992	61.3
20-29	1,120	68.8	3,656	70.8	17,942	76.3
30-39	673	77.4	1,968	78.2	13,519	85.3
40-44	44	70.2	124	74.0	832	83.4
45+	2	*	10	86.4	36	81.8

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: First Trimester Prenatal Care

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	2,481	71.8	6,546	71.1	35,367	77.9
White	596	83.8	1,302	83.8	16,873	87.6
Hispanic	1,058	64.4	3,152	64.7	12,274	67.3
Black	455	72.2	1,119	73.3	2,429	76.6
Asian/PI	362	79.5	944	78.0	3,540	81.1
Native American	6	57.1	18	64.3	181	73.6
Other	4	*	11	50.0	71	58.2
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	7	51.9	20	45.3	46	43.8
15-19	262	57.7	771	58.7	2,992	61.3
20-29	1,449	71.9	3,656	70.8	17,942	76.3
30-39	716	78.3	1,968	78.2	13,519	85.3
40-44	43	76.8	124	74.0	832	83.4
45+	5	100.0	10	86.4	36	81.8

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Infant Mortality

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	15	5.4	56	6.1	235	5.2
White	5	7.5	9	5.5	196	5.1
Hispanic	5	2.9	25	5.1	167	4.6
Black	5	12.1	17	11.1	68	10.7
Asian/PI	1	*	5	4.1	34	3.9
Native American	1	*	1	*	2	*
Other	0	-	0	-	1	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	21	6.9	56	6.1	235	5.2
White	1	*	9	5.5	196	5.1
Hispanic	11	6.5	25	5.1	167	4.6
Black	7	12.4	17	11.1	68	10.7
Asian/PI	3	5.0	5	4.1	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	21	5.9	56	6.1	235	5.2
White	4	*	9	5.5	196	5.1
Hispanic	10	5.8	25	5.1	167	4.6
Black	6	9.5	17	11.1	68	10.7
Asian/PI	2	*	5	4.1	34	3.9
Native American	0	-	1	*	2	*
Other	0	-	0	-	1	*

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.
 Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.
 Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.
 The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.
 The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.
 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Low Birth Weight (<2500 gms)

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	177	6.6	630	6.8	2,584	5.7
White	38	6.3	101	6.5	2,053	5.3
Hispanic	75	4.9	245	5.0	1,792	4.9
Black	50	13.3	170	11.1	648	10.2
Asian/PI	12	7.7	109	9.0	622	7.1
Native American	2	*	3	*	29	5.9
Other	1	*	2	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	2	*	4	*	8	7.6
15-19	28	7.5	107	8.2	334	6.8
20-29	86	5.7	306	5.9	1,211	5.2
30-39	58	7.9	194	7.7	936	5.9
40-44	4	*	17	9.9	89	8.9
45+	0	-	2	*	7	15.9

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	220	7.2	630	6.8	2,584	5.7
White	18	7.2	101	6.5	2,053	5.3
Hispanic	86	5.1	245	5.0	1,792	4.9
Black	59	11.2	170	11.1	648	10.2
Asian/PI	57	9.5	109	9.0	622	7.1
Native American	1	*	3	*	29	5.9
Other	1	*	2	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	3	*	4	*	8	7.6
15-19	41	8.4	107	8.2	334	6.8
20-29	105	6.4	306	5.9	1,211	5.2
30-39	66	7.6	194	7.7	936	5.9
40-44	6	8.9	17	9.9	89	8.9
45+	1	*	2	*	7	15.9

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Low Birth Weight (<2500 gms)

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Percent	No.	Percent	No.	Percent
Overall	234	6.8	630	6.8	2,584	5.7
White	46	6.4	101	6.5	2,053	5.3
Hispanic	85	5.2	245	5.0	1,792	4.9
Black	62	9.8	170	11.1	648	10.2
Asian/PI	40	8.7	109	9.0	622	7.1
Native American	1	*	3	*	29	5.9
Other	1	*	2	*	23	9.5
Age Groups						
	No.	Percent	No.	Percent	No.	Percent
<15	0	-	4	*	8	7.6
15-19	39	8.5	107	8.2	334	6.8
20-29	116	5.8	306	5.9	1,211	5.2
30-39	70	7.7	194	7.7	936	5.9
40-44	8	13.4	17	9.9	89	8.9
45+	2	*	2	*	7	15.9

Indicator: All Cause Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1,358	853.1	3,217	709.9	18,263	683.9
White	1,016	1,347.5	1,996	1,212.4	14,928	896.7
Hispanic	150	245.7	435	289.9	1,721	282.5
Black	148	925.6	561	697.3	838	512.0
Asian/PI	37	601.5	209	399.7	700	334.7
Native American	6	980.6	15	314.6	62	324.7
Other	1	*	2	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	20	61.2	80	69.9	341	56.0
15-24	19	79.2	68	93.6	259	67.1
25-64	480	557.8	1,041	464.8	4,139	302.2
65+	839	4,908.7	2,027	4,792.1	13,493	4,420.0

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: All Cause Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	773	506.3	3,217	709.9	18,263	683.9
White	187	679.7	1,996	1,212.4	14,928	896.7
Hispanic	171	327.6	435	289.9	1,721	282.5
Black	301	760.4	561	697.3	838	512.0
Asian/PI	110	367.2	209	399.7	700	334.7
Native American	4	*	15	314.6	62	324.7
Other	0	-	2	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	29	65.2	80	69.9	341	56.0
15-24	29	116.5	68	93.6	259	67.1
25-64	251	347.3	1,041	464.8	4,139	302.2
65+	464	4,044.0	2,027	4,792.1	13,493	4,420.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	1,087	716.1	3,217	709.9	18,263	683.9
White	790	1,177.4	1,996	1,212.4	14,928	896.7
Hispanic	115	291.8	435	289.9	1,721	282.5
Black	113	449.6	561	697.3	838	512.0
Asian/PI	62	338.4	209	399.7	700	334.7
Native American	6	359.1	15	314.6	62	324.7
Other	1	*	2	*	14	342.0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	31	77.7	80	69.9	341	56.0
15-24	21	83.2	68	93.6	259	67.1
25-64	311	432.9	1,041	464.8	4,139	302.2
65+	724	4,845.1	2,027	4,792.1	13,493	4,420.0

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Breast Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	27.6	55	25.0	391	29.8
White	13	38.4	30	38.1	321	39.1
Hispanic	4	*	10	13.0	34	11.5
Black	3	*	13	32.8	20	26.2
Asian/PI	1	*	3	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	9	23.8	23	21.6	163	24.4
65+	11	117.1	32	125.0	228	129.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	16	20.9	55	25.0	391	29.8
White	3	*	30	38.1	321	39.1
Hispanic	3	*	10	13.0	34	11.5
Black	9	43.9	13	32.8	20	26.2
Asian/PI	2	*	3	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	7	17.7	23	21.6	163	24.4
65+	9	143.7	32	125.0	228	129.0

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Breast Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	26.3	55	25.0	391	29.8
White	14	41.6	30	38.1	321	39.1
Hispanic	4	*	10	13.0	34	11.5
Black	2	*	13	32.8	20	26.2
Asian/PI	1	*	3	*	15	13.8
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	8	21.4	23	21.6	163	24.4
65+	12	141.0	32	125.0	228	129.0

Indicator: Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	239	150.2	646	142.5	4,340	162.6
White	177	235.7	392	238.2	3,626	217.9
Hispanic	25	41.1	79	52.6	336	55.2
Black	27	166.3	121	149.8	178	108.7
Asian/PI	10	154.5	53	101.4	188	89.8
Native American	0	-	2	*	10	52.4
Other	0	-	0	-	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	4	*	17	2.8
15-24	0	-	5	6.2	19	4.9
25-64	65	75.0	198	88.5	1,169	85.4
65+	173	1,015.1	440	1,040.5	3,135	1,027.0

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	175	114.4	646	142.5	4,340	162.6
White	46	167.2	392	238.2	3,626	217.9
Hispanic	30	57.7	79	52.6	336	55.2
Black	72	181.9	121	149.8	178	108.7
Asian/PI	27	88.5	53	101.4	188	89.8
Native American	0	-	2	*	10	52.4
Other	0	-	0	-	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	4	*	17	2.8
15-24	3	*	5	6.2	19	4.9
25-64	67	92.2	198	88.5	1,169	85.4
65+	104	911.8	440	1,040.5	3,135	1,027.0

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	233	153.2	646	142.5	4,340	162.6
White	168	250.1	392	238.2	3,626	217.9
Hispanic	24	61.2	79	52.6	336	55.2
Black	22	87.9	121	149.8	178	108.7
Asian/PI	17	92.8	53	101.4	188	89.8
Native American	2	*	2	*	10	52.4
Other	0	-	0	-	2	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	4	*	17	2.8
15-24	2	*	5	6.2	19	4.9
25-64	67	93.4	198	88.5	1,169	85.4
65+	162	1,084.1	440	1,040.5	3,135	1,027.0

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Cervical Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	10	4.3	32	2.4
White	1	*	2	*	17	2.1
Hispanic	1	*	3	*	7	2.4
Black	0	-	3	*	3	*
Asian/PI	0	-	2	*	4	*
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	7	6.1	21	3.1
65+	1	*	3	11.7	11	6.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	10	4.3	32	2.4
White	1	*	2	*	17	2.1
Hispanic	2	*	3	*	7	2.4
Black	1	*	3	*	3	*
Asian/PI	1	*	2	*	4	*
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	2	*	7	6.1	21	3.1
65+	2	*	3	11.7	11	6.2

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Cervical Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	10	4.3	32	2.4
White	1	*	2	*	17	2.1
Hispanic	1	*	3	*	7	2.4
Black	2	*	3	*	3	*
Asian/PI	1	*	2	*	4	*
Native American	0	-	0	-	1	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	4	*	7	6.1	21	3.1
65+	1	*	3	11.7	11	6.2

Indicator: Chronic Lung Disease Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	66	41.2	150	33.0	985	37.0
White	56	74.8	115	69.6	891	56.6
Hispanic	2	*	5	3.3	33	5.4
Black	7	40.8	20	24.2	27	16.5
Asian/PI	0	-	9	17.2	29	13.8
Native American	1	*	1	*	4	*
Other	0	-	1	*	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	1	*
15-24	0	-	0	-	0	-
25-64	13	14.5	27	12.1	110	8.0
65+	53	310.1	122	288.5	874	286.3

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Chronic Lung Disease Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	31	20.0	150	33.0	985	37.0
White	13	47.3	115	69.6	891	56.6
Hispanic	2	*	5	3.3	33	5.4
Black	11	27.8	20	24.2	27	16.5
Asian/PI	5	16.7	9	17.2	29	13.8
Native American	0	-	1	*	4	*
Other	0	-	1	*	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	1	*
15-24	0	-	0	-	0	-
25-64	6	7.6	27	12.1	110	8.0
65+	25	218.1	122	288.5	874	286.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	54	35.2	150	33.0	985	37.0
White	44	67.0	115	69.6	891	56.6
Hispanic	2	*	5	3.3	33	5.4
Black	2	*	20	24.2	27	16.5
Asian/PI	4	*	9	17.2	29	13.8
Native American	1	*	1	*	4	*
Other	1	*	1	*	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	1	*	1	*
15-24	0	-	0	-	0	-
25-64	9	12.6	27	12.1	110	8.0
65+	44	294.5	122	288.5	874	286.3

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Colorectal Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	12.6	54	11.9	411	15.4
White	16	21.2	34	20.7	349	21.0
Hispanic	2	*	6	4.0	29	4.8
Black	2	*	11	13.7	17	10.4
Asian/PI	0	-	3	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	8	9.3	20	8.7	97	7.1
65+	12	70.2	35	81.6	312	102.2

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	16	10.2	54	11.9	411	15.4
White	5	16.4	34	20.7	349	21.0
Hispanic	3	*	6	4.0	29	4.8
Black	7	16.4	11	13.7	17	10.4
Asian/PI	2	*	3	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	7	9.0	20	8.7	97	7.1
65+	9	78.5	35	81.6	312	102.2

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Colorectal Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	19	12.2	54	11.9	411	15.4
White	14	20.1	34	20.7	349	21.0
Hispanic	2	*	6	4.0	29	4.8
Black	3	*	11	13.7	17	10.4
Asian/PI	1	*	3	*	16	7.6
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	1	*
25-64	5	7.0	20	8.7	97	7.1
65+	14	90.3	35	81.6	312	102.2

Indicator: Coronary Heart Disease Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	329	206.5	770	169.9	4,603	172.4
White	259	343.7	516	313.2	3,911	234.9
Hispanic	27	43.6	72	47.6	347	57.0
Black	32	197.7	130	161.6	178	108.7
Asian/PI	10	162.6	49	93.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	1	*	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	1	*	1	*	3	*
25-64	53	61.1	123	54.9	578	42.2
65+	275	1,608.9	645	1,524.1	4,019	1,316.5

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Coronary Heart Disease Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	178	116.7	770	169.9	4,603	172.4
White	45	165.4	516	313.2	3,911	234.9
Hispanic	27	50.8	72	47.6	347	57.0
Black	78	198.3	130	161.6	178	108.7
Asian/PI	27	88.5	49	93.7	152	72.6
Native American	1	*	4	*	14	73.3
Other	0	-	1	*	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	1	*	3	*
25-64	38	52.0	123	54.9	578	42.2
65+	140	1,221.5	645	1,524.1	4,019	1,316.5

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	264	173.6	770	169.9	4,603	172.4
White	211	313.3	516	313.2	3,911	234.9
Hispanic	19	47.1	72	47.6	347	57.0
Black	20	80.0	130	161.6	178	108.7
Asian/PI	13	68.2	49	93.7	152	72.6
Native American	2	*	4	*	14	73.3
Other	1	*	1	*	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	1	*	1	*	3	*
25-64	33	46.0	123	54.9	578	42.2
65+	230	1,535.8	645	1,524.1	4,019	1,316.5

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Drug Related Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	46	28.9	76	16.7	249	9.3
White	30	40.4	42	25.5	174	10.5
Hispanic	8	13.1	17	11.3	46	7.6
Black	7	43.9	15	18.0	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	1	*	2	*	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	1	*	3	*	14	3.6
25-64	42	50.0	70	31.0	220	16.1
65+	3	*	3	*	14	4.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	13	8.2	76	16.7	249	9.3
White	3	*	42	25.5	174	10.5
Hispanic	8	14.4	17	11.3	46	7.6
Black	2	*	15	18.0	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	1	*	2	*	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	2	*	3	*	14	3.6
25-64	11	14.6	70	31.0	220	16.1
65+	0	-	3	*	14	4.6

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Drug Related Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	11.2	76	16.7	249	9.3
White	9	13.4	42	25.5	174	10.5
Hispanic	2	*	17	11.3	46	7.6
Black	6	22.0	15	18.0	23	14.1
Asian/PI	0	-	0	-	2	1.0
Native American	1	*	2	*	4	20.9
Other	0	-	0	-	0	0
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	1	0.2
15-24	1	*	3	*	14	3.6
25-64	16	22.3	70	31.0	220	16.1
65+	0	-	3	*	14	4.6

Indicator: Fall Related Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	10	2.1	69	2.6
White	3	*	7	3.9	56	3.4
Hispanic	1	*	2	*	8	1.3
Black	0	-	0	-	1	*
Asian/PI	1	*	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	1	*	3	*
25-64	1	*	1	*	12	0.9
65+	4	*	8	18.9	54	17.7

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Fall Related Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	10	2.1	69	2.6
White	2	*	7	3.9	56	3.4
Hispanic	2	*	2	*	8	1.3
Black	0	-	0	-	1	*
Asian/PI	1	*	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	1	*	1	*	3	*
25-64	0	-	1	*	12	0.9
65+	4	*	8	18.9	54	17.7

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	10	2.1	69	2.6
White	2	*	7	3.9	56	3.4
Hispanic	0	-	2	*	8	1.3
Black	0	-	0	-	1	*
Asian/PI	0	-	1	*	4	*
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	1	*	1	*	3	*
25-64	0	-	1	*	12	0.9
65+	1	*	8	18.9	54	17.7

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Homicide

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	18	11.3	62	13.7	181	6.8
White	6	7.3	15	9.1	70	4.2
Hispanic	7	11.5	20	13.0	63	10.3
Black	5	28.2	22	26.7	34	20.8
Asian/PI	1	*	6	10.5	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	5	3.9	14	2.3
15-24	5	42.8	19	25.5	46	11.9
25-64	11	24.4	38	16.8	109	8.0
65+	1	*	1	*	10	3.3

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	24	15.4	62	13.7	181	6.8
White	5	16.4	15	9.1	70	4.2
Hispanic	9	16.3	20	13.0	63	10.3
Black	8	20.2	22	26.7	34	20.8
Asian/PI	3	*	6	10.5	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	5	3.9	14	2.3
15-24	7	57.2	19	25.5	46	11.9
25-64	16	44.4	38	16.8	109	8.0
65+	0	-	1	*	10	3.3

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

**HHSA Region: CENTRAL
Indicator: Homicide**

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	13.2	62	13.7	181	6.8
White	5	7.4	15	9.1	70	4.2
Hispanic	4	*	20	13.0	63	10.3
Black	9	36.0	22	26.7	34	20.8
Asian/PI	2	*	6	10.5	14	6.7
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	3	*	5	3.9	14	2.3
15-24	7	51.5	19	25.5	46	11.9
25-64	11	30.7	38	16.8	109	8.0
65+	0	-	1	*	10	3.3

Indicator: Lung Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	78	48.7	187	41.3	1,121	42.1
White	59	78.8	123	74.7	966	58.1
Hispanic	7	10.7	18	12.0	60	9.8
Black	9	56.5	34	41.6	47	28.7
Asian/PI	3	*	13	23.9	45	21.5
Native American	0	-	0	-	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	18	20.4	49	21.9	266	19.4
65+	60	351.0	138	326.3	855	280.1

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Lung Cancer Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	47	30.5	187	41.3	1,121	42.1
White	14	50.9	123	74.7	966	58.1
Hispanic	7	12.5	18	12.0	60	9.8
Black	20	50.5	34	41.6	47	28.7
Asian/PI	6	20.0	13	23.9	45	21.5
Native American	0	-	0	-	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	18	25.0	49	21.9	266	19.4
65+	29	248.7	138	326.3	855	280.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	63	41.5	187	41.3	1,121	42.1
White	49	73.7	123	74.7	966	58.1
Hispanic	5	12.7	18	12.0	60	9.8
Black	5	18.0	34	41.6	47	28.7
Asian/PI	4	*	13	23.9	45	21.5
Native American	0	-	0	-	3	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	14	18.8	49	21.9	266	19.4
65+	49	331.3	138	326.3	855	280.1

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Motor Vehicle Crash Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	12	7.5	49	10.7	280	10.6
White	8	9.9	17	10.3	168	10.2
Hispanic	3	*	17	11.0	68	11.2
Black	1	*	8	9.3	19	11.6
Asian/PI	1	*	7	13.4	21	10.0
Native American	0	-	1	*	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	5	3.9	18	3.0
15-24	4	*	13	17.2	67	17.4
25-64	6	7.0	25	11.2	141	10.3
65+	2	*	7	15.4	50	16.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	20	13.1	49	10.7	280	10.6
White	4	*	17	10.3	168	10.2
Hispanic	8	14.4	17	11.0	68	11.2
Black	4	*	8	9.3	19	11.6
Asian/PI	5	16.7	7	13.4	21	10.0
Native American	0	-	1	*	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	5	3.9	18	3.0
15-24	5	20.4	13	17.2	67	17.4
25-64	10	13.9	25	11.2	141	10.3
65+	3	*	7	15.4	50	16.4

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Motor Vehicle Crash Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	10.9	49	10.7	280	10.6
White	6	8.9	17	10.3	168	10.2
Hispanic	6	15.3	17	11.0	68	11.2
Black	3	*	8	9.3	19	11.6
Asian/PI	2	*	7	13.4	21	10.0
Native American	1	*	1	*	3	*
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	3	*	5	3.9	18	3.0
15-24	4	*	13	17.2	67	17.4
25-64	9	12.6	25	11.2	141	10.3
65+	2	*	7	15.4	50	16.4

Indicator: Oral Cancer

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	4	*	11	2.4	67	2.5
White	2	*	8	4.9	54	3.2
Hispanic	1	*	1	*	5	0.8
Black	1	*	1	*	2	*
Asian/PI	1	*	2	*	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	3	*	25	1.8
65+	3	*	9	20.1	41	13.4

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Oral Cancer

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	2	*	11	2.4	67	2.5
White	2	*	8	4.9	54	3.2
Hispanic	0	-	1	*	5	0.8
Black	0	-	1	*	2	*
Asian/PI	1	*	2	*	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	3	*	25	1.8
65+	2		9	20.1	41	13.4

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	5	3.3	11	2.4	67	2.5
White	5	6.7	8	4.9	54	3.2
Hispanic	0	-	1	*	5	0.8
Black	0	-	1	*	2	*
Asian/PI	1	*	2	*	6	2.9
Native American	0	-	0	-	0	-
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	0	-	0	-
15-24	0	-	0	-	0	-
25-64	1	*	3	*	25	1.8
65+	4	*	9	20.1	41	13.4

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events.

Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.

'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Pneumonia and Influenza Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	55	34.3	120	26.5	861	32.3
White	46	62.2	87	52.9	752	45.2
Hispanic	3	*	12	8.0	62	10.2
Black	5	28.2	15	18.6	21	12.8
Asian/PI	1	*	6	11.5	24	11.5
Native American	0	-	0	-	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	2	*	7	1.1
15-24	1	*	1	*	3	*
25-64	4	*	11	4.7	60	4.4
65+	50	292.5	107	253.0	791	259.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	26	16.7	120	26.5	861	32.3
White	6	21.8	87	52.9	752	45.2
Hispanic	7	12.4	12	8.0	62	10.2
Black	9	22.7	15	18.6	21	12.8
Asian/PI	4	*	6	11.5	24	11.5
Native American	0	-	0	-	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	2	*	7	1.1
15-24	0	-	1	*	3	*
25-64	4	*	11	4.7	60	4.4
65+	20	174.5	107	253.0	791	259.1

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates. Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined. The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up. The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Pneumonia and Influenza Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	40	26.4	120	26.5	861	32.3
White	34	50.6	87	52.9	752	45.2
Hispanic	3	*	12	8.0	62	10.2
Black	2	*	15	18.6	21	12.8
Asian/PI	2	*	6	11.5	24	11.5
Native American	0	-	0	-	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	2	*	7	1.1
15-24	0	-	1	*	3	*
25-64	3	*	11	4.7	60	4.4
65+	37	247.6	107	253.0	791	259.1

Indicator: Suicide Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	39	24.5	74	16.2	349	13.1
White	31	40.4	48	29.2	281	16.9
Hispanic	3	*	11	7.3	36	5.9
Black	3	*	10	11.8	14	8.6
Asian/PI	3	*	5	8.6	16	7.6
Native American	1	*	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	5	19.3	13	17.2	49	12.7
25-64	26	30.2	46	20.6	219	16.0
65+	9	49.7	15	34.2	78	25.6

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.
Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.
The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.
The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'.
'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Suicide Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	17	11.1	74	16.2	349	13.1
White	4	*	48	29.2	281	16.9
Hispanic	6	10.5	11	7.3	36	5.9
Black	6	13.9	10	11.8	14	8.6
Asian/PI	2	*	5	8.6	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	1	*	2	*
15-24	6	24.5	13	17.2	49	12.7
25-64	9	11.8	46	20.6	219	16.0
65+	2	*	15	34.2	78	25.6

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	18	11.5	74	16.2	349	13.1
White	14	20.1	48	29.2	281	16.9
Hispanic	3	*	11	7.3	36	5.9
Black	2	*	10	11.8	14	8.6
Asian/PI	0	-	5	8.6	16	7.6
Native American	0	-	1	*	2	*
Other	0	-	0	-	0	-
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	0	-	1	*	2	*
15-24	2	*	13	17.2	49	12.7
25-64	12	16.0	46	20.6	219	16.0
65+	4	*	15	34.2	78	25.6

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Unintentional Injury Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Central SD		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	57	35.8	132	29.0	670	25.1
White	37	49.0	63	38.0	448	26.9
Hispanic	11	18.1	37	24.3	135	22.2
Black	8	47.1	21	26.1	47	28.7
Asian/PI	1	*	9	17.2	32	15.3
Native American	1	*	3	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	1	*	7	6.1	31	5.1
15-24	5	38.5	17	23.4	98	25.4
25-64	41	95.4	86	38.2	379	27.7
65+	11	122.9	22	50.8	150	49.1

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Southeast San Diego		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	35	22.9	132	29.0	670	25.1
White	7	25.4	63	38.0	448	26.9
Hispanic	18	33.5	37	24.3	135	22.2
Black	5	11.4	21	26.1	47	28.7
Asian/PI	6	18.4	9	17.2	32	15.3
Native American	1	*	3	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	2	*	7	6.1	31	5.1
15-24	7	53.2	17	23.4	98	25.4
25-64	19	51.3	86	38.2	379	27.7
65+	8	130.9	22	50.8	150	49.1

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

HHSA Region: CENTRAL
Indicator: Unintentional Injury Deaths

	Two-Year Averages, 1995-1996					
Race/ Ethnicity	SRA: Mid-City		HHSA Region: Central		San Diego County	
	No.	Rate	No.	Rate	No.	Rate
Overall	40	26.0	132	29.0	670	25.1
White	19	27.5	63	38.0	448	26.9
Hispanic	8	20.4	37	24.3	135	22.2
Black	9	36.0	21	26.1	47	28.7
Asian/PI	3	*	9	17.2	32	15.3
Native American	2	*	3	*	7	36.7
Other	0	-	0	-	1	*
Age Groups						
	No.	Rate	No.	Rate	No.	Rate
0-14	4	*	7	6.1	31	5.1
15-24	6	47.6	17	23.4	98	25.4
25-64	26	72.5	86	38.2	379	27.7
65+	4	*	22	50.8	150	49.1

* No rates calculated for fewer than 5 events nor for certain SRAs; see 'About the Data'. Interpret with caution rates calculated on fewer than 20 events. Rates calculated per 1,000 births for birth rates and infant mortality rates, and per 100,000 population for death rates.

Totals for Race/Ethnicity and Age Group differ due to deaths in which age could not be determined.

The sum of Race/Ethnicity or Age Groups may be greater than Overall due to rounding up.

The sum of SRAs may be greater than the HHSA Region, while the sum of HHSA Regions is likely to be less than the County totals; see 'About the Data'. 'HHSA Regions' are not the same as 'Regions' referred to in the appendix; see 'About the Data'.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics Section, Birth and Death Statistical Master Files.

County of San Diego HHSA, Child, Youth and Family Health Assessment and Planning
 February 8, 1999 (619) 692-8017