

State of California
Gray Davis, Governor

Department of Health Services
Diana M. Bontá, R.N., Dr.P.H., Director

California

Monthly Summary Report

Selected Reportable Diseases

DECEMBER, 2002

Report Weeks 49 - 52
Dec 1, 2002 to Dec 28, 2002

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 DECEMBER (49 - 52), 2002

CASES REPORTED FOR PERIOD				CASES REPORTED TO DATE			CASES REPORTED FOR PERIOD				CASES REPORTED TO DATE		
D I S E A S E	2002	2001	2000	2002	2001	2000	D I S E A S E	2002	2001	2000	2002	2001	2000
AIDS	281	285	385	4401	3859	4576	MEASLES:						
AMEBIASIS	21	52	45	454	568	516	TOTAL	-	2	4	3	46	19
ANTHRAX	-	-	-	-	-	-	- INDIGENOUS	-	2	2	3	31	12
							- IMPORTED	-	-	2	-	15	7
BOTULISM:							MENINGITIS, VIRAL	164	160	85	2586	2331	1688
- FOODBORNE	-	-	-	1	3	3	MENINGOCOCCAL INF.	17	14	25	221	310	328
- INFANT	2	-	1	21	30	27	MUMPS	4	8	2	68	48	89
- WOUND	3	2	2	27	18	18	N G U	174	296	363	4034	4393	4792
BRUCELLOSIS	3	3	1	32	41	19	PERTUSSIS	-	141	62	701	706	631
CAMPYLOBACTERIOSIS	411	449	447	5792	5747	6569	P I D	62	95	71	1167	1099	1257
CHANCROID	-	1	-	2	2	2	PLAGUE	-	-	-	-	-	1
CHLAMYDIAL INF.	6608	8393	7750	105779	101897	95414	POLIOMYELITIS	-	-	-	-	-	1
CHOLERA	-	-	-	1	-	-	PSITTACOSIS	-	-	-	9	8	-
COCCIDIOIDOMYCOSIS	58	248	84	1462	1538	840	Q FEVER	1	-	-	13	7	8
CONJUNCT. NEWBORN	-	1	1	-	6	11	RABIES:						
CRYPTOSPORIDIOSIS	11	19	15	199	229	235	- ANIMAL	6	6	4	242	319	272
CYSTICERCOSIS	2	8	15	81	86	77	- HUMAN	-	-	-	1	1	1
DENGUE	2	2	-	25	27	11	RELAPSING FEVER	4	-	2	19	7	9
DIARRHEA, NWB. O/B	-	-	-	4	-	1	REYE SYNDROME	-	-	-	1	2	-
DIPHTHERIA	-	-	-	1	-	1	RHEUMATIC FEVER	1	-	-	5	7	3
ENCEPHALITIS:							ROCKY MTN SPOT FVR	-	-	-	6	-	1
- ARBOVIRAL	-	-	-	-	-	-	RUBELLA	-	-	-	3	1	12
- OTHER VIRAL	9	6	9	119	75	87	RUBELLA, CONGENITAL	-	-	-	-	-	1
E. COLI (O157:H7)	33	16	21	278	234	291	SALMONELLOSIS	387	382	311	4182	4159	4297
FOODBORNE ILLNESS:							SHIGELLOSIS:						
- OUTBREAKS	5	29	27	178	162	132	TOTAL	271	173	220	2711	2149	2852
- CASES	107	627	1118	2828	3013	3014	- GROUP A	1	-	-	18	21	23
GIARDIASIS	182	265	240	2535	3080	3549	- GROUP B	52	43	48	507	477	602
GONOCOCCAL INF.	1289	1956	1810	23190	23283	21623	- GROUP C	5	2	4	38	31	66
H-FLU (<30 YRS OLD)*	-	8	13	25	61	48	- GROUP D	178	95	142	1755	1237	1694
HANTA VIRUS	-	-	-	2	-	-	- GRP. UNSPECIFIED	35	33	26	393	383	467
H U S	-	5	-	21	24	-	SYPHILIS:						
HEPATITIS:							TOTAL	126	224	196	3417	3125	3398
- TYPE A	93	163	204	1433	1848	2992	- PRIMARY	17	16	6	293	178	119
- TYPE B	44	62	108	592	854	1087	- SECONDARY	29	30	15	655	364	235
- TYPE C	-	8	7	60	95	116	- EARLY LATENT	38	38	16	658	407	473
- TYPE D	-	1	-	7	6	10	- LATE & LATE LTN.	42	137	153	1785	2116	2468
- NON-A / NON-B	-	-	1	5	2	2	- CONGENITAL	-	3	6	26	60	103
- OTHER VIRAL	3	2	8	57	47	63	TETANUS	-	3	1	6	15	6
KAWASAKI SYNDROME	30	30	18	192	196	168	TOXIC SHOCK SYNDROME	2	2	2	32	26	17
LEGIONELLOSIS	4	4	2	63	48	56	TRICHINOSIS	-	-	-	3	13	-
LEPROSY	8	2	4	30	21	33	TUBERCULOSIS	328	653	624	2283	2978	3075
LEPTOSPIROSIS	-	-	8	1	6	14	TULAREMIA	-	-	-	1	1	1
LISTERIOSIS	6	14	5	83	122	125	TYPHOID FEVER	3	11	13	82	82	79
LYME DISEASE	5	14	11	121	95	98	TYPHUS FEVER	1	4	1	19	21	12
MALARIA	13	13	20	185	179	195	VIBRIO INFECTIONS	-	14	3	45	83	77
							YELLOW FEVER	-	-	-	-	-	-

* Reports limited to patients less than 30 years of age beginning January, 1999.

(Provisional data, report generated 01/21/2003)

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	ALAMEDA	BERKELEY	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT	IMPERIAL	INYO	KERN
AMEBIASIS	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																	
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
- WOUND	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
BRUCELLOSIS	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	411	15	1	-	-	2	-	-	28	2	-	20	-	-	-	-	-
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	6608	7	2	-	4	29	4	4	346	12	16	339	1	22	26	-	77
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	58	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	13
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	11	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
CYSTICERCOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																	
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E. COLI (O157:H7)	33	2	-	-	-	-	-	-	-	-	-	5	-	2	-	-	-
FOODBORNE ILLNESS:																	
- OUTBREAKS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	107	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
GIARDIASIS	182	8	1	-	-	2	-	-	2	-	-	4	-	2	1	-	1
GONOCOCCAL INFECTNS	1289	2	4	-	-	2	-	1	57	-	-	108	-	2	3	-	20
H-FLU (<30 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																	
- TYPE A	93	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
- TYPE B	44	2	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-
- TYPE C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	30	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEGIONELLOSIS	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
LEPROSY	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	6	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
LYME DISEASE	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALARIA	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 30 years of age beginning January, 1999.

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	ALAMEDA	BERKELEY	ALPINE	AMADOR	BUTTE	CALA- VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT	IMPERIAL	INYO	KERN
MEASLES:																	
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	164	4	-	-	-	2	-	-	3	-	2	13	-	-	1	-	-
MENINGOCOCCAL INF.	17	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
MUMPS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N G U	174	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	4
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	62	-	-	-	-	-	-	-	14	-	-	3	-	1	1	-	2
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																	
- ANIMAL	6	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	387	13	1	-	-	-	-	-	10	-	1	4	-	1	2	-	3
SHIGELLOSIS:																	
TOTAL	271	8	-	-	-	-	-	-	3	-	-	3	-	1	18	-	1
- GROUP A	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	52	2	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-
- GROUP C	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
- GROUP D	178	4	-	-	-	-	-	-	-	-	-	1	-	-	15	-	-
- UNSPECIFIED	35	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1
SYPHILIS:																	
TOTAL	126	2	-	-	-	-	-	-	-	-	-	8	-	-	-	-	4
- PRIMARY	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- SECONDARY	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- EARLY LATENT	38	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
- LATE & LATE LTN.	42	2	-	-	-	-	-	-	-	-	-	7	-	-	-	-	4
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	328	58	-	-	-	-	-	-	36	-	-	-	-	1	-	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 01/21/2003)

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	KINGS	LAKE	LASSEN	LOS ANGELES	LONG BEACH	PASADENA	MADERA	MARIN	MARIPOSA	MENDO- CINO	MERCED	MODOC	MONO	MONTEREY	NAPA
AMEBIASIS	21	1	-	-	5	2	-	-	1	-	-	-	-	-	1	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	411	2	-	-	73	4	4	2	11	-	2	1	-	-	4	3
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	6608	46	11	5	1119	184	-	28	23	-	12	56	-	-	183	15
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	58	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CYSTICERCOSIS	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E. COLI (0157:H7)	33	-	-	-	5	-	1	1	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- CASES	107	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	182	-	1	-	32	4	1	1	4	-	2	1	-	-	-	1
GONOCOCCAL INFECTNS	1289	1	-	-	227	56	-	2	3	-	5	6	-	-	21	-
H-FLU (<30 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	93	-	-	-	32	-	1	-	-	-	-	1	-	-	-	1
- TYPE B	44	-	1	-	9	1	-	4	-	-	-	-	-	-	-	-
- TYPE C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONELLOSIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	8	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
MALARIA	13	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 30 years of age beginning January, 1999.

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	KINGS	LAKE	LASSEN	LOS ANGELES	LONG BEACH	PASADENA & OTHER	MADERA	MARIN	MARIPOSA	MENDO- CINO	MERCED	MODOC	MONO	MONTEREY	NAPA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	164	-	-	-	24	3	1	2	-	-	-	2	-	-	1	-
MENINGOCOCCAL INF.	17	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
MUMPS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N G U	174	1	-	-	4	7	-	-	12	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	62	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	4	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	387	4	-	-	128	2	1	-	1	-	3	11	-	-	4	1
SHIGELLOSIS:																
TOTAL	271	-	-	-	117	4	6	-	-	-	-	1	-	-	2	2
- GROUP A	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	52	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-
- GROUP C	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
- GROUP D	178	-	-	-	78	4	6	-	-	-	-	-	-	-	2	-
- UNSPECIFIED	35	-	-	-	15	-	-	-	-	-	-	1	-	-	-	-
SYPHILIS:																
TOTAL	126	-	-	-	6	4	-	1	-	-	-	1	-	-	1	-
- PRIMARY	17	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- SECONDARY	29	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
- EARLY LATENT	38	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
- LATE & LATE LTN.	42	-	-	-	3	-	-	1	-	-	-	1	-	-	1	-
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	328	1	-	-	11	3	2	-	-	-	-	-	-	-	-	1
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 01/21/2003)

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA
AMEBIASIS	21	-	2	-	-	1	1	-	1	1	3	-	-	1	-	1
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
- WOUND	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	411	-	12	2	-	4	11	1	2	54	17	12	5	14	6	50
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	6608	5	251	27	4	40	331	20	422	771	213	166	55	89	80	797
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	58	-	1	-	-	-	1	-	-	5	-	1	6	4	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	11	-	-	-	-	-	1	-	-	1	-	-	-	4	-	-
CYSTICERCOSIS	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	9	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-
E. COLI 016187:H7	33	-	4	-	-	-	-	-	-	5	-	4	-	2	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	5	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-
- CASES	107	-	6	-	-	69	-	-	-	12	-	-	-	-	3	-
GIARDIASIS	182	3	8	1	-	2	7	-	-	17	16	4	4	6	1	32
GONOCOCCAL INFECTNS	1289	1	38	1	-	3	120	4	78	151	136	44	4	15	4	69
H-FLU (<30 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	93	-	5	1	-	2	2	-	3	13	-	1	-	2	1	3
- TYPE B	44	-	1	-	-	4	-	-	-	2	-	2	-	-	-	1
- TYPE C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	30	-	2	-	-	1	-	-	-	23	-	-	-	-	-	1
LEGIONELLOSIS	4	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
LEPROSY	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1
LYME DISEASE	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	13	-	2	-	-	-	1	-	-	-	-	-	-	-	1	5

* Reports limited to patients less than 30 years of age beginning January, 1999.

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	NEVADA	ORANGE	PLACER	PLUMAS	RIVER- SIDE	SACRA- MENTO	SAN BENITO	SAN BER- NARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	164	-	12	6	-	4	4	1	2	32	-	8	3	3	2	5
MENINGOCOCCAL INF.	17	-	1	-	-	-	1	-	-	3	1	-	-	-	-	1
MUMPS	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
N G U	174	-	34	-	-	-	-	-	-	11	79	-	-	3	-	7
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	62	-	2	1	-	-	1	1	1	3	2	7	-	1	2	2
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	387	1	25	1	-	13	20	2	3	47	4	16	-	7	2	17
SHIGELLOSIS:																
TOTAL	271	1	16	-	-	11	1	-	5	32	8	4	-	2	3	8
- GROUP A	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	52	-	3	-	-	2	-	-	-	7	6	1	-	-	-	1
- GROUP C	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	178	1	13	-	-	7	1	-	5	22	2	3	-	2	2	5
- UNSPECIFIED	35	-	-	-	-	2	-	-	-	3	-	-	-	-	1	2
SYPHILIS:																
TOTAL	126	-	8	-	-	7	4	-	4	17	42	-	-	-	-	11
- PRIMARY	17	-	1	-	-	-	-	-	-	4	9	-	-	-	-	2
- SECONDARY	29	-	-	-	-	4	1	-	-	6	8	-	-	-	-	4
- EARLY LATENT	38	-	1	-	-	3	-	-	-	5	19	-	-	-	-	5
- LATE & LATE LTN.	42	-	6	-	-	-	3	-	4	2	6	-	-	-	-	-
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	328	-	-	-	-	15	-	-	3	23	6	25	-	4	3	112
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TYPHUS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 01/21/2003)

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO	SONOMA	STAN- ISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
AMEBIASIS	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BRUCELLOSIS	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	411	6	1	-	1	3	4	9	1	-	-	6	1	8	4	3
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	6608	44	36	-	12	116	58	123	10	-	-	142	7	169	33	16
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	58	-	-	-	-	-	-	1	-	-	-	11	-	1	1	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CYSTICERCOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	9	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
E. COLI (0157:H7)	33	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	107	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
GIARDIASIS	182	-	1	-	-	2	2	3	2	-	-	2	-	-	1	-
GONOCOCCAL INFECTNS	1289	5	3	-	-	21	7	12	2	-	-	30	-	16	5	-
H-FLU (<30 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	93	-	-	-	-	4	1	-	-	-	-	1	-	15	1	-
- TYPE B	44	-	7	-	-	-	2	2	-	-	-	1	1	-	-	-
- TYPE C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	30	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONELLOSIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

* Reports limited to patients less than 30 years of age beginning January, 1999.

CALIFORNIA DEPARTMENT OF HEALTH SERVICES - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2
 REPORT PERIOD: DECEMBER (WEEK 49 - 52), 2002

D I S E A S E	STATE TOTAL	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO	SONOMA	STAN- ISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	164	4	2	-	-	3	1	5	-	-	-	-	-	6	2	1
MENINGOCOCCAL INFECT.	17	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-
MUMPS	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
N G U	174	1	-	-	-	1	2	-	-	-	-	-	-	1	-	-
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	62	1	-	-	-	-	-	2	-	-	-	7	-	1	-	2
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
RABIES:																
- ANIMAL	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	387	3	-	-	-	3	6	6	-	-	-	6	-	15	-	-
SHIGELLOSIS:																
TOTAL	271	-	1	-	-	2	-	1	-	-	-	4	1	5	-	-
- GROUP A	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	52	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
- GROUP C	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
- GROUP D	178	-	-	-	-	1	-	-	-	-	-	-	-	4	-	-
- UNSPECIFIED	35	-	1	-	-	-	-	-	-	-	-	4	-	1	-	-
SYPHILIS:																
TOTAL	126	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-
- PRIMARY	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- SECONDARY	29	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
- EARLY LATENT	38	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
- LATE & LATE LTN.	42	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	328	-	-	-	-	-	6	5	-	-	-	4	-	9	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 01/21/2003)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, DECEMBER (WEEK 49 - 52), 2002

DEATHS REPORTED FOR PERIOD

	2002	2001	2000
ALL AGES			
Pneumonia	376	464	490
Influenza	-	1	-
All Causes	4454	5436	4967
AGE 65 AND OVER			
Pneumonia	329	413	431
Influenza	-	1	-
All Causes	3114	3888	3576

DEATHS REPORTED TO DATE

	2002	2001	2000
ALL AGES			
Pneumonia	5528	6388	7401
Influenza	7	4	27
All Causes	70527	72013	75945
AGE 65 AND OVER			
Pneumonia	4760	5628	6564
Influenza	6	3	21
All Causes	49664	51295	54467

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, DECEMBER (WEEK 49 - 52), 2002

DEATHS REPORTED FOR PERIOD

	2002	2001	2000
BERKELEY	85	66	77
FRESNO	534	367	470
GLENDALE	47	93	39
LONG BEACH	254	298	290
LOS ANGELES	983	1681	1141
PASADENA	106	98	101
SACRAMENTO	670	798	750
SAN DIEGO	688	675	677
SAN FRANCISCO	243*	503	531
SAN JOSE	728	737	757
SANTA CRUZ **	116	120	134

DEATHS REPORTED TO DATE

	2002	2001	2000
BERKELEY	864	867	921
FRESNO	6026	5849	5858
GLENDALE	1110	1217	1474
LONG BEACH	3575	3695	3777
LOS ANGELES	21854	22475	26444
PASADENA	1294	1386	1423
SACRAMENTO	10128	10022	9444
SAN DIEGO	8440	8730	9023
SAN FRANCISCO	6138	6651	6416
SAN JOSE	9455	9441	9501
SANTA CRUZ **	1643	1680	1664

Provisional Data

* Two weekly reports not received at time of printing.

Report Generated 01/22/2003

** Santa Cruz reports mortality for entire county.