

State of California
Arnold Schwarzenegger, Governor

California Department of Public Health
Mark B. Horton, MD, MSPH, Director

California

Monthly Summary Report

Selected Reportable Diseases

FEBRUARY, 2008

Report Weeks 6 - 9
Feb 3, 2008 – March 1, 2008

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF PUBLIC HEALTH - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 FEBRUARY (WEEK 6 - 9), 2008

CASES REPORTED FOR PERIOD				CASES REPORTED TO DATE			CASES REPORTED FOR PERIOD				CASES REPORTED TO DATE		
D I S E A S E	2008	2007	2006	2008	2007	2006	D I S E A S E	2008	2007	2006	2008	2007	2006
AIDS	183	314	240	403	608	476	MEASLES:						
AMEBIASIS	21	33	16	59	65	46	TOTAL	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	- INDIGENOUS	-	-	-	-	-	-
							- IMPORTED	-	-	-	-	-	-
BOTULISM:							MENINGITIS, VIRAL	114	113	91	216	205	192
- FOODBORNE	-	-	-	-	-	-	MENINGOCOCCAL INF.	6	19	31	16	37	54
- INFANT	2	5	5	9	7	6	MUMPS	2	3	-	3	9	1
- WOUND	-	2	8	-	2	9	N G U	55	141	222	136	374	519
							PERTUSSIS	-	2	89	-	2	106
BRUCELLSIS	2	3	3	4	8	3	P I D	39	66	66	111	120	139
CAMPYLOBACTERIOSIS	166	306	291	517	649	651	PLAGUE	-	-	-	-	-	-
CHANCROID	1	-	-	1	-	-	POLIOMYELITIS	-	-	-	-	-	-
CHLAMYDIAL INF.	7799	11312	10291	19342	23840	21749	PSITTACOSIS	-	1	1	-	1	1
CHOLERA	-	-	-	-	-	1	Q FEVER	-	1	2	-	1	2
COCCIDIOIDOMYCOSIS	47	195	153	144	440	385							
CONJUNCT. NEWBORN	-	-	-	1	-	-	RABIES:						
CRYPTOSPORIDIOSIS	9	19	22	29	37	37	- ANIMAL	4	4	7	7	9	11
CYSTICERCOSIS	1	4	1	7	6	6	- HUMAN	-	-	-	-	-	-
DENGUE	2	-	2	6	2	2	RELAPSING FEVER	-	-	-	1	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	REYE SYNDROME	-	-	-	-	-	-
DIPHTHERIA	-	-	-	-	-	-	RHEUMATIC FEVER	-	-	1	-	1	2
							ROCKY MTN SPOT FVR	-	-	-	-	-	-
ENCEPHALITIS:							RUBELLA	-	-	-	-	-	-
- ARBOVIRAL	-	-	1	4	1	3	RUBELLA, CONGENITAL	-	-	-	-	-	-
- OTHER VIRAL	14	6	6	19	11	18	SALMONELLOSIS	146	254	231	398	555	530
E. COLI (O157:H7)	4	8	5	6	11	14	SHIGELLOSIS:						
							TOTAL	37	48	80	114	160	215
FOODBORNE ILLNESS:							- GROUP A	-	-	-	-	-	-
- OUTBREAKS	1	5	5	3	27	18	- GROUP B	12	17	31	45	47	56
- CASES	4	34	104	44	423	211	- GROUP C	2	-	-	4	1	-
							- GROUP D	12	16	33	41	66	119
GIARDIASIS	93	191	161	231	378	369	- GRP. UNSPECIFIED	11	15	16	24	46	40
GONOCOCCAL INF.	1684	2506	2694	4136	5755	6001							
H-FLU (<15 YRS OLD)*	-	-	2	-	-	6	SYPHILIS:						
HANTA VIRUS	-	-	-	-	1	-	TOTAL	143	511	465	483	1124	1077
H U S	-	-	1	-	1	2	- PRIMARY	19	40	33	71	96	86
							- SECONDARY	48	110	81	139	264	211
HEPATITIS:							- EARLY LATENT	53	126	104	151	264	248
- TYPE A	15	52	96	69	113	219	- LATE & LATE LTN.	23	231	244	122	492	525
- TYPE B	6	33	19	34	67	51	- CONGENITAL	-	4	3	-	8	7
- TYPE C	1	1	-	4	4	4							
- TYPE D	2	-	-	3	-	-	TETANUS	-	-	-	-	-	-
- NON-A / NON-B	-	-	-	-	-	-	TOXIC SHOCK SYNDROME	-	-	-	2	-	1
- OTHER VIRAL	-	1	2	3	2	2	TRICHINOSIS	-	-	-	1	-	2
							TUBERCULOSIS	38	131	148	94	242	257
KAWASAKI SYNDROME	10	11	21	27	22	39	TULAREMIA	-	-	-	-	-	1
LEGIONELLOSIS	9	7	8	24	13	22	TYPHOID FEVER	2	4	4	11	10	8
LEPROSY	1	-	2	4	-	2	TYPHUS FEVER	5	1	-	14	4	-
LEPTOSPIROSIS	-	-	1	-	-	2	VIBRIO INFECTIONS	-	1	-	3	2	1
LISTERIOSIS	1	1	9	6	12	11	YELLOW FEVER	-	-	-	-	-	-
LYME DISEASE	11	4	4	28	13	9							
MALARIA	4	5	11	13	11	27							

* Reports limited to patients less than 15 years of age beginning January, 1999.

(Provisional data, report generated 03/25/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	ALAMEDA	BERKELEY	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT	IMPERIAL	INYO	KERN
AMEBIASIS	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																	
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	166	19	-	-	-	1	-	-	5	-	-	4	-	-	-	-	2
CHANCROID	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	7799	501	-	-	1	22	2	4	119	-	12	360	1	24	28	-	100
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	47	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CYSTICERCOSIS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																	
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E. COLI (O157:H7)	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																	
- OUTBREAKS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	93	4	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-
GONOCOCCAL INFECTNS	1684	167	-	-	-	4	-	-	34	-	1	46	-	3	2	-	13
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																	
- TYPE A	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE B	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE C	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
- OTHER VIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
LEGIONELLOSIS	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	11	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-
MALARIA	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

(provisional data, report generated 03/25/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	ALAMEDA	BERKELEY	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT	IMPERIAL	INYO	KERN
MEASLES:																	
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	114	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MENINGOCOCCAL INF.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MUMPS	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
N G U	55	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	39	2	-	-	-	-	-	-	8	-	-	1	-	1	-	-	1
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																	
- ANIMAL	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	146	10	-	-	-	1	-	-	7	-	-	2	-	-	-	-	1
SHIGELLOSIS:																	
TOTAL	37	4	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP C	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	12	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
- UNSPECIFIED	11	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
SYPHILIS:																	
TOTAL	143	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
- PRIMARY	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- SECONDARY	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
- EARLY LATENT	53	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
- LATE & LATE LTN.	23	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	38	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 03/25/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	KINGS	LAKE	LASSEN	LOS ANGELES	LONG BEACH	PASADENA	MADERA	MARIN	MARIPOSA	MENDO-CINO	MERCED	MODOC	MONO	MONTEREY	NAPA
AMEBIASIS	21	-	-	-	11	-	-	-	-	-	-	1	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	166	-	-	-	26	1	1	2	4	-	-	1	-	-	-	-
CHANCROID	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	7799	20	9	-	2469	92	20	62	11	-	9	33	-	-	-	-
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	47	-	-	-	14	-	-	2	-	-	-	-	-	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
CYSTICERCOSIS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	14	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
E. COLI (O157:H7)	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- CASES	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	93	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTNS	1684	4	-	-	617	17	4	13	6	-	-	5	-	-	-	-
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	15	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- TYPE B	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- TYPE C	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	10	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
LEGIONELLOSIS	9	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	11	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
MALARIA	4	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	KINGS	LAKE	LASSEN	LOS ANGELES	LONG BEACH	PASADENA & OTHER	MADERA	MARIN	MARIPOSA	MENDO-CINO	MERCED	MODOC	MONO	MONTEREY	NAPA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	114	-	-	-	82	2	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INF.	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MUMPS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N G U	55	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	39	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	146	-	-	-	50	1	-	1	1	-	-	1	-	-	-	-
SHIGELLOSIS:																
TOTAL	37	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	12	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
- GROUP C	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	12	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
- UNSPECIFIED	11	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS:																
TOTAL	143	-	-	-	40	4	-	-	1	-	-	-	-	-	-	-
- PRIMARY	19	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
- SECONDARY	48	-	-	-	9	2	-	-	1	-	-	-	-	-	-	-
- EARLY LATENT	53	-	-	-	12	2	-	-	-	-	-	-	-	-	-	-
- LATE & LATE LTN.	23	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	38	-	-	-	13	-	-	1	-	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 03/25/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA
AMEBIASIS	21	-	1	-	-	-	-	-	-	4	-	-	-	1	-	1
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	166	-	18	4	-	2	8	-	-	22	-	5	-	11	3	12
CHANCROID	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CHLAMYDIAL INFECTNS	7799	11	909	23	3	155	569	3	-	1066	217	303	-	97	36	269
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	47	-	-	-	-	1	-	-	-	10	-	-	2	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	9	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
CYSTICERCOSIS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E. COLI 016187:H7	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	93	-	8	-	-	-	7	-	-	29	-	-	-	1	1	12
GONOCOCCAL INFECTNS	1684	-	59	2	-	36	133	1	-	218	129	69	3	11	1	55
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	15	-	3	2	-	-	1	-	-	6	-	-	-	-	-	-
- TYPE B	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
- TYPE C	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
- OTHER VIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	10	-	1	1	-	-	1	-	-	2	-	-	-	-	-	1
LEGIONELLOSIS	9	-	1	-	-	-	-	-	-	3	-	-	-	1	-	1
LEPROSY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
MALARIA	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

(provisional data, report generated 03/25/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	114	-	8	-	-	1	4	-	-	9	-	-	-	1	-	3
MENINGOCOCCAL INF.	6	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-
MUMPS	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
N G U	55	-	-	-	-	-	-	-	-	-	43	-	-	1	-	-
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	39	-	1	-	-	-	5	-	-	3	4	-	-	6	-	3
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	146	-	20	1	-	3	4	-	-	23	-	-	-	3	-	7
SHIGELLOSIS:																
TOTAL	37	-	-	-	-	2	1	-	-	6	-	-	-	1	-	2
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	12	-	-	-	-	-	1	-	-	3	-	-	-	1	-	1
- GROUP C	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
- GROUP D	12	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-
- UNSPECIFIED	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
SYPHILIS:																
TOTAL	143	-	7	-	-	4	3	-	1	35	38	-	-	-	-	5
- PRIMARY	19	-	2	-	-	-	1	-	-	3	9	-	-	-	-	1
- SECONDARY	48	-	3	-	-	3	1	-	1	15	10	-	-	-	-	1
- EARLY LATENT	53	-	2	-	-	1	-	-	-	17	15	-	-	-	-	2
- LATE & LATE LTN.	23	-	-	-	-	-	1	-	-	-	4	-	-	-	-	1
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	38	-	1	2	-	5	-	-	-	-	9	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 03/25/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO	SONOMA	STAN-ISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
AMEBIASIS	21	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	166	5	1	-	-	2	6	-	-	-	-	1	-	-	-	-
CHANCROID	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	7799	4	17	2	7	83	29	-	5	-	-	70	2	-	12	8
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	47	-	-	-	-	1	-	-	-	-	-	12	-	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	9	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
CYSTICERCOSIS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI (O157:H7)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	93	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTNS	1684	-	2	-	-	19	2	-	-	-	-	6	-	-	-	2
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE B	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
- TYPE C	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONELLOSIS	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
LEPROSY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	11	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
MALARIA	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: FEBRUARY (WEEK 6 - 9), 2008

D I S E A S E	STATE TOTAL	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO	SONOMA	STAN- ISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	114	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
MENINGOCOCCAL INFECT.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MUMPS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N G U	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	39	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	146	1	1	-	-	1	2	-	-	-	-	5	-	-	-	-
SHIGELLOSIS:																
TOTAL	37	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP C	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- UNSPECIFIED	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
SYPHILIS:																
TOTAL	143	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
- PRIMARY	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- SECONDARY	48	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
- EARLY LATENT	53	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
- LATE & LATE LTN.	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	38	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 03/25/2008)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, FEBRUARY (WEEK 6 - 9), 2008

DEATHS REPORTED FOR PERIOD

	2008	2007	2006
ALL AGES			
Pneumonia	694	357	482
Influenza	5	-	2
All Causes	5507	3719	4560
AGE 65 AND OVER			
Pneumonia	599	318	427
Influenza	3	-	2
All Causes	3979	2638	3294

DEATHS REPORTED TO DATE

	2008	2007	2006
ALL AGES			
Pneumonia	1381	860	1254
Influenza	6	-	10
All Causes	11526	9039	11394
AGE 65 AND OVER			
Pneumonia	1196	752	1101
Influenza	4	-	8
All Causes	8263	6343	8126

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, FEBRUARY (WEEK 6 - 9), 2008

DEATHS REPORTED FOR PERIOD

	2008	2007	2006
BERKELEY	51	69	67
FRESNO*	612	290	444
GLENDALE	138	**	41
LONG BEACH	328	308	290
LOS ANGELES	1126	**	693
PASADENA	109	96	94
SACRAMENTO*	939	847	824
SAN DIEGO	695	678	636
SAN FRANCISCO	549	488	485
SAN JOSE*	826	832	872
SANTA CRUZ*	134	111	114

DEATHS REPORTED TO DATE

	2008	2007	2006
BERKELEY	130	160	155
FRESNO	1251	1094	944
GLENDALE	265	**	117
LONG BEACH	722	710	698
LOS ANGELES	2440	**	2323
PASADENA	239	229	262
SACRAMENTO	1963	1953	2110
SAN DIEGO	1549	1604	1584
SAN FRANCISCO	766	1055	1091
SAN JOSE	1893	1965	1810
SANTA CRUZ	308	269	300

Provisional Data

* Report mortality for entire county.

Report Generated 03/25/2008

Reports not received for the period.