

State of California
Arnold Schwarzenegger, Governor

California Department of Public Health
Mark B. Horton, MD, MSPH, Director

California

Monthly Summary Report

Selected Reportable Diseases

MARCH, 2008

Report Weeks 10 - 13
Mar 2, 2008 – March 29, 2008

Division of Communicable Disease Control
Surveillance and Statistics Section

CALIFORNIA DEPARTMENT OF PUBLIC HEALTH - DIVISION OF COMMUNICABLE DISEASE CONTROL - SURVEILLANCE AND STATISTICS SECTION
 CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 1
 MARCH (WEEK 10 - 13), 2008

CASES REPORTED FOR PERIOD				CASES REPORTED TO DATE			CASES REPORTED FOR PERIOD				CASES REPORTED TO DATE		
D I S E A S E	2008	2007	2006	2008	2007	2006	D I S E A S E	2008	2007	2006	2008	2007	2006
AIDS	152	414	272	641	1029	746	MEASLES:						
AMEBIASIS	19	30	36	76	95	82	TOTAL	-	-	1	-	-	1
ANTHRAX	-	-	-	-	-	-	- INDIGENOUS	-	-	-	-	-	-
							- IMPORTED	-	-	1	-	-	1
BOTULISM:							MENINGITIS, VIRAL	77	72	90	320	277	282
- FOODBORNE	-	-	-	-	-	-	MENINGOCOCCAL INF.	32	18	18	65	55	72
- INFANT	2	3	3	8	10	9	MUMPS	9	3	2	12	12	3
- WOUND	-	-	2	-	2	11	N G U	59	118	265	195	493	784
							PERTUSSIS	7	52	85	23	76	191
BRUCELLA	-	4	2	5	12	5	P I D	55	73	70	179	193	209
CAMPYLOBACTERIOSIS	238	280	303	857	929	954	PLAGUE	-	-	-	-	-	-
CHANCROID	-	1	-	1	1	-	POLIOMYELITIS	-	-	-	-	-	-
CHLAMYDIAL INF.	10061	11207	10472	32762	34744	32221	PSITTACOSIS	-	-	-	-	1	1
CHOLERA	-	-	-	-	-	1	Q FEVER	-	-	1	1	1	3
COCCIDIOIDOMYCOSIS	127	202	139	510	642	524							
CONJUNCT. NEWBORN	-	-	-	1	-	-	RABIES:						
CRYPTOSPORIDIOSIS	12	22	15	44	59	52	- ANIMAL	8	13	18	15	23	29
CYSTICERCOSIS	8	4	2	13	10	8	- HUMAN	-	-	-	-	-	-
DENGUE	3	2	-	10	4	2	RELAPSING FEVER	1	-	-	2	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	REYE SYNDROME	-	-	-	-	-	-
DIPHTHERIA	-	-	-	-	-	-	RHEUMATIC FEVER	-	-	-	-	1	2
							ROCKY MTN SPOT FVR	1	-	-	1	1	-
ENCEPHALITIS:							RUBELLA	-	-	-	-	-	-
- ARBOVIRAL	-	-	2	4	1	5	RUBELLA, CONGENITAL	-	-	-	-	-	-
- OTHER VIRAL	8	6	4	29	17	22	SALMONELLOSIS	206	218	222	655	773	752
E. COLI (O157:H7)	8	12	2	17	23	16	SHIGELLOSIS:						
							TOTAL	54	44	98	187	204	313
FOODBORNE ILLNESS:							- GROUP A	-	1	-	-	1	-
- OUTBREAKS	7	3	11	10	30	29	- GROUP B	21	19	43	77	66	99
- CASES	138	32	159	182	455	370	- GROUP C	1	2	-	5	3	-
							- GROUP D	25	13	34	70	79	153
GIARDIASIS	109	149	157	390	527	526	- GRP. UNSPECIFIED	7	9	21	35	55	61
GONOCOCCAL INF.	1915	2482	2563	6406	8220	8564							
H-FLU (<15 YRS OLD)*	-	2	3	1	8	9	SYPHILIS:						
HANTA VIRUS	-	-	-	-	1	-	TOTAL	213	542	462	1064	1674	1539
H U S	-	-	-	-	1	2	- PRIMARY	38	44	41	139	140	127
							- SECONDARY	61	122	86	284	386	297
HEPATITIS:							- EARLY LATENT	58	117	97	297	378	345
- TYPE A	33	54	100	112	166	319	- LATE & LATE LTN.	55	250	236	341	752	761
- TYPE B	16	39	34	54	106	85	- CONGENITAL	1	9	2	3	18	9
- TYPE C	27	9	3	37	13	7							
- TYPE D	1	1	-	4	1	-	TETANUS	-	1	-	-	1	-
- NON-A / NON-B	-	-	-	-	-	-	TOXIC SHOCK SYNDROME	1	1	-	4	1	1
- OTHER VIRAL	2	3	2	5	5	4	TRICHINOSIS	-	-	-	-	-	2
							TUBERCULOSIS	56	185	202	235	436	459
KAWASAKI SYNDROME	14	22	11	46	44	50	TULAREMIA	-	-	-	-	-	1
LEGIONELLOSIS	12	3	8	39	16	30	TYPHOID FEVER	5	5	5	15	15	13
LEPROSY	4	1	1	8	1	3	TYPHUS FEVER	4	1	-	18	5	-
LEPTOSPIROSIS	-	2	-	-	2	2	VIBRIO INFECTIONS	2	-	2	6	2	3
LISTERIOSIS	2	8	6	9	20	17	YELLOW FEVER	-	-	-	-	-	-
LYME DISEASE	9	2	5	42	13	14							
MALARIA	4	8	7	18	19	34							

* Reports limited to patients less than 15 years of age beginning January, 1999.

(Provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	ALAMEDA	BERKELEY	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT	IMPERIAL	INYO	KERN
AMEBIASIS	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																	
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	238	10	4	-	-	1	-	-	12	-	2	5	-	2	1	-	6
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	10061	568	28	-	6	57	3	-	369	2	16	392	9	33	38	-	400
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	127	3	-	-	-	-	-	-	1	-	-	26	-	-	-	-	25
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
CYSTICERCOSIS	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																	
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E. COLI (O157:H7)	8	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-
FOODBORNE ILLNESS:																	
- OUTBREAKS	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	109	3	-	-	-	1	-	-	5	-	-	1	-	-	1	-	3
GONOCOCCAL INFECTNS	1915	167	1	-	-	4	-	-	72	-	-	50	-	2	4	-	70
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																	
- TYPE A	33	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	6
- TYPE B	16	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
- TYPE C	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	14	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEGIONELLOSIS	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALARIA	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	ALAMEDA	BERKELEY	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT	IMPERIAL	INYO	KERN
MEASLES:																	
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	77	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	3
MENINGOCOCCAL INF.	32	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	6
MUMPS	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
N G U	59	2	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-
PERTUSSIS	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P I D	55	1	-	-	-	-	-	-	8	-	-	-	-	1	-	-	2
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																	
- ANIMAL	8	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	206	12	-	-	-	3	-	-	7	-	-	7	-	-	1	-	5
SHIGELLOSIS:																	
TOTAL	54	2	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP C	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- UNSPECIFIED	7	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-
SYPHILIS:																	
TOTAL	213	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1
- PRIMARY	38	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
- SECONDARY	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
- EARLY LATENT	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
- LATE & LATE LTN.	55	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
- CONGENITAL	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	56	4	-	-	-	-	-	-	3	-	-	3	-	-	-	-	1
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	KINGS	LAKE	LASSEN	LOS ANGELES	LONG BEACH	PASADENA	MADERA	MARIN	MARIPOSA	MENDO- CINO	MERCED	MODOC	MONO	MONTEREY	NAPA
AMEBIASIS	19	-	-	-	9	1	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	238	-	-	-	73	2	-	2	3	-	-	1	-	-	3	4
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	10061	57	4	4	3219	210	30	44	12	-	10	42	-	-	90	23
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	127	7	-	-	16	2	-	-	-	-	-	1	-	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	12	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	8	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
DENGUE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	8	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
E. COLI (O157:H7)	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	109	-	-	-	32	1	-	-	2	-	-	-	-	-	-	-
GONOCOCCAL INFECTNS	1915	12	-	-	645	28	2	6	1	-	-	2	-	-	15	-
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	33	-	-	-	7	1	-	1	-	-	-	-	-	-	1	-
- TYPE B	16	1	-	-	7	-	-	-	-	-	-	-	-	-	-	3
- TYPE C	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
- TYPE D	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	14	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
LEGIONELLOSIS	12	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	4	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	9	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-
MALARIA	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	KINGS	LAKE	LASSEN	LOS ANGELES	LONG BEACH	PASADENA & OTHER	MADERA	MARIN	MARIPOSA	MENDO-CINO	MERCED	MODOC	MONO	MONTEREY	NAPA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	77	-	-	-	7	2	-	5	-	-	-	-	-	-	1	-
MENINGOCOCCAL INF.	32	-	-	-	13	-	-	-	-	-	-	-	-	-	1	-
MUMPS	9	-	-	-	5	-	-	-	-	-	-	-	-	-	1	-
N G U	59	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
PERTUSSIS	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
P I D	55	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	206	-	-	-	61	2	-	4	2	-	-	-	-	-	2	1
SHIGELLOSIS:																
TOTAL	54	-	-	-	23	3	-	-	-	-	-	-	-	-	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	21	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
- GROUP C	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	25	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
- UNSPECIFIED	7	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS:																
TOTAL	213	-	-	-	74	12	1	-	-	-	-	-	-	-	-	-
- PRIMARY	38	-	-	-	9	1	-	-	-	-	-	-	-	-	-	-
- SECONDARY	61	-	-	-	17	5	-	-	-	-	-	-	-	-	-	-
- EARLY LATENT	58	-	-	-	18	3	1	-	-	-	-	-	-	-	-	-
- LATE & LATE LTN.	55	-	-	-	30	3	-	-	-	-	-	-	-	-	-	-
- CONGENITAL	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	56	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	5	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
TYPHUS	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	NEVADA	ORANGE	PLACER	PLUMAS	RIVER- SIDE	SACRA- MENTO	SAN BENITO	SAN BER- NARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA
AMEBIASIS	19	-	1	-	-	-	-	-	-	6	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	238	-	12	-	-	1	9	-	-	27	-	3	-	7	-	4
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	10061	13	576	47	7	423	521	5	-	771	297	291	52	118	112	623
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	127	-	4	-	-	-	-	-	-	13	-	1	4	-	3	1
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	12	-	-	1	-	2	-	-	-	2	-	-	-	-	-	-
CYSTICERCOSIS	8	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
DENGUE	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
E. COLI 016187:H7	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	7	-	1	3	-	-	-	-	-	2	-	-	-	1	-	-
- CASES	138	-	31	22	-	-	-	-	-	12	-	-	-	73	-	-
GIARDIASIS	109	1	9	-	-	3	4	-	-	26	-	3	-	3	1	2
GONOCOCCAL INFECTNS	1915	1	47	2	-	51	166	-	-	191	151	52	7	17	5	80
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	33	-	2	-	-	1	2	-	-	2	-	-	-	1	1	1
- TYPE B	16	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
- TYPE C	27	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
- TYPE D	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	14	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
LEGIONELLOSIS	12	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-
LEPROSY	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
LYME DISEASE	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

* Reports limited to patients less than 15 years of age.

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	77	-	12	-	-	5	3	-	-	20	-	-	3	1	-	-
MENINGOCOCCAL INF.	32	-	2	-	-	-	-	-	-	3	-	-	-	3	-	-
MUMPS	9	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
N G U	59	-	-	-	-	-	-	-	-	-	46	-	-	2	-	1
PERTUSSIS	7	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-
P I D	55	-	2	1	-	-	14	-	-	3	1	-	-	3	-	-
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	8	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	206	-	17	2	-	10	9	-	-	24	-	2	1	4	1	10
SHIGELLOSIS:																
TOTAL	54	-	6	-	-	-	-	-	-	6	-	5	-	2	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	21	-	1	-	-	-	-	-	-	3	-	1	-	2	-	-
- GROUP C	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	25	-	5	-	-	-	-	-	-	2	-	4	-	-	-	-
- UNSPECIFIED	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SYPHILIS:																
TOTAL	213	-	15	-	-	4	6	-	-	36	42	1	2	-	1	6
- PRIMARY	38	-	2	-	-	2	-	-	-	5	10	-	2	-	1	2
- SECONDARY	61	-	1	-	-	1	3	-	-	14	12	-	-	-	-	4
- EARLY LATENT	58	-	8	-	-	1	-	-	-	11	12	1	-	-	-	-
- LATE & LATE LTN.	55	-	4	-	-	-	3	-	-	6	7	-	-	-	-	-
- CONGENITAL	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	56	-	-	-	-	2	9	-	1	-	11	2	-	3	1	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TYPHUS	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO	SONOMA	STAN-ISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
AMEBIASIS	19	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM:																
- FOODBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INFANT	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- WOUND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	238	2	2	-	-	6	5	13	-	-	-	15	-	-	-	1
CHANCROID	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHLAMYDIAL INFECTNS	10061	-	48	-	9	101	29	156	10	1	-	152	-	-	4	29
CHOLERA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	127	-	-	-	-	-	-	3	-	-	-	17	-	-	-	-
CONJUNCT. NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CYSTICERCOSIS	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEA, NWB. O/B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHThERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS:																
- ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI (O157:H7)	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOODBORNE ILLNESS:																
- OUTBREAKS	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- CASES	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GIARDIASIS	109	-	-	-	-	-	3	-	-	-	-	3	-	-	1	1
GONOCOCCAL INFECTNS	1915	-	-	-	-	14	2	28	1	-	-	17	1	-	-	1
H-FLU (<15 YRS OLD)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HANTAVIRUS INFECTNS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H U S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS:																
- TYPE A	33	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-
- TYPE B	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE C	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- TYPE D	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- OTHER VIRAL	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI SYNDROME	14	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
LEGIONELLOSIS	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LEPROSY	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME DISEASE	9	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
MALARIA	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Reports limited to patients less than 15 years of age.

(provisional data, report generated 04/24/2008)

CALIFORNIA, SELECTED REPORTABLE DISEASES - TABLE 2

REPORT PERIOD: MARCH (WEEK 10 - 13), 2008

D I S E A S E	STATE TOTAL	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO	SONOMA	STAN- ISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
MEASLES:																
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- INDIGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- IMPORTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS, VIRAL	77	4	-	-	-	2	1	-	-	-	-	4	-	-	-	-
MENINGOCOCCAL INFECT.	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MUMPS	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N G U	59	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
PERTUSSIS	7	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
P I D	55	-	1	-	-	-	-	4	-	-	-	8	-	-	-	-
PLAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES:																
- ANIMAL	8	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
- HUMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MTN SPOT FVR	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
RUBELLA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS	206	2	1	-	-	2	1	4	-	-	-	9	-	-	-	-
SHIGELLOSIS:																
TOTAL	54	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
- GROUP A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP B	21	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
- GROUP C	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- GROUP D	25	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
- UNSPECIFIED	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS:																
TOTAL	213	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-
- PRIMARY	38	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
- SECONDARY	61	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
- EARLY LATENT	58	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
- LATE & LATE LTN.	55	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
- CONGENITAL	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXIC SHOCK	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	56	-	-	-	-	1	-	-	-	-	-	-	-	4	-	-
TULAREMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
TYPHUS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO INFECTIONS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(provisional data, report generated 04/24/2008)

TABLE 1 - DEATHS IN 11 CALIFORNIA CITIES, MARCH (WEEK 10 - 13), 2008

DEATHS REPORTED FOR PERIOD

	2008	2007	2006
ALL AGES			
Pneumonia	620	323	592
Influenza	4	1	-
All Causes	5405	3617	5382
AGE 65 AND OVER			
Pneumonia	539	290	499
Influenza	4	-	-
All Causes	3821	2582	3781

DEATHS REPORTED TO DATE

	2008	2007	2006
ALL AGES			
Pneumonia	2001	1183	1846
Influenza	10	1	10
All Causes	16931	12656	16776
AGE 65 AND OVER			
Pneumonia	1735	1042	1600
Influenza	8	-	8
All Causes	12084	8925	11907

TABLE 2 - DEATHS IN 11 CALIFORNIA CITIES, MARCH (WEEK 10 - 13), 2008

DEATHS REPORTED FOR PERIOD

	2008	2007	2006
BERKELEY	61	61	68
FRESNO*	584	429	549
GLENDALE	111	**	84
LONG BEACH	317	260	317
LOS ANGELES	1122	**	1185
PASADENA	104	124	141
SACRAMENTO*	868	800	763
SAN DIEGO	680	587	676
SAN FRANCISCO	554	487	492
SAN JOSE*	865	754	994
SANTA CRUZ*	139	115	113

DEATHS REPORTED TO DATE

	2008	2007	2006
BERKELEY	191	221	223
FRESNO	1835	1523	1493
GLENDALE	376	**	201
LONG BEACH	1039	970	1015
LOS ANGELES	3562	**	3508
PASADENA	343	353	403
SACRAMENTO	2831	2753	2873
SAN DIEGO	2229	2191	2260
SAN FRANCISCO	1320	1542	1583
SAN JOSE	2758	2719	2804
SANTA CRUZ	447	384	413

Provisional Data

* Report mortality for entire county.

Report Generated 04/24/2008

** No reports received at time of printing.