

Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates, California Counties & Selected City Health Jurisdictions, 2004–2008 Provisional Data

COUNTY	2004		2005		2006		2007		2008	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	63	11.6	71	12.9	70	12.5	83	14.7	65	11.3
Alameda	1	4.8	3	14.4	-	-	4	18.6	2	9.3
— Berkeley ¹	-	-	-	-	-	-	-	-	1	101.9
Alpine	-	-	-	-	-	-	-	-	-	-
Amador	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Calaveras	-	-	-	-	-	-	-	-	-	-
Colusa	-	-	-	-	-	-	-	-	-	-
Contra Costa	-	-	2	15.2	-	-	4	29.7	4	29.0
Del Norte	-	-	-	-	-	-	-	-	-	-
El Dorado	-	-	-	-	-	-	-	-	-	-
Fresno	2	12.6	2	12.6	-	-	-	-	-	-
Glenn	1	251.3	-	-	-	-	-	-	-	-
Humboldt	-	-	-	-	-	-	-	-	-	-
Imperial	3	104.9	2	65.4	1	32.0	2	63.7	1	31.1
Inyo	-	-	-	-	-	-	-	-	-	-
Kern	2	14.9	4	28.5	5	33.1	5	32.6	1	6.4
Kings	1	39.2	-	-	-	-	1	36.0	-	-
Lake	-	-	-	-	-	-	-	-	-	-
Lassen	-	-	-	-	-	-	-	-	-	-
Los Angeles	28	18.5	29	19.3	31	20.4	32	21.1	21	13.6
— Long Beach ¹	3	38.1	2	25.1	3	38.1	3	39.5	-	-
— Pasadena ¹	1	44.0	2	89.7	1	45.4	2	90.2	-	-
Madera	-	-	-	-	1	38.1	-	-	-	-
Marin	-	-	-	-	1	36.6	1	35.5	1	35.5
Mariposa	-	-	-	-	-	-	-	-	-	-
Mendocino	-	-	-	-	-	-	-	-	-	-
Merced	-	-	-	-	-	-	1	21.5	-	-
Modoc	-	-	-	-	-	-	-	-	-	-
Mono	-	-	-	-	-	-	-	-	-	-
Monterey	-	-	-	-	-	-	-	-	-	-
Napa	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-
Orange	6	13.3	3	6.8	7	15.8	4	9.1	1	2.2
Placer	-	-	-	-	-	-	-	-	1	23.6
Plumas	-	-	-	-	-	-	-	-	-	-
Riverside	1	3.4	3	9.5	-	-	-	-	1	2.8
Sacramento	1	4.8	2	9.4	2	9.1	2	9.0	1	4.5
San Benito	-	-	-	-	-	-	-	-	-	-
San Bernardino	1	3.1	3	9.1	1	2.9	2	5.7	2	5.6
San Diego	7	15.3	7	15.3	12	25.6	11	23.1	13	27.4
San Francisco	1	11.7	-	-	-	-	1	11.0	2	22.2
San Joaquin	-	-	1	8.7	2	17.0	3	25.9	1	8.3
San Luis Obispo	-	-	-	-	-	-	-	-	1	34.4
San Mateo	-	-	-	-	-	-	1	10.1	1	10.2
Santa Barbara	1	16.1	-	-	-	-	-	-	-	-
Santa Clara	5	18.8	3	11.3	2	7.4	2	7.3	5	18.3
Santa Cruz	-	-	-	-	2	55.6	-	-	-	-
Shasta	-	-	-	-	-	-	-	-	-	-
Sierra	-	-	-	-	-	-	-	-	-	-
Siskiyou	-	-	-	-	-	-	-	-	-	-
Solano	-	-	2	34.9	-	-	-	-	-	-
Sonoma	-	-	-	-	-	-	-	-	-	-
Stanislaus	-	-	1	11.8	1	11.5	-	-	-	-
Sutter	1	74.5	-	-	-	-	-	-	-	-
Tehama	-	-	-	-	-	-	-	-	-	-
Trinity	-	-	-	-	-	-	-	-	-	-
Tulare	1	12.6	1	12.2	-	-	1	11.8	5	56.9
Tuolumne	-	-	-	-	-	-	-	-	-	-
Ventura	-	-	1	8.2	1	8.0	6	49.2	1	8.1
Yolo	-	-	2	81.5	1	37.8	-	-	-	-
Yuba	-	-	-	-	-	-	-	-	-	-

¹ City Health Department numbers are included in their respective county totals.

Note: Rates are per 100,000 live births.

Source: California Department of Public Health, STD Control Branch

State of California, Department of Public Health, Center for Health Statistics, Birth Statistical Master Files

Revised 06/02/2009

Congenital Syphilis in Infants less than One Year of Age, Cases and Rates by Race/Ethnicity of Mother, California, 2004–2008 Provisional Data

RACE/ ETHNICITY	2004		2005		2006		2007		2008	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	63	11.6	71	12.9	70	12.5	83	14.7	65	11.3
Native American/Alaskan Native	1	48.2	0	0.0	0	0.0	0	0.0	1	49.0
Asian/Pacific Islander	2	3.1	8	12.4	2	3.1	8	11.6	3	4.3
African-American/Black	11	38.4	13	45.2	8	26.7	14	47.5	10	33.5
Hispanic/Latina	42	15.3	40	14.1	53	18.1	49	16.5	37	12.3
White	6	3.8	8	5.1	5	3.2	9	6.0	13	8.5
Not Specified	1	-	2	-	2	-	3	-	1	-

Note: Rates are per 100,000 live births.

Source: California Department of Public Health, STD Control Branch

State of California, Department of Public Health, Center for Health Statistics, Birth Statistical Master Files
(2008 denominator data was created by multiplying the 2007 race/ethnic percent distribution by the 2008 projected births.)

**Congenital Syphilis in Infants less than One Year of Age, Cases by Classification,
California Counties & Selected City Health Jurisdictions, 2008 Provisional Data**

COUNTY	Total Cases	Confirmed Cases	Stillbirth Cases	Presumptive Cases	
				Probable ¹	Possible ²
CALIFORNIA	65	0	1	52	12
Alameda	2	-	-	2	-
— Berkeley ³	1	-	-	1	-
Alpine	-	-	-	-	-
Amador	-	-	-	-	-
Butte	-	-	-	-	-
Calaveras	-	-	-	-	-
Colusa	-	-	-	-	-
Contra Costa	4	-	-	3	1
Del Norte	-	-	-	-	-
El Dorado	-	-	-	-	-
Fresno	-	-	-	-	-
Glenn	-	-	-	-	-
Humboldt	-	-	-	-	-
Imperial	1	-	-	1	-
Inyo	-	-	-	-	-
Kern	1	-	-	1	-
Kings	-	-	-	-	-
Lake	-	-	-	-	-
Lassen	-	-	-	-	-
Los Angeles	21	-	-	21	-
— Long Beach ³	-	-	-	-	-
— Pasadena ³	-	-	-	-	-
Madera	-	-	-	-	-
Marin	1	-	-	-	1
Mariposa	-	-	-	-	-
Mendocino	-	-	-	-	-
Merced	-	-	-	-	-
Modoc	-	-	-	-	-
Mono	-	-	-	-	-
Monterey	-	-	-	-	-
Napa	-	-	-	-	-
Nevada	-	-	-	-	-
Orange	1	-	-	-	1
Placer	1	-	-	1	-
Plumas	-	-	-	-	-
Riverside	1	-	-	1	-
Sacramento	1	-	-	1	-
San Benito	-	-	-	-	-
San Bernardino	2	-	-	2	-
San Diego	13	-	1	9	3
San Francisco	2	-	-	2	-
San Joaquin	1	-	-	1	-
San Luis Obispo	1	-	-	1	-
San Mateo	1	-	-	1	-
Santa Barbara	-	-	-	-	-
Santa Clara	5	-	-	2	3
Santa Cruz	-	-	-	-	-
Shasta	-	-	-	-	-
Sierra	-	-	-	-	-
Siskiyou	-	-	-	-	-
Solano	-	-	-	-	-
Sonoma	-	-	-	-	-
Stanislaus	-	-	-	-	-
Sutter	-	-	-	-	-
Tehama	-	-	-	-	-
Trinity	-	-	-	-	-
Tulare	5	-	-	3	2
Tuolumne	-	-	-	-	-
Ventura	1	-	-	-	1
Yolo	-	-	-	-	-
Yuba	-	-	-	-	-

CDC Algorithm for Presumptive Cases

¹ Mother not treated adequately or treatment unknown before or during pregnancy; or mother treated adequately before or during pregnancy, but evidence of treatment failure or reinfection.

² Mother treated adequately before or during pregnancy, but response was equivocal or could not be determined prior to delivery and infant was not evaluated.

³ City Health Department numbers are included in their respective county totals.