










# Long Beach City – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female    ■ Male

— Female    - - - Male



\* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.  
 Note: Rates are per 100,000 population.  
 Source: California Department of Public Health, STD Control Branch

## Long Beach City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Number	Percent <sup>1</sup>
<b>CITY TOTAL</b>	2,666	100.0%	542.9	640	100.0%	130.3	76	100.0%	15.5	54	100.0%	11.0	491,069	100.0%
<b>Female Total</b>	1,947	73.0%	779.3	291	45.5%	116.5	3	3.9%	1.2	3	5.6%	1.2	249,836	50.9%
Ages														
0 – 9	0	0.0%	0.0	3	1.0%	7.2	0	0.0%	0.0	0	0.0%	0.0	41,707	16.7%
10 – 14	14	0.7%	76.0	4	1.4%	21.7	0	0.0%	0.0	0	0.0%	0.0	18,429	7.4%
15 – 19	653	33.7%	3,636.5	108	37.2%	601.4	2	66.7%	11.1	0	0.0%	0.0	17,957	7.2%
20 – 24	724	37.4%	3,669.0	89	30.7%	451.0	1	33.3%	5.1	0	0.0%	0.0	19,733	7.9%
25 – 29	295	15.2%	1,382.7	46	15.9%	215.6	0	0.0%	0.0	1	33.3%	4.7	21,335	8.5%
30 – 34	140	7.2%	655.9	22	7.6%	103.1	0	0.0%	0.0	1	33.3%	4.7	21,345	8.5%
35 – 44	92	4.8%	241.1	15	5.2%	39.3	0	0.0%	0.0	0	0.0%	0.0	38,160	15.3%
45 +	18	0.9%	25.3	3	1.0%	4.2	0	0.0%	0.0	1	33.3%	1.4	71,169	28.5%
Not Specified	11	0.6%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
<b>Male Total</b>	699	26.2%	289.8	342	53.4%	141.8	73	96.1%	30.3	51	94.4%	21.1	241,233	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,346	18.0%
10 – 14	1	0.1%	5.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,494	8.1%
15 – 19	132	19.1%	744.4	45	13.2%	253.8	1	1.4%	5.6	5	9.8%	28.2	17,732	7.4%
20 – 24	241	34.8%	1,322.1	88	25.8%	482.7	7	9.6%	38.4	4	7.8%	21.9	18,229	7.6%
25 – 29	154	22.3%	760.0	73	21.4%	360.3	9	12.3%	44.4	6	11.8%	29.6	20,262	8.4%
30 – 34	64	9.2%	295.0	38	11.1%	175.2	7	9.6%	32.3	5	9.8%	23.0	21,692	9.0%
35 – 44	76	11.0%	195.8	67	19.6%	172.6	33	45.2%	85.0	13	25.5%	33.5	38,813	16.1%
45 +	24	3.5%	38.9	30	8.8%	48.7	16	21.9%	25.9	18	35.3%	29.2	61,664	25.6%
Not Specified	7	1.0%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Number	Percent <sup>1</sup>
<b>CITY TOTAL</b>	2,666	100.0%	542.9	640	100.0%	130.3	76	100.0%	15.5	54	100.0%	11.0	491,069	100.0%
<b>Female Total</b>	1,947	73.0%	779.3	291	45.5%	116.5	3	3.9%	1.2	3	5.6%	1.2	249,836	50.9%
American Indian/Alaska Native	5	0.4%	519.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	962	0.4%
Asian/Pacific Islander	88	7.5%	258.8	10	5.7%	29.4	0	0.0%	0.0	0	0.0%	0.0	34,009	13.6%
Black/African-American	466	39.8%	1,216.6	111	63.8%	289.8	0	0.0%	0.0	1	33.3%	2.6	38,303	15.3%
Latina/Hispanic	503	42.9%	583.5	35	20.1%	40.6	3	100.0%	3.5	2	66.7%	2.3	86,200	34.5%
White	110	9.4%	133.4	18	10.3%	21.8	0	0.0%	0.0	0	0.0%	0.0	82,488	33.0%
Other/Multi/Not Specified	775	39.8%	-	117	40.2%	-	0	0.0%	-	0	0.0%	-	7,875	3.2%
<b>Male Total</b>	699	26.2%	289.8	342	53.4%	141.8	73	96.1%	30.3	51	94.4%	21.1	241,233	49.1%
American Indian/Alaska Native	1	0.3%	108.2	0	0.0%	0.0	0	0.0%	0.0	1	2.0%	108.2	924	0.4%
Asian/Pacific Islander	14	3.8%	46.4	8	5.4%	26.5	3	4.3%	9.9	3	6.0%	9.9	30,182	12.5%
Black/African-American	163	44.8%	496.8	78	52.3%	237.7	8	11.6%	24.4	5	10.0%	15.2	32,812	13.6%
Latina/Hispanic	141	38.7%	157.6	28	18.8%	31.3	22	31.9%	24.6	20	40.0%	22.4	89,462	37.1%
White	45	12.4%	56.1	35	23.5%	43.6	36	52.2%	44.9	21	42.0%	26.2	80,200	33.2%
Other/Multi/Not Specified	335	47.9%	-	193	56.4%	-	4	5.5%	-	1	2.0%	-	7,654	3.2%

<sup>1</sup> Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

<sup>2</sup> Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

