

TABLE 5-7. DEATHS AND AGE-ADJUSTED DEATH RATES FOR LEADING CAUSES OF DEATH BY SEX, CALIFORNIA, 2002-2006 (By Place of Residence)

(Rates are per 100,000 population in specified groups. Age-adjusted rates are calculated using Year 2000 standard population.)

TOTAL	TOTAL ALL CAUSES A00-Y89	LEADING CAUSES OF DEATH IN CALIFORNIA														ALL OTHER CAUSES (Residual)
		HEART DISEASE I00-I09, I11, I13, I20-I51	CANCER C00-C97	CEREBRO-VASCULAR DISEASE I60-I69	CHRONIC LOWER RESP DISEASE J40-J47	ACCIDENTS V01-X59, Y85-Y86	ALZHEIMER'S DISEASE G30	DIABETES E10-E14	INFLUENZA AND PNEUMONIA J10-J18	CIRRHOSIS K70, K73-K74	INTENTIONAL SELF-HARM U03, X60-X84, Y87.0	ESSENTIAL HYPERTENSION HYPER. RENAL I10, I12, I15	ASSAULT U01-U02, X85-Y09, Y87.1	NEPHRITIS N00-N07, N17-N19, N25-N27	PARKINSONS DISEASE G20-G21	
YEAR 2006 RANK - TOTAL:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	
Deaths:																
2006	236,452	64,648	54,043	15,011	12,807	11,236	8,141	7,367	7,329	3,826	3,296	3,188	2,596	2,566	1,947	38,451
2005	236,220	64,689	54,613	15,551	13,167	10,926	7,694	7,679	7,537	3,819	3,188	3,030	2,528	2,454	1,905	37,440
2004	232,464	65,002	53,708	16,884	12,519	10,614	6,962	7,119	7,331	3,686	3,364	2,860	2,489	2,371	1,830	35,725
2003	239,325	69,013	54,307	17,686	13,380	10,470	6,585	7,088	8,184	3,832	3,396	2,578	2,481	2,326	1,803	36,196
2002	233,246	68,387	53,926	17,551	12,643	9,882	5,405	6,783	8,098	3,725	3,210	2,330	2,459	2,149	1,576	35,122
Age-Adjusted Death Rates:																
2006	686.5	189.3	157.8	44.2	38.4	30.5	24.1	21.6	21.6	10.5	8.9	9.3	6.8	7.5	5.9	
2005	701.0	194.1	162.8	47.0	40.2	30.2	23.4	23.0	22.8	10.7	8.8	9.1	6.8	7.3	5.9	
2004	705.9	200.1	163.6	52.3	39.1	29.9	21.8	21.8	22.7	10.6	9.4	8.8	6.7	7.3	5.8	
2003	746.5	218.5	169.6	56.4	42.8	30.1	21.2	22.2	26.1	11.3	9.7	8.2	6.8	7.4	5.8	
2002	749.1	223.5	173.2	57.7	41.6	29.0	18.0	21.9	26.7	11.3	9.4	7.6	6.8	7.0	5.2	

MALE	TOTAL ALL CAUSES A00-Y89	LEADING CAUSES OF MALE DEATHS IN CALIFORNIA														ALL OTHER CAUSES (Residual)
		HEART DISEASE I00-I09, I11, I13, I20-I51	CANCER C00-C97	ACCIDENTS V01-X59, Y85-Y86	CEREBRO-VASCULAR DISEASE I60-I69	CHRONIC LOWER RESP DISEASE J40-J47	DIABETES E10-E14	INFLUENZA AND PNEUMONIA J10-J18	ALZHEIMER'S DISEASE G30	CIRRHOSIS K70, K73-K74	INTENTIONAL SELF-HARM U03, X60-X84, Y87.0	ASSAULT U01-U02, X85-Y09, Y87.1	NEPHRITIS N00-N07, N17-N19, N25-N27	ESSENTIAL HYPERTENSION HYPER. RENAL DISEASE ¹ I10, I12, I15	PARKINSONS DISEASE G20-G21	
YEAR 2006 RANK - MALES:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	
Deaths:																
2006	119,581	32,898	27,438	7,612	6,082	5,937	3,760	3,452	2,591	2,554	2,551	2,182	1,324	1,295	1,156	18,749
2005	119,228	32,577	27,858	7,333	6,273	6,125	3,893	3,470	2,307	2,623	2,452	2,147	1,306	1,210	1,147	18,507
2004	116,934	32,506	27,370	7,043	6,835	5,871	3,540	3,357	2,131	2,477	2,543	2,106	1,135	1,111	1,080	17,829
2003	120,161	34,574	27,495	7,005	7,094	6,268	3,562	3,764	2,069	2,537	2,663	2,072	1,125	1,020	1,045	17,868
2002	116,768	33,955	27,459	6,634	7,043	5,879	3,307	3,697	1,680	2,458	2,500	2,041	1,101	911	891	17,212
Age-Adjusted Death Rates:																
2006	810.9	233.0	185.9	42.8	44.0	43.2	25.4	26.1	20.6	14.6	14.3	11.2	9.4	9.3	8.9	
2005	827.8	236.8	193.2	42.0	46.9	45.7	26.9	26.8	18.9	15.3	14.1	11.2	9.4	9.0	9.0	
2004	832.3	243.3	193.9	41.2	52.5	44.9	25.0	26.8	18.0	14.9	14.9	11.1	8.4	8.4	8.8	
2003	882.1	266.8	200.4	41.6	56.5	49.2	26.0	31.0	18.1	15.6	15.9	11.1	8.7	8.0	8.7	
2002	886.5	271.9	206.5	40.5	58.2	47.7	25.0	31.9	15.2	15.7	15.5	11.1	8.9	7.5	7.7	

FEMALE	TOTAL ALL CAUSES A00-Y89	LEADING CAUSES OF FEMALE DEATHS IN CALIFORNIA														**ALL OTHER CAUSES (Residual)
		HEART DISEASE I00-I09, I11, I13, I20-I51	CANCER C00-C97	CEREBRO-VASCULAR DISEASE I60-I69	CHRONIC LOWER RESP DISEASE J40-J47	ALZHEIMER'S DISEASE G30	INFLUENZA AND PNEUMONIA J10-J18	ACCIDENTS V01-X59, Y85-Y86	DIABETES E10-E14	ESSENTIAL HYPERTENSION HYPER. RENAL DISEASE ¹ I10, I12, I15	CIRRHOSIS K70, K73-K74	NEPHRITIS N00-N07, N17-N19, N25-N27	PARKINSON'S DISEASE G20-G21	INTENTIONAL SELF-HARM U03, X60-X84, Y87.0	CONGENITAL MALFORMATIONS Q00-Q99	
YEAR 2006 RANK - FEMALES:		1	2	3	4	5	6	7	8	9	10	11	12	13	15*	
Deaths:																
2006	116,871	31,750	26,605	8,929	6,870	5,550	3,877	3,624	3,607	1,893	1,272	1,242	791	745	604	18,862
2005	116,992	32,112	26,755	9,278	7,042	5,387	4,067	3,593	3,786	1,820	1,196	1,148	758	736	590	18,724
2004	115,530	32,496	26,338	10,049	6,648	4,831	3,974	3,571	3,579	1,749	1,209	1,236	750	821	618	17,661
2003	119,164	34,439	26,812	10,592	7,112	4,516	4,420	3,465	3,526	1,558	1,295	1,201	758	733	583	18,154
2002	116,478	34,432	26,467	10,508	6,764	3,725	4,401	3,248	3,476	1,419	1,267	1,048	685	710	620	17,708
Age-Adjusted Death Rates:																
2006	585.0	154.5	138.6	43.9	35.2	26.0	18.7	18.8	18.6	9.2	6.7	6.3	3.9	3.9	3.2	
2005	597.7	160.0	142.0	46.5	36.6	25.9	20.1	19.1	19.9	9.0	6.4	6.0	3.8	4.0	3.1	
2004	603.6	165.8	142.8	51.4	35.3	23.8	20.1	19.2	19.2	8.9	6.6	6.5	3.9	4.5	3.3	
2003	637.1	180.3	148.7	55.4	38.7	22.9	22.9	19.0	19.3	8.2	7.3	6.5	4.0	4.1	3.1	
2002	639.7	185.3	150.7	56.6	37.7	19.5	23.4	18.2	19.6	7.6	7.3	5.8	3.7	4.0	3.4	

¹ In 2006 Other Neoplasms (In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior, ICD10 Codes D00-D48) ranked 14th among the leading causes of death for females with a total of 650 deaths and an age-adjusted death rate of 3.3.

** In 2006 the "All Other Causes" figure of 18,862 excludes the 650 Other Neoplasms deaths.

¹ In 2006 Hypertension and Hypertensive Renal Disease, ICD10 Codes, I10, I12 was changed to Essential Hypertension and Hypertensive Renal Disease, ICD10 Codes I10, I12, I15.