

TABLE 5-15
DEATHS, DEATH RATES AND AGE-ADJUSTED DEATH RATES FOR 18 MAJOR CAUSES OF DEATH
BY RACE/ETHNICITY*
CALIFORNIA 1990-1998

CAUSES OF DEATH	ICD (Rev. 9)	DEATHS						DEATH RATES						AGE-ADJUSTED DEATH RATES								
		YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE	YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE	YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE
ALL CAUSES	000-999	1998	225,450	13,591	17,607	26,979	166,475	1998	672.9	365.6	762.5	269.2	964.6	1998	414.7	274.7	666.6	319.5	431.7			
		1997	223,438	13,144	17,480	26,470	165,544	1997	678.0	366.2	755.1	274.6	961.6	1997	423.8	283.2	668.6	327.4	439.5			
		1996	222,308	12,475	17,925	26,128	165,040	1996	686.5	361.3	787.8	280.0	963.4	1996	438.6	288.5	716.1	338.6	452.6			
		1995	222,626	12,037	18,011	25,901	165,928	1995	694.3	360.6	800.3	284.6	965.8	1995	455.9	296.0	741.3	348.5	470.7			
		1994	222,854	11,685	18,279	24,903	167,320	1994	701.1	361.0	818.6	280.3	970.2	1994	466.4	307.6	765.6	347.8	481.7			
		1993	220,271	10,925	18,246	24,906	165,554	1993	698.9	348.9	824.0	287.7	955.8	1993	470.8	304.8	777.0	361.9	482.4			
		1992	214,586	10,358	17,666	23,750	162,239	1992	688.1	343.1	805.8	282.0	934.4	1992	469.3	308.1	765.9	359.4	480.0			
		1991	214,220	9,862	17,558	22,903	163,347	1991	700.9	342.4	817.5	282.8	947.0	1991	481.1	314.9	779.7	363.6	493.8			
		1990	213,766	9,017	17,324	22,405	164,519	1990	713.9	328.4	822.9	288.8	960.3	1990	494.5	311.8	791.6	374.3	508.6			
		AIDS	042-044	1998	1,432	31	316	345	733	1998	4.3	0.8	13.7	3.4	4.2	1998	4.0	0.8	13.1	3.7	3.7	
1997	1,857			33	426	441	952	1997	5.6	0.9	18.4	4.6	5.5	1997	5.2	0.8	17.5	4.8	4.8			
1996	4,207			103	854	949	2,288	1996	13.0	3.0	37.5	10.2	13.4	1996	12.1	2.7	35.9	10.6	11.7			
1995	6,450			131	1,150	1,308	3,829	1995	20.1	3.9	51.1	14.4	22.3	1995	18.8	3.6	49.1	15.2	19.6			
1994	6,739			156	1,145	1,268	4,147	1994	21.2	4.8	51.3	14.3	24.0	1994	19.8	4.5	49.5	15.2	21.2			
1993	6,287			106	986	1,117	4,056	1993	19.9	3.4	44.5	12.9	23.4	1993	18.8	3.1	42.7	13.7	20.9			
1992	5,996			99	914	1,009	3,964	1992	19.2	3.3	41.7	12.0	22.8	1992	18.2	3.0	39.9	12.9	20.3			
1991	5,533			98	721	884	3,811	1991	18.1	3.4	33.6	10.9	22.1	1991	17.3	3.2	32.6	12.3	19.8			
1990	5,041			86	610	759	3,571	1990	16.8	3.1	29.0	9.8	20.8	1990	16.1	3.0	28.3	10.9	18.7			
MALIGNANT NEOPLASMS	140-208			1998	51,186	3,581	3,783	5,293	38,380	1998	152.8	96.3	163.8	52.8	222.4	1998	107.4	80.5	152.5	70.9	116.5	
		1997	51,818	3,424	3,904	5,191	38,145	1997	157.2	95.4	168.6	53.9	227.4	1997	111.1	80.6	158.6	73.0	120.3			
		1996	50,904	3,265	3,808	4,852	38,850	1996	157.2	94.6	167.4	52.0	226.8	1996	112.2	81.6	161.2	72.5	121.3			
		1995	51,217	3,106	3,755	4,640	39,615	1995	159.7	93.0	166.9	51.0	230.6	1995	116.1	82.6	164.2	72.5	126.4			
		1994	51,247	3,061	3,709	4,346	40,016	1994	161.2	94.6	166.1	48.9	232.0	1994	119.0	86.7	166.2	71.6	129.4			
		1993	50,751	2,959	3,743	4,370	39,577	1993	161.0	94.5	169.0	50.5	228.5	1993	120.0	88.4	170.1	75.4	129.3			
		1992	49,903	2,660	3,730	4,271	39,134	1992	160.0	88.1	170.1	50.7	225.4	1992	120.6	84.8	174.0	77.3	129.1			
		1991	50,001	2,542	3,727	4,002	39,629	1991	163.6	88.2	173.5	49.4	229.7	1991	124.7	86.4	179.3	76.2	134.4			
		1990	48,896	2,309	3,623	3,809	39,073	1990	163.3	84.1	172.1	49.0	228.1	1990	125.3	84.5	178.6	77.0	135.1			
		DIABETES	250	1998	5,796	487	698	1,334	3,231	1998	17.3	13.1	30.2	13.3	18.7	1998	11.6	9.9	27.3	18.2	9.0	
1997	5,611			463	676	1,260	3,165	1997	17.0	12.9	29.2	13.1	18.4	1997	11.6	10.0	26.9	18.3	8.9			
1996	5,380			386	701	1,115	3,151	1996	16.6	11.2	30.8	11.9	18.4	1996	11.4	9.2	28.3	17.0	9.2			
1995	5,096			396	600	1,085	2,977	1995	15.9	11.9	26.7	11.9	17.3	1995	11.1	9.9	25.7	17.3	8.9			
1994	4,918			302	625	970	2,996	1994	15.5	9.3	28.0	10.9	17.4	1994	10.9	7.8	26.8	16.4	9.1			
1993	3,831			236	481	757	2,330	1993	12.2	7.5	21.7	8.7	13.5	1993	8.7	6.6	21.3	13.6	7.1			
1992	3,559			241	420	689	2,189	1992	11.4	8.0	19.2	8.2	12.6	1992	8.2	7.1	19.1	12.9	6.7			
1991	3,308			185	426	607	2,071	1991	10.8	6.4	19.8	7.5	12.0	1991	7.9	6.1	19.9	12.1	6.5			
1990	3,378			195	435	626	2,106	1990	11.3	7.1	20.7	8.1	12.3	1990	8.1	6.8	20.9	13.0	6.6			
ALZHEIMER'S DISEASE	331.0			1998	2,087	48	85	107	1,846	1998	6.2	1.3	3.7	1.1	10.7	1998	2.3	0.7	2.1	1.1	2.8	
		1997	2,057	52	93	103	1,807	1997	6.2	1.4	4.0	1.1	10.5	1997	2.4	0.8	2.4	1.1	2.8			
		1996	1,972	29	81	91	1,768	1996	6.1	0.8	3.6	1.0	10.3	1996	2.4	0.5	2.4	1.1	2.8			
		1995	1,717	28	76	92	1,519	1995	5.4	0.8	3.4	1.0	8.8	1995	2.3	0.6	2.4	1.1	2.6			
		1994	1,521	36	79	50	1,355	1994	4.8	1.1	3.5	0.6	7.9	1994	2.1	0.8	2.5	0.7	2.4			
		1993	1,225	26	48	44	1,105	1993	3.9	0.8	2.2	0.5	6.4	1993	1.7	0.6	1.6	0.6	2.0			
		1992	1,185	15	52	42	1,075	1992	3.8	0.5	2.4	0.5	6.2	1992	1.7	0.4	1.7	0.6	2.0			
		1991	1,116	8	46	31	1,031	1991	3.7	0.3	2.1	0.4	6.0	1991	1.7	0.2	1.6	0.5	2.0			
		1990	1,189	21	47	41	1,079	1990	4.0	0.8	2.2	0.5	6.3	1990	1.9	0.6	1.8	0.7	2.2			
		HEART DISEASE	390-398,402 404-429	1998	68,946	3,695	5,411	6,481	53,152	1998	205.8	99.4	234.3	64.7	308.0	1998	109.8	67.8	195.4	77.7	115.4	
1997	68,273			3,485	5,169	6,295	53,115	1997	207.2	97.1	223.3	65.3	308.5	1997	111.7	68.2	187.2	79.0	117.8			
1996	67,676			3,317	5,089	5,963	53,099	1996	209.0	96.1	223.7	63.9	309.9	1996	114.6	70.5	193.6	80.4	120.6			
1995	67,990			3,291	5,056	5,769	53,674	1995	212.1	98.6	224.7	63.4	312.4	1995	118.6	74.8	197.2	82.5	124.5			
1994	68,312			3,173	5,119	5,582	54,283	1994	214.9	98.0	229.3	62.8	314.8	1994	122.5	78.4	204.8	84.2	128.1			
1993	68,603			2,928	5,270	5,653	54,591	1993	217.7	93.5	238.0	65.3	315.2	1993	125.8	76.3	215.9	90.3	130.4			
1992	66,668			2,904	5,075	5,265	53,273	1992	213.8	96.2	231.5	62.5	306.8	1992	126.9	82.0	215.5	89.3	131.1			
1991	67,140			2,699	5,098	5,192	54,010	1991	219.7	93.7	237.4	64.1	313.1	1991	131.1	83.0	219.7	93.2	135.4			
1990	67,425			2,440	5,205	5,049	54,614	1990	225.2	88.9	247.2	64.9	318.8	1990	136.6	82.0	232.8	96.4	141.0			
HYPERTENSION	401, 403			1998	1,687	135	255	183	1,113	1998	5.0	3.6	11.0	1.8	6.4	1998	2.6	2.3	8.9	2.2	2.1	
		1997	1,552	109	207	171	1,057	1997	4.7	3.0	8.9	1.8	6.1	1997	2.5	2.0	7.7	2.2	2.1			
		1996	1,470	106	222	146	990	1996	4.5	3.1	9.8	1.6	5.8	1996	2.3	2.2	7.9	2.0	2.0			
		1995	1,376	99	183	131	958	1995	4.3	3.0	8.1	1.4	5.6	1995	2.3	2.3	6.8	1.7	2.1			
		1994	1,269	82	200	110	874	1994	4.0	2.5	9.0	1.2	5.1	1994	2.1	1.9	7.6	1.7	1.8			
		1993	1,079	62	139	86	790	1993	3.4	2.0	6.3	1.0	4.6	1993	1.9	1.6	5.5	1.4	1.7			
		1992	1,086	71	139	96	779	1992	3.5	2.4	6.3	1.1	4.5	1992	2.0	1.9	5.8	1.5	1.8			
		1991	983	57	134	98	693	1991	3.2	2.0	6.2	1.2	4.0	1991	1.8	1.7	5.8	1.8	1.5			
		1990	938	38	151	84	663	1990	3.1	1.4	7.2	1.1	3.9	1990	1.8	1.2	6.7	1.6	1.5			

TABLE 5-15
DEATHS, DEATH RATES AND AGE-ADJUSTED DEATH RATES FOR 18 MAJOR CAUSES OF DEATH
BY RACE/ETHNICITY*
CALIFORNIA 1990-1998

CAUSES OF DEATH	ICD (Rev. 9)	DEATHS						DEATH RATES						AGE-ADJUSTED DEATH RATES								
		YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE	YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE	YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE
				PACIFIC ISL	WHITE						PACIFIC ISL	WHITE						PACIFIC ISL	WHITE			
CEREBROVASCULAR DISEASE	430-438	1998	16,385	1,323	1,178	1,685	12,158	1998	48.9	35.6	51.0	16.8	70.4	1998	24.5	24.8	40.7	19.9	23.6			
		1997	16,649	1,323	1,240	1,646	12,397	1997	50.5	36.9	53.6	17.1	72.0	1997	25.5	26.5	43.2	21.0	24.4			
		1996	16,481	1,295	1,219	1,588	12,329	1996	50.9	37.5	53.6	17.0	72.0	1996	26.0	27.9	44.9	21.0	24.8			
		1995	16,176	1,185	1,247	1,453	12,242	1995	50.5	35.5	55.4	16.0	71.3	1995	26.6	27.4	48.3	20.5	25.5			
		1994	15,703	1,114	1,238	1,318	11,995	1994	49.4	34.4	55.4	14.8	69.6	1994	26.1	27.3	48.7	19.6	24.9			
		1993	15,195	1,007	1,197	1,325	11,627	1993	48.2	32.2	54.1	15.3	67.1	1993	26.3	26.9	48.5	21.0	25.0			
		1992	15,111	913	1,150	1,278	11,736	1992	48.5	30.2	52.5	15.2	67.6	1992	26.7	26.0	47.5	21.3	25.6			
		1991	15,350	962	1,174	1,337	11,847	1991	50.2	33.4	54.7	16.5	68.7	1991	27.9	30.0	49.5	23.5	26.3			
		1990	15,462	817	1,164	1,191	12,265	1990	51.6	29.8	55.3	15.3	71.6	1990	28.9	27.6	50.6	22.4	28.1			
		ATHEROSCLEROSIS	440	1998	1,937	60	83	149	1,635	1998	5.8	1.6	3.6	1.5	9.5	1998	2.3	0.9	2.4	1.5	2.5	
1997	1,979			41	98	159	1,676	1997	6.0	1.1	4.2	1.6	9.7	1997	2.5	0.6	3.1	1.7	2.8			
1996	1,885			73	105	125	1,580	1996	5.8	2.1	4.6	1.3	9.2	1996	2.4	1.2	2.9	1.5	2.7			
1995	1,927			48	108	140	1,627	1995	6.0	1.4	4.8	1.5	9.5	1995	2.6	0.9	3.4	1.7	2.8			
1994	1,990			58	100	112	1,718	1994	6.3	1.8	4.5	1.3	10.0	1994	2.7	1.2	3.3	1.4	3.0			
1993	1,986			56	110	139	1,678	1993	6.3	1.8	5.0	1.6	9.7	1993	2.7	1.3	3.8	1.9	2.9			
1992	2,023			49	91	139	1,742	1992	6.5	1.6	4.2	1.7	10.0	1992	2.8	1.2	3.1	2.1	3.0			
1991	2,020			47	103	123	1,746	1991	6.6	1.6	4.8	1.5	10.1	1991	3.0	1.3	3.7	2.0	3.3			
1990	2,067			42	110	120	1,791	1990	6.9	1.5	5.2	1.5	10.5	1990	3.2	1.3	4.1	2.0	3.4			
AORTIC ANEURYSM	441			1998	1,535	120	75	111	1,226	1998	4.6	3.2	3.2	1.1	7.1	1998	2.8	2.4	2.7	1.4	3.2	
		1997	1,493	95	83	80	1,233	1997	4.5	2.6	3.6	0.8	7.2	1997	2.8	2.0	3.1	1.0	3.2			
		1996	1,480	103	75	93	1,206	1996	4.6	3.0	3.3	1.0	7.0	1996	2.8	2.3	2.9	1.4	3.1			
		1995	1,447	80	62	84	1,216	1995	4.5	2.4	2.8	0.9	7.1	1995	2.9	1.9	2.7	1.2	3.3			
		1994	1,482	81	87	75	1,236	1994	4.7	2.5	3.9	0.8	7.2	1994	2.9	2.1	3.5	1.2	3.3			
		1993	1,502	86	70	85	1,259	1993	4.8	2.8	3.2	1.0	7.3	1993	3.1	2.4	2.9	1.4	3.5			
		1992	1,594	93	63	80	1,356	1992	5.1	3.1	2.9	1.0	7.8	1992	3.4	2.8	2.8	1.5	3.8			
		1991	1,643	85	94	87	1,373	1991	5.4	3.0	4.4	1.1	8.0	1991	3.5	2.6	4.4	1.7	3.9			
		1990	1,633	85	92	81	1,373	1990	5.5	3.1	4.4	1.0	8.0	1990	3.6	2.9	4.2	1.6	3.9			
		PNEUMONIA & INFLUENZA	480-487	1998	13,316	802	807	1,156	10,524	1998	39.7	21.6	34.9	11.5	61.0	1998	17.5	12.5	25.6	12.3	18.5	
1997	12,286			698	653	1,152	9,754	1997	37.3	19.4	28.2	12.0	56.7	1997	16.7	12.2	20.4	12.7	17.7			
1996	11,134			618	616	972	8,905	1996	34.4	17.9	27.1	10.4	52.0	1996	15.8	11.6	20.6	11.0	16.7			
1995	10,548			565	565	892	8,500	1995	32.9	16.9	25.1	9.8	49.5	1995	15.5	11.2	19.4	11.2	16.3			
1994	10,237			530	581	828	8,272	1994	32.2	16.4	26.0	9.3	48.0	1994	15.5	11.7	21.1	10.8	16.3			
1993	10,508			546	601	940	8,392	1993	33.3	17.4	27.1	10.9	48.5	1993	16.6	13.0	22.6	13.0	17.0			
1992	9,793			484	572	801	7,910	1992	31.4	16.0	26.1	9.5	45.6	1992	15.7	12.3	21.2	11.7	16.2			
1991	9,725			474	553	766	7,912	1991	31.8	16.5	25.7	9.5	45.9	1991	16.0	13.3	21.4	11.8	16.5			
1990	9,686			386	485	730	8,065	1990	32.3	14.1	23.0	9.4	47.1	1990	16.6	11.9	20.2	12.4	17.4			
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	490-496			1998	12,261	483	651	674	10,419	1998	36.6	13.0	28.2	6.7	60.4	1998	21.2	8.8	24.7	7.9	25.4	
		1997	11,737	547	607	624	9,937	1997	35.6	15.2	26.2	6.5	57.7	1997	20.8	10.6	22.9	7.4	24.8			
		1996	11,373	479	585	531	9,745	1996	35.1	13.9	25.7	5.7	56.9	1996	20.8	10.6	23.5	6.9	24.6			
		1995	10,765	433	504	499	9,296	1995	33.6	13.0	22.4	5.5	54.1	1995	20.5	9.8	20.9	7.2	24.2			
		1994	11,017	414	519	507	9,556	1994	34.7	12.8	23.2	5.7	55.4	1994	21.5	10.5	21.8	7.5	25.3			
		1993	10,625	360	471	548	9,221	1993	33.7	11.5	21.3	6.3	53.2	1993	21.3	9.7	20.6	8.2	24.8			
		1992	10,040	338	479	437	8,773	1992	32.2	11.2	21.8	5.2	50.5	1992	20.6	9.8	21.4	7.3	23.8			
		1991	9,703	335	474	456	8,417	1991	31.7	11.6	22.1	5.6	48.8	1991	20.6	10.5	21.7	8.0	23.6			
		1990	9,647	317	468	433	8,414	1990	32.2	11.5	22.2	5.6	49.1	1990	21.1	10.8	22.0	8.0	24.0			
		CHRONIC LIVER DISEASE AND CIRRHOSIS	571	1998	3,460	127	210	987	2,100	1998	10.3	3.4	9.1	9.8	12.2	1998	8.9	3.0	9.2	13.6	8.4	
1997	3,502			109	213	944	2,192	1997	10.6	3.0	9.2	9.8	12.7	1997	9.2	2.8	9.4	13.6	8.9			
1996	3,501			130	222	954	2,162	1996	10.8	3.8	9.8	10.2	12.6	1996	9.4	3.4	10.3	14.3	8.9			
1995	3,575			118	218	916	2,289	1995	11.2	3.5	9.7	10.1	13.3	1995	9.9	3.3	10.4	14.4	9.6			
1994	3,630			125	238	930	2,299	1994	11.4	3.9	10.7	10.5	13.3	1994	10.3	3.6	11.4	15.6	9.8			
1993	3,681			113	250	897	2,381	1993	11.7	3.6	11.3	10.4	13.7	1993	10.6	3.6	12.2	15.6	10.1			
1992	3,737			135	274	871	2,422	1992	12.0	4.5	12.5	10.3	13.9	1992	11.1	4.5	13.8	16.0	10.5			
1991	3,728			109	284	842	2,461	1991	12.2	3.8	13.2	10.4	14.3	1991	11.3	3.8	14.6	16.0	10.8			
1990	3,890			97	317	817	2,622	1990	13.0	3.5	15.1	10.5	15.3	1990	12.1	3.7	16.5	16.1	11.8			
NEPHRITIS	580-589			1998	1,285	106	134	214	823	1998	3.8	2.9	5.8	2.1	4.8	1998	2.2	2.0	4.9	2.6	1.9	
		1997	1,275	102	143	197	829	1997	3.9	2.8	6.2	2.0	4.8	1997	2.2	2.1	5.2	2.6	1.9			
		1996	1,175	108	122	209	728	1996	3.6	3.1	5.4	2.2	4.2	1996	2.1	2.3	4.6	2.8	1.7			
		1995	1,147	100	147	171	725	1995	3.6	3.0	6.5	1.9	4.2	1995	2.1	2.2	5.8	2.4	1.8			
		1994	1,193	94	142	188	761	1994	3.8	2.9	6.4	2.1	4.4	1994	2.3	2.1	6.0	2.7	1.9			
		1993	1,523	106	181	218	1,009	1993	4.8	3.4	8.2	2.5	5.8	1993	3.0	2.7	7.2	3.5	2.5			
		1992	1,476	101	186	192	994	1992	4.7	3.3	8.5	2.3	5.7	1992	3.0	2.9	7.6	3.3	2.6			
		1991	1,458	98	177	211	969	1991	4.8	3.4	8.2	2.6	5.6	1991	3.0	2.9	7.7	3.7	2.5			
		1990	1,520	100	182	212	1,019	1990	5.1	3.6	8.6	2.7	5.9	1990	3.3	3.4	8.1	4.0	2.8			

TABLE 5-15
DEATHS, DEATH RATES AND AGE-ADJUSTED DEATH RATES FOR 18 MAJOR CAUSES OF DEATH
BY RACE/ETHNICITY*
CALIFORNIA 1990-1998

CAUSES OF DEATH	ICD (Rev. 9)	DEATHS						DEATH RATES						AGE-ADJUSTED DEATH RATES								
		YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE	YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE	YEAR	TOTAL	ASIAN/ PACIFIC ISL		BLACK	HISPANIC	WHITE
				PACIFIC ISL	ISL						PACIFIC ISL	ISL						PACIFIC ISL	ISL			
CONGENITAL ANOMALIES	740-759	1998	1,413	113	132	530	633	1998	4.2	3.0	5.7	5.3	3.7	1998	3.8	2.9	5.4	3.6	3.6			
		1997	1,484	128	114	563	672	1997	4.5	3.6	4.9	5.8	3.9	1997	4.1	3.3	4.8	4.0	4.0			
		1996	1,451	109	138	535	665	1996	4.5	3.2	6.1	5.7	3.9	1996	4.1	3.0	5.8	3.8	4.1			
		1995	1,515	121	151	553	686	1995	4.7	3.6	6.7	6.1	4.0	1995	4.3	3.3	6.2	3.9	4.3			
		1994	1,512	124	122	585	674	1994	4.8	3.8	5.5	6.6	3.9	1994	4.2	3.4	4.8	4.0	4.3			
		1993	1,544	126	146	576	690	1993	4.9	4.0	6.6	6.7	4.0	1993	4.3	3.5	5.6	4.0	4.3			
		1992	1,593	121	152	623	692	1992	5.1	4.0	6.9	7.4	4.0	1992	4.3	3.4	5.6	4.3	4.1			
		1991	1,726	141	167	642	772	1991	5.6	4.9	7.8	7.9	4.5	1991	4.7	4.2	6.2	4.6	4.5			
		1990	1,713	116	159	627	810	1990	5.7	4.2	7.6	8.1	4.7	1990	5.0	3.8	6.0	5.1	4.9			
		CERTAIN PERINATAL CONDITIONS	760-779	1998	1,346	94	241	609	395	1998	4.0	2.5	10.4	6.1	2.3	1998	3.8	2.3	9.7	3.6	3.2	
1997	1,363			89	264	584	422	1997	4.1	2.5	11.4	6.1	2.5	1997	4.0	2.4	11.1	3.6	3.6			
1996	1,338			85	241	579	429	1996	4.1	2.5	10.6	6.2	2.5	1996	3.8	2.2	9.9	3.5	3.5			
1995	1,473			93	271	655	445	1995	4.6	2.8	12.0	7.2	2.6	1995	4.1	2.4	10.5	4.0	3.4			
1994	1,692			98	359	685	544	1994	5.3	3.0	16.1	7.7	3.2	1994	4.5	2.6	13.0	4.1	4.0			
1993	1,689			99	370	686	531	1993	5.4	3.2	16.7	7.9	3.1	1993	4.5	2.6	13.0	4.1	3.7			
1992	1,815			102	423	682	603	1992	5.8	3.4	19.3	8.1	3.5	1992	4.6	2.6	14.0	4.0	3.9			
1991	1,958			97	393	763	702	1991	6.4	3.4	18.3	9.4	4.1	1991	4.9	2.6	12.9	4.7	4.3			
1990	2,075			101	413	754	804	1990	6.9	3.7	19.6	9.7	4.7	1990	5.8	3.2	14.3	5.5	5.1			
ACCIDENTS	E800-E949			1998	8,620	530	710	2,095	5,208	1998	25.7	14.3	30.7	20.9	30.2	1998	22.9	13.0	29.9	22.8	23.9	
		1997	8,762	613	701	2,104	5,270	1997	26.6	17.1	30.3	21.8	30.6	1997	23.8	15.8	29.7	23.5	24.5			
		1996	9,217	548	792	2,331	5,475	1996	28.5	15.9	34.8	25.0	32.0	1996	25.9	15.2	34.3	27.0	26.2			
		1995	9,372	543	846	2,352	5,568	1995	29.2	16.3	37.6	25.8	32.4	1995	27.0	15.5	37.2	27.5	27.5			
		1994	9,233	560	821	2,274	5,515	1994	29.0	17.3	36.8	25.6	32.0	1994	26.8	16.9	36.6	27.2	27.2			
		1993	9,536	489	852	2,504	5,633	1993	30.3	15.6	38.5	28.9	32.5	1993	27.9	15.1	38.3	30.3	27.8			
		1992	9,251	513	774	2,420	5,476	1992	29.7	17.0	35.3	28.7	31.5	1992	27.4	16.6	34.4	29.9	27.1			
		1991	9,420	495	867	2,308	5,695	1991	30.8	17.2	40.4	28.5	33.0	1991	28.5	16.9	39.5	29.5	28.8			
		1990	10,170	548	850	2,607	6,109	1990	34.0	20.0	40.4	33.5	35.7	1990	31.4	19.7	39.9	33.8	31.3			
		SUICIDE	E950-E959	1998	3,215	220	164	423	2,397	1998	9.6	5.9	7.1	4.2	13.9	1998	8.9	5.6	7.1	4.6	11.5	
1997	3,424			267	148	437	2,556	1997	10.4	7.4	6.4	4.5	14.8	1997	9.6	7.2	6.4	5.0	12.3			
1996	3,408			199	154	460	2,575	1996	10.5	5.8	6.8	4.9	15.0	1996	9.8	5.7	6.8	5.4	12.6			
1995	3,823			227	205	503	2,867	1995	11.9	6.8	9.1	5.5	16.7	1995	11.3	6.8	9.2	6.0	14.3			
1994	3,690			227	168	462	2,825	1994	11.6	7.0	7.5	5.2	16.4	1994	10.9	6.9	7.6	5.5	14.0			
1993	3,818			256	204	473	2,874	1993	12.1	8.2	9.2	5.5	16.6	1993	11.3	8.0	9.4	5.8	14.0			
1992	3,700			193	152	422	2,927	1992	11.9	6.4	6.9	5.0	16.9	1992	11.0	6.4	7.0	5.4	14.2			
1991	3,765			204	157	389	3,003	1991	12.3	7.1	7.3	4.8	17.4	1991	11.5	7.0	7.5	5.2	14.9			
1990	3,735			167	148	406	2,999	1990	12.5	6.1	7.0	5.2	17.5	1990	11.5	6.0	7.0	5.6	14.9			
HOMICIDE	E960-E969			1998	2,265	143	563	970	573	1998	6.8	3.8	24.4	9.7	3.3	1998	7.5	4.0	25.4	10.4	3.4	
		1997	2,780	172	717	1,180	691	1997	8.4	4.8	31.0	12.2	4.0	1997	9.3	5.1	32.4	13.1	4.1			
		1996	3,007	175	805	1,295	723	1996	9.3	5.1	35.4	13.9	4.2	1996	10.2	5.3	36.3	14.7	4.3			
		1995	3,623	223	954	1,613	809	1995	11.3	6.7	42.4	17.7	4.7	1995	12.3	7.1	43.3	18.4	4.8			
		1994	3,821	195	1,144	1,602	858	1994	12.0	6.0	51.2	18.0	5.0	1994	12.9	6.4	52.0	18.1	5.0			
		1993	4,206	228	1,280	1,656	1,025	1993	13.3	8.2	57.8	19.1	5.9	1993	14.1	8.0	58.5	18.9	5.9			
		1992	4,092	208	1,137	1,702	1,036	1992	13.1	6.9	51.9	20.2	6.0	1992	13.6	7.2	51.4	19.4	6.0			
		1991	4,071	216	1,171	1,585	1,081	1991	13.3	7.5	54.5	19.6	6.3	1991	13.6	7.5	54.0	18.1	6.1			
		1990	3,703	151	1,083	1,497	978	1990	12.4	5.5	51.4	19.0	5.7	1990	12.4	5.4	49.6	17.6	5.6			

* Asian/Pacific Islander, Black, and White include Hispanic ethnicity. Hispanic includes any race category. White includes Other Races, Not Stated, and Unknown. Total includes Asian/Pacific Islander, Black, Hispanic, White, and American Indian.

Note: Rates are per 100,000 population.

Age-adjusted rates were calculated using the U.S. 1940 Standard Million.

Source: State of California, Department of Health Services, Death Records

State of California, Department of Finance, 1990-1996 Population: 1970-1996 Race/Ethnic Population Estimates with Age and Sex Detail, January 1998; 1997 Population Estimates by Age, Sex, and Race/Ethnic Group, June 1999;
1998 Population: 1997-2040 Population Projections by Age, Sex, and Race/Ethnic Group, December 1998.