

TABLE 5-17B  
LEADING CAUSES OF FEMALE DEATHS BY RACE/ETHNICITY\* AND AGE  
CALIFORNIA, 1990, 1994-1998  
(By Place of Residence)

CAUSE OF DEATH	ICD (Rev. 9) CODES	YEAR	AGE IN YEARS																	
			UNDER 1 YEAR					1-4 YEARS					5-9 YEARS							
			Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White
Certain Perinatal Conditions	760-779	1998	588	*	45	110	265	164	*	-	-	*	-	-	*	-	-	*	*	-
		1997	608	*	33	127	270	175	*	-	-	*	*	*	-	-	-	*	*	-
		1996	605	*	38	124	232	209	*	-	-	*	*	*	-	-	-	*	*	-
		1995	652	*	40	130	296	183	7	-	-	*	*	*	*	-	-	*	*	*
		1994	717	*	45	161	281	229	5	-	-	*	*	*	*	-	-	*	*	-
		1990	864	*	45	179	305	334	9	-	-	*	*	*	*	-	-	*	*	*
Congenital Anomalies	740-759	1998	409	*	45	40	207	114	32	-	6	*	14	11	13	-	-	*	*	9
		1997	424	-	38	38	229	119	42	-	6	*	14	19	17	-	-	*	*	8
		1996	389	*	31	42	168	147	62	-	9	10	21	22	15	-	*	-	8	6
		1995	385	*	31	40	169	144	41	-	*	*	21	12	21	-	*	*	5	14
		1994	478	-	36	34	244	164	57	-	*	6	28	19	19	*	*	*	*	12
		1990	509	-	40	51	222	196	60	-	*	*	23	29	17	-	*	*	*	11
Sudden Infant Death Syndrome	798.0	1998	95	*	7	26	31	30	-	-	-	-	-	-	-	-	-	-	-	-
		1997	130	*	11	24	45	49	-	-	-	-	-	-	-	-	-	-	-	-
		1996	109	-	*	33	33	39	-	-	-	-	-	-	-	-	-	-	-	-
		1995	157	-	12	41	48	56	-	-	-	-	-	-	-	-	-	-	-	-
		1994	192	-	18	34	55	85	-	-	-	-	-	-	-	-	-	-	-	-
		1990	275	*	19	50	84	120	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	390-398,402 404-429	1998	33	-	5	*	19	6	10	-	*	*	*	-	7	-	*	*	*	*
		1997	23	*	*	5	11	5	7	-	-	*	*	*	9	-	*	*	*	*
		1996	38	-	6	6	15	11	11	-	*	*	*	*	14	-	*	-	9	*
		1995	39	-	7	5	14	13	14	-	*	5	*	*	5	-	-	*	*	*
		1994	35	-	*	*	14	14	9	-	-	*	5	*	5	-	-	-	*	*
		1990	37	-	*	8	11	17	17	-	*	5	*	7	5	-	-	-	*	*
Unintentional Injuries	E800-949	1998	19	*	*	*	6	7	76	*	6	10	36	23	46	-	*	5	15	23
		1997	24	-	*	*	13	7	97	*	8	10	46	31	56	*	6	10	22	16
		1996	35	-	-	7	17	11	103	*	5	19	43	32	52	-	7	5	21	19
		1995	46	*	*	9	19	14	104	-	5	15	52	32	63	-	9	6	23	25
		1994	43	*	*	*	17	19	109	*	6	6	44	52	65	-	6	7	19	33
		1990	54	-	*	8	22	22	129	-	11	15	50	53	57	*	*	7	18	27
Cancer	140-208	1998	*	-	-	-	*	*	23	-	*	*	8	10	32	-	*	*	12	14
		1997	7	-	-	-	6	-	25	*	*	*	8	12	34	-	*	*	11	15
		1996	5	-	*	-	*	*	32	-	*	*	12	15	28	*	*	*	14	8
		1995	6	-	-	-	*	*	25	-	-	-	13	12	37	-	6	*	18	11
		1994	6	-	-	-	*	5	24	-	*	*	11	9	33	*	*	*	9	17
		1990	*	-	-	-	*	*	41	-	*	6	14	17	30	-	*	*	10	13
Homicide	E960-969	1998	11	-	-	5	*	*	18	-	*	*	8	6	12	-	-	*	9	-
		1997	14	-	*	*	8	*	27	-	*	5	8	11	12	-	*	*	*	6
		1996	15	*	*	*	7	5	28	-	*	6	13	6	11	-	-	*	*	6
		1995	17	*	-	*	6	6	28	-	*	5	14	7	9	-	*	*	*	*
		1994	21	-	*	*	5	11	23	-	-	*	11	8	8	-	*	*	*	*
		1990	18	-	-	7	7	*	22	-	*	*	9	9	12	-	-	*	5	*
Pneumonia/Influenza	480-487	1998	17	-	*	*	6	8	7	-	-	*	*	*	*	-	-	*	-	*
		1997	17	-	*	*	12	*	16	-	*	*	8	6	6	-	*	-	*	*
		1996	30	-	*	*	18	8	10	-	-	*	5	5	6	-	-	*	*	*
		1995	24	-	*	*	12	6	7	-	-	*	*	*	*	-	-	*	*	*
		1994	47	-	*	8	16	19	15	-	*	*	9	*	5	-	-	*	*	*
		1993	39	-	*	5	17	13	10	-	*	-	*	5	5	-	-	*	*	*
		1990	41	*	*	6	19	13	11	-	*	-	*	*	*	-	-	-	-	*

TABLE 5-17B (Continued)  
 LEADING CAUSES OF FEMALE DEATHS BY RACE/ETHNICITY\* AND AGE  
 CALIFORNIA, 1990, 1994-1998  
 (By Place of Residence)

CAUSE OF DEATH	ICD (Rev. 9) CODES	YEAR	AGE IN YEARS																	
			10-14 YEARS						15-19 YEARS						20-24 YEARS					
			Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White
Unintentional Injuries	E800-949	1998	50	*	6	5	18	20	161	-	14	14	48	85	121	5	11	8	44	53
		1997	45	-	10	*	17	16	135	*	15	7	37	75	138	-	16	7	52	63
		1996	54	-	7	5	23	19	147	-	16	11	51	69	138	*	9	20	39	69
		1995	56	-	*	5	20	27	172	*	14	11	50	96	143	*	13	6	58	64
		1994	53	-	*	*	14	33	157	*	12	13	38	93	157	*	16	9	49	82
		1990	64	*	5	*	23	31	177	*	14	13	41	108	211	*	11	12	65	122
Cancer	140-208	1998	34	*	*	-	18	12	34	-	5	*	11	17	56	*	8	6	19	22
		1997	35	-	*	*	9	21	31	-	5	6	8	12	48	-	7	*	20	17
		1996	27	-	*	*	11	10	31	-	*	*	13	10	51	*	6	5	18	21
		1995	34	-	*	5	13	12	39	-	*	*	15	16	45	-	5	*	17	23
		1994	30	-	*	*	10	15	33	-	6	*	11	15	46	-	5	5	18	18
		1990	23	-	*	*	7	13	36	*	*	5	11	16	61	-	*	*	16	39
Homicide	E960-969	1998	12	-	-	*	6	5	45	-	*	15	17	53	*	5	15	20	12	
		1997	5	-	*	*	-	*	44	-	*	10	22	45	-	*	18	15	9	
		1996	15	-	*	*	7	5	46	-	5	16	14	40	-	*	11	12	13	
		1995	14	-	*	*	6	*	68	-	*	19	24	22	77	-	5	17	35	20
		1994	18	-	*	5	6	6	58	-	5	15	22	16	67	-	6	23	25	13
		1990	22	-	-	5	12	5	69	*	*	18	28	18	82	-	*	28	24	28
Suicide	E950-959	1998	11	-	*	-	*	6	21	-	*	*	5	14	38	*	*	*	12	21
		1997	9	-	-	*	-	8	35	-	7	*	9	16	25	*	5	*	8	10
		1996	8	-	*	*	*	*	33	*	*	*	11	18	36	*	*	*	10	19
		1995	12	-	*	*	*	7	35	-	6	*	7	18	43	*	8	*	6	26
		1994	7	-	-	-	*	5	38	*	*	*	14	18	58	-	15	*	8	31
		1990	11	-	-	*	*	6	42	*	6	*	12	22	48	-	6	*	10	31
Congenital Anomalies	740-759	1998	9	-	*	*	*	5	13	-	*	*	*	6	7	-	*	*	*	*
		1997	8	-	*	*	*	*	8	-	-	*	5	10	*	*	-	*	*	*
		1996	9	-	-	*	7	-	8	-	*	*	*	5	13	-	*	*	6	5
		1995	14	-	*	*	5	6	16	-	*	*	7	7	14	-	*	*	7	*
		1994	7	-	-	*	*	*	11	-	-	*	*	7	14	-	*	*	*	7
		1990	20	-	*	7	*	8	10	-	*	-	*	6	11	-	*	*	*	5
Heart Disease	390-398,402 404-429	1998	6	-	-	*	*	*	7	-	*	-	*	26	*	*	*	*	15	
		1997	5	-	*	-	*	*	14	-	*	*	*	21	-	*	6	5	9	
		1996	12	-	-	*	*	8	13	-	*	*	*	14	-	*	*	8	*	
		1995	*	-	*	-	*	-	15	-	*	*	*	8	23	-	*	*	8	11
		1994	7	-	-	*	*	*	5	-	*	-	*	-	22	-	*	*	7	9
		1990	7	-	*	*	*	*	12	-	-	5	*	*	28	-	*	10	5	12

TABLE 5-17B (Continued)  
 LEADING CAUSES OF FEMALE DEATHS BY RACE/ETHNICITY\* AND AGE  
 CALIFORNIA, 1990, 1994-1998  
 (By Place of Residence)

CAUSE OF DEATH	ICD (Rev. 9) CODES	YEAR	AGE IN YEARS																	
			25-34 YEARS						35-44 YEARS						45-54 YEARS					
			Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White
Cancer	140-208	1998	273	*	30	35	80	127	991	8	102	125	222	534	2,379	8	241	254	340	1,536
		1997	257	-	24	32	78	123	1,047	5	116	149	209	568	2,389	9	222	233	346	1,579
		1996	293	*	36	24	77	155	1,070	*	104	138	203	621	2,348	7	205	269	323	1,544
		1995	311	*	42	35	73	160	1,006	*	99	114	190	600	2,323	9	203	262	283	1,566
		1994	306	*	35	33	75	161	1,036	*	89	121	190	632	2,370	6	187	239	267	1,671
		1990	306	*	21	36	77	170	1,029	*	83	111	149	682	2,230	6	151	224	249	1,600
Unintentional Injuries	E800-949	1998	255	*	21	25	60	145	431	5	16	52	79	279	299	*	18	32	36	210
		1997	297	*	24	29	75	165	397	7	26	44	71	249	305	*	24	38	49	192
		1996	331	*	20	32	94	184	461	*	30	73	74	281	305	5	22	33	52	193
		1995	358	*	14	42	87	211	456	*	28	73	72	279	291	*	21	32	49	185
		1994	365	*	21	48	86	207	442	*	28	64	65	281	295	*	24	35	52	182
		1990	414	*	28	43	88	252	373	*	17	34	64	255	265	*	20	28	45	168
Suicide	E950-959	1998	106	*	6	8	25	66	163	-	11	6	11	135	151	*	15	11	7	116
		1997	118	*	15	7	20	74	174	-	10	9	14	141	166	*	12	*	6	143
		1996	119	-	14	6	10	89	171	*	14	9	15	130	156	*	5	9	12	129
		1995	135	*	17	10	20	86	184	*	8	9	12	155	141	-	10	11	*	116
		1994	112	*	13	*	14	82	188	-	9	11	11	157	145	-	5	6	5	129
		1990	171	*	*	16	16	134	178	*	6	*	14	153	117	-	5	*	5	103
Heart Disease	390-398,402 404-429	1998	90	*	*	22	21	44	343	*	16	82	42	202	809	5	33	174	111	486
		1997	91	*	5	28	18	39	321	*	23	73	40	183	850	6	46	176	114	508
		1996	86	*	*	20	14	49	294	*	12	91	30	158	780	11	26	189	104	450
		1995	95	*	7	24	16	47	314	*	21	73	41	176	736	8	32	165	79	452
		1994	118	-	6	26	19	67	333	*	16	86	37	193	720	*	41	163	76	438
		1990	104	-	6	29	14	55	267	-	10	76	34	147	747	*	15	165	100	465
Homicide	E960-969	1998	83	-	5	22	25	31	87	*	7	24	19	36	40	-	5	10	7	18
		1997	97	*	6	23	33	33	106	*	10	33	25	37	58	*	*	13	12	29
		1996	119	-	9	38	36	36	103	-	*	34	28	37	63	-	*	15	13	32
		1995	150	*	13	46	37	52	120	*	13	33	35	38	61	-	*	10	20	27
		1994	148	-	7	45	39	57	117	*	11	32	19	53	47	*	*	12	8	24
		1990	200	*	12	65	47	75	104	-	6	24	17	57	51	-	*	*	10	35
Cirrhosis	571	1998	28	*	-	-	8	19	156	*	5	15	38	95	210	5	8	23	30	144
		1997	24	*	*	*	*	17	168	*	*	20	41	99	238	*	5	25	50	154
		1996	31	-	*	*	11	16	156	*	*	19	33	99	228	*	*	27	53	143
		1995	19	-	*	5	*	13	168	-	*	15	38	112	236	*	5	18	40	169
		1994	29	*	-	*	6	19	168	*	*	21	27	114	222	7	*	21	43	149
		1990	68	*	-	10	15	40	180	*	*	31	31	112	207	6	-	17	40	144
Cerebrovascular Disease	430-438	1998	44	-	5	8	19	12	123	-	11	27	29	56	297	*	32	68	63	132
		1997	36	-	*	8	14	10	136	-	20	40	27	49	272	*	37	51	49	133
		1996	46	-	*	5	16	22	137	*	8	35	29	64	276	*	46	51	62	114
		1995	48	-	*	13	13	21	136	*	7	30	23	75	294	*	33	66	52	142
		1994	51	-	*	10	15	22	136	-	18	38	21	59	267	*	30	52	43	140
		1990	42	-	*	6	11	23	138	-	12	41	20	65	261	*	29	41	44	146
AIDS	042-044	1998	46	*	-	18	13	14	76	-	*	29	17	27	47	-	*	23	9	13
		1997	56	-	-	19	20	16	86	-	-	34	17	35	43	-	*	14	8	20
		1996	117	-	*	34	38	42	130	-	*	55	28	45	56	*	-	27	10	18
		1995	129	-	*	57	23	47	185	*	*	70	42	69	99	-	*	36	20	39
		1994	146	-	6	43	38	59	170	*	*	79	29	59	87	-	*	34	8	41
		1990	74	-	*	23	18	32	56	-	*	18	9	26	24	-	-	7	*	13

TABLE 5-17B (Continued)  
LEADING CAUSES OF FEMALE DEATHS BY RACE/ETHNICITY\* AND AGE  
CALIFORNIA, 1990, 1994-1998  
(By Place of Residence)

CAUSE OF DEATH	ICD (Rev. 9) CODES	YEAR	AGE IN YEARS																	
			55-64 YEARS						65-74 YEARS						75 YEARS AND OVER					
			Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White	Total Females	American Indian	Asian/Pacific Islander	Black	Hispanic	White
Cancer	140-208	1998	3,827	19	306	357	452	2,693	6,490	15	400	452	610	5,013	10,756	21	527	571	723	8,914
		1997	3,883	22	261	364	437	2,799	6,770	18	445	494	633	5,180	10,721	18	519	558	747	8,879
		1996	3,848	18	264	356	440	2,770	6,914	16	365	469	607	5,457	10,327	12	478	517	661	8,659
		1995	<b>3,933</b>	<b>10</b>	<b>277</b>	<b>374</b>	<b>383</b>	<b>2,889</b>	<b>6,976</b>	<b>11</b>	<b>355</b>	<b>469</b>	<b>540</b>	<b>5,601</b>	<b>10,117</b>	<b>16</b>	<b>442</b>	<b>490</b>	<b>642</b>	<b>8,527</b>
		1994	3,984	9	260	359	401	2,955	7,309	22	351	474	528	5,934	9,966	23	443	510	552	8,438
		1990	<b>4,172</b>	<b>16</b>	<b>215</b>	<b>357</b>	<b>389</b>	<b>3,195</b>	<b>6,975</b>	<b>10</b>	<b>238</b>	<b>451</b>	<b>435</b>	<b>5,841</b>	<b>8,670</b>	<b>13</b>	<b>262</b>	<b>457</b>	<b>503</b>	<b>7,435</b>
Heart Disease	390-398,402	1998	1,832	10	111	332	268	1,111	4,978	25	317	551	660	3,425	26,579	58	1,083	1,533	1,965	21,940
	404-429	1997	1,799	5	101	315	283	1,095	4,839	20	308	514	619	3,378	26,536	68	985	1,487	1,912	22,084
		1996	1,829	13	100	324	236	1,156	5,025	29	290	524	581	3,601	26,052	49	941	1,448	1,785	21,829
		1995	<b>1,796</b>	<b>13</b>	<b>110</b>	<b>278</b>	<b>269</b>	<b>1,126</b>	<b>5,241</b>	<b>24</b>	<b>288</b>	<b>554</b>	<b>578</b>	<b>3,797</b>	<b>26,129</b>	<b>40</b>	<b>917</b>	<b>1,473</b>	<b>1,700</b>	<b>21,999</b>
		1994	1,931	13	112	315	268	1,223	5,386	20	286	548	571	3,961	25,924	41	861	1,433	1,614	21,975
		1990	<b>2,147</b>	<b>7</b>	<b>121</b>	<b>333</b>	<b>259</b>	<b>1,427</b>	<b>5,667</b>	<b>12</b>	<b>253</b>	<b>618</b>	<b>517</b>	<b>4,267</b>	<b>24,638</b>	<b>23</b>	<b>617</b>	<b>1,393</b>	<b>1,391</b>	<b>21,214</b>
Chronic Obstructive Pulmonary Disease	490-496	1998	499	*	10	39	16	431	1,557	*	36	67	66	1,384	4,069	10	104	115	175	3,665
		1997	493	*	17	45	17	410	1,510	*	42	70	55	1,341	3,844	*	134	123	165	3,419
		1996	490	7	17	43	18	405	1,494	*	35	79	48	1,330	3,624	7	84	115	161	3,257
		1995	<b>471</b>	<b>5</b>	<b>13</b>	<b>29</b>	<b>27</b>	<b>397</b>	<b>1,475</b>	*	<b>24</b>	<b>62</b>	<b>62</b>	<b>1,323</b>	<b>3,297</b>	*	<b>91</b>	<b>84</b>	<b>131</b>	<b>2,987</b>
		1994	484	*	17	27	21	418	1,533	5	33	74	53	1,368	3,311	5	83	80	142	3,001
		1990	<b>497</b>	*	<b>16</b>	<b>35</b>	<b>27</b>	<b>417</b>	<b>1,378</b>	*	<b>20</b>	<b>45</b>	<b>43</b>	<b>1,269</b>	<b>2,487</b>	*	<b>51</b>	<b>65</b>	<b>86</b>	<b>2,281</b>
Cerebrovascular Disease	430-438	1998	465	-	59	66	88	252	1,231	8	132	108	162	821	7,638	19	416	408	532	6,263
		1997	448	*	60	74	81	232	1,302	*	137	130	196	838	7,720	19	398	423	491	6,389
		1996	450	*	64	55	78	251	1,275	5	141	141	163	825	7,675	13	415	381	488	6,378
		1995	<b>457</b>	*	<b>57</b>	<b>77</b>	<b>76</b>	<b>245</b>	<b>1,349</b>	*	<b>122</b>	<b>150</b>	<b>164</b>	<b>910</b>	<b>7,324</b>	<b>13</b>	<b>343</b>	<b>363</b>	<b>438</b>	<b>6,167</b>
		1994	422	*	49	83	66	223	1,259	*	136	145	129	846	7,272	16	320	389	407	6,140
		1990	<b>529</b>	*	<b>51</b>	<b>70</b>	<b>87</b>	<b>319</b>	<b>1,354</b>	*	<b>98</b>	<b>145</b>	<b>126</b>	<b>983</b>	<b>7,071</b>	<b>10</b>	<b>231</b>	<b>358</b>	<b>374</b>	<b>6,098</b>
Diabetes	250	1998	341	*	24	59	114	140	782	8	70	104	213	387	1,561	7	131	184	295	944
		1997	415	*	36	81	120	174	774	*	78	91	223	378	1,452	13	118	146	229	946
		1996	370	6	24	69	103	168	756	*	56	120	202	377	1,387	*	83	159	228	913
		1995	<b>355</b>	<b>12</b>	<b>28</b>	<b>57</b>	<b>94</b>	<b>164</b>	<b>765</b>	<b>7</b>	<b>61</b>	<b>101</b>	<b>209</b>	<b>387</b>	<b>1,308</b>	<b>5</b>	<b>113</b>	<b>116</b>	<b>234</b>	<b>840</b>
		1994	372	7	21	49	104	191	740	*	54	102	171	411	1,271	*	85	139	206	839
		1990	<b>264</b>	*	<b>16</b>	<b>40</b>	<b>66</b>	<b>140</b>	<b>526</b>	*	<b>33</b>	<b>92</b>	<b>99</b>	<b>299</b>	<b>922</b>	*	<b>42</b>	<b>97</b>	<b>150</b>	<b>630</b>
Pneumonia/Influenza	480-487	1998	227	*	12	32	31	150	726	*	43	67	91	521	6,210	8	299	277	416	5,210
		1997	223	*	15	22	33	150	632	*	41	62	90	437	5,666	10	225	241	397	4,793
		1996	168	-	6	10	24	128	610	*	42	51	74	442	5,126	9	199	220	349	4,349
		1995	<b>164</b>	*	<b>12</b>	<b>22</b>	<b>24</b>	<b>104</b>	<b>585</b>	*	<b>26</b>	<b>53</b>	<b>62</b>	<b>442</b>	<b>4,850</b>	<b>11</b>	<b>204</b>	<b>194</b>	<b>293</b>	<b>4,148</b>
		1994	151	*	8	20	14	107	582	*	34	53	68	425	4,575	10	152	188	265	3,960
		1990	<b>203</b>	-	<b>8</b>	<b>23</b>	<b>19</b>	<b>153</b>	<b>569</b>	*	<b>20</b>	<b>38</b>	<b>52</b>	<b>457</b>	<b>4,362</b>	<b>6</b>	<b>131</b>	<b>128</b>	<b>249</b>	<b>3,848</b>
Alzheimer's Disease	331.0	1998	11	-	*	*	*	6	108	-	7	*	8	90	1,281	*	17	41	61	1,161
		1997	13	-	*	*	*	10	96	-	6	*	7	80	1,261	*	28	47	61	1,123
		1996	10	-	*	*	*	8	99	*	*	6	11	78	1,199	*	11	43	44	1,100
		1995	<b>12</b>	-	*	*	*	<b>7</b>	<b>96</b>	-	*	<b>9</b>	<b>9</b>	<b>77</b>	<b>1,001</b>	*	<b>16</b>	<b>38</b>	<b>45</b>	<b>901</b>
		1994	12	-	*	*	*	9	94	-	*	6	*	83	841	-	12	45	24	760
		1990	<b>22</b>	-	-	*	*	<b>17</b>	<b>98</b>	-	*	<b>6</b>	<b>5</b>	<b>86</b>	<b>652</b>	-	<b>5</b>	<b>16</b>	<b>22</b>	<b>609</b>

\* American Indian, Asian/Pacific Islander, Black, and White exclude Hispanic ethnicity. American Indian includes Eskimo and Aleut. Hispanic includes any race category. White includes Other Races, Not Stated, and Unknown.

- Represents zero events.

\* Less than 5 deaths.

Note: Shaded areas indicate five leading causes of death, with at least 10 deaths, for total females in 1998.

Source: State of California, Department of Health Services, Death Records.