

TABLE 5-15. DEATHS FOR 19 MAJOR CAUSES OF DEATH BY RACE/ETHNIC GROUP\*, CALIFORNIA, 2000 (By Place of Residence)  
(Cause of Death is coded to the Tenth Revision of the International Classification of Diseases.)

CAUSES OF DEATH	ICD (Rev. 10)	RACE/ETHNIC GROUPS																							
		HISPANIC			2 OR MORE RACES			AMERICAN INDIAN			ASIAN			NON-HISPANIC RACES			PACIFIC ISLANDER			WHITE/OTHER RACES			NOT STATED		
		TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES
ALL CAUSES	A00-Y89	28,557	16,002	12,555	422	228	194	892	443	449	14,025	7,610	6,415	17,482	9,064	8,418	527	311	216	166,243	80,261	85,982	133	86	47
HUMAN IMMUNODEFICIENCY VIRUS DISEASE	B20-B24	355	308	47	4	4	-	10	6	4	18	16	2	357	275	82	3	2	1	703	642	61	3	2	1
MALIGNANT NEOPLASMS	C00-C97	5,799	2,943	2,856	69	37	32	188	94	94	3,826	2,068	1,758	3,880	1,990	1,890	112	61	51	39,119	19,561	19,558	12	5	7
DIABETES	E10-E14	1,447	685	762	12	3	9	37	17	20	452	231	221	735	333	402	17	11	6	3,501	1,734	1,767	2	1	1
PARKINSON'S DISEASE	G20-G21	99	53	46	2	-	2	6	4	2	61	38	23	25	15	10	2	2	-	1,286	738	548	-	-	-
ALZHEIMER'S DISEASE	G30	266	87	179	1	-	1	8	1	7	100	37	63	196	67	129	3	1	2	3,823	1,195	2,628	1	-	1
HEART DISEASE	I00-I09,I11,I13,I20-I25	6,755	3,595	3,160	89	45	44	211	108	103	3,803	2,133	1,670	5,273	2,605	2,668	166	104	62	52,209	25,331	26,878	27	17	10
HYPERTENSION	I10, I12	222	109	113	2	1	1	9	3	6	142	61	81	294	132	162	6	3	3	1,344	482	862	1	-	1
CEREBROVASCULAR DISEASES	I60-I69	1,935	927	1,008	26	11	15	60	29	31	1,527	708	819	1,348	561	787	39	20	19	13,152	5,007	8,145	3	2	1
ATHEROSCLEROSIS	I70	130	57	73	3	2	1	6	2	4	54	24	30	82	32	50	1	1	-	1,357	492	865	1	1	-
AORTIC ANEURYSM	I71	118	74	44	4	2	2	5	1	4	106	72	34	78	47	31	4	3	1	1,085	683	402	-	-	-
INFLUENZA & PNEUMONIA	J10-J18	831	395	436	9	4	5	18	10	8	579	298	281	471	214	257	12	8	4	6,432	2,752	3,680	3	2	1
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	676	358	318	15	7	8	46	23	23	568	366	202	620	353	267	21	11	10	10,801	4,988	5,813	7	6	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	K70, K73-K74	1,120	826	294	10	7	3	42	26	16	119	73	46	214	128	86	5	3	2	2,158	1,399	759	5	5	-
NEPHRITIS	N00-N07,N17-N19, N25-N27	331	155	176	2	2	-	9	3	6	184	84	100	210	97	113	10	6	4	1,035	512	523	-	-	-
CERTAIN PERINATAL CONDITIONS	P00-P96	634	351	283	27	13	14	2	2	-	88	52	36	234	122	112	7	4	3	377	212	165	2	-	2
CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMOSOMAL ABNORMALITIES	Q00-Q99	557	289	268	16	7	9	8	5	3	98	43	55	102	57	45	5	4	1	491	249	242	1	1	-
ACCIDENTS	V01-X59, Y85-Y86	2,232	1,687	545	40	26	14	71	38	33	536	326	210	638	426	212	28	21	7	5,257	3,460	1,797	12	11	1
INTENTIONAL SELF-HARM (Suicide)	X60-X84, Y87.0	449	359	90	14	11	3	12	9	3	210	151	59	144	113	31	9	7	2	2,271	1,777	494	4	4	-
ASSAULT (Homicide)	X85-Y09, Y87.1	898	772	126	10	5	5	4	2	2	111	79	32	596	521	75	10	8	2	451	311	140	4	2	2

\* Beginning in 2000, up to three races were reported on death certificates. The race/ethnic groups in this table provide a mutually exclusive list with Hispanic origin, 2 or more races, and single races. These groupings are not comparable to previously published tables. See Chapter 6 - Technical Appendix.

Source: State of California, Department of Health Services, Death Records

TABLE 5-15. DEATHS FOR 19 MAJOR CAUSES OF DEATH BY RACE/ETHNIC GROUP\*, CALIFORNIA, 2000 (By Place of Residence)  
 (Cause of Death is coded to the Tenth Revision of the International Classification of Diseases.)

CAUSES OF DEATH	ICD (Rev. 10)	RACE/ETHNIC GROUPS											
		HISPANIC			2 OR MORE RACE GROUPS			NON-HISPANIC RACES					
		TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES
ALL CAUSES	A00-Y89	28,557	16,002	12,555	422	228	194	892	443	449	14,025	7,610	6,415
HUMAN IMMUNODEFICIENCY VIRUS DISEASE	B20-B24	355	308	47	4	4	-	10	6	4	18	16	2
MALIGNANT NEOPLASMS	C00-C97	5,799	2,943	2,856	69	37	32	188	94	94	3,826	2,068	1,758
DIABETES	E10-E14	1,447	685	762	12	3	9	37	17	20	452	231	221
PARKINSON'S DISEASE	G20-G21	99	53	46	2	-	2	6	4	2	61	38	23
ALZHEIMER'S DISEASE	G30	266	87	179	1	-	1	8	1	7	100	37	63
HEART DISEASE	I00-I09,I11, I13,I20-I25	6,755	3,595	3,160	89	45	44	211	108	103	3,803	2,133	1,670
HYPERTENSION	I10, I12	222	109	113	2	1	1	9	3	6	142	61	81
CEREBROVASCULAR DISEASES	I60-I69	1,935	927	1,008	26	11	15	60	29	31	1,527	708	819
ATHEROSCLEROSIS	I70	130	57	73	3	2	1	6	2	4	54	24	30
AORTIC ANEURYSM	I71	118	74	44	4	2	2	5	1	4	106	72	34
INFLUENZA & PNEUMONIA	J10-J18	831	395	436	9	4	5	18	10	8	579	298	281
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	676	358	318	15	7	8	46	23	23	568	366	202
CHRONIC LIVER DISEASE AND CIRRHOSIS	K70, K73-K74	1,120	826	294	10	7	3	42	26	16	119	73	46
NEPHRITIS	N00-N07,N17- N19, N25-N27	331	155	176	2	2	-	9	3	6	184	84	100
CERTAIN PERINATAL CONDITIONS	P00-P96	634	351	283	27	13	14	2	2	-	88	52	36
CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMO- SOMAL ABNORMALITIES	Q00-Q99	557	289	268	16	7	9	8	5	3	98	43	55
ACCIDENTS	V01-X59, Y85-Y86	2,232	1,687	545	40	26	14	71	38	33	536	326	210
INTENTIONAL SELF-HARM (Suicide)	X60-X84, Y87.0	449	359	90	14	11	3	12	9	3	210	151	59
ASSAULT (Homicide)	X85-Y09, Y87.1	898	772	126	10	5	5	4	2	2	111	79	32

TABLE 5-15. DEATHS FOR 19 MAJOR CAUSES OF DEATH BY RACE/ETHNIC GROUP\*, - CALIFORNIA, 2000 (By Place of Residence) - Cont.  
(Cause of Death is coded to the Tenth Revision of the International Classification of Diseases.)

CAUSES OF DEATH	ICD (Rev. 10)	RACE/ETHNIC GROUPS											
		NON-HISPANIC RACES											
		BLACK			PACIFIC ISLANDER			WHITE/OTHER RACES			NOT STATED		
		TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES	TOTAL	MALES	FEMALES
ALL CAUSES	A00-Y89	17,482	9,064	8,418	527	311	216	166,243	80,261	85,982	133	86	47
HUMAN IMMUNODEFICIENCY VIRUS DISEASE	B20-B24	357	275	82	3	2	1	703	642	61	3	2	1
MALIGNANT NEOPLASMS	C00-C97	3,880	1,990	1,890	112	61	51	39,119	19,561	19,558	12	5	7
DIABETES	E10-E14	735	333	402	17	11	6	3,501	1,734	1,767	2	1	1
PARKINSON'S DISEASE	G20-G21	25	15	10	2	2	-	1,286	738	548	-	-	-
ALZHEIMER'S DISEASE	G30	196	67	129	3	1	2	3,823	1,195	2,628	1	-	1
HEART DISEASE	I00-I09,I11, I13,I20-I25	5,273	2,605	2,668	166	104	62	52,209	25,331	26,878	27	17	10
HYPERTENSION	I10, I12	294	132	162	6	3	3	1,344	482	862	1	-	1
CEREBROVASCULAR DISEASES	I60-I69	1,348	561	787	39	20	19	13,152	5,007	8,145	3	2	1
ATHEROSCLEROSIS	I70	82	32	50	1	1	-	1,357	492	865	1	1	-
AORTIC ANEURYSM	I71	78	47	31	4	3	1	1,085	683	402	-	-	-
INFLUENZA & PNEUMONIA	J10-J18	471	214	257	12	8	4	6,432	2,752	3,680	3	2	1
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	620	353	267	21	11	10	10,801	4,988	5,813	7	6	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	K70, K73-K74	214	128	86	5	3	2	2,158	1,399	759	5	5	-
NEPHRITIS	N00-N07,N17- N19, N25-N27	210	97	113	10	6	4	1,035	512	523	-	-	-
CERTAIN PERINATAL CONDITIONS	P00-P96	234	122	112	7	4	3	377	212	165	2	-	2
CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMO- SOMAL ABNORMALITIES	Q00-Q99	102	57	45	5	4	1	491	249	242	1	1	-
ACCIDENTS	V01-X59, Y85-Y86	638	426	212	28	21	7	5,257	3,460	1,797	12	11	1
INTENTIONAL SELF-HARM (Suicide)	X60-X84, Y87.0	144	113	31	9	7	2	2,271	1,777	494	4	4	-
ASSAULT (Homicide)	X85-Y09, Y87.1	596	521	75	10	8	2	451	311	140	4	2	2

\* Beginning in 2000, up to three races were reported on death certificates. The race/ethnic groups in this table provide a mutually exclusive list with Hispanic origin, 2 or more race groups, and single races. These groupings are not comparable to previously published tables. See Chapter 6 - Technical Appendix.

Source: State of California, Department of Health Services, Death Records